



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 05:02 PM UTC

PDB ID : 4J3F / pdb_00004j3f
Title : Crystal Structure of FabI from *F. tularensis* in complex with novel inhibitors based on the benzimidazole scaffold.
Authors : Mehboob, S.; Boci, T.; Brubaker, L.; Santarsiero, B.D.; Johnson, M.E.
Deposited on : 2013-02-05
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	85% 6% • 8%
1	B	280	85% 8% 8%
1	C	280	88% 5% 8%
1	D	280	85% 7% 8%
1	E	280	82% 10% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	280	 % 86% 6% 8%
1	G	280	 84% 9% 8%
1	H	280	 % 84% 8% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	304	-	-	X	-
5	ACT	G	303	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 17546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	6	0
			1955	1242	325	368	20			
1	B	259	Total	C	N	O	S	0	4	0
			1947	1236	325	368	18			
1	C	259	Total	C	N	O	S	0	5	0
			1956	1243	325	370	18			
1	D	259	Total	C	N	O	S	0	2	0
			1941	1232	324	367	18			
1	E	259	Total	C	N	O	S	0	6	0
			1955	1242	325	368	20			
1	F	259	Total	C	N	O	S	0	4	0
			1952	1241	325	368	18			
1	G	259	Total	C	N	O	S	0	6	0
			1961	1249	326	367	19			
1	H	259	Total	C	N	O	S	0	5	0
			1950	1238	324	368	20			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q5NGQ3
A	-18	GLY	-	expression tag	UNP Q5NGQ3
A	-17	SER	-	expression tag	UNP Q5NGQ3
A	-16	SER	-	expression tag	UNP Q5NGQ3
A	-15	HIS	-	expression tag	UNP Q5NGQ3
A	-14	HIS	-	expression tag	UNP Q5NGQ3
A	-13	HIS	-	expression tag	UNP Q5NGQ3
A	-12	HIS	-	expression tag	UNP Q5NGQ3
A	-11	HIS	-	expression tag	UNP Q5NGQ3
A	-10	HIS	-	expression tag	UNP Q5NGQ3
A	-9	SER	-	expression tag	UNP Q5NGQ3
A	-8	SER	-	expression tag	UNP Q5NGQ3
A	-7	GLY	-	expression tag	UNP Q5NGQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	LEU	-	expression tag	UNP Q5NGQ3
A	-5	VAL	-	expression tag	UNP Q5NGQ3
A	-4	PRO	-	expression tag	UNP Q5NGQ3
A	-3	ARG	-	expression tag	UNP Q5NGQ3
A	-2	GLY	-	expression tag	UNP Q5NGQ3
A	-1	SER	-	expression tag	UNP Q5NGQ3
A	0	HIS	-	expression tag	UNP Q5NGQ3
B	-19	MET	-	expression tag	UNP Q5NGQ3
B	-18	GLY	-	expression tag	UNP Q5NGQ3
B	-17	SER	-	expression tag	UNP Q5NGQ3
B	-16	SER	-	expression tag	UNP Q5NGQ3
B	-15	HIS	-	expression tag	UNP Q5NGQ3
B	-14	HIS	-	expression tag	UNP Q5NGQ3
B	-13	HIS	-	expression tag	UNP Q5NGQ3
B	-12	HIS	-	expression tag	UNP Q5NGQ3
B	-11	HIS	-	expression tag	UNP Q5NGQ3
B	-10	HIS	-	expression tag	UNP Q5NGQ3
B	-9	SER	-	expression tag	UNP Q5NGQ3
B	-8	SER	-	expression tag	UNP Q5NGQ3
B	-7	GLY	-	expression tag	UNP Q5NGQ3
B	-6	LEU	-	expression tag	UNP Q5NGQ3
B	-5	VAL	-	expression tag	UNP Q5NGQ3
B	-4	PRO	-	expression tag	UNP Q5NGQ3
B	-3	ARG	-	expression tag	UNP Q5NGQ3
B	-2	GLY	-	expression tag	UNP Q5NGQ3
B	-1	SER	-	expression tag	UNP Q5NGQ3
B	0	HIS	-	expression tag	UNP Q5NGQ3
C	-19	MET	-	expression tag	UNP Q5NGQ3
C	-18	GLY	-	expression tag	UNP Q5NGQ3
C	-17	SER	-	expression tag	UNP Q5NGQ3
C	-16	SER	-	expression tag	UNP Q5NGQ3
C	-15	HIS	-	expression tag	UNP Q5NGQ3
C	-14	HIS	-	expression tag	UNP Q5NGQ3
C	-13	HIS	-	expression tag	UNP Q5NGQ3
C	-12	HIS	-	expression tag	UNP Q5NGQ3
C	-11	HIS	-	expression tag	UNP Q5NGQ3
C	-10	HIS	-	expression tag	UNP Q5NGQ3
C	-9	SER	-	expression tag	UNP Q5NGQ3
C	-8	SER	-	expression tag	UNP Q5NGQ3
C	-7	GLY	-	expression tag	UNP Q5NGQ3
C	-6	LEU	-	expression tag	UNP Q5NGQ3
C	-5	VAL	-	expression tag	UNP Q5NGQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP Q5NGQ3
C	-3	ARG	-	expression tag	UNP Q5NGQ3
C	-2	GLY	-	expression tag	UNP Q5NGQ3
C	-1	SER	-	expression tag	UNP Q5NGQ3
C	0	HIS	-	expression tag	UNP Q5NGQ3
D	-19	MET	-	expression tag	UNP Q5NGQ3
D	-18	GLY	-	expression tag	UNP Q5NGQ3
D	-17	SER	-	expression tag	UNP Q5NGQ3
D	-16	SER	-	expression tag	UNP Q5NGQ3
D	-15	HIS	-	expression tag	UNP Q5NGQ3
D	-14	HIS	-	expression tag	UNP Q5NGQ3
D	-13	HIS	-	expression tag	UNP Q5NGQ3
D	-12	HIS	-	expression tag	UNP Q5NGQ3
D	-11	HIS	-	expression tag	UNP Q5NGQ3
D	-10	HIS	-	expression tag	UNP Q5NGQ3
D	-9	SER	-	expression tag	UNP Q5NGQ3
D	-8	SER	-	expression tag	UNP Q5NGQ3
D	-7	GLY	-	expression tag	UNP Q5NGQ3
D	-6	LEU	-	expression tag	UNP Q5NGQ3
D	-5	VAL	-	expression tag	UNP Q5NGQ3
D	-4	PRO	-	expression tag	UNP Q5NGQ3
D	-3	ARG	-	expression tag	UNP Q5NGQ3
D	-2	GLY	-	expression tag	UNP Q5NGQ3
D	-1	SER	-	expression tag	UNP Q5NGQ3
D	0	HIS	-	expression tag	UNP Q5NGQ3
E	-19	MET	-	expression tag	UNP Q5NGQ3
E	-18	GLY	-	expression tag	UNP Q5NGQ3
E	-17	SER	-	expression tag	UNP Q5NGQ3
E	-16	SER	-	expression tag	UNP Q5NGQ3
E	-15	HIS	-	expression tag	UNP Q5NGQ3
E	-14	HIS	-	expression tag	UNP Q5NGQ3
E	-13	HIS	-	expression tag	UNP Q5NGQ3
E	-12	HIS	-	expression tag	UNP Q5NGQ3
E	-11	HIS	-	expression tag	UNP Q5NGQ3
E	-10	HIS	-	expression tag	UNP Q5NGQ3
E	-9	SER	-	expression tag	UNP Q5NGQ3
E	-8	SER	-	expression tag	UNP Q5NGQ3
E	-7	GLY	-	expression tag	UNP Q5NGQ3
E	-6	LEU	-	expression tag	UNP Q5NGQ3
E	-5	VAL	-	expression tag	UNP Q5NGQ3
E	-4	PRO	-	expression tag	UNP Q5NGQ3
E	-3	ARG	-	expression tag	UNP Q5NGQ3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	expression tag	UNP Q5NGQ3
E	-1	SER	-	expression tag	UNP Q5NGQ3
E	0	HIS	-	expression tag	UNP Q5NGQ3
F	-19	MET	-	expression tag	UNP Q5NGQ3
F	-18	GLY	-	expression tag	UNP Q5NGQ3
F	-17	SER	-	expression tag	UNP Q5NGQ3
F	-16	SER	-	expression tag	UNP Q5NGQ3
F	-15	HIS	-	expression tag	UNP Q5NGQ3
F	-14	HIS	-	expression tag	UNP Q5NGQ3
F	-13	HIS	-	expression tag	UNP Q5NGQ3
F	-12	HIS	-	expression tag	UNP Q5NGQ3
F	-11	HIS	-	expression tag	UNP Q5NGQ3
F	-10	HIS	-	expression tag	UNP Q5NGQ3
F	-9	SER	-	expression tag	UNP Q5NGQ3
F	-8	SER	-	expression tag	UNP Q5NGQ3
F	-7	GLY	-	expression tag	UNP Q5NGQ3
F	-6	LEU	-	expression tag	UNP Q5NGQ3
F	-5	VAL	-	expression tag	UNP Q5NGQ3
F	-4	PRO	-	expression tag	UNP Q5NGQ3
F	-3	ARG	-	expression tag	UNP Q5NGQ3
F	-2	GLY	-	expression tag	UNP Q5NGQ3
F	-1	SER	-	expression tag	UNP Q5NGQ3
F	0	HIS	-	expression tag	UNP Q5NGQ3
G	-19	MET	-	expression tag	UNP Q5NGQ3
G	-18	GLY	-	expression tag	UNP Q5NGQ3
G	-17	SER	-	expression tag	UNP Q5NGQ3
G	-16	SER	-	expression tag	UNP Q5NGQ3
G	-15	HIS	-	expression tag	UNP Q5NGQ3
G	-14	HIS	-	expression tag	UNP Q5NGQ3
G	-13	HIS	-	expression tag	UNP Q5NGQ3
G	-12	HIS	-	expression tag	UNP Q5NGQ3
G	-11	HIS	-	expression tag	UNP Q5NGQ3
G	-10	HIS	-	expression tag	UNP Q5NGQ3
G	-9	SER	-	expression tag	UNP Q5NGQ3
G	-8	SER	-	expression tag	UNP Q5NGQ3
G	-7	GLY	-	expression tag	UNP Q5NGQ3
G	-6	LEU	-	expression tag	UNP Q5NGQ3
G	-5	VAL	-	expression tag	UNP Q5NGQ3
G	-4	PRO	-	expression tag	UNP Q5NGQ3
G	-3	ARG	-	expression tag	UNP Q5NGQ3
G	-2	GLY	-	expression tag	UNP Q5NGQ3
G	-1	SER	-	expression tag	UNP Q5NGQ3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q5NGQ3
H	-19	MET	-	expression tag	UNP Q5NGQ3
H	-18	GLY	-	expression tag	UNP Q5NGQ3
H	-17	SER	-	expression tag	UNP Q5NGQ3
H	-16	SER	-	expression tag	UNP Q5NGQ3
H	-15	HIS	-	expression tag	UNP Q5NGQ3
H	-14	HIS	-	expression tag	UNP Q5NGQ3
H	-13	HIS	-	expression tag	UNP Q5NGQ3
H	-12	HIS	-	expression tag	UNP Q5NGQ3
H	-11	HIS	-	expression tag	UNP Q5NGQ3
H	-10	HIS	-	expression tag	UNP Q5NGQ3
H	-9	SER	-	expression tag	UNP Q5NGQ3
H	-8	SER	-	expression tag	UNP Q5NGQ3
H	-7	GLY	-	expression tag	UNP Q5NGQ3
H	-6	LEU	-	expression tag	UNP Q5NGQ3
H	-5	VAL	-	expression tag	UNP Q5NGQ3
H	-4	PRO	-	expression tag	UNP Q5NGQ3
H	-3	ARG	-	expression tag	UNP Q5NGQ3
H	-2	GLY	-	expression tag	UNP Q5NGQ3
H	-1	SER	-	expression tag	UNP Q5NGQ3
H	0	HIS	-	expression tag	UNP Q5NGQ3

- Molecule 2 is 1-(4-methoxy-3-methylbenzyl)-5,6,7,8-tetrahydro-1H-naphtho[2,3-d]imidazole (CCD ID: 1JT) (formula: C₂₀H₂₂N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			23	20	2	1		
2	B	1	Total	C	N	O	0	0
			23	20	2	1		
2	C	1	Total	C	N	O	0	0
			23	20	2	1		
2	D	1	Total	C	N	O	0	0
			23	20	2	1		
2	E	1	Total	C	N	O	0	0
			23	20	2	1		
2	F	1	Total	C	N	O	0	0
			23	20	2	1		
2	G	1	Total	C	N	O	0	0
			23	20	2	1		
2	H	1	Total	C	N	O	0	0
			23	20	2	1		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	B	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	C	1	Total 44	C 21	N 7	O 14	P 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $\text{C}_2\text{H}_3\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Na	0	0
			1	1		
6	C	1	Total	Na	0	0
			1	1		
6	F	1	Total	Na	0	0
			1	1		
6	G	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total 1	Na 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	173	Total 173	O 173	0	0
7	B	152	Total 152	O 152	0	0
7	C	161	Total 161	O 161	0	0
7	D	164	Total 164	O 164	0	0
7	E	182	Total 182	O 182	0	0
7	F	162	Total 162	O 162	0	0
7	G	183	Total 183	O 183	0	0
7	H	147	Total 147	O 147	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.42Å 123.36Å 202.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.79 – 1.85 19.79 – 1.85	Depositor EDS
% Data completeness (in resolution range)	98.4 (19.79-1.85) 98.4 (19.79-1.85)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.64 (at 1.85Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.156 , 0.182 0.155 , 0.181	Depositor DCC
R_{free} test set	9099 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	13.2	Xtrriage
Anisotropy	0.103	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	17546	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 65.50 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.0164e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, NA, 1JT, GOL, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2011	0.81	0/2711
1	B	0.73	0/1997	0.82	0/2693
1	C	0.73	0/2004	0.80	0/2702
1	D	0.74	0/1980	0.80	0/2671
1	E	0.72	0/2011	0.80	0/2711
1	F	0.72	0/1997	0.84	0/2692
1	G	0.74	0/2013	0.81	0/2713
1	H	0.71	0/2002	0.80	0/2700
All	All	0.73	0/16015	0.81	0/21593

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1955	0	1986	17	0
1	B	1947	0	1972	14	0
1	C	1956	0	1986	7	0
1	D	1941	0	1962	16	0
1	E	1955	0	1986	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1952	0	1984	10	0
1	G	1961	0	2002	17	0
1	H	1950	0	1977	18	0
2	A	23	0	22	0	0
2	B	23	0	22	0	0
2	C	23	0	22	0	0
2	D	23	0	22	0	0
2	E	23	0	22	0	0
2	F	23	0	22	0	0
2	G	23	0	22	0	0
2	H	23	0	22	2	0
3	A	44	0	26	0	0
3	B	44	0	26	0	0
3	C	44	0	26	0	0
3	D	44	0	26	0	0
3	E	44	0	26	0	0
3	F	44	0	26	0	0
3	G	44	0	26	0	0
3	H	44	0	26	0	0
4	A	6	0	8	0	0
4	B	18	0	24	10	0
4	E	6	0	8	0	0
4	F	6	0	8	2	0
5	A	4	0	3	0	0
5	B	4	0	3	0	0
5	C	4	0	3	0	0
5	E	4	0	3	0	0
5	F	4	0	3	0	0
5	G	4	0	3	2	0
5	H	4	0	3	0	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	173	0	0	2	0
7	B	152	0	0	0	0
7	C	161	0	0	3	0
7	D	164	0	0	2	0
7	E	182	0	0	5	0
7	F	162	0	0	2	0
7	G	183	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	H	147	0	0	1	0
All	All	17546	0	16308	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:ASN:HD22	1:A:202:ASN:H	1.13	0.94
1:G:254[B]:VAL:HG23	7:G:549:HOH:O	1.82	0.79
1:B:220:VAL:H	4:B:304:GOL:H32	1.48	0.78
1:A:202:ASN:HD22	1:A:202:ASN:N	1.84	0.74
1:G:14:LEU:HD23	1:G:51[B]:CYS:SG	2.28	0.73
1:B:219:ASN:HA	4:B:304:GOL:H11	1.69	0.73
1:C:106[B]:CYS:SG	7:C:472:HOH:O	2.32	0.73
1:E:106[B]:CYS:SG	7:E:546:HOH:O	2.40	0.73
1:A:202:ASN:H	1:A:202:ASN:ND2	1.88	0.71
1:B:219:ASN:HA	4:B:304:GOL:C1	2.22	0.70
1:B:218:LYS:O	4:B:304:GOL:H11	1.92	0.69
1:H:206[B]:MET:HE1	2:H:301:1JT:C15	2.22	0.69
1:D:258:ASN:HD22	1:D:258:ASN:H	1.38	0.69
1:G:102:ASN:HD22	1:G:105:ASP:H	1.40	0.69
4:F:303:GOL:H11	1:H:255:SER:HA	1.75	0.68
1:D:106[B]:CYS:SG	7:D:536:HOH:O	2.47	0.68
4:F:303:GOL:C1	1:H:255:SER:HA	2.24	0.68
1:E:204[B]:LYS:HG2	7:E:511:HOH:O	1.94	0.67
1:F:102:ASN:HD22	1:F:105:ASP:H	1.41	0.67
1:B:220:VAL:HG22	4:B:304:GOL:H32	1.76	0.67
1:F:256[A]:MET:SD	1:H:206[A]:MET:HG2	2.35	0.67
1:D:102:ASN:HD22	1:D:105:ASP:H	1.41	0.66
1:B:102:ASN:HD22	1:B:105:ASP:H	1.41	0.66
1:H:102:ASN:HD22	1:H:105:ASP:H	1.43	0.65
1:G:96:ARG:NH2	5:G:303:ACT:H1	2.11	0.65
1:G:254[B]:VAL:CG2	7:G:549:HOH:O	2.44	0.64
1:E:102:ASN:HD22	1:E:105:ASP:H	1.45	0.63
1:F:29:HIS:HD2	7:F:444:HOH:O	1.82	0.62
1:H:12:THR:HB	1:H:91:ILE:HD11	1.81	0.62
1:A:102:ASN:HD22	1:A:105:ASP:H	1.45	0.62
1:C:102:ASN:HD22	1:C:105:ASP:H	1.47	0.61
1:D:258:ASN:H	1:D:258:ASN:ND2	2.00	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:E:491:HOH:O	1:G:252:HIS:HD2	1.86	0.56
1:A:8:LYS:HE2	7:A:482:HOH:O	2.05	0.56
1:G:214:SER:O	1:G:217[A]:LYS:HD3	2.06	0.56
1:A:260:LEU:OXT	1:H:260:LEU:O	2.24	0.54
1:A:16:SER:HA	1:A:50:LEU:HD11	1.90	0.53
1:B:220:VAL:HG22	4:B:304:GOL:C3	2.38	0.53
1:F:38:THR:HA	1:F:60:LEU:O	2.08	0.53
1:E:16:SER:HA	1:E:50:LEU:HD11	1.90	0.53
1:E:29:HIS:HD2	7:E:438:HOH:O	1.92	0.52
1:B:171:ARG:HH22	4:B:305:GOL:H12	1.74	0.52
1:D:29:HIS:HD2	7:D:436:HOH:O	1.92	0.52
1:B:171:ARG:HH12	4:B:305:GOL:C1	2.23	0.52
1:E:9:ILE:HG12	1:E:86:ALA:HB3	1.93	0.51
1:B:164:ALA:HA	4:B:305:GOL:H31	1.92	0.51
1:G:29:HIS:HE1	7:G:537:HOH:O	1.92	0.51
1:H:202:ASN:H	1:H:202:ASN:HD22	1.59	0.51
1:B:38:THR:HA	1:B:60:LEU:O	2.11	0.49
1:E:209:TYR:CD2	1:G:256[A]:MET:HG3	2.48	0.49
1:H:206[B]:MET:HE1	2:H:301:1JT:H7	1.96	0.48
1:C:236:MET:HB3	1:D:227:ASN:HB3	1.95	0.48
1:G:84:LEU:O	1:G:137:ARG:HD2	2.14	0.48
1:A:14:LEU:HD23	1:A:51[B]:CYS:SG	2.53	0.48
1:C:129:GLU:HG2	7:C:547:HOH:O	2.12	0.48
1:H:14:LEU:HD23	1:H:51[B]:CYS:SG	2.54	0.48
1:F:63:ASP:OD1	1:F:65:ILE:HG12	2.13	0.47
1:C:2:GLY:N	7:C:531:HOH:O	2.47	0.47
1:G:38:THR:HA	1:G:60:LEU:O	2.15	0.47
1:D:10:LEU:HD11	1:D:38:THR:HG23	1.97	0.46
1:F:39:TYR:CZ	1:F:44:LYS:HG3	2.51	0.46
1:A:260:LEU:HD23	1:D:205:LYS:HG2	1.98	0.45
1:E:43:PHE:HD2	1:E:46:ARG:HE	1.64	0.45
1:A:63:ASP:OD1	1:A:65:ILE:HG12	2.17	0.45
1:B:12:THR:HB	1:B:91:ILE:HD11	1.98	0.45
1:D:16:SER:HA	1:D:50:LEU:HD11	1.99	0.45
1:A:204:LYS:O	1:A:204:LYS:HD3	2.16	0.45
1:A:38:THR:HA	1:A:60:LEU:O	2.17	0.45
1:H:202:ASN:HD22	1:H:202:ASN:N	2.15	0.44
1:D:139:ALA:HB3	1:D:182:ILE:HG12	2.00	0.44
1:D:38:THR:HA	1:D:60:LEU:O	2.17	0.44
1:F:256[B]:MET:HG2	1:F:259:VAL:CG2	2.48	0.44
1:E:38:THR:HA	1:E:60:LEU:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:96:ARG:CZ	5:G:303:ACT:H1	2.48	0.43
1:H:106[B]:CYS:SG	7:H:516:HOH:O	2.62	0.43
1:E:123:PHE:CE1	1:E:143:ALA:HB2	2.52	0.43
1:B:63:ASP:OD1	1:B:65:ILE:HG12	2.19	0.43
1:D:10:LEU:HD21	1:D:73:LEU:HD21	2.01	0.43
7:A:494:HOH:O	1:D:252:HIS:HD2	2.02	0.42
1:B:210:ASN:HB3	4:B:304:GOL:H12	2.00	0.42
1:D:205:LYS:HB2	1:D:205:LYS:HE2	1.56	0.42
1:E:12:THR:HB	1:E:91:ILE:HD11	2.01	0.42
1:G:236:MET:HB3	1:H:227:ASN:HB3	2.02	0.42
1:C:38:THR:HA	1:C:60:LEU:O	2.20	0.42
1:G:29:HIS:HD2	7:G:448:HOH:O	2.03	0.42
1:A:205[B]:LYS:HG2	1:H:258:ASN:CB	2.49	0.41
1:G:99:LEU:O	1:G:100:GLU:O	2.38	0.41
1:H:38:THR:HA	1:H:60:LEU:O	2.20	0.41
1:A:260:LEU:CD2	1:D:205:LYS:HG2	2.50	0.41
1:E:2:GLY:N	7:E:566:HOH:O	2.53	0.41
1:H:63:ASP:OD1	1:H:65:ILE:HG12	2.21	0.41
1:C:227:ASN:HB3	1:D:236:MET:HB3	2.03	0.41
1:H:10:LEU:HD11	1:H:38:THR:HG23	2.03	0.41
1:A:86:ALA:HA	1:A:140:SER:O	2.21	0.41
1:F:219:ASN:HB3	7:F:420:HOH:O	2.20	0.41
1:F:256[B]:MET:HG3	1:H:209:TYR:CD2	2.56	0.41
1:G:63:ASP:OD1	1:G:65:ILE:HG12	2.20	0.41
1:E:63:ASP:OD1	1:E:65:ILE:HG12	2.21	0.40
1:F:157:ASN:N	1:F:157:ASN:HD22	2.17	0.40
1:G:8:LYS:HE2	7:G:530:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/280 (94%)	251 (95%)	11 (4%)	1 (0%)	30	17
1	B	261/280 (93%)	248 (95%)	11 (4%)	2 (1%)	16	6
1	C	262/280 (94%)	252 (96%)	8 (3%)	2 (1%)	16	6
1	D	259/280 (92%)	249 (96%)	8 (3%)	2 (1%)	16	6
1	E	263/280 (94%)	250 (95%)	11 (4%)	2 (1%)	16	6
1	F	261/280 (93%)	249 (95%)	11 (4%)	1 (0%)	30	17
1	G	263/280 (94%)	251 (95%)	10 (4%)	2 (1%)	16	6
1	H	262/280 (94%)	250 (95%)	10 (4%)	2 (1%)	16	6
All	All	2094/2240 (94%)	2000 (96%)	80 (4%)	14 (1%)	18	8

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	GLY
1	E	41	GLY
1	F	100	GLU
1	G	41	GLY
1	G	100	GLU
1	H	41	GLY
1	B	41	GLY
1	C	41	GLY
1	H	100	GLU
1	B	100	GLU
1	E	100	GLU
1	C	100	GLU
1	D	41	GLY
1	D	100	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	209/221 (95%)	205 (98%)	4 (2%)	50 38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	207/221 (94%)	202 (98%)	5 (2%)	43	28
1	C	208/221 (94%)	204 (98%)	4 (2%)	50	38
1	D	205/221 (93%)	202 (98%)	3 (2%)	57	47
1	E	209/221 (95%)	203 (97%)	6 (3%)	37	22
1	F	207/221 (94%)	203 (98%)	4 (2%)	50	38
1	G	209/221 (95%)	206 (99%)	3 (1%)	59	49
1	H	208/221 (94%)	202 (97%)	6 (3%)	37	22
All	All	1662/1768 (94%)	1627 (98%)	35 (2%)	47	33

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	VAL
1	A	202	ASN
1	A	204	LYS
1	A	260	LEU
1	B	17	ASN
1	B	50	LEU
1	B	80	VAL
1	B	202	ASN
1	B	207	LEU
1	C	17	ASN
1	C	99	LEU
1	C	179[A]	GLU
1	C	179[B]	GLU
1	D	40	VAL
1	D	77	LEU
1	D	258	ASN
1	E	14	LEU
1	E	40	VAL
1	E	42	GLN
1	E	77	LEU
1	E	201	SER
1	E	260	LEU
1	F	40	VAL
1	F	50	LEU
1	F	99	LEU
1	F	207	LEU
1	G	17	ASN
1	G	40	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	77	LEU
1	H	17	ASN
1	H	40	VAL
1	H	99	LEU
1	H	202	ASN
1	H	207	LEU
1	H	260	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	138	ASN
1	A	157	ASN
1	A	202	ASN
1	B	17	ASN
1	B	102	ASN
1	B	138	ASN
1	B	157	ASN
1	B	202	ASN
1	C	17	ASN
1	C	102	ASN
1	C	157	ASN
1	C	202	ASN
1	D	29	HIS
1	D	102	ASN
1	D	138	ASN
1	D	157	ASN
1	D	202	ASN
1	D	252	HIS
1	D	258	ASN
1	E	29	HIS
1	E	42	GLN
1	E	102	ASN
1	E	138	ASN
1	E	157	ASN
1	F	29	HIS
1	F	68	GLN
1	F	102	ASN
1	F	138	ASN
1	F	157	ASN
1	F	210	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	17	ASN
1	G	29	HIS
1	G	102	ASN
1	G	138	ASN
1	G	157	ASN
1	G	252	HIS
1	H	17	ASN
1	H	102	ASN
1	H	138	ASN
1	H	157	ASN
1	H	202	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 34 ligands modelled in this entry, 5 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	B	303	-	5,5,5	0.46	0	5,5,5	0.37	0
2	1JT	D	301	-	26,26,26	0.35	0	37,37,37	0.42	0
3	NAD	E	302	-	46,48,48	2.02	12 (26%)	64,73,73	1.84	13 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	F	303	-	5,5,5	0.43	0	5,5,5	1.66	1 (20%)
2	1JT	E	301	-	26,26,26	0.32	0	37,37,37	0.42	0
3	NAD	A	302	-	46,48,48	1.99	7 (15%)	64,73,73	1.98	17 (26%)
5	ACT	F	304	-	3,3,3	0.90	0	3,3,3	0.67	0
3	NAD	C	302	-	46,48,48	2.01	10 (21%)	64,73,73	1.77	15 (23%)
3	NAD	H	302	-	46,48,48	1.98	9 (19%)	64,73,73	1.87	13 (20%)
3	NAD	F	302	-	46,48,48	1.92	9 (19%)	64,73,73	1.87	17 (26%)
2	1JT	G	301	-	26,26,26	0.34	0	37,37,37	0.47	0
5	ACT	E	304	-	3,3,3	0.88	0	3,3,3	0.89	0
4	GOL	B	304	-	5,5,5	0.46	0	5,5,5	0.71	0
2	1JT	A	301	-	26,26,26	0.34	0	37,37,37	0.44	0
5	ACT	G	303	-	3,3,3	0.78	0	3,3,3	1.11	0
5	ACT	C	303	-	3,3,3	0.81	0	3,3,3	0.93	0
2	1JT	C	301	-	26,26,26	0.37	0	37,37,37	0.43	0
3	NAD	D	302	-	46,48,48	1.95	9 (19%)	64,73,73	1.89	19 (29%)
5	ACT	A	304	-	3,3,3	0.82	0	3,3,3	0.97	0
4	GOL	E	303	-	5,5,5	0.41	0	5,5,5	0.88	0
5	ACT	B	306	-	3,3,3	0.85	0	3,3,3	0.58	0
5	ACT	H	303	-	3,3,3	0.87	0	3,3,3	0.46	0
2	1JT	H	301	-	26,26,26	0.34	0	37,37,37	0.41	0
3	NAD	B	302	-	46,48,48	2.03	13 (28%)	64,73,73	1.90	15 (23%)
2	1JT	B	301	-	26,26,26	0.32	0	37,37,37	0.43	0
4	GOL	A	303	-	5,5,5	0.41	0	5,5,5	0.90	0
4	GOL	B	305	-	5,5,5	0.68	0	5,5,5	1.04	0
2	1JT	F	301	-	26,26,26	0.35	0	37,37,37	0.40	0
3	NAD	G	302	-	46,48,48	1.99	11 (23%)	64,73,73	1.80	12 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	303	-	-	0/4/4/4	-
2	1JT	D	301	-	-	0/6/13/13	0/4/4/4
3	NAD	E	302	-	-	6/30/62/62	0/5/5/5
4	GOL	F	303	-	-	2/4/4/4	-
2	1JT	E	301	-	-	0/6/13/13	0/4/4/4
3	NAD	A	302	-	-	7/30/62/62	0/5/5/5
3	NAD	C	302	-	-	8/30/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	H	302	-	-	7/30/62/62	0/5/5/5
3	NAD	F	302	-	-	6/30/62/62	0/5/5/5
2	1JT	G	301	-	-	0/6/13/13	0/4/4/4
4	GOL	B	304	-	-	4/4/4/4	-
2	1JT	A	301	-	-	0/6/13/13	0/4/4/4
2	1JT	C	301	-	-	0/6/13/13	0/4/4/4
3	NAD	D	302	-	-	6/30/62/62	0/5/5/5
4	GOL	E	303	-	-	2/4/4/4	-
2	1JT	H	301	-	-	0/6/13/13	0/4/4/4
3	NAD	B	302	-	-	6/30/62/62	0/5/5/5
2	1JT	B	301	-	-	0/6/13/13	0/4/4/4
4	GOL	A	303	-	-	2/4/4/4	-
4	GOL	B	305	-	-	4/4/4/4	-
2	1JT	F	301	-	-	0/6/13/13	0/4/4/4
3	NAD	G	302	-	-	6/30/62/62	0/5/5/5

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	302	NAD	C2N-N1N	9.35	1.45	1.35
3	A	302	NAD	C2N-N1N	9.24	1.45	1.35
3	C	302	NAD	C2N-N1N	9.19	1.45	1.35
3	E	302	NAD	C2N-N1N	9.17	1.45	1.35
3	D	302	NAD	C2N-N1N	8.96	1.44	1.35
3	B	302	NAD	C2N-N1N	8.74	1.44	1.35
3	H	302	NAD	C2N-N1N	8.67	1.44	1.35
3	F	302	NAD	C2N-N1N	8.34	1.44	1.35
3	H	302	NAD	O4D-C1D	4.70	1.47	1.40
3	D	302	NAD	O4D-C1D	4.49	1.46	1.40
3	C	302	NAD	O4D-C1D	4.29	1.46	1.40
3	B	302	NAD	O4D-C1D	4.05	1.46	1.40
3	F	302	NAD	O4D-C1D	4.02	1.46	1.40
3	E	302	NAD	O4D-C1D	3.90	1.46	1.40
3	A	302	NAD	O4D-C1D	3.79	1.45	1.40
3	B	302	NAD	C6N-N1N	3.65	1.43	1.35
3	E	302	NAD	C4N-C3N	3.60	1.44	1.39
3	A	302	NAD	C6N-N1N	3.50	1.43	1.35
3	D	302	NAD	C6N-N1N	3.50	1.43	1.35
3	F	302	NAD	C4N-C3N	3.49	1.44	1.39
3	G	302	NAD	O4D-C1D	3.46	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	302	NAD	C6N-N1N	3.34	1.42	1.35
3	B	302	NAD	PA-O3	3.23	1.63	1.59
3	C	302	NAD	C6N-N1N	3.21	1.42	1.35
3	A	302	NAD	C4A-N3A	3.20	1.40	1.34
3	H	302	NAD	C6N-N1N	3.17	1.42	1.35
3	C	302	NAD	C4N-C3N	3.15	1.44	1.39
3	F	302	NAD	C6N-N1N	3.15	1.42	1.35
3	B	302	NAD	C4A-N3A	3.14	1.40	1.34
3	A	302	NAD	C4N-C3N	3.11	1.44	1.39
3	H	302	NAD	C4N-C3N	3.02	1.44	1.39
3	D	302	NAD	C4N-C3N	3.02	1.44	1.39
3	E	302	NAD	C6N-N1N	3.01	1.42	1.35
3	G	302	NAD	C5N-C4N	2.86	1.43	1.38
3	C	302	NAD	C5N-C4N	2.79	1.43	1.38
3	G	302	NAD	C4N-C3N	2.72	1.43	1.39
3	D	302	NAD	C4A-N3A	2.72	1.39	1.34
3	A	302	NAD	C2N-C3N	2.72	1.43	1.39
3	G	302	NAD	C4A-N9A	-2.64	1.32	1.37
3	B	302	NAD	C4N-C3N	2.64	1.43	1.39
3	F	302	NAD	C2N-C3N	2.62	1.43	1.39
3	H	302	NAD	C2N-C3N	2.61	1.43	1.39
3	C	302	NAD	C4A-N3A	2.61	1.39	1.34
3	C	302	NAD	C4A-N9A	-2.61	1.32	1.37
3	F	302	NAD	C4A-N3A	2.59	1.39	1.34
3	H	302	NAD	C4A-N3A	2.57	1.39	1.34
3	E	302	NAD	C4A-N3A	2.57	1.39	1.34
3	B	302	NAD	C3N-C7N	2.56	1.54	1.50
3	E	302	NAD	C2N-C3N	2.55	1.43	1.39
3	E	302	NAD	C4A-N9A	-2.49	1.32	1.37
3	D	302	NAD	C5N-C4N	2.39	1.43	1.38
3	E	302	NAD	PA-O3	2.38	1.62	1.59
3	B	302	NAD	C5N-C4N	2.37	1.43	1.38
3	F	302	NAD	C5N-C4N	2.36	1.42	1.38
3	B	302	NAD	C4A-N9A	-2.35	1.32	1.37
3	H	302	NAD	PA-O3	2.32	1.62	1.59
3	H	302	NAD	C4A-N9A	-2.30	1.32	1.37
3	D	302	NAD	C2N-C3N	2.30	1.42	1.39
3	D	302	NAD	C4A-N9A	-2.29	1.32	1.37
3	G	302	NAD	C2N-C3N	2.26	1.42	1.39
3	H	302	NAD	C5N-C4N	2.25	1.42	1.38
3	F	302	NAD	C4A-N9A	-2.23	1.33	1.37
3	G	302	NAD	C3N-C7N	2.23	1.53	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	NAD	C2A-N1A	2.22	1.37	1.33
3	G	302	NAD	PA-O2A	-2.21	1.45	1.55
3	E	302	NAD	C8A-N7A	2.17	1.35	1.31
3	G	302	NAD	C4A-N3A	2.15	1.38	1.34
3	B	302	NAD	C5A-N7A	-2.15	1.35	1.39
3	B	302	NAD	O3D-C3D	2.13	1.48	1.43
3	D	302	NAD	C2A-N1A	2.13	1.37	1.33
3	E	302	NAD	C2A-N1A	2.12	1.37	1.33
3	B	302	NAD	C2N-C3N	2.11	1.42	1.39
3	C	302	NAD	PA-O2A	-2.10	1.45	1.55
3	B	302	NAD	PA-O2A	-2.07	1.45	1.55
3	E	302	NAD	PN-O3	2.06	1.61	1.59
3	F	302	NAD	C8A-N7A	2.04	1.35	1.31
3	E	302	NAD	C5N-C4N	2.03	1.42	1.38
3	G	302	NAD	PA-O3	2.03	1.61	1.59
3	C	302	NAD	C2N-C3N	2.02	1.42	1.39
3	C	302	NAD	O3D-C3D	2.00	1.47	1.43

All (122) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	NAD	N3A-C2A-N1A	-5.79	119.82	128.58
3	A	302	NAD	N3A-C2A-N1A	-5.27	120.60	128.58
3	A	302	NAD	N3A-C4A-N9A	5.18	135.97	127.17
3	E	302	NAD	N3A-C2A-N1A	-5.12	120.83	128.58
3	H	302	NAD	N3A-C2A-N1A	-5.09	120.87	128.58
3	B	302	NAD	N3A-C4A-N9A	5.02	135.71	127.17
3	D	302	NAD	C4A-N9A-C8A	4.96	110.95	105.74
3	F	302	NAD	N3A-C2A-N1A	-4.86	121.23	128.58
3	G	302	NAD	N3A-C2A-N1A	-4.67	121.51	128.58
3	H	302	NAD	N3A-C4A-N9A	4.60	134.98	127.17
3	D	302	NAD	N3A-C4A-N9A	4.59	134.97	127.17
3	B	302	NAD	C5A-C4A-N3A	-4.58	120.41	126.72
3	G	302	NAD	N3A-C4A-N9A	4.56	134.91	127.17
3	A	302	NAD	C5A-C4A-N3A	-4.54	120.47	126.72
3	D	302	NAD	N3A-C2A-N1A	-4.50	121.77	128.58
3	E	302	NAD	N3A-C4A-N9A	4.47	134.78	127.17
3	H	302	NAD	C5A-C4A-N3A	-4.42	120.63	126.72
3	E	302	NAD	C5A-C4A-N3A	-4.35	120.72	126.72
3	G	302	NAD	C4A-N9A-C8A	4.26	110.21	105.74
3	F	302	NAD	N3A-C4A-N9A	4.25	134.40	127.17
3	C	302	NAD	N3A-C2A-N1A	-4.22	122.20	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	NAD	C5A-C4A-N3A	-4.17	120.97	126.72
3	H	302	NAD	C4A-N9A-C8A	4.11	110.05	105.74
3	A	302	NAD	C4A-N9A-C8A	4.08	110.02	105.74
3	A	302	NAD	O4B-C1B-N9A	4.06	115.89	108.09
3	F	302	NAD	C4A-N9A-C8A	4.06	110.00	105.74
3	B	302	NAD	C4A-N9A-C8A	4.02	109.96	105.74
3	C	302	NAD	N3A-C4A-N9A	4.01	133.99	127.17
3	E	302	NAD	O4B-C1B-N9A	4.00	115.78	108.09
3	C	302	NAD	C5A-C4A-N3A	-4.00	121.21	126.72
3	F	302	NAD	C5A-C4A-N3A	-3.90	121.34	126.72
3	D	302	NAD	C5A-C4A-N3A	-3.88	121.38	126.72
3	C	302	NAD	C4A-N9A-C8A	3.73	109.66	105.74
3	D	302	NAD	C2N-C3N-C4N	3.64	122.50	118.26
3	H	302	NAD	C6N-N1N-C2N	-3.64	118.78	121.88
3	E	302	NAD	C4A-N9A-C8A	3.62	109.53	105.74
3	G	302	NAD	C2B-C1B-N9A	-3.59	104.38	113.30
3	F	302	NAD	O4B-C1B-N9A	3.57	114.95	108.09
3	H	302	NAD	O4B-C1B-N9A	3.51	114.83	108.09
3	B	302	NAD	C2A-N3A-C4A	3.50	120.38	111.83
3	F	302	NAD	C2B-C1B-N9A	-3.45	104.72	113.30
3	H	302	NAD	C2A-N3A-C4A	3.41	120.16	111.83
3	D	302	NAD	C4A-N9A-C1B	-3.40	118.67	126.63
3	A	302	NAD	C2A-N3A-C4A	3.38	120.08	111.83
3	F	302	NAD	C2N-C3N-C4N	3.36	122.17	118.26
3	E	302	NAD	C2N-C3N-C4N	3.29	122.09	118.26
3	H	302	NAD	C4A-N9A-C1B	-3.28	118.96	126.63
3	D	302	NAD	C2B-C1B-N9A	-3.27	105.18	113.30
3	D	302	NAD	N9A-C8A-N7A	-3.26	109.31	113.94
3	G	302	NAD	C4A-N9A-C1B	-3.23	119.08	126.63
3	A	302	NAD	C2B-C1B-N9A	-3.21	105.32	113.30
3	B	302	NAD	O4B-C1B-N9A	3.21	114.26	108.09
3	C	302	NAD	C4A-N9A-C1B	-3.20	119.14	126.63
3	C	302	NAD	C2B-C1B-N9A	-3.20	105.35	113.30
3	F	302	NAD	C4A-N9A-C1B	-3.19	119.16	126.63
3	C	302	NAD	C6N-N1N-C2N	-3.18	119.17	121.88
3	E	302	NAD	C4A-N9A-C1B	-3.18	119.20	126.63
3	B	302	NAD	O3-PN-O1N	-3.17	101.16	110.70
3	G	302	NAD	O4B-C1B-N9A	3.15	114.14	108.09
3	A	302	NAD	C4A-N9A-C1B	-3.14	119.29	126.63
3	E	302	NAD	C2A-N3A-C4A	3.12	119.44	111.83
3	H	302	NAD	C4B-O4B-C1B	-3.07	102.69	109.47
3	A	302	NAD	C6N-N1N-C2N	-3.06	119.27	121.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	NAD	C4B-O4B-C1B	-3.03	102.78	109.47
3	G	302	NAD	C2A-N3A-C4A	3.02	119.22	111.83
3	D	302	NAD	O4B-C1B-N9A	3.02	113.89	108.09
3	B	302	NAD	C4A-N9A-C1B	-3.00	119.61	126.63
3	C	302	NAD	O4B-C1B-N9A	2.98	113.81	108.09
3	A	302	NAD	C4B-O4B-C1B	-2.95	102.95	109.47
3	F	302	NAD	C2A-N3A-C4A	2.95	119.03	111.83
3	B	302	NAD	C4B-O4B-C1B	-2.94	102.98	109.47
3	H	302	NAD	N9A-C8A-N7A	-2.91	109.81	113.94
4	F	303	GOL	C3-C2-C1	-2.89	101.19	111.80
3	F	302	NAD	C6N-N1N-C2N	-2.87	119.43	121.88
3	F	302	NAD	C4B-O4B-C1B	-2.86	103.15	109.47
3	A	302	NAD	C2N-C3N-C4N	2.86	121.58	118.26
3	C	302	NAD	C2A-N3A-C4A	2.84	118.76	111.83
3	D	302	NAD	C2A-N3A-C4A	2.82	118.72	111.83
3	E	302	NAD	C2B-C1B-N9A	-2.78	106.41	113.30
3	B	302	NAD	N9A-C8A-N7A	-2.74	110.05	113.94
3	C	302	NAD	N9A-C8A-N7A	-2.71	110.08	113.94
3	B	302	NAD	C6N-N1N-C2N	-2.71	119.57	121.88
3	A	302	NAD	O3-PN-O1N	-2.71	102.56	110.70
3	G	302	NAD	N9A-C8A-N7A	-2.63	110.20	113.94
3	C	302	NAD	C4B-O4B-C1B	-2.60	103.72	109.47
3	D	302	NAD	O2B-C2B-C1B	2.60	119.06	110.10
3	E	302	NAD	C6N-N1N-C2N	-2.59	119.67	121.88
3	H	302	NAD	O3-PN-O1N	-2.58	102.94	110.70
3	D	302	NAD	O7N-C7N-C3N	-2.56	116.46	119.60
3	H	302	NAD	C2B-C1B-N9A	-2.53	107.01	113.30
3	C	302	NAD	O2A-PA-O3	2.51	114.06	107.27
3	D	302	NAD	O3-PN-O1N	-2.48	103.23	110.70
3	F	302	NAD	N9A-C8A-N7A	-2.47	110.44	113.94
3	B	302	NAD	C2A-N1A-C6A	2.44	122.74	118.73
3	E	302	NAD	C4B-O4B-C1B	-2.40	104.17	109.47
3	D	302	NAD	O2A-PA-O3	2.39	113.73	107.27
3	D	302	NAD	C4B-O4B-C1B	-2.39	104.19	109.47
3	A	302	NAD	N9A-C8A-N7A	-2.38	110.56	113.94
3	A	302	NAD	C4D-O4D-C1D	2.37	112.09	109.92
3	C	302	NAD	C3N-C7N-N7N	2.36	120.64	117.74
3	D	302	NAD	C6N-N1N-C2N	-2.35	119.88	121.88
3	G	302	NAD	C2N-C3N-C4N	2.30	120.93	118.26
3	F	302	NAD	O7N-C7N-C3N	-2.24	116.86	119.60
3	C	302	NAD	C2N-C3N-C4N	2.23	120.85	118.26
3	C	302	NAD	O2B-C2B-C1B	2.23	117.78	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	NAD	O3-PN-O1N	-2.22	104.01	110.70
3	A	302	NAD	O5B-C5B-C4B	-2.20	101.49	108.99
3	F	302	NAD	O3-PN-O1N	-2.18	104.13	110.70
3	E	302	NAD	O2B-C2B-C1B	2.16	117.54	110.10
3	F	302	NAD	C2A-N1A-C6A	2.16	122.27	118.73
3	A	302	NAD	O2A-PA-O3	2.15	113.08	107.27
3	B	302	NAD	C2N-C3N-C4N	2.12	120.73	118.26
3	B	302	NAD	O2B-C2B-C1B	2.12	117.40	110.10
3	D	302	NAD	O4B-C1B-C2B	-2.11	102.09	106.62
3	E	302	NAD	N9A-C8A-N7A	-2.10	110.95	113.94
3	B	302	NAD	C2B-C1B-N9A	-2.10	108.09	113.30
3	F	302	NAD	O5B-C5B-C4B	-2.09	101.89	108.99
3	H	302	NAD	O2A-PA-O3	2.08	112.91	107.27
3	F	302	NAD	C5N-C4N-C3N	-2.08	118.32	120.36
3	A	302	NAD	C5A-C4A-N9A	-2.06	103.56	105.81
3	D	302	NAD	O5B-C5B-C4B	-2.04	102.04	108.99
3	D	302	NAD	O2A-PA-O1A	2.03	121.87	112.44

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	NAD	C5D-O5D-PN-O3
3	A	302	NAD	C5D-O5D-PN-O1N
3	A	302	NAD	C5D-O5D-PN-O2N
3	A	302	NAD	O4D-C1D-N1N-C2N
3	B	302	NAD	C5D-O5D-PN-O3
3	B	302	NAD	C5D-O5D-PN-O1N
3	B	302	NAD	C5D-O5D-PN-O2N
3	B	302	NAD	O4D-C1D-N1N-C2N
3	C	302	NAD	C5D-O5D-PN-O3
3	C	302	NAD	C5D-O5D-PN-O1N
3	C	302	NAD	C5D-O5D-PN-O2N
3	C	302	NAD	O4D-C1D-N1N-C2N
3	D	302	NAD	C5D-O5D-PN-O3
3	D	302	NAD	C5D-O5D-PN-O1N
3	D	302	NAD	C5D-O5D-PN-O2N
3	D	302	NAD	O4D-C1D-N1N-C2N
3	E	302	NAD	PN-O3-PA-O5B
3	E	302	NAD	C5D-O5D-PN-O3
3	E	302	NAD	C5D-O5D-PN-O1N
3	E	302	NAD	C5D-O5D-PN-O2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	302	NAD	O4D-C1D-N1N-C2N
3	F	302	NAD	C5D-O5D-PN-O3
3	F	302	NAD	C5D-O5D-PN-O1N
3	F	302	NAD	C5D-O5D-PN-O2N
3	F	302	NAD	O4D-C1D-N1N-C2N
3	G	302	NAD	PN-O3-PA-O5B
3	G	302	NAD	C5D-O5D-PN-O3
3	G	302	NAD	C5D-O5D-PN-O1N
3	G	302	NAD	C5D-O5D-PN-O2N
3	G	302	NAD	O4D-C1D-N1N-C2N
3	H	302	NAD	PN-O3-PA-O5B
3	H	302	NAD	C5D-O5D-PN-O3
3	H	302	NAD	C5D-O5D-PN-O1N
3	H	302	NAD	C5D-O5D-PN-O2N
3	H	302	NAD	O4D-C1D-N1N-C2N
4	A	303	GOL	O1-C1-C2-O2
4	A	303	GOL	O1-C1-C2-C3
4	B	305	GOL	O1-C1-C2-O2
4	B	305	GOL	O1-C1-C2-C3
4	B	305	GOL	C1-C2-C3-O3
4	E	303	GOL	C1-C2-C3-O3
4	E	303	GOL	O2-C2-C3-O3
4	B	304	GOL	O1-C1-C2-C3
4	B	304	GOL	C1-C2-C3-O3
4	F	303	GOL	C1-C2-C3-O3
4	B	305	GOL	O2-C2-C3-O3
4	F	303	GOL	O2-C2-C3-O3
4	B	304	GOL	O1-C1-C2-O2
3	A	302	NAD	PN-O3-PA-O5B
3	B	302	NAD	PN-O3-PA-O5B
4	B	304	GOL	O2-C2-C3-O3
3	A	302	NAD	O4D-C1D-N1N-C6N
3	B	302	NAD	O4D-C1D-N1N-C6N
3	C	302	NAD	O4D-C1D-N1N-C6N
3	D	302	NAD	O4D-C1D-N1N-C6N
3	E	302	NAD	O4D-C1D-N1N-C6N
3	F	302	NAD	O4D-C1D-N1N-C6N
3	G	302	NAD	O4D-C1D-N1N-C6N
3	H	302	NAD	O4D-C1D-N1N-C6N
3	C	302	NAD	PA-O3-PN-O1N
3	C	302	NAD	PA-O3-PN-O2N
3	F	302	NAD	PA-O3-PN-O2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	302	NAD	O4B-C4B-C5B-O5B
3	H	302	NAD	O4B-C4B-C5B-O5B
3	A	302	NAD	O4B-C4B-C5B-O5B
3	D	302	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


5 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	303	GOL	2	0
4	B	304	GOL	7	0
5	G	303	ACT	2	0
2	H	301	1JT	2	0
4	B	305	GOL	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/280 (92%)	-0.52	3 (1%) 76 80	6, 10, 26, 38	6 (2%)
1	B	259/280 (92%)	-0.47	3 (1%) 76 80	6, 11, 31, 44	4 (1%)
1	C	259/280 (92%)	-0.58	1 (0%) 88 91	5, 10, 23, 35	5 (1%)
1	D	259/280 (92%)	-0.56	1 (0%) 88 91	6, 10, 24, 39	2 (0%)
1	E	259/280 (92%)	-0.50	2 (0%) 82 86	6, 11, 27, 42	6 (2%)
1	F	259/280 (92%)	-0.53	3 (1%) 76 80	6, 11, 25, 40	4 (1%)
1	G	259/280 (92%)	-0.56	1 (0%) 88 91	6, 10, 23, 40	6 (2%)
1	H	259/280 (92%)	-0.45	3 (1%) 76 80	6, 12, 26, 42	5 (1%)
All	All	2072/2240 (92%)	-0.52	17 (0%) 82 86	5, 11, 25, 44	38 (1%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	42	GLN	3.6
1	D	42	GLN	3.1
1	H	198	SER	2.8
1	H	100	GLU	2.7
1	F	45	ASP	2.6
1	B	202	ASN	2.6
1	H	199	GLY	2.5
1	A	42	GLN	2.5
1	F	100	GLU	2.3
1	C	100	GLU	2.3
1	B	198	SER	2.2
1	E	42	GLN	2.2
1	A	199	GLY	2.1
1	B	199	GLY	2.0
1	A	82	ASP	2.0
1	F	82	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	41	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	ACT	B	306	4/4	0.75	0.15	40,42,43,43	0
6	NA	F	305	1/1	0.78	0.21	31,31,31,31	0
4	GOL	B	304	6/6	0.81	0.32	24,26,27,28	0
6	NA	H	304	1/1	0.82	0.25	31,31,31,31	0
5	ACT	H	303	4/4	0.83	0.13	38,41,41,41	0
4	GOL	B	305	6/6	0.84	0.20	14,21,24,27	0
4	GOL	F	303	6/6	0.84	0.15	21,22,23,23	0
6	NA	C	304	1/1	0.87	0.27	29,29,29,29	0
4	GOL	A	303	6/6	0.89	0.13	18,20,20,21	0
5	ACT	G	303	4/4	0.89	0.12	24,25,27,29	0
5	ACT	A	304	4/4	0.90	0.13	28,28,31,31	0
5	ACT	E	304	4/4	0.91	0.12	29,29,32,32	0
4	GOL	E	303	6/6	0.91	0.10	19,21,21,21	0
6	NA	G	304	1/1	0.91	0.26	31,31,31,31	0
5	ACT	C	303	4/4	0.91	0.12	32,32,35,35	0
5	ACT	F	304	4/4	0.92	0.09	30,32,34,35	0
2	1JT	E	301	23/23	0.93	0.07	11,12,13,14	0
6	NA	A	305	1/1	0.94	0.24	28,28,28,28	0
4	GOL	B	303	6/6	0.94	0.09	17,17,18,18	0
2	1JT	A	301	23/23	0.94	0.06	11,12,12,13	0
2	1JT	H	301	23/23	0.94	0.06	13,15,17,17	0
2	1JT	B	301	23/23	0.94	0.06	13,14,15,16	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	1JT	F	301	23/23	0.96	0.05	10,10,12,12	0
2	1JT	G	301	23/23	0.96	0.05	9,9,10,10	0
2	1JT	C	301	23/23	0.96	0.04	9,10,11,11	0
2	1JT	D	301	23/23	0.97	0.05	10,10,11,11	0
3	NAD	H	302	44/44	0.97	0.05	10,13,15,16	0
3	NAD	F	302	44/44	0.98	0.04	7,10,12,12	0
3	NAD	G	302	44/44	0.98	0.04	7,9,11,12	0
3	NAD	A	302	44/44	0.98	0.04	7,9,11,12	0
3	NAD	B	302	44/44	0.98	0.04	9,13,15,16	0
3	NAD	C	302	44/44	0.98	0.04	7,10,12,12	0
3	NAD	D	302	44/44	0.98	0.04	7,10,11,12	0
3	NAD	E	302	44/44	0.98	0.04	8,10,12,13	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD F 302:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD G 302:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.