



wwPDB EM Validation Summary Report ⓘ

Mar 13, 2026 – 11:15 PM UTC

PDB ID : 3J6D / pdb_00003j6d
EMDB ID : EMD-1875
Title : Model of the PrgH-PrgK periplasmic rings
Authors : Bergeron, J.R.C.; Strynadka, N.C.J.
Deposited on : 2014-02-14
Resolution : 11.70 Å (reported)
Based on initial models : 4G1I, 1MKY, 4OYC

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 11.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	89 (11.30 - 12.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	
1	B	392	
1	C	392	
1	D	392	











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	392	
1	F	392	
1	G	392	
1	H	392	
1	I	392	
1	J	392	
1	K	392	
1	L	392	
1	M	392	
1	N	392	
1	O	392	
1	P	392	
1	Q	392	
1	R	392	
1	S	392	
1	T	392	
1	U	392	
1	V	392	
1	W	392	
1	X	392	
2	Y	252	
2	Z	252	
2	a	252	
2	b	252	
2	c	252	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	d	252	
2	e	252	
2	f	252	
2	g	252	
2	h	252	
2	i	252	
2	j	252	
2	k	252	
2	l	252	
2	m	252	
2	n	252	
2	o	252	
2	p	252	
2	q	252	
2	r	252	
2	s	252	
2	t	252	
2	u	252	
2	v	252	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 65952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein PrgH.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	B	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	C	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	D	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	E	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	F	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	G	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	H	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	I	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	J	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	K	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	L	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	M	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	N	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	O	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	P	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	Q	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	S	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	T	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	U	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	V	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	W	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		
1	X	191	Total	C	N	O	S	0	0
			1578	999	285	290	4		

- Molecule 2 is a protein called Pathogenicity 1 island effector protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	a	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	b	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	c	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	d	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	e	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	f	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	g	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	h	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	i	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	j	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	k	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		
2	l	148	Total	C	N	O	S	0	0
			1170	737	202	229	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	m	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	n	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	o	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	p	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	q	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	r	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	s	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	t	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	u	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	v	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	Y	148	Total 1170	C 737	N 202	O 229	S 2	0	0
2	Z	148	Total 1170	C 737	N 202	O 229	S 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein PrgH




• Molecule 1: Protein PrgH




• Molecule 1: Protein PrgH







• Molecule 1: Protein PrgH




• Molecule 1: Protein PrgH





• Molecule 1: Protein PrgH








• Molecule 1: Protein PrgH




• Molecule 1: Protein PrgH





• Molecule 1: Protein PrgH








• Molecule 1: Protein PrgH





• Molecule 1: Protein PrgH




• Molecule 1: Protein PrgH


















- Molecule 1: Protein PrgH




- Molecule 1: Protein PrgH




- Molecule 1: Protein PrgH







• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein




- Molecule 2: Pathogenicity 1 island effector protein



- Molecule 2: Pathogenicity 1 island effector protein




- Molecule 2: Pathogenicity 1 island effector protein




- Molecule 2: Pathogenicity 1 island effector protein







• Molecule 2: Pathogenicity 1 island effector protein



• Molecule 2: Pathogenicity 1 island effector protein



• Molecule 2: Pathogenicity 1 island effector protein



GLN
LEU
GLN
ALA
ARG
PRO
PRO
GLY
THR
THR
VAL
VAL
LYS
LYS
ARG
ASN
SER
PHE
ALA
THR
THR
SER
GLY
CYS
TRP
TRP
ILE
VAL
LEU
LEU
ILE
ILE
ILE
LEU
LEU
SER
SER
MET
SER
SER
ALA
GLY
PHE
PHE
GLY
VAL
TRP
TRP
TYR
TYR
LYS
LYS
PRO
ASN
HIS
TYR
TYR
VAL
ARG
VAL
ASN
GLU
LYS
LYS
GLY
GLY
ILE
THR
THR
ALA
ASP
ASP
LYS
LYS
LYS
SER
SER
ASN
GLU

• Molecule 2: Pathogenicity 1 island effector protein

Chain k: 

MET
ILE
ARG
ARG
TYR
TYR
THR
PHE
LEU
LEU
VAL
MET
MET
THR
ALA
GLY
CYS
K19
M41
M42
M43
S51
G52
K53
I72
K73
T74
Y75
Q76
LEU
PRO
PRO
ARG
ARG
PRO
PRO
VAL
VAL
GLU
ILE
ILE
ALA
GLN
MET
PHE
PRO
ALA
ASP
ASP
SER
SER
LEU
LEU
LYS
SER
SER
ASN
GLU

L124
S125
D133
ILE
ASP
ALA
GLY
E138
N139
G140
R141
P142
P143
K144
P145
L148
S149
A150
L151
A152
V153
Y154
E155
R156
G157
P158
P159
L160
A161
H162
Q163
I164
S165
D166
I167
K168
R169
F170
S184
V185
V186
L187
S188
E189
ARG
SER
ASP
ALA
GLN
LEU
LEU
ALA
PRO
GLY
THR
VAL

LYS
ASN
PHE
ALA
THR
SER
TRP
SER
ILE
VAL
LEU
LEU
ILE
ILE
LEU
LEU
SER
VAL
MET
SER
ALA
GLY
PHE
GLY
VAL
TRP
TYR
TYR
HIS
TYR
ALA
ARG
ASN
LYS
LYS
GLY
LEU
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
ALA
ILE
SER
SER
ASN
GLU

• Molecule 2: Pathogenicity 1 island effector protein

Chain l: 

MET
ILE
ARG
ARG
TYR
TYR
THR
PHE
LEU
LEU
VAL
MET
MET
THR
ALA
GLY
CYS
K19
D20
M41
M42
M43
S51
G52
K53
I72
K73
T74
Y75
Q76
LEU
PRO
PRO
ARG
ARG
PRO
PRO
VAL
VAL
GLU
GLU
ILE
ILE
ALA
GLN
MET
PHE
PRO
ALA
ASP
ASP
SER
SER
LEU
VAL
S96
S97
Q111
R112
Q118

T119
M120
E121
G122
V123
S125
I130
S131
Y132
D133
ILE
ASP
ALA
GLY
E138
N139
G140
R141
P142
P143
K144
P145
H147
L148
S149
A150
L151
A152
V153
Y154
E155
R156
G157
S158
P159
L160
A161
H162
Q163
I164
S165
D166
I167
F170
S184
V185
V186
L187
S188
E189
ARG
SER
ASP
ALA
GLN

LEU
GLN
ALA
PRO
PRO
GLY
THR
PRO
VAL
LYS
LYS
ASN
SER
PHE
PHE
ALA
THR
TRP
TRP
ILE
VAL
LEU
LEU
ILE
ILE
LEU
LEU
SER
VAL
MET
SER
ALA
GLY
PHE
GLY
VAL
TRP
TYR
TYR
HIS
TYR
ALA
ARG
ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
ALA
LYS
SER
SER
ASN
GLU

• Molecule 2: Pathogenicity 1 island effector protein

Chain m: 

MET
ILE
ARG
ARG
TYR
TYR
THR
PHE
LEU
LEU
VAL
MET
MET
THR
ALA
GLY
CYS
K19
M41
M42
M43
S51
G52
K53
K73
T74
Y75
Q76
LEU
PRO
PRO
ARG
ARG
VAL
VAL
GLU
ILE
ALA
GLN
MET
PHE
PRO
ALA
ASP
SER
SER
VAL
S96
S97
L117
Q118
T119
M120
E121
G122


V123
L124
S125
D133
ILE
ASP
ALA
GLY
E138
N139
G140
R141
P142
P143
K144
P145
V146
H147
L148
S149
A150
L151
A152
V153
Y154
E155
R156
G157
P159
L160
A161
H162
Q163
I164
S165
D166
I167
K168
R169
F170
S184
V185
V186
L187
S188
E189
ARG
SER
ASP
ALA
GLN
LEU
LEU
ALA
PRO
GLY
THR

PRO
VAL
LYS
ARG
ASN
SER
PHE
ALA
THR
THR
TRP
TRP
ILE
VAL
VAL
LEU
ILE
ILE
LEU
SER
VAL
MET
SER
ALA
GLY
PHE
PHE
GLY
VAL
TRP
TYR
TYR
LYS
ASN
HIS
TYR
ALA
E155
VAL
GLU
ILE
ALA
ASP
ASP
LYS
LYS
ALA
ILE
THR
PHE
MET
GLN
VAL
LEU
VAL
S96
S97
L117
Q118
T119
M120
E121
G122


• Molecule 2: Pathogenicity 1 island effector protein

Chain n: 


MET
ILE
ARG
ARG
TYR
TYR
THR
PHE
LEU
LEU
VAL
MET
MET
THR
ALA
GLY
CYS
K19
M41
M42
M43
S51
G52
K53
A68
I72
K73
T74
Y75
Q76
LEU
PRO
PRO
ARG
ARG
PRO
PRO
VAL
VAL
GLU
ILE
ILE
GLN
MET
PHE
PRO
ALA
ASP
SER
SER
LEU
VAL
S96
Q111
R112
Q118




• Molecule 2: Pathogenicity 1 island effector protein



• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein







• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein




• Molecule 2: Pathogenicity 1 island effector protein




- Molecule 2: Pathogenicity 1 island effector protein



- Molecule 2: Pathogenicity 1 island effector protein



- Molecule 2: Pathogenicity 1 island effector protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C24	Depositor
Number of particles used	37171	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Not provided	
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	93000	Depositor
Image detector	GENERIC CCD	Depositor
Maximum map value	0.211	Depositor
Minimum map value	-0.221	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.038	Depositor
Map size ($\text{\AA}$)	399.0, 399.0, 399.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.33, 1.33, 1.33	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	B	0.97	1/1610 (0.1%)	0.95	5/2174 (0.2%)
1	C	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	D	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	E	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	F	0.97	0/1610	0.95	3/2174 (0.1%)
1	G	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	H	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	I	0.97	0/1610	0.95	3/2174 (0.1%)
1	J	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	K	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	L	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	M	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	N	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	O	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	P	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	Q	0.97	1/1610 (0.1%)	0.95	5/2174 (0.2%)
1	R	0.97	1/1610 (0.1%)	0.95	5/2174 (0.2%)
1	S	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	T	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	U	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	V	0.97	0/1610	0.95	3/2174 (0.1%)
1	W	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
1	X	0.97	1/1610 (0.1%)	0.95	3/2174 (0.1%)
2	Y	0.62	0/1189	0.84	2/1606 (0.1%)
2	Z	0.62	0/1189	0.83	2/1606 (0.1%)
2	a	0.62	0/1189	0.84	2/1606 (0.1%)
2	b	0.62	0/1189	0.84	2/1606 (0.1%)
2	c	0.62	0/1189	0.84	2/1606 (0.1%)
2	d	0.62	0/1189	0.83	2/1606 (0.1%)
2	e	0.62	0/1189	0.84	2/1606 (0.1%)
2	f	0.62	0/1189	0.84	2/1606 (0.1%)
2	g	0.62	0/1189	0.84	2/1606 (0.1%)
2	h	0.62	0/1189	0.84	2/1606 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	i	0.62	0/1189	0.84	2/1606 (0.1%)
2	j	0.62	0/1189	0.84	2/1606 (0.1%)
2	k	0.62	0/1189	0.84	2/1606 (0.1%)
2	l	0.62	0/1189	0.84	2/1606 (0.1%)
2	m	0.62	0/1189	0.84	2/1606 (0.1%)
2	n	0.62	0/1189	0.83	2/1606 (0.1%)
2	o	0.62	0/1189	0.84	2/1606 (0.1%)
2	p	0.62	0/1189	0.84	2/1606 (0.1%)
2	q	0.62	0/1189	0.84	2/1606 (0.1%)
2	r	0.62	0/1189	0.84	2/1606 (0.1%)
2	s	0.62	0/1189	0.84	2/1606 (0.1%)
2	t	0.62	0/1189	0.84	2/1606 (0.1%)
2	u	0.62	0/1189	0.83	2/1606 (0.1%)
2	v	0.62	0/1189	0.84	2/1606 (0.1%)
All	All	0.84	21/67176 (0.0%)	0.90	126/90720 (0.1%)

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Q	266	THR	C-O	-5.11	1.18	1.24
1	J	266	THR	C-O	-5.08	1.18	1.24
1	P	266	THR	C-O	-5.08	1.18	1.24
1	L	266	THR	C-O	-5.06	1.18	1.24
1	R	266	THR	C-O	-5.05	1.18	1.24

The worst 5 of 126 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Z	142	PRO	N-CA-C	9.46	122.24	110.70
2	g	142	PRO	N-CA-C	9.46	122.24	110.70
2	l	142	PRO	N-CA-C	9.45	122.23	110.70
2	c	142	PRO	N-CA-C	9.45	122.23	110.70
2	i	142	PRO	N-CA-C	9.44	122.22	110.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1578	0	1565	6	0
1	B	1578	0	1565	7	0
1	C	1578	0	1565	7	0
1	D	1578	0	1565	6	0
1	E	1578	0	1565	6	0
1	F	1578	0	1565	6	0
1	G	1578	0	1565	6	0
1	H	1578	0	1565	6	0
1	I	1578	0	1565	6	0
1	J	1578	0	1565	6	0
1	K	1578	0	1565	6	0
1	L	1578	0	1565	6	0
1	M	1578	0	1565	6	0
1	N	1578	0	1565	6	0
1	O	1578	0	1565	6	0
1	P	1578	0	1565	6	0
1	Q	1578	0	1565	6	0
1	R	1578	0	1565	6	0
1	S	1578	0	1565	6	0
1	T	1578	0	1565	6	0
1	U	1578	0	1565	7	0
1	V	1578	0	1565	7	0
1	W	1578	0	1565	6	0
1	X	1578	0	1565	6	0
2	Y	1170	0	1161	6	0
2	Z	1170	0	1161	6	0
2	a	1170	0	1161	8	0
2	b	1170	0	1161	7	0
2	c	1170	0	1161	8	0
2	d	1170	0	1161	8	0
2	e	1170	0	1161	8	0
2	f	1170	0	1161	8	0
2	g	1170	0	1161	8	0
2	h	1170	0	1161	7	0
2	i	1170	0	1161	6	0
2	j	1170	0	1161	7	0
2	k	1170	0	1161	6	0
2	l	1170	0	1161	7	0
2	m	1170	0	1161	6	0
2	n	1170	0	1161	7	0
2	o	1170	0	1161	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	p	1170	0	1161	7	0
2	q	1170	0	1161	6	0
2	r	1170	0	1161	7	0
2	s	1170	0	1161	6	0
2	t	1170	0	1161	6	0
2	u	1170	0	1161	6	0
2	v	1170	0	1161	6	0
All	All	65952	0	65424	311	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 311 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:q:76:GLN:O	2:q:76:GLN:HG3	2.10	0.52
2:n:76:GLN:O	2:n:76:GLN:HG3	2.10	0.52
2:c:76:GLN:O	2:c:76:GLN:HG3	2.10	0.52
2:d:76:GLN:O	2:d:76:GLN:HG3	2.10	0.52
2:h:76:GLN:O	2:h:76:GLN:HG3	2.10	0.52

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	B	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	C	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	D	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	F	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	G	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	H	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	I	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	J	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	K	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	L	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	M	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	N	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	O	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	P	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	Q	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	R	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	S	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	T	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	U	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	V	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	W	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
1	X	189/392 (48%)	174 (92%)	14 (7%)	1 (0%)	24	63
2	Y	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	Z	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	a	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	b	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	c	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	d	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	e	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	f	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	g	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	h	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	i	142/252 (56%)	129 (91%)	13 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	j	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	k	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	l	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	m	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	n	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	o	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	p	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	q	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	r	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	s	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	t	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	u	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
2	v	142/252 (56%)	129 (91%)	13 (9%)	0	100	100
All	All	7944/15456 (51%)	7272 (92%)	648 (8%)	24 (0%)	37	72

5 of 24 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	218	LYS
1	B	218	LYS
1	C	218	LYS
1	D	218	LYS
1	E	218	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	B	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	C	165/337 (49%)	164 (99%)	1 (1%)	78	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	E	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	F	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	G	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	H	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	I	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	J	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	K	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	L	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	M	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	N	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	O	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	P	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	Q	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	R	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	S	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	T	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	U	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	V	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	W	165/337 (49%)	164 (99%)	1 (1%)	78	83
1	X	165/337 (49%)	164 (99%)	1 (1%)	78	83
2	Y	128/215 (60%)	128 (100%)	0	100	100
2	Z	128/215 (60%)	128 (100%)	0	100	100
2	a	128/215 (60%)	128 (100%)	0	100	100
2	b	128/215 (60%)	128 (100%)	0	100	100
2	c	128/215 (60%)	128 (100%)	0	100	100
2	d	128/215 (60%)	128 (100%)	0	100	100
2	e	128/215 (60%)	128 (100%)	0	100	100
2	f	128/215 (60%)	128 (100%)	0	100	100
2	g	128/215 (60%)	128 (100%)	0	100	100
2	h	128/215 (60%)	128 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	i	128/215 (60%)	128 (100%)	0	100	100
2	j	128/215 (60%)	128 (100%)	0	100	100
2	k	128/215 (60%)	128 (100%)	0	100	100
2	l	128/215 (60%)	128 (100%)	0	100	100
2	m	128/215 (60%)	128 (100%)	0	100	100
2	n	128/215 (60%)	128 (100%)	0	100	100
2	o	128/215 (60%)	128 (100%)	0	100	100
2	p	128/215 (60%)	128 (100%)	0	100	100
2	q	128/215 (60%)	128 (100%)	0	100	100
2	r	128/215 (60%)	128 (100%)	0	100	100
2	s	128/215 (60%)	128 (100%)	0	100	100
2	t	128/215 (60%)	128 (100%)	0	100	100
2	u	128/215 (60%)	128 (100%)	0	100	100
2	v	128/215 (60%)	128 (100%)	0	100	100
All	All	7032/13248 (53%)	7008 (100%)	24 (0%)	84	86

5 of 24 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	175	SER
1	R	175	SER
1	Q	175	SER
1	S	175	SER
1	G	175	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
2	c	182	ASN
2	f	182	ASN
2	Z	182	ASN
2	e	182	ASN
2	g	182	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1875. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150



Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 150



Y Index: 149




Z Index: 98


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.038. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3430 nm³; this corresponds to an approximate mass of 3099 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.085 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1875 and PDB model 3J6D. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.038 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.038).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.038) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7680	 0.1080
A	 0.8810	 0.1180
B	 0.8870	 0.1150
C	 0.8860	 0.1180
D	 0.8900	 0.1200
E	 0.8890	 0.1210
F	 0.8960	 0.1200
G	 0.8880	 0.1170
H	 0.8890	 0.1180
I	 0.8820	 0.1170
J	 0.8870	 0.1160
K	 0.8860	 0.1170
L	 0.8890	 0.1200
M	 0.8890	 0.1190
N	 0.8960	 0.1190
O	 0.8870	 0.1170
P	 0.8870	 0.1170
Q	 0.8810	 0.1140
R	 0.8870	 0.1150
S	 0.8860	 0.1170
T	 0.8890	 0.1180
U	 0.8890	 0.1180
V	 0.8960	 0.1180
W	 0.8880	 0.1160
X	 0.8890	 0.1180
Y	 0.6080	 0.0950
Z	 0.6050	 0.0940
a	 0.6120	 0.1000
b	 0.6190	 0.0920
c	 0.6190	 0.0980
d	 0.5970	 0.0980
e	 0.5980	 0.0940
f	 0.6090	 0.0950
g	 0.6090	 0.0960
h	 0.6030	 0.0930



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.6140	 0.0990
j	 0.6200	 0.0910
k	 0.6190	 0.0960
l	 0.5980	 0.0970
m	 0.5980	 0.0950
n	 0.6090	 0.0930
o	 0.6100	 0.0930
p	 0.6050	 0.0900
q	 0.6120	 0.0960
r	 0.6190	 0.0880
s	 0.6190	 0.0950
t	 0.5980	 0.0940
u	 0.5980	 0.0920
v	 0.6080	 0.0930