



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:40 AM UTC

PDB ID : 4J6U / pdb_00004j6u
Title : Crystal Structure of Tyrosinase from Bacillus megaterium N205A mutant
Authors : Kanteev, M.; Goldfeder, M.; Adir, N.; Fishman, A.
Deposited on : 2013-02-12
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	303	8% 66% 24% 5% 6%
1	B	303	8% 57% 29% 7% 6%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2343	1491	422	422	8			
1	B	285	Total	C	N	O	S	0	0	0
			2334	1486	421	419	8			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	GLY	SER	engineered mutation	UNP B2ZB02
A	205	ALA	ASN	engineered mutation	UNP B2ZB02
A	298	HIS	-	expression tag	UNP B2ZB02
A	299	HIS	-	expression tag	UNP B2ZB02
A	300	HIS	-	expression tag	UNP B2ZB02
A	301	HIS	-	expression tag	UNP B2ZB02
A	302	HIS	-	expression tag	UNP B2ZB02
A	303	HIS	-	expression tag	UNP B2ZB02
B	2	GLY	SER	engineered mutation	UNP B2ZB02
B	205	ALA	ASN	engineered mutation	UNP B2ZB02
B	298	HIS	-	expression tag	UNP B2ZB02
B	299	HIS	-	expression tag	UNP B2ZB02
B	300	HIS	-	expression tag	UNP B2ZB02
B	301	HIS	-	expression tag	UNP B2ZB02
B	302	HIS	-	expression tag	UNP B2ZB02
B	303	HIS	-	expression tag	UNP B2ZB02


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	73	Total	O	0	0
			73	73		
2	B	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tyrosinase



• Molecule 1: Tyrosinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.08Å 78.77Å 85.99Å 90.00° 104.63° 90.00°	Depositor
Resolution (Å)	28.60 – 2.50 28.60 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.9 (28.60-2.50) 98.6 (28.60-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.7.3_928	Depositor
R, R_{free}	0.207 , 0.241 0.211 , 0.243	Depositor DCC
R_{free} test set	1238 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	28.8	Xtriage
Anisotropy	0.869	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.058 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4778	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	3/2421 (0.1%)	1.01	11/3299 (0.3%)
1	B	1.02	5/2412 (0.2%)	1.01	10/3287 (0.3%)
All	All	1.00	8/4833 (0.2%)	1.01	21/6586 (0.3%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	257	PRO	N-CD	5.84	1.55	1.47
1	A	279	HIS	CG-ND1	-5.60	1.32	1.38
1	A	150	LYS	C-O	-5.56	1.17	1.24
1	B	231	HIS	CD2-NE2	-5.32	1.32	1.37
1	B	231	HIS	CG-ND1	-5.28	1.32	1.38
1	B	162	LEU	CA-C	-5.19	1.46	1.53
1	B	230	HIS	CG-ND1	-5.08	1.32	1.38
1	B	230	HIS	CD2-NE2	-5.04	1.32	1.37

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	204	HIS	N-CA-C	-9.61	100.15	112.93
1	B	218	VAL	CA-C-N	-8.44	111.12	119.64
1	B	218	VAL	C-N-CA	-8.44	111.12	119.64
1	A	114	MET	N-CA-C	-8.25	103.41	113.97
1	A	84	ASN	CA-C-N	6.99	126.67	119.82
1	A	84	ASN	C-N-CA	6.99	126.67	119.82
1	B	89	LEU	CA-C-N	-6.70	113.88	120.52
1	B	89	LEU	C-N-CA	-6.70	113.88	120.52
1	A	114	MET	N-CA-CB	6.69	119.96	110.67
1	A	204	HIS	N-CA-CB	6.27	121.25	110.34
1	A	147	GLY	N-CA-C	6.15	124.10	115.43
1	B	194	LEU	N-CA-C	6.07	117.90	111.28
1	A	257	PRO	N-CD-CG	-5.93	94.31	103.20
1	B	194	LEU	CA-C-O	-5.57	114.65	120.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	193	GLN	CB-CA-C	-5.54	102.17	110.88
1	B	245	HIS	CB-CA-C	-5.53	104.36	111.22
1	B	204	HIS	N-CA-C	-5.35	106.81	113.55
1	B	230	HIS	N-CA-C	5.29	116.73	111.07
1	A	187	GLN	N-CA-C	5.27	118.29	110.48
1	A	5	TYR	CB-CA-C	5.24	118.42	109.24
1	A	68	TRP	N-CA-C	-5.02	105.70	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2343	0	2226	73	0
1	B	2334	0	2220	119	0
2	A	73	0	0	7	0
2	B	28	0	0	2	0
All	All	4778	0	4446	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:ASP:O	1:B:288:ILE:HG13	1.38	1.22
1:B:99:GLN:NE2	1:B:165:ARG:HD2	1.59	1.16
1:A:278:ASN:HB3	1:A:281:LYS:CE	1.77	1.13
1:A:278:ASN:HB3	1:A:281:LYS:HE2	1.16	1.11
1:A:278:ASN:CB	1:A:281:LYS:HE2	1.79	1.10
1:A:4:LYS:HD3	1:A:280:ARG:HH21	1.18	1.06
1:B:248:GLN:HA	1:B:248:GLN:OE1	1.57	1.03
1:A:4:LYS:HD3	1:A:280:ARG:NH2	1.74	1.02
1:B:241:TRP:CH2	1:B:248:GLN:HG3	2.02	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:LEU:O	1:B:207:VAL:HG23	1.65	0.94
1:B:174:ILE:HD11	1:B:193:GLN:HG3	1.51	0.92
1:B:99:GLN:HE22	1:B:165:ARG:HD2	1.27	0.91
1:B:202:GLN:O	1:B:203:LEU:HB2	1.71	0.90
1:B:254:LYS:O	1:B:255:ASN:HB2	1.71	0.90
1:B:174:ILE:CD1	1:B:193:GLN:HG3	2.02	0.89
1:B:241:TRP:HH2	1:B:248:GLN:HG3	1.41	0.84
1:A:4:LYS:CD	1:A:280:ARG:HH21	1.90	0.83
1:B:217:VAL:HG22	1:B:220:THR:OG1	1.80	0.82
1:B:204:HIS:CD2	1:B:230:HIS:HE1	1.97	0.82
1:A:94:TRP:HE1	1:A:230:HIS:HD2	1.28	0.81
1:A:150:LYS:O	1:A:213:GLY:HA3	1.80	0.80
1:A:8:ARG:HG2	1:A:89:LEU:O	1.80	0.80
1:A:4:LYS:CE	1:A:280:ARG:HE	1.95	0.79
1:B:248:GLN:OE1	1:B:248:GLN:CA	2.30	0.79
1:A:142:GLN:HG3	1:B:47:LYS:HE3	1.66	0.78
1:B:99:GLN:NE2	1:B:165:ARG:CD	2.44	0.77
1:B:287:ASP:C	1:B:288:ILE:HG13	2.10	0.76
1:A:278:ASN:ND2	1:A:281:LYS:HG3	2.00	0.76
1:A:8:ARG:CG	1:A:89:LEU:O	2.34	0.76
1:B:119:ASN:HD22	1:B:122:LYS:HD2	1.53	0.74
1:A:181:PRO:HG2	1:A:183:ASP:CG	2.13	0.74
1:B:174:ILE:CD1	1:B:193:GLN:CG	2.66	0.74
1:B:245:HIS:HB3	1:B:248:GLN:HB2	1.68	0.74
1:B:204:HIS:HD2	1:B:230:HIS:HE1	1.37	0.72
1:A:196:GLY:HA3	1:A:202:GLN:O	1.90	0.71
1:A:278:ASN:HB3	1:A:281:LYS:HE3	1.70	0.71
1:B:36:ASP:OD1	1:B:139:ILE:HD11	1.91	0.70
1:A:165:ARG:NH1	1:A:169:LEU:HD11	2.06	0.70
1:A:94:TRP:NE1	1:A:230:HIS:HD2	1.90	0.70
1:A:215:MET:HE2	1:A:226:VAL:HG13	1.72	0.69
1:B:287:ASP:O	1:B:288:ILE:CG1	2.30	0.69
1:B:217:VAL:HG23	1:B:219:PRO:HD2	1.74	0.69
1:A:56:ARG:HB3	1:A:62:SER:HB2	1.75	0.68
1:A:181:PRO:HG2	1:A:183:ASP:OD1	1.94	0.68
1:B:100:MET:O	1:B:101:GLN:C	2.36	0.68
1:B:202:GLN:O	1:B:203:LEU:CB	2.42	0.67
1:A:4:LYS:HE2	1:A:280:ARG:HE	1.58	0.67
1:A:141:GLU:O	1:A:141:GLU:HG3	1.93	0.66
1:B:156:THR:HG22	1:B:159:ALA:H	1.61	0.66
1:B:174:ILE:HD11	1:B:193:GLN:CG	2.21	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:LYS:HD3	1:A:280:ARG:CZ	2.25	0.66
1:B:204:HIS:HD2	1:B:230:HIS:CE1	2.13	0.66
1:A:202:GLN:O	1:A:203:LEU:HB2	1.97	0.65
1:B:100:MET:O	1:B:102:ASP:N	2.30	0.64
1:B:104:SER:OG	1:B:105:GLN:NE2	2.30	0.64
1:B:36:ASP:OD1	1:B:139:ILE:CD1	2.46	0.64
1:A:263:ARG:NH1	1:A:274:GLU:OE2	2.32	0.63
1:A:193:GLN:O	1:A:203:LEU:HD12	1.99	0.63
1:B:110:SER:HB2	1:B:112:ASP:OD1	1.98	0.62
1:B:204:HIS:CD2	1:B:230:HIS:CE1	2.85	0.62
1:A:94:TRP:HE1	1:A:230:HIS:CD2	2.14	0.61
1:B:217:VAL:CG2	1:B:220:THR:OG1	2.46	0.61
1:B:54:SER:OG	1:B:55:ASP:N	2.32	0.61
1:B:200:GLY:HA2	1:B:202:GLN:HG2	1.82	0.61
1:B:106:SER:HB3	1:B:108:ILE:HG22	1.83	0.61
1:A:187:GLN:NE2	2:A:459:HOH:O	2.33	0.61
1:B:215:MET:HE2	1:B:221:ALA:HB1	1.83	0.60
1:B:103:PRO:C	1:B:105:GLN:H	2.09	0.60
1:B:100:MET:O	1:B:103:PRO:HD3	2.02	0.59
1:B:254:LYS:O	1:B:255:ASN:CB	2.45	0.59
1:B:203:LEU:H	1:B:206:ARG:HB3	1.67	0.58
1:B:249:ASN:O	1:B:277:MET:HE1	2.03	0.58
1:A:11:VAL:HG12	1:A:12:LEU:HD12	1.85	0.56
1:B:21:ASP:CG	1:B:24:ARG:NH2	2.63	0.56
1:B:94:TRP:HE1	1:B:230:HIS:CD2	2.23	0.56
1:A:99:GLN:HB3	2:A:455:HOH:O	2.05	0.56
1:A:81:GLN:NE2	1:A:85:PRO:O	2.39	0.56
1:A:165:ARG:HH12	1:A:169:LEU:HD11	1.70	0.56
1:B:112:ASP:OD1	1:B:112:ASP:N	2.40	0.55
1:A:93:GLU:OE2	1:A:96:THR:CG2	2.54	0.55
1:B:288:ILE:C	1:B:288:ILE:HD12	2.31	0.55
1:B:150:LYS:O	1:B:213:GLY:HA3	2.06	0.55
1:A:233:ASN:O	1:A:237:ILE:HG12	2.08	0.54
1:A:4:LYS:CD	1:A:280:ARG:HE	2.20	0.54
1:B:249:ASN:O	1:B:277:MET:CE	2.55	0.53
1:B:161:THR:HG22	1:B:206:ARG:NH1	2.23	0.53
1:B:182:TRP:CZ3	1:B:251:GLN:HB3	2.44	0.53
1:B:217:VAL:HG22	1:B:217:VAL:O	2.07	0.53
1:A:30:LYS:HD3	1:A:136:TRP:CH2	2.43	0.53
1:A:73:LEU:HD11	1:A:231:HIS:HB3	1.89	0.53
1:B:101:GLN:HG3	1:B:102:ASP:N	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:94:TRP:HE1	1:B:230:HIS:HD2	1.57	0.52
1:B:94:TRP:NE1	1:B:230:HIS:HD2	2.08	0.52
1:B:17:THR:O	1:B:21:ASP:OD1	2.28	0.52
1:B:149:LEU:HD11	1:B:224:ASP:HB2	1.91	0.52
1:B:103:PRO:C	1:B:105:GLN:N	2.67	0.52
1:B:163:PRO:HB3	1:B:203:LEU:HA	1.92	0.52
1:B:162:LEU:O	1:B:163:PRO:C	2.52	0.51
1:B:202:GLN:NE2	2:B:404:HOH:O	2.44	0.51
1:B:244:ILE:C	1:B:246:ARG:H	2.18	0.51
1:B:254:LYS:O	1:B:254:LYS:HG3	2.10	0.50
1:B:176:GLN:HG2	1:B:179:THR:CG2	2.42	0.50
1:A:182:TRP:CZ2	1:A:252:PRO:HB3	2.46	0.50
1:A:4:LYS:HD3	1:A:280:ARG:NE	2.27	0.50
1:B:101:GLN:CG	1:B:102:ASP:N	2.75	0.50
1:B:108:ILE:HG23	1:B:109:TRP:CD2	2.46	0.50
1:A:94:TRP:CE3	1:A:163:PRO:HG2	2.47	0.50
1:B:161:THR:HG23	1:B:162:LEU:O	2.11	0.50
1:B:190:PHE:CZ	1:B:194:LEU:HD22	2.47	0.50
1:B:163:PRO:HB3	1:B:203:LEU:HD23	1.94	0.50
1:B:217:VAL:HG22	1:B:220:THR:HG1	1.74	0.49
1:B:180:PRO:HD3	1:B:182:TRP:CZ2	2.48	0.48
1:B:245:HIS:O	1:B:246:ARG:C	2.55	0.48
1:A:140:ASP:OD1	1:A:144:ASN:N	2.43	0.48
1:A:274:GLU:O	1:A:274:GLU:HG3	2.07	0.48
1:B:182:TRP:CE3	1:B:252:PRO:HD3	2.49	0.48
1:A:6:ARG:NH2	1:A:282:LEU:O	2.46	0.48
1:A:181:PRO:HG2	1:A:183:ASP:OD2	2.13	0.48
1:A:217:VAL:HG22	1:A:219:PRO:HD2	1.95	0.47
1:A:29:LEU:HD12	1:A:29:LEU:HA	1.55	0.47
1:A:93:GLU:OE2	1:A:96:THR:HG21	2.15	0.47
1:A:94:TRP:CZ3	1:A:163:PRO:HG2	2.49	0.47
1:A:267:TYR:CD1	1:A:268:PRO:HA	2.50	0.47
1:A:245:HIS:CD2	1:A:245:HIS:H	2.32	0.47
1:A:93:GLU:OE2	1:A:96:THR:HG23	2.13	0.47
1:B:129:GLY:O	1:B:135:ARG:NH2	2.48	0.47
1:B:217:VAL:CG2	1:B:217:VAL:O	2.57	0.47
1:A:277:MET:HE3	2:A:449:HOH:O	2.13	0.47
1:B:71:GLU:OE2	1:B:75:ARG:NH2	2.44	0.46
1:B:174:ILE:CD1	1:B:193:GLN:HG2	2.44	0.46
1:B:108:ILE:HG23	1:B:109:TRP:CE2	2.51	0.46
1:B:180:PRO:HD3	1:B:182:TRP:CH2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ASN:ND2	1:A:93:GLU:OE1	2.49	0.46
1:A:89:LEU:HA	1:A:90:PRO:HD3	1.76	0.46
1:A:8:ARG:HG3	1:A:89:LEU:O	2.12	0.46
1:B:99:GLN:O	1:B:100:MET:HG3	2.16	0.46
1:A:246:ARG:NH2	2:A:420:HOH:O	2.49	0.46
1:B:91:TYR:CD1	1:B:91:TYR:O	2.69	0.45
1:B:56:ARG:HB3	1:B:62:SER:HB2	1.96	0.45
1:B:174:ILE:HD12	1:B:193:GLN:HG3	1.92	0.45
1:B:279:HIS:HB2	1:B:284:TYR:CZ	2.51	0.45
1:A:32:LYS:HZ2	1:A:32:LYS:HB3	1.81	0.45
1:A:235:ASP:OD1	1:A:286:TYR:OH	2.29	0.45
1:A:112:ASP:C	1:A:112:ASP:OD2	2.60	0.45
1:A:204:HIS:CD2	1:A:230:HIS:HE1	2.34	0.45
1:B:215:MET:CE	1:B:221:ALA:HB1	2.47	0.44
1:A:267:TYR:CG	1:A:268:PRO:HA	2.52	0.44
1:B:281:LYS:HD2	1:B:281:LYS:HA	1.81	0.44
1:B:21:ASP:CG	1:B:24:ARG:HH22	2.26	0.44
1:B:124:PHE:CE2	1:B:152:ASN:ND2	2.86	0.44
1:A:277:MET:CE	2:A:449:HOH:O	2.65	0.43
1:A:127:ASP:OD2	2:A:452:HOH:O	2.21	0.43
1:A:278:ASN:HB2	1:A:281:LYS:HE2	1.86	0.43
1:B:99:GLN:O	1:B:100:MET:CG	2.66	0.43
1:B:238:TRP:O	1:B:242:GLN:HG3	2.19	0.43
1:A:245:HIS:CD2	1:A:245:HIS:N	2.87	0.43
1:B:243:ILE:HD13	1:B:243:ILE:HA	1.68	0.43
1:B:32:LYS:HB3	1:B:32:LYS:HE2	1.91	0.43
1:B:12:LEU:HD23	1:B:12:LEU:HA	1.83	0.43
1:B:176:GLN:HG2	1:B:179:THR:HG23	2.01	0.43
1:B:119:ASN:HD21	1:B:121:ILE:HG13	1.84	0.43
1:B:248:GLN:OE1	1:B:249:ASN:N	2.51	0.43
1:B:6:ARG:NH2	2:B:423:HOH:O	2.51	0.43
1:B:124:PHE:O	1:B:150:LYS:HA	2.19	0.43
1:B:96:THR:O	1:B:99:GLN:HG3	2.18	0.42
1:B:123:ASP:O	1:B:150:LYS:HG2	2.19	0.42
1:B:215:MET:HE1	1:B:227:PHE:HD2	1.84	0.42
1:B:89:LEU:HD13	1:B:232:ALA:HB2	2.02	0.42
1:B:183:ASP:C	1:B:183:ASP:OD1	2.61	0.42
1:B:266:MET:HG3	1:B:273:PRO:HD3	2.02	0.42
1:B:89:LEU:HD23	1:B:89:LEU:HA	1.89	0.42
1:B:29:LEU:HD11	1:B:79:ASP:HB3	2.01	0.42
1:B:110:SER:CB	1:B:112:ASP:OD1	2.65	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:TRP:HB3	1:B:116:GLY:HA2	2.02	0.41
1:A:62:SER:O	1:A:191:ARG:HD3	2.20	0.41
1:A:124:PHE:O	1:A:150:LYS:HA	2.19	0.41
1:A:179:THR:OG1	1:A:186:SER:OG	2.24	0.41
1:B:101:GLN:CG	1:B:102:ASP:H	2.33	0.41
1:B:217:VAL:HG23	1:B:219:PRO:CD	2.45	0.41
1:A:142:GLN:HA	1:B:47:LYS:CE	2.51	0.41
1:A:99:GLN:HG3	2:A:463:HOH:O	2.20	0.41
1:B:104:SER:C	1:B:105:GLN:HE21	2.28	0.41
1:B:181:PRO:C	1:B:182:TRP:CD1	2.98	0.41
1:B:182:TRP:CZ2	1:B:252:PRO:HB3	2.55	0.41
1:B:190:PHE:CZ	1:B:194:LEU:CD2	3.04	0.41
1:B:21:ASP:OD2	1:B:24:ARG:NH2	2.54	0.41
1:B:175:THR:HA	1:B:245:HIS:CE1	2.56	0.41
1:A:84:ASN:HA	1:A:85:PRO:HD2	1.78	0.40
1:A:71:GLU:OE2	1:A:75:ARG:HD2	2.21	0.40
1:B:17:THR:HA	1:B:20:ARG:NH1	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/303 (94%)	275 (97%)	8 (3%)	1 (0%)	30	49
1	B	283/303 (93%)	253 (89%)	26 (9%)	4 (1%)	9	17
All	All	567/606 (94%)	528 (93%)	34 (6%)	5 (1%)	14	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	101	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	203	LEU
1	B	255	ASN
1	B	147	GLY
1	A	203	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/264 (94%)	229 (92%)	19 (8%)	12	25
1	B	247/264 (94%)	223 (90%)	24 (10%)	8	17
All	All	495/528 (94%)	452 (91%)	43 (9%)	9	21

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	11	VAL
1	A	56	ARG
1	A	89	LEU
1	A	104	SER
1	A	108	ILE
1	A	122	LYS
1	A	135	ARG
1	A	139	ILE
1	A	141	GLU
1	A	142	GLN
1	A	156	THR
1	A	185	THR
1	A	198	ILE
1	A	229	LEU
1	A	245	HIS
1	A	246	ARG
1	A	274	GLU
1	A	289	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	4	LYS
1	B	6	ARG
1	B	7	VAL
1	B	24	ARG
1	B	25	THR
1	B	31	GLU
1	B	55	ASP
1	B	78	ARG
1	B	89	LEU
1	B	104	SER
1	B	121	ILE
1	B	142	GLN
1	B	156	THR
1	B	158	GLU
1	B	161	THR
1	B	165	ARG
1	B	166	ASP
1	B	188	ASN
1	B	215	MET
1	B	217	VAL
1	B	231	HIS
1	B	243	ILE
1	B	248	GLN
1	B	285	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	187	GLN
1	A	193	GLN
1	A	230	HIS
1	A	231	HIS
1	A	245	HIS
1	A	278	ASN
1	B	49	HIS
1	B	69	HIS
1	B	99	GLN
1	B	105	GLN
1	B	119	ASN
1	B	176	GLN
1	B	204	HIS
1	B	230	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	251	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	286/303 (94%)	0.11	3 (1%) 79 76	15, 31, 48, 72	1 (0%)
1	B	285/303 (94%)	0.67	23 (8%) 18 15	23, 44, 66, 83	1 (0%)
All	All	571/606 (94%)	0.39	26 (4%) 37 33	15, 36, 62, 83	2 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	165	ARG	5.5
1	B	247	ASN	5.3
1	B	288	ILE	4.2
1	A	5	TYR	3.7
1	B	205	ALA	3.3
1	B	156	THR	3.0
1	B	5	TYR	2.8
1	B	100	MET	2.8
1	B	170	ASN	2.7
1	B	249	ASN	2.7
1	B	101	GLN	2.7
1	B	103	PRO	2.5
1	B	164	THR	2.5
1	B	110	SER	2.4
1	A	165	ARG	2.3
1	B	98	ALA	2.2
1	B	96	THR	2.2
1	B	245	HIS	2.2
1	B	246	ARG	2.1
1	B	118	GLY	2.1
1	B	121	ILE	2.1
1	B	21	ASP	2.1
1	B	248	GLN	2.1
1	A	29	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	14	LEU	2.0
1	B	203	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.