



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 08:37 PM UTC

PDB ID : 6J6T / pdb_00006j6t
Title : Crystal Structure of HDA15 HD domain
Authors : Cheng, Y.S.; Hsu, J.C.; Hung, H.C.; Liu, T.C.
Deposited on : 2019-01-15
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	92% 5% .
1	B	364	91% 7% .
1	C	364	10% 80% 15% 5%
1	D	364	90% 7% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11022 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone deacetylase 15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	353	Total	C	N	O	S	0	0	0
			2647	1676	460	497	14			
1	B	356	Total	C	N	O	S	0	0	0
			2668	1685	463	506	14			
1	C	344	Total	C	N	O	S	0	0	0
			2586	1637	451	484	14			
1	D	351	Total	C	N	O	S	0	0	0
			2634	1664	458	498	14			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	K	0	0
			1	1		
3	B	1	Total	K	0	0
			1	1		
3	C	1	Total	K	0	0
			1	1		
3	D	1	Total	K	0	0
			1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	139	Total	O	0	0
			139	139		
5	B	126	Total	O	0	0
			126	126		
5	C	51	Total	O	0	0
			51	51		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	123	Total 123	O 123	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone deacetylase 15




- Molecule 1: Histone deacetylase 15




- Molecule 1: Histone deacetylase 15



- Molecule 1: Histone deacetylase 15





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.81Å 78.83Å 176.79Å 90.00° 94.22° 90.00°	Depositor
Resolution (Å)	29.52 – 2.36 29.52 – 2.36	Depositor EDS
% Data completeness (in resolution range)	96.4 (29.52-2.36) 96.4 (29.52-2.36)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.27 (at 2.36Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.167 , 0.218 0.167 , 0.219	Depositor DCC
R_{free} test set	2001 reflections (2.89%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 47.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11022	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, SO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2706	0.57	0/3680
1	B	0.37	0/2726	0.54	0/3706
1	C	0.31	0/2643	0.55	0/3591
1	D	0.34	0/2692	0.54	0/3659
All	All	0.35	0/10767	0.55	0/14636

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2647	0	2597	10	0
1	B	2668	0	2608	18	0
1	C	2586	0	2532	45	0
1	D	2634	0	2573	14	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	10	0	0	0	0
4	B	15	0	0	1	0
4	C	5	0	0	0	0
4	D	10	0	0	0	0
5	A	139	0	0	0	0
5	B	126	0	0	2	0
5	C	51	0	0	1	0
5	D	123	0	0	1	0
All	All	11022	0	10310	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:386:LEU:HD21	1:B:427:MET:HB3	1.78	0.66
1:B:423:ARG:HG3	1:B:427:MET:HE2	1.80	0.64
1:C:389:ALA:HB1	1:C:431:LEU:HD21	1.81	0.62
1:A:210:MET:HE2	1:A:297:LEU:HB3	1.80	0.62
1:B:424:MET:HA	1:B:427:MET:HE3	1.82	0.61
1:A:501:TYR:C	1:A:503:LYS:H	2.08	0.61
1:D:178:LEU:HD13	1:D:272:ARG:HG3	1.83	0.59
1:C:388:ILE:HG12	1:C:497:LEU:HD11	1.85	0.58
1:C:190:VAL:HB	1:C:194:ARG:H	1.69	0.57
1:C:190:VAL:HG21	1:C:195:CYS:CB	2.35	0.56
1:D:494:TRP:HB2	1:D:497:LEU:HD22	1.88	0.56
1:C:463:GLU:N	1:C:463:GLU:OE1	2.40	0.55
1:A:422:SER:O	1:A:426:GLN:HG3	2.06	0.55
1:C:190:VAL:HG21	1:C:195:CYS:HB2	1.88	0.55
1:A:205:LYS:HG3	1:A:217:VAL:HG11	1.88	0.55
1:B:508:LEU:HD12	1:B:509:GLU:HB2	1.89	0.54
1:B:281:ARG:HG2	5:B:729:HOH:O	2.07	0.54
1:B:222:THR:HG21	1:C:222:THR:HB	1.90	0.54
1:B:225:GLN:NE2	5:B:703:HOH:O	2.42	0.53
1:A:207:GLU:O	1:A:210:MET:HG2	2.09	0.53
1:B:326:GLN:HG2	1:B:356:ASN:HB2	1.91	0.53
1:C:190:VAL:HG22	1:C:191:PHE:HB2	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:SER:HB3	1:D:229:SER:HB3	1.91	0.52
1:C:490:GLN:HG3	1:C:494:TRP:HD1	1.72	0.52
1:C:504:LEU:HA	1:C:505:LEU:C	2.34	0.52
1:C:333:ILE:HG12	1:C:363:VAL:HB	1.92	0.51
1:C:185:LEU:HB3	1:C:191:PHE:H	1.76	0.51
1:C:190:VAL:HG21	1:C:195:CYS:SG	2.51	0.51
1:C:490:GLN:HG3	1:C:494:TRP:CD1	2.45	0.51
1:B:374:ASP:O	1:B:378:ILE:HG12	2.11	0.50
1:D:383:HIS:ND1	1:D:500:SER:OG	2.43	0.49
1:B:201:ARG:O	1:B:250:GLY:HA3	2.13	0.48
1:B:508:LEU:CD1	1:B:509:GLU:HB2	2.43	0.48
1:C:190:VAL:HG22	1:C:191:PHE:CB	2.45	0.47
1:B:328:LYS:HG2	4:B:603:SO4:O2	2.14	0.47
1:C:210:MET:HB3	1:C:297:LEU:HD23	1.95	0.47
1:D:211:VAL:HG22	1:D:297:LEU:CD1	2.44	0.47
1:C:189:GLY:HA2	1:C:190:VAL:C	2.39	0.47
1:C:374:ASP:OD1	1:C:374:ASP:N	2.48	0.47
1:A:403:PHE:HB2	1:A:449:ILE:HG22	1.96	0.46
1:C:254:ASP:HA	1:C:257:THR:HG22	1.96	0.46
1:C:345:PRO:HG2	1:C:347:THR:OG1	2.16	0.46
1:C:481:GLN:HA	1:C:484:LEU:HG	1.98	0.45
1:C:190:VAL:HG22	1:C:191:PHE:CA	2.47	0.45
1:D:496:SER:O	1:D:499:ILE:HD12	2.17	0.45
1:D:284:MET:HE3	5:D:735:HOH:O	2.17	0.45
1:C:456:VAL:O	1:C:460:LEU:HD12	2.18	0.44
1:C:185:LEU:O	1:C:191:PHE:N	2.51	0.44
1:C:386:LEU:HD22	1:C:427:MET:HE2	1.99	0.44
1:D:371:GLY:CA	1:D:414:CYS:HA	2.47	0.44
1:B:316:HIS:HB2	1:B:336:HIS:CD2	2.53	0.44
1:C:476:SER:N	5:C:704:HOH:O	2.49	0.44
1:C:480:LEU:HD23	1:C:484:LEU:HD23	2.00	0.44
1:D:188:ALA:O	1:D:194:ARG:NH2	2.50	0.43
1:D:160:LEU:HD12	1:D:243:ARG:NH2	2.33	0.43
1:A:469:LEU:HA	1:A:470:PRO:HD3	1.89	0.43
1:C:423:ARG:HH11	1:C:426:GLN:HB3	1.84	0.43
1:C:260:PHE:HE2	1:C:302:ALA:O	2.02	0.43
1:D:367:TRP:CG	1:D:372:VAL:HG21	2.54	0.43
1:C:423:ARG:NH1	1:C:426:GLN:HB3	2.34	0.42
1:C:190:VAL:HB	1:C:194:ARG:N	2.35	0.42
1:C:337:ARG:HA	1:C:367:TRP:HB2	2.01	0.42
1:B:284:MET:HE2	1:D:166:VAL:HG23	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:261:THR:HG23	1:C:263:ARG:HG3	2.01	0.42
1:C:499:ILE:O	1:C:503:LYS:HG2	2.20	0.41
1:C:308:LEU:HD13	1:C:331:LEU:HD23	2.01	0.41
1:D:372:VAL:HG12	1:D:376:ASP:HB2	2.02	0.41
1:C:191:PHE:CD1	1:C:192:PRO:HA	2.55	0.41
1:C:333:ILE:HG21	1:C:385:VAL:HG22	2.01	0.41
1:C:356:ASN:O	1:C:359:GLU:HG3	2.20	0.41
1:C:388:ILE:CG1	1:C:497:LEU:HD11	2.50	0.41
1:B:364:ASN:O	1:B:366:PRO:HD3	2.21	0.41
1:C:190:VAL:CG2	1:C:191:PHE:HA	2.51	0.41
1:C:423:ARG:O	1:C:427:MET:HG3	2.21	0.41
1:B:328:LYS:HD2	1:B:357:GLY:O	2.20	0.41
1:A:482:THR:O	1:A:486:VAL:HG23	2.21	0.41
1:A:501:TYR:O	1:A:504:LEU:HD12	2.20	0.41
1:C:177:ARG:NH2	1:C:441:GLU:O	2.51	0.40
1:C:190:VAL:CG2	1:C:195:CYS:H	2.35	0.40
1:C:210:MET:HE2	1:C:297:LEU:HB3	2.03	0.40
1:D:357:GLY:N	1:D:359:GLU:OE2	2.51	0.40
1:B:191:PHE:HA	1:B:192:PRO:HA	1.95	0.40
1:B:192:PRO:HA	1:B:193:GLY:HA2	1.89	0.40
1:C:364:ASN:O	1:C:366:PRO:HD3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/364 (96%)	334 (96%)	13 (4%)	2 (1%)	21	24
1	B	352/364 (97%)	338 (96%)	14 (4%)	0	100	100
1	C	340/364 (93%)	319 (94%)	19 (6%)	2 (1%)	21	24
1	D	347/364 (95%)	337 (97%)	9 (3%)	1 (0%)	36	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1388/1456 (95%)	1328 (96%)	55 (4%)	5 (0%)	30	34

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	504	LEU
1	A	496	SER
1	C	189	GLY
1	C	355	SER
1	D	366	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	276/286 (96%)	276 (100%)	0	100	100
1	B	278/286 (97%)	278 (100%)	0	100	100
1	C	268/286 (94%)	268 (100%)	0	100	100
1	D	275/286 (96%)	275 (100%)	0	100	100
All	All	1097/1144 (96%)	1097 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	209	GLN
1	A	282	HIS
1	A	300	GLN
1	A	327	ASN
1	A	338	HIS
1	A	364	ASN
1	B	364	ASN
1	C	209	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	282	HIS
1	C	291	ASN
1	C	342	ASN
1	D	490	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	C	603	-	4,4,4	0.24	0	6,6,6	0.15	0
4	SO4	B	603	-	4,4,4	0.30	0	6,6,6	0.15	0
4	SO4	D	604	-	4,4,4	0.40	0	6,6,6	0.40	0
4	SO4	A	604	-	4,4,4	0.26	0	6,6,6	0.24	0
4	SO4	B	604	-	4,4,4	0.25	0	6,6,6	0.20	0
4	SO4	B	605	-	4,4,4	0.22	0	6,6,6	0.28	0
4	SO4	A	603	-	4,4,4	0.24	0	6,6,6	0.35	0
4	SO4	D	603	-	4,4,4	0.34	0	6,6,6	0.14	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	603	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	353/364 (96%)	-0.44	5 (1%) 73 78	11, 20, 40, 65	0
1	B	356/364 (97%)	-0.41	5 (1%) 73 78	10, 22, 39, 74	0
1	C	344/364 (94%)	0.57	36 (10%) 11 13	15, 43, 64, 69	0
1	D	351/364 (96%)	-0.33	4 (1%) 78 82	13, 24, 40, 69	0
All	All	1404/1456 (96%)	-0.16	50 (3%) 46 52	10, 24, 56, 74	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	508	LEU	5.5
1	A	505	LEU	4.5
1	C	505	LEU	4.4
1	C	190	VAL	4.0
1	C	479	GLY	3.5
1	D	507	GLU	3.4
1	D	370	GLY	3.2
1	B	473	THR	3.2
1	C	221	ASP	3.0
1	C	196	LEU	2.9
1	C	356	ASN	2.9
1	B	509	GLU	2.9
1	C	187	THR	2.8
1	C	192	PRO	2.8
1	C	188	ALA	2.8
1	C	264	VAL	2.7
1	A	499	ILE	2.6
1	C	357	GLY	2.6
1	C	496	SER	2.6
1	C	206	GLN	2.5
1	C	461	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	193	GLY	2.4
1	C	423	ARG	2.4
1	C	189	GLY	2.4
1	C	431	LEU	2.4
1	C	355	SER	2.4
1	C	426	GLN	2.3
1	B	472	ALA	2.3
1	C	150	THR	2.3
1	D	147	THR	2.3
1	D	499	ILE	2.3
1	A	370	GLY	2.2
1	C	463	GLU	2.2
1	C	501	TYR	2.2
1	C	372	VAL	2.2
1	C	485	ASP	2.1
1	C	191	PHE	2.1
1	C	375	LYS	2.1
1	C	197	PRO	2.1
1	B	357	GLY	2.1
1	C	186	ALA	2.1
1	C	368	SER	2.1
1	C	480	LEU	2.1
1	C	484	LEU	2.1
1	C	462	GLY	2.1
1	A	500	SER	2.1
1	C	478	ALA	2.1
1	A	504	LEU	2.1
1	C	482	THR	2.0
1	C	498	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	D	604	5/5	0.84	0.20	46,49,56,59	0
4	SO4	B	603	5/5	0.90	0.20	47,51,54,56	0
4	SO4	A	604	5/5	0.90	0.19	43,53,65,67	0
4	SO4	C	603	5/5	0.91	0.15	36,48,53,64	0
4	SO4	B	604	5/5	0.91	0.20	43,48,55,63	0
4	SO4	A	603	5/5	0.94	0.13	38,39,46,56	0
2	ZN	A	601	1/1	0.95	0.13	36,36,36,36	0
4	SO4	D	603	5/5	0.96	0.12	37,38,53,58	0
2	ZN	D	601	1/1	0.96	0.15	36,36,36,36	0
2	ZN	B	601	1/1	0.97	0.11	36,36,36,36	0
3	K	C	602	1/1	0.97	0.07	33,33,33,33	0
2	ZN	C	601	1/1	0.97	0.12	45,45,45,45	0
4	SO4	B	605	5/5	0.98	0.05	28,29,30,39	0
3	K	A	602	1/1	0.99	0.06	17,17,17,17	0
3	K	D	602	1/1	0.99	0.05	20,20,20,20	0
3	K	B	602	1/1	1.00	0.04	17,17,17,17	0

6.5 Other polymers

There are no such residues in this entry.