



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 09:44 PM UTC

PDB ID : 4J7X / pdb_00004j7x
Title : Crystal structure of human sepiapterin reductase in complex with sulfasalazine
Authors : Groenlund Pedersen, M.; Pojer, F.; Johnsson, K.
Deposited on : 2013-02-14
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	5% 83% 6% 11%
1	B	288	3% 79% 8% 11%
1	F	288	5% 79% 9% 11%
1	J	288	15% 80% 8% 11%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8267 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sepiapterin reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			1936	1220	343	364	9			
1	B	257	Total	C	N	O	S	0	1	0
			1947	1226	347	365	9			
1	F	257	Total	C	N	O	S	0	0	0
			1936	1220	343	364	9			
1	J	257	Total	C	N	O	S	0	0	0
			1936	1220	343	364	9			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-29	MET	-	expression tag	UNP P35270
A	-28	SER	-	expression tag	UNP P35270
A	-27	TYR	-	expression tag	UNP P35270
A	-26	TYR	-	expression tag	UNP P35270
A	-25	HIS	-	expression tag	UNP P35270
A	-24	HIS	-	expression tag	UNP P35270
A	-23	HIS	-	expression tag	UNP P35270
A	-22	HIS	-	expression tag	UNP P35270
A	-21	HIS	-	expression tag	UNP P35270
A	-20	HIS	-	expression tag	UNP P35270
A	-19	LEU	-	expression tag	UNP P35270
A	-18	GLU	-	expression tag	UNP P35270
A	-17	SER	-	expression tag	UNP P35270
A	-16	THR	-	expression tag	UNP P35270
A	-15	SER	-	expression tag	UNP P35270
A	-14	LEU	-	expression tag	UNP P35270
A	-13	TYR	-	expression tag	UNP P35270
A	-12	LYS	-	expression tag	UNP P35270
A	-11	LYS	-	expression tag	UNP P35270
A	-10	ALA	-	expression tag	UNP P35270
A	-9	GLY	-	expression tag	UNP P35270

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	LEU	-	expression tag	UNP P35270
A	-7	GLU	-	expression tag	UNP P35270
A	-6	GLY	-	expression tag	UNP P35270
A	-5	VAL	-	expression tag	UNP P35270
A	-4	ARG	-	expression tag	UNP P35270
A	-3	THR	-	expression tag	UNP P35270
B	-29	MET	-	expression tag	UNP P35270
B	-28	SER	-	expression tag	UNP P35270
B	-27	TYR	-	expression tag	UNP P35270
B	-26	TYR	-	expression tag	UNP P35270
B	-25	HIS	-	expression tag	UNP P35270
B	-24	HIS	-	expression tag	UNP P35270
B	-23	HIS	-	expression tag	UNP P35270
B	-22	HIS	-	expression tag	UNP P35270
B	-21	HIS	-	expression tag	UNP P35270
B	-20	HIS	-	expression tag	UNP P35270
B	-19	LEU	-	expression tag	UNP P35270
B	-18	GLU	-	expression tag	UNP P35270
B	-17	SER	-	expression tag	UNP P35270
B	-16	THR	-	expression tag	UNP P35270
B	-15	SER	-	expression tag	UNP P35270
B	-14	LEU	-	expression tag	UNP P35270
B	-13	TYR	-	expression tag	UNP P35270
B	-12	LYS	-	expression tag	UNP P35270
B	-11	LYS	-	expression tag	UNP P35270
B	-10	ALA	-	expression tag	UNP P35270
B	-9	GLY	-	expression tag	UNP P35270
B	-8	LEU	-	expression tag	UNP P35270
B	-7	GLU	-	expression tag	UNP P35270
B	-6	GLY	-	expression tag	UNP P35270
B	-5	VAL	-	expression tag	UNP P35270
B	-4	ARG	-	expression tag	UNP P35270
B	-3	THR	-	expression tag	UNP P35270
F	-29	MET	-	expression tag	UNP P35270
F	-28	SER	-	expression tag	UNP P35270
F	-27	TYR	-	expression tag	UNP P35270
F	-26	TYR	-	expression tag	UNP P35270
F	-25	HIS	-	expression tag	UNP P35270
F	-24	HIS	-	expression tag	UNP P35270
F	-23	HIS	-	expression tag	UNP P35270
F	-22	HIS	-	expression tag	UNP P35270
F	-21	HIS	-	expression tag	UNP P35270

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-20	HIS	-	expression tag	UNP P35270
F	-19	LEU	-	expression tag	UNP P35270
F	-18	GLU	-	expression tag	UNP P35270
F	-17	SER	-	expression tag	UNP P35270
F	-16	THR	-	expression tag	UNP P35270
F	-15	SER	-	expression tag	UNP P35270
F	-14	LEU	-	expression tag	UNP P35270
F	-13	TYR	-	expression tag	UNP P35270
F	-12	LYS	-	expression tag	UNP P35270
F	-11	LYS	-	expression tag	UNP P35270
F	-10	ALA	-	expression tag	UNP P35270
F	-9	GLY	-	expression tag	UNP P35270
F	-8	LEU	-	expression tag	UNP P35270
F	-7	GLU	-	expression tag	UNP P35270
F	-6	GLY	-	expression tag	UNP P35270
F	-5	VAL	-	expression tag	UNP P35270
F	-4	ARG	-	expression tag	UNP P35270
F	-3	THR	-	expression tag	UNP P35270
J	-29	MET	-	expression tag	UNP P35270
J	-28	SER	-	expression tag	UNP P35270
J	-27	TYR	-	expression tag	UNP P35270
J	-26	TYR	-	expression tag	UNP P35270
J	-25	HIS	-	expression tag	UNP P35270
J	-24	HIS	-	expression tag	UNP P35270
J	-23	HIS	-	expression tag	UNP P35270
J	-22	HIS	-	expression tag	UNP P35270
J	-21	HIS	-	expression tag	UNP P35270
J	-20	HIS	-	expression tag	UNP P35270
J	-19	LEU	-	expression tag	UNP P35270
J	-18	GLU	-	expression tag	UNP P35270
J	-17	SER	-	expression tag	UNP P35270
J	-16	THR	-	expression tag	UNP P35270
J	-15	SER	-	expression tag	UNP P35270
J	-14	LEU	-	expression tag	UNP P35270
J	-13	TYR	-	expression tag	UNP P35270
J	-12	LYS	-	expression tag	UNP P35270
J	-11	LYS	-	expression tag	UNP P35270
J	-10	ALA	-	expression tag	UNP P35270
J	-9	GLY	-	expression tag	UNP P35270
J	-8	LEU	-	expression tag	UNP P35270
J	-7	GLU	-	expression tag	UNP P35270
J	-6	GLY	-	expression tag	UNP P35270

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
J	-5	VAL	-	expression tag	UNP P35270
J	-4	ARG	-	expression tag	UNP P35270
J	-3	THR	-	expression tag	UNP P35270

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	F	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	J	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	J	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 2-HYDROXY-(5-([4-(2-PYRIDINYLAMINO)SULFONYL]PHENYL)AZO)B ENZOIC ACID (CCD ID: SAS) (formula: C₁₈H₁₄N₄O₅S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			28	18	4	5	1		
4	B	1	Total	C	N	O	S	0	0
			28	18	4	5	1		
4	F	1	Total	C	N	O	S	0	0
			28	18	4	5	1		
4	J	1	Total	C	N	O	S	0	0
			28	18	4	5	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0
5	F	1	Total C O 7 4 3	0	0
5	F	1	Total C O 7 4 3	0	0
5	J	1	Total C O 7 4 3	0	0
5	J	1	Total C O 7 4 3	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	F	1	Total C O 6 3 3	0	0
6	J	1	Total C O 6 3 3	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	33	Total O 33 33	0	0
7	B	31	Total O 31 31	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	F	25	Total	O	0	0
			25	25		
7	J	15	Total	O	0	0
			15	15		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sepiapterin reductase



- Molecule 1: Sepiapterin reductase




- Molecule 1: Sepiapterin reductase



- Molecule 1: Sepiapterin reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	149.19Å 149.19Å 180.55Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.84 – 2.60 48.84 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.84-2.60) 99.2 (48.84-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.218 , 0.242 0.217 , 0.240	Depositor DCC
R_{free} test set	3514 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 29.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.028 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8267	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, SO4, PEG, SAS, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1963	0.83	1/2656 (0.0%)
1	B	0.49	0/1974	0.82	0/2670
1	F	0.52	0/1963	0.85	1/2656 (0.0%)
1	J	0.49	0/1963	0.81	0/2656
All	All	0.50	0/7863	0.83	2/10638 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	211	VAL	CB-CA-C	-5.94	104.13	112.14
1	A	211	VAL	CB-CA-C	-5.86	104.23	112.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1936	0	2003	8	0
1	B	1947	0	2015	18	0
1	F	1936	0	2003	18	0
1	J	1936	0	2003	15	0
2	A	48	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	25	1	0
2	F	48	0	25	0	0
2	J	48	0	25	1	0
3	A	20	0	0	0	0
3	B	15	0	0	0	0
3	F	10	0	0	0	0
3	J	5	0	0	0	0
4	A	28	0	12	0	0
4	B	28	0	12	0	0
4	F	28	0	12	0	0
4	J	28	0	12	0	0
5	A	7	0	10	0	0
5	B	7	0	10	0	0
5	F	14	0	20	0	0
5	J	14	0	20	1	0
6	F	6	0	8	0	0
6	J	6	0	8	0	0
7	A	33	0	0	1	0
7	B	31	0	0	0	0
7	F	25	0	0	2	0
7	J	15	0	0	0	0
All	All	8267	0	8248	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:59:ARG:HG2	1:J:59:ARG:HH11	1.19	1.03
1:F:85:ARG:HG2	1:F:85:ARG:HH11	1.28	0.96
1:A:91:ARG:HD2	7:A:901:HOH:O	1.72	0.89
1:B:105:SER:O	1:B:211:VAL:HG13	1.79	0.82
1:B:59[A]:ARG:HG2	1:B:59[A]:ARG:HH21	1.47	0.80
1:J:59:ARG:HG2	1:J:59:ARG:NH1	1.93	0.74
1:F:85:ARG:HG2	1:F:85:ARG:NH1	2.01	0.68
1:B:59[A]:ARG:HG2	1:B:59[A]:ARG:NH2	2.08	0.66
1:J:105:SER:O	1:J:211:VAL:HG13	2.00	0.62
1:B:42:GLU:O	1:B:42:GLU:HG3	1.96	0.58
1:A:105:SER:O	1:A:211:VAL:HG13	2.06	0.56
1:J:21:ALA:HB3	1:J:22:PRO:HD3	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:PRO:HG2	1:B:89:LEU:HD13	1.91	0.53
1:J:232:LYS:O	1:J:236:GLN:HG3	2.09	0.52
1:F:21:ALA:HB3	1:F:22:PRO:HD3	1.90	0.52
1:A:94:LEU:HD11	1:A:131:LEU:HD13	1.90	0.52
1:B:59[A]:ARG:HH21	1:B:59[A]:ARG:CG	2.21	0.51
1:F:77:LEU:O	1:F:80:LEU:HB2	2.11	0.51
1:B:153:SER:O	2:B:801:NAP:H6N	2.12	0.50
1:F:94:LEU:HD11	1:F:131:LEU:CD1	2.41	0.50
1:F:105:SER:O	1:F:211:VAL:HG13	2.12	0.49
1:A:11:GLY:O	1:A:17:GLY:HA3	2.13	0.49
1:J:19:THR:HG21	1:J:232:LYS:HE2	1.94	0.48
1:F:159:GLN:NE2	7:F:923:HOH:O	2.46	0.48
1:B:207:ARG:HG2	1:B:220:GLN:HE21	1.79	0.48
1:F:125:LEU:HD21	1:F:173:ALA:HB3	1.96	0.47
1:J:125:LEU:HD23	1:J:174:ARG:HG3	1.96	0.47
1:B:94:LEU:HD11	1:B:131:LEU:CD1	2.44	0.47
1:A:127:SER:O	1:A:131:LEU:HB2	2.15	0.47
1:J:153:SER:O	2:J:801:NAP:H6N	2.15	0.47
1:A:153:SER:O	2:A:801:NAP:H6N	2.16	0.46
1:A:77:LEU:O	1:A:80:LEU:HB2	2.15	0.46
1:F:42:GLU:O	1:F:42:GLU:HG2	2.14	0.46
1:B:215:MET:HE2	1:B:215:MET:HB2	1.90	0.45
1:J:52:GLY:HA3	1:J:55:ARG:HH11	1.81	0.45
1:J:80:LEU:HD11	1:J:135:VAL:HG22	1.98	0.45
1:F:86:PRO:HG2	1:F:89:LEU:HD13	1.99	0.44
5:J:805:PEG:H11	5:J:806:PEG:H42	1.98	0.44
1:F:5:ALA:HB3	1:F:28:LEU:HD22	2.00	0.44
1:J:94:LEU:HD11	1:J:131:LEU:CD1	2.48	0.44
1:F:109:VAL:HG12	1:J:137:LYS:HD2	1.98	0.44
1:B:125:LEU:HD21	1:B:173:ALA:HB3	2.00	0.44
1:F:85:ARG:NH1	1:F:85:ARG:CG	2.77	0.44
1:B:141:ASP:OD1	1:B:142:SER:N	2.51	0.43
1:J:161:PHE:CD2	1:J:215:MET:HE1	2.53	0.43
1:F:106:LYS:HB2	1:F:106:LYS:HE3	1.89	0.43
1:J:59:ARG:N	1:J:59:ARG:HD3	2.34	0.42
1:F:125:LEU:HD23	1:F:174:ARG:HG3	2.02	0.42
1:J:41:ASP:O	1:J:45:ARG:HG3	2.19	0.42
1:B:85:ARG:HA	1:B:86:PRO:HD2	1.87	0.42
1:F:108:PHE:CD2	1:F:108:PHE:C	2.98	0.41
1:F:207:ARG:HD3	7:F:908:HOH:O	2.20	0.41
1:B:10:THR:O	1:B:97:ASN:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:GLY:HA2	1:B:81:ARG:NH1	2.35	0.41
1:B:80:LEU:HD23	1:B:83:LEU:HD22	2.02	0.41
1:B:232:LYS:O	1:B:236:GLN:HG2	2.21	0.41
1:F:11:GLY:O	1:F:17:GLY:HA3	2.20	0.41
1:B:41:ASP:O	1:B:45:ARG:HG3	2.21	0.40
1:A:141:ASP:OD1	1:A:142:SER:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/288 (88%)	253 (99%)	2 (1%)	0	100	100
1	B	256/288 (89%)	253 (99%)	3 (1%)	0	100	100
1	F	255/288 (88%)	252 (99%)	3 (1%)	0	100	100
1	J	255/288 (88%)	252 (99%)	3 (1%)	0	100	100
All	All	1021/1152 (89%)	1010 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/236 (89%)	202 (97%)	7 (3%)	33	61
1	B	210/236 (89%)	200 (95%)	10 (5%)	23	47
1	F	209/236 (89%)	200 (96%)	9 (4%)	26	51
1	J	209/236 (89%)	200 (96%)	9 (4%)	26	51
All	All	837/944 (89%)	802 (96%)	35 (4%)	27	52

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	GLU
1	A	83	LEU
1	A	85	ARG
1	A	115	THR
1	A	131	LEU
1	A	134	SER
1	A	211	VAL
1	B	4	ARG
1	B	42	GLU
1	B	55	ARG
1	B	59[A]	ARG
1	B	59[B]	ARG
1	B	80	LEU
1	B	83	LEU
1	B	131	LEU
1	B	211	VAL
1	B	220	GLN
1	F	54	GLU
1	F	83	LEU
1	F	85	ARG
1	F	87	LYS
1	F	131	LEU
1	F	134	SER
1	F	137	LYS
1	F	211	VAL
1	F	230	ASP
1	J	59	ARG
1	J	83	LEU
1	J	91	ARG
1	J	115	THR
1	J	131	LEU
1	J	142	SER
1	J	183	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	211	VAL
1	J	232	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	B	46	GLN
1	B	179	GLN
1	B	204	GLN
1	B	220	GLN
1	F	46	GLN
1	F	159	GLN
1	J	46	GLN
1	J	203	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	F	804	-	5,5,5	0.44	0	5,5,5	0.49	0
3	SO4	A	805	-	4,4,4	0.43	0	6,6,6	0.17	0
4	SAS	B	804	-	30,30,30	1.41	3 (10%)	42,42,42	1.97	8 (19%)
2	NAP	F	801	-	50,52,52	1.75	7 (14%)	71,80,80	1.57	11 (15%)
3	SO4	J	802	-	4,4,4	0.44	0	6,6,6	0.14	0
2	NAP	J	801	-	50,52,52	1.77	10 (20%)	71,80,80	1.62	13 (18%)
3	SO4	B	802	-	4,4,4	0.43	0	6,6,6	0.09	0
5	PEG	A	807	-	6,6,6	0.45	0	5,5,5	0.31	0
5	PEG	F	806	-	6,6,6	0.57	0	5,5,5	0.21	0
5	PEG	J	805	-	6,6,6	1.00	0	5,5,5	0.58	0
3	SO4	B	803	-	4,4,4	0.44	0	6,6,6	0.15	0
5	PEG	F	807	-	6,6,6	0.52	0	5,5,5	0.30	0
3	SO4	A	802	-	4,4,4	0.42	0	6,6,6	0.07	0
4	SAS	F	805	-	30,30,30	1.34	3 (10%)	42,42,42	1.91	8 (19%)
6	GOL	J	803	-	5,5,5	0.39	0	5,5,5	0.46	0
2	NAP	B	801	-	50,52,52	1.80	8 (16%)	71,80,80	1.67	11 (15%)
3	SO4	B	805	-	4,4,4	0.44	0	6,6,6	0.06	0
3	SO4	F	802	-	4,4,4	0.44	0	6,6,6	0.15	0
2	NAP	A	801	-	50,52,52	1.67	8 (16%)	71,80,80	1.63	12 (16%)
5	PEG	B	806	-	6,6,6	0.53	0	5,5,5	0.20	0
5	PEG	J	806	-	6,6,6	0.55	0	5,5,5	0.26	0
4	SAS	J	804	-	30,30,30	1.40	4 (13%)	42,42,42	2.00	7 (16%)
3	SO4	F	803	-	4,4,4	0.45	0	6,6,6	0.10	0
3	SO4	A	803	-	4,4,4	0.45	0	6,6,6	0.11	0
3	SO4	A	804	-	4,4,4	0.44	0	6,6,6	0.11	0
4	SAS	A	806	-	30,30,30	1.35	3 (10%)	42,42,42	1.96	7 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	801	-	-	11/35/67/67	0/5/5/5
2	NAP	J	801	-	-	11/35/67/67	0/5/5/5
6	GOL	F	804	-	-	4/4/4/4	-
4	SAS	J	804	-	-	4/20/20/20	0/3/3/3
5	PEG	A	807	-	-	2/4/4/4	-
4	SAS	F	805	-	-	8/20/20/20	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	F	806	-	-	4/4/4/4	-
5	PEG	J	805	-	-	3/4/4/4	-
6	GOL	J	803	-	-	1/4/4/4	-
2	NAP	B	801	-	-	9/35/67/67	0/5/5/5
5	PEG	B	806	-	-	1/4/4/4	-
4	SAS	B	804	-	-	10/20/20/20	0/3/3/3
5	PEG	J	806	-	-	3/4/4/4	-
2	NAP	F	801	-	-	8/35/67/67	0/5/5/5
5	PEG	F	807	-	-	1/4/4/4	-
4	SAS	A	806	-	-	4/20/20/20	0/3/3/3

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	NAP	O7N-C7N	6.46	1.36	1.24
2	F	801	NAP	O7N-C7N	6.38	1.36	1.24
2	J	801	NAP	O7N-C7N	6.36	1.36	1.24
2	A	801	NAP	O7N-C7N	6.04	1.35	1.24
2	J	801	NAP	C2N-N1N	5.78	1.41	1.35
4	B	804	SAS	O1-S1	5.49	1.49	1.43
4	J	804	SAS	O1-S1	5.44	1.49	1.43
2	A	801	NAP	C2N-N1N	5.42	1.40	1.35
4	A	806	SAS	O1-S1	5.35	1.49	1.43
2	B	801	NAP	C2N-N1N	5.34	1.40	1.35
4	F	805	SAS	O1-S1	5.33	1.49	1.43
2	F	801	NAP	C2N-N1N	5.15	1.40	1.35
2	F	801	NAP	O4D-C1D	4.84	1.47	1.40
2	B	801	NAP	O4D-C1D	4.66	1.47	1.40
2	B	801	NAP	P2B-O1X	3.66	1.61	1.50
2	J	801	NAP	P2B-O1X	3.58	1.61	1.50
2	F	801	NAP	P2B-O1X	3.57	1.61	1.50
2	A	801	NAP	P2B-O1X	3.43	1.61	1.50
2	A	801	NAP	O4D-C1D	3.31	1.45	1.40
2	A	801	NAP	C5A-N7A	-3.31	1.33	1.39
2	F	801	NAP	C5A-N7A	-3.27	1.33	1.39
2	J	801	NAP	C5A-N7A	-3.21	1.33	1.39
2	J	801	NAP	O4D-C1D	3.17	1.45	1.40
2	B	801	NAP	C5A-N7A	-3.02	1.33	1.39
4	F	805	SAS	C12-N4	-2.54	1.33	1.44
2	B	801	NAP	C6N-N1N	2.54	1.41	1.35
4	B	804	SAS	C12-N4	-2.53	1.33	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	805	SAS	C9-N3	-2.46	1.33	1.44
4	J	804	SAS	C12-N4	-2.45	1.33	1.44
2	J	801	NAP	C6N-N1N	2.42	1.40	1.35
4	B	804	SAS	C9-N3	-2.41	1.34	1.44
4	J	804	SAS	C9-N3	-2.40	1.34	1.44
4	A	806	SAS	C12-N4	-2.39	1.34	1.44
2	F	801	NAP	C6N-N1N	2.31	1.40	1.35
4	J	804	SAS	C14-C18	2.30	1.54	1.49
4	A	806	SAS	C9-N3	-2.26	1.34	1.44
2	F	801	NAP	C4A-N9A	-2.24	1.33	1.37
2	B	801	NAP	C3N-C7N	2.22	1.53	1.50
2	A	801	NAP	C6N-N1N	2.22	1.40	1.35
2	J	801	NAP	PN-O3	2.19	1.61	1.59
2	J	801	NAP	C3N-C7N	2.15	1.53	1.50
2	J	801	NAP	PA-O3	2.08	1.61	1.59
2	A	801	NAP	C8A-N9A	-2.07	1.34	1.37
2	B	801	NAP	P2B-O2B	2.07	1.63	1.59
2	J	801	NAP	C4A-N9A	-2.01	1.33	1.37
2	A	801	NAP	C4A-N9A	-2.01	1.33	1.37

All (77) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	804	SAS	O2-S1-O1	-9.46	108.03	119.52
4	B	804	SAS	O2-S1-O1	-9.45	108.05	119.52
4	A	806	SAS	O2-S1-O1	-9.16	108.40	119.52
4	F	805	SAS	O2-S1-O1	-8.30	109.44	119.52
2	B	801	NAP	C5A-C4A-N3A	-5.52	119.11	126.72
2	A	801	NAP	C5A-C4A-N3A	-5.49	119.16	126.72
2	J	801	NAP	C5A-C4A-N3A	-5.38	119.31	126.72
2	F	801	NAP	C5A-C4A-N3A	-5.08	119.72	126.72
2	B	801	NAP	N3A-C2A-N1A	-4.73	121.43	128.58
2	F	801	NAP	N3A-C2A-N1A	-4.65	121.54	128.58
2	J	801	NAP	C2B-C1B-N9A	-4.61	106.17	113.75
2	A	801	NAP	N3A-C2A-N1A	-4.59	121.63	128.58
2	J	801	NAP	N3A-C2A-N1A	-4.42	121.89	128.58
2	B	801	NAP	C2B-C1B-N9A	-4.36	106.58	113.75
4	J	804	SAS	N2-C1-N1	4.30	118.92	114.13
4	F	805	SAS	N2-C1-N1	4.13	118.74	114.13
2	F	801	NAP	C2B-C1B-N9A	-4.04	107.11	113.75
4	J	804	SAS	C5-N1-C1	3.99	122.91	117.21
2	B	801	NAP	C2A-N3A-C4A	3.80	121.11	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	NAP	N3A-C4A-N9A	3.77	133.58	127.17
4	A	806	SAS	N2-C1-N1	3.70	118.26	114.13
2	B	801	NAP	N3A-C4A-N9A	3.68	133.42	127.17
2	A	801	NAP	C2A-N3A-C4A	3.65	120.75	111.83
2	A	801	NAP	C2B-C1B-N9A	-3.64	107.77	113.75
4	F	805	SAS	C5-N1-C1	3.60	122.36	117.21
2	J	801	NAP	N3A-C4A-N9A	3.60	133.28	127.17
2	F	801	NAP	C2A-N3A-C4A	3.59	120.60	111.83
2	J	801	NAP	C2A-N3A-C4A	3.55	120.49	111.83
4	B	804	SAS	N2-C1-N1	3.54	118.08	114.13
2	F	801	NAP	N3A-C4A-N9A	3.48	133.09	127.17
2	A	801	NAP	C4D-O4D-C1D	-3.41	106.80	109.92
4	A	806	SAS	C5-N1-C1	3.35	121.99	117.21
2	A	801	NAP	N9A-C8A-N7A	-3.18	109.43	113.94
2	F	801	NAP	N9A-C8A-N7A	-3.17	109.44	113.94
4	B	804	SAS	C6-S1-N2	3.14	110.77	106.88
2	J	801	NAP	N9A-C8A-N7A	-3.10	109.54	113.94
4	A	806	SAS	O1-S1-C6	2.95	111.71	107.98
2	B	801	NAP	O4B-C1B-N9A	2.90	113.66	108.09
2	B	801	NAP	N9A-C8A-N7A	-2.86	109.87	113.94
4	B	804	SAS	C5-N1-C1	2.85	121.29	117.21
2	J	801	NAP	C5A-N7A-C8A	2.82	107.88	103.45
2	A	801	NAP	C5A-N7A-C8A	2.79	107.84	103.45
2	J	801	NAP	C4A-C5A-N7A	-2.74	107.45	110.58
4	A	806	SAS	C6-S1-N2	2.74	110.27	106.88
2	B	801	NAP	C5B-C4B-C3B	-2.73	105.38	115.21
2	F	801	NAP	C5A-N7A-C8A	2.72	107.72	103.45
2	J	801	NAP	C6N-N1N-C2N	-2.65	119.63	121.88
2	B	801	NAP	C5A-N7A-C8A	2.62	107.57	103.45
2	B	801	NAP	C4A-C5A-N7A	-2.59	107.62	110.58
2	A	801	NAP	C5B-C4B-C3B	-2.59	105.89	115.21
2	A	801	NAP	C4A-C5A-N7A	-2.54	107.67	110.58
2	B	801	NAP	C4D-O4D-C1D	-2.54	107.60	109.92
2	F	801	NAP	C6N-N1N-C2N	-2.52	119.73	121.88
4	J	804	SAS	C6-S1-N2	2.50	109.98	106.88
4	A	806	SAS	C12-N4-N3	2.48	125.17	112.97
4	J	804	SAS	C2-C1-N1	-2.48	118.84	122.61
2	F	801	NAP	C4A-C5A-N7A	-2.47	107.75	110.58
4	F	805	SAS	C6-S1-N2	2.44	109.91	106.88
2	F	801	NAP	O4B-C1B-N9A	2.44	112.78	108.09
4	F	805	SAS	C14-C13-C12	-2.33	118.81	121.30
2	J	801	NAP	C4D-O4D-C1D	-2.28	107.84	109.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	805	SAS	C13-C14-C15	2.27	120.86	118.72
4	B	804	SAS	C14-C13-C12	-2.27	118.88	121.30
2	J	801	NAP	C5B-C4B-C3B	-2.24	107.14	115.21
4	J	804	SAS	O2-S1-N2	2.22	112.16	106.74
2	J	801	NAP	O3X-P2B-O2B	2.20	114.42	105.85
4	F	805	SAS	O4-C18-C14	-2.19	116.75	121.97
4	J	804	SAS	C12-N4-N3	2.17	123.66	112.97
4	B	804	SAS	C13-C14-C15	2.11	120.71	118.72
2	A	801	NAP	O4B-C1B-N9A	2.09	112.10	108.09
2	A	801	NAP	O3X-P2B-O2B	2.08	113.97	105.85
4	B	804	SAS	O4-C18-C14	-2.07	117.02	121.97
2	J	801	NAP	O4B-C1B-N9A	2.07	112.06	108.09
4	F	805	SAS	C4-C5-N1	-2.05	120.17	123.42
2	F	801	NAP	C4A-N9A-C8A	2.05	107.89	105.74
4	B	804	SAS	C12-N4-N3	2.05	123.05	112.97
4	A	806	SAS	C13-C14-C15	2.04	120.64	118.72

There are no chirality outliers.

All (84) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	NAP	C5B-O5B-PA-O1A
2	A	801	NAP	C5D-O5D-PN-O3
2	A	801	NAP	C5D-O5D-PN-O1N
2	A	801	NAP	C5D-O5D-PN-O2N
2	B	801	NAP	C5D-O5D-PN-O3
2	B	801	NAP	C5D-O5D-PN-O1N
2	B	801	NAP	C5D-O5D-PN-O2N
2	B	801	NAP	O4D-C1D-N1N-C2N
2	F	801	NAP	C5D-O5D-PN-O3
2	F	801	NAP	C5D-O5D-PN-O1N
2	F	801	NAP	C5D-O5D-PN-O2N
2	F	801	NAP	O4D-C1D-N1N-C2N
2	J	801	NAP	C5B-O5B-PA-O1A
2	J	801	NAP	C5D-O5D-PN-O3
2	J	801	NAP	O4D-C1D-N1N-C2N
6	F	804	GOL	O1-C1-C2-O2
6	F	804	GOL	O1-C1-C2-C3
6	F	804	GOL	C1-C2-C3-O3
5	F	806	PEG	O2-C3-C4-O4
4	F	805	SAS	C17-C12-N4-N3
5	A	807	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	F	805	SAS	C13-C12-N4-N3
4	F	805	SAS	C10-C9-N3-N4
4	B	804	SAS	C15-C14-C18-O5
4	F	805	SAS	C8-C9-N3-N4
4	F	805	SAS	C11-C6-S1-O2
4	B	804	SAS	C11-C6-S1-O2
4	F	805	SAS	C7-C6-S1-O2
4	B	804	SAS	C7-C6-S1-O2
4	J	804	SAS	C11-C6-S1-O2
4	J	804	SAS	C7-C6-S1-O2
4	B	804	SAS	C10-C9-N3-N4
2	A	801	NAP	C3B-C4B-C5B-O5B
4	B	804	SAS	C8-C9-N3-N4
4	J	804	SAS	C11-C6-S1-N2
6	F	804	GOL	O2-C2-C3-O3
4	B	804	SAS	C11-C6-S1-N2
4	B	804	SAS	C7-C6-S1-N2
4	J	804	SAS	C7-C6-S1-N2
4	B	804	SAS	C17-C12-N4-N3
5	J	805	PEG	O1-C1-C2-O2
4	A	806	SAS	C11-C6-S1-O2
4	A	806	SAS	C7-C6-S1-O2
2	A	801	NAP	O4B-C4B-C5B-O5B
4	B	804	SAS	C15-C14-C18-O4
5	J	806	PEG	O1-C1-C2-O2
4	F	805	SAS	C11-C6-S1-N2
4	F	805	SAS	C7-C6-S1-N2
2	J	801	NAP	PN-O3-PA-O5B
5	F	806	PEG	O1-C1-C2-O2
4	B	804	SAS	C13-C12-N4-N3
5	J	805	PEG	C4-C3-O2-C2
5	J	806	PEG	C4-C3-O2-C2
5	B	806	PEG	C4-C3-O2-C2
2	J	801	NAP	PA-O3-PN-O2N
5	F	807	PEG	O1-C1-C2-O2
2	A	801	NAP	C5B-O5B-PA-O2A
2	A	801	NAP	C5B-O5B-PA-O3
2	F	801	NAP	C5B-O5B-PA-O1A
2	J	801	NAP	C5B-O5B-PA-O3
2	J	801	NAP	C5D-O5D-PN-O1N
5	A	807	PEG	C1-C2-O2-C3
2	A	801	NAP	PA-O3-PN-O2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	J	801	NAP	O4B-C4B-C5B-O5B
5	F	806	PEG	C1-C2-O2-C3
6	J	803	GOL	O1-C1-C2-C3
5	F	806	PEG	C4-C3-O2-C2
2	A	801	NAP	O4D-C1D-N1N-C6N
2	B	801	NAP	O4D-C1D-N1N-C6N
2	F	801	NAP	O4D-C1D-N1N-C6N
2	J	801	NAP	C3B-C4B-C5B-O5B
2	J	801	NAP	O4D-C1D-N1N-C6N
2	F	801	NAP	O4B-C4B-C5B-O5B
2	A	801	NAP	PA-O3-PN-O1N
2	B	801	NAP	PA-O3-PN-O1N
5	J	806	PEG	C1-C2-O2-C3
4	A	806	SAS	C11-C6-S1-N2
2	B	801	NAP	C2B-O2B-P2B-O2X
2	B	801	NAP	C2B-O2B-P2B-O3X
5	J	805	PEG	C1-C2-O2-C3
4	A	806	SAS	C7-C6-S1-N2
2	F	801	NAP	PN-O3-PA-O2A
2	J	801	NAP	PA-O3-PN-O1N
2	B	801	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.

5 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	801	NAP	1	0
5	J	805	PEG	1	0
2	B	801	NAP	1	0
2	A	801	NAP	1	0
5	J	806	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand NAP J 801




Ligand SAS F 805









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/288 (89%)	0.22	13 (5%) 33 28	22, 36, 54, 85	0
1	B	257/288 (89%)	0.25	9 (3%) 47 41	21, 39, 62, 76	1 (0%)
1	F	257/288 (89%)	0.42	15 (5%) 29 23	27, 39, 65, 107	0
1	J	257/288 (89%)	0.94	42 (16%) 4 3	30, 48, 85, 104	0
All	All	1028/1152 (89%)	0.46	79 (7%) 19 15	21, 40, 68, 107	1 (0%)

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	54	GLU	5.3
1	F	54	GLU	5.3
1	A	55	ARG	5.1
1	A	54	GLU	5.0
1	J	55	ARG	4.5
1	J	81	ARG	4.4
1	F	55	ARG	4.1
1	J	53	ALA	4.0
1	J	224	ALA	4.0
1	J	219	LEU	3.7
1	B	87	LYS	3.7
1	J	42	GLU	3.6
1	F	53	ALA	3.6
1	J	225	LYS	3.6
1	F	52	GLY	3.5
1	J	56	SER	3.3
1	J	31	GLY	3.3
1	J	215	MET	3.3
1	J	227	LYS	3.3
1	B	85	ARG	3.3
1	F	46	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	52	GLY	3.2
1	A	187	ASN	3.1
1	J	82	GLU	3.0
1	J	211	VAL	3.0
1	J	207	ARG	2.9
1	J	87	LYS	2.9
1	B	54	GLU	2.8
1	A	87	LYS	2.7
1	A	42	GLU	2.7
1	B	42	GLU	2.7
1	J	226	GLY	2.7
1	J	116	GLN	2.6
1	J	222	LEU	2.6
1	F	50	GLU	2.6
1	J	221	GLU	2.6
1	B	4	ARG	2.6
1	J	59	ARG	2.6
1	A	243	GLU	2.6
1	F	85	ARG	2.5
1	F	56	SER	2.5
1	J	230	ASP	2.5
1	B	59[A]	ARG	2.5
1	J	216	ARG	2.5
1	B	246	GLU	2.5
1	B	220	GLN	2.5
1	J	220	GLN	2.5
1	J	209	THR	2.4
1	J	217	LYS	2.4
1	F	42	GLU	2.4
1	F	230	ASP	2.4
1	F	106	LYS	2.4
1	J	201	ASP	2.4
1	J	85	ARG	2.4
1	A	221	GLU	2.3
1	A	246	GLU	2.3
1	A	41	ASP	2.3
1	F	81	ARG	2.3
1	J	106	LYS	2.3
1	J	232	LYS	2.3
1	J	243	GLU	2.3
1	J	212	ASP	2.3
1	J	30	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	57	GLY	2.2
1	F	221	GLU	2.2
1	J	213	PRO	2.2
1	A	220	GLN	2.2
1	F	243	GLU	2.2
1	B	144	GLY	2.1
1	J	40	ASN	2.1
1	A	1	GLY	2.1
1	J	113	ASP	2.1
1	A	59	ARG	2.1
1	J	50	GLU	2.1
1	J	104	VAL	2.1
1	J	199	ASP	2.0
1	J	257	ASP	2.0
1	A	217	LYS	2.0
1	F	187	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PEG	F	807	7/7	0.60	0.33	86,89,92,93	0
5	PEG	J	806	7/7	0.64	0.39	106,111,115,116	0
3	SO4	F	803	5/5	0.74	0.14	95,101,102,104	0
5	PEG	F	806	7/7	0.75	0.31	67,73,78,79	0
5	PEG	J	805	7/7	0.76	0.30	86,90,91,93	0
3	SO4	A	803	5/5	0.77	0.25	78,78,81,81	0
3	SO4	B	805	5/5	0.78	0.20	139,141,142,144	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	J	802	5/5	0.79	0.18	91,92,94,96	0
6	GOL	F	804	6/6	0.79	0.25	47,50,51,55	0
5	PEG	B	806	7/7	0.80	0.31	68,75,80,81	0
3	SO4	A	804	5/5	0.82	0.29	85,86,88,88	0
5	PEG	A	807	7/7	0.82	0.21	75,77,77,78	0
3	SO4	F	802	5/5	0.84	0.16	68,69,69,73	0
3	SO4	B	803	5/5	0.88	0.22	78,79,83,84	0
3	SO4	B	802	5/5	0.88	0.14	73,74,76,77	0
4	SAS	J	804	28/28	0.91	0.17	45,65,88,88	0
3	SO4	A	805	5/5	0.91	0.20	69,70,72,77	0
6	GOL	J	803	6/6	0.91	0.17	60,62,63,63	0
3	SO4	A	802	5/5	0.95	0.12	59,59,60,60	0
2	NAP	J	801	48/48	0.96	0.09	42,47,52,54	0
4	SAS	A	806	28/28	0.96	0.09	26,37,49,49	0
4	SAS	B	804	28/28	0.96	0.10	33,43,61,62	0
4	SAS	F	805	28/28	0.97	0.09	26,40,53,55	0
2	NAP	B	801	48/48	0.97	0.07	27,30,35,37	0
2	NAP	F	801	48/48	0.98	0.06	25,31,35,36	0
2	NAP	A	801	48/48	0.98	0.07	24,29,32,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SAS J 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP J 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAS A 806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SAS B 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAS F 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP F 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.