



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 12:12 AM UTC

PDB ID : 8J9C / pdb_00008j9c
Title : Crystal structure of M61 peptidase (apo-form) from Xanthomonas campestris
Authors : Yadav, P.; Kumar, A.; Jamdar, S.N.; Makde, R.D.
Deposited on : 2023-05-03
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	646	 90% 6% 6%
1	B	646	 88% 6% 6%
1	C	646	 88% 6% 6%
1	D	646	 87% 7% 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 20869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative glycyl aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	605	Total	C	N	O	Se	0	1	0
			4765	3027	819	899	20			
1	B	605	Total	C	N	O	Se	0	2	0
			4746	3015	812	899	20			
1	C	605	Total	C	N	O	Se	0	2	0
			4728	3008	804	896	20			
1	D	605	Total	C	N	O	Se	0	1	0
			4746	3015	810	901	20			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	GLY	-	expression tag	UNP B0RY21
A	-18	SER	-	expression tag	UNP B0RY21
A	-17	SER	-	expression tag	UNP B0RY21
A	-16	HIS	-	expression tag	UNP B0RY21
A	-15	HIS	-	expression tag	UNP B0RY21
A	-14	HIS	-	expression tag	UNP B0RY21
A	-13	HIS	-	expression tag	UNP B0RY21
A	-12	HIS	-	expression tag	UNP B0RY21
A	-11	HIS	-	expression tag	UNP B0RY21
A	-10	SER	-	expression tag	UNP B0RY21
A	-9	SER	-	expression tag	UNP B0RY21
A	-8	GLY	-	expression tag	UNP B0RY21
A	-7	LEU	-	expression tag	UNP B0RY21
A	-6	VAL	-	expression tag	UNP B0RY21
A	-5	PRO	-	expression tag	UNP B0RY21
A	-4	ARG	-	expression tag	UNP B0RY21
A	-3	GLY	-	expression tag	UNP B0RY21
A	-2	SER	-	expression tag	UNP B0RY21
A	-1	HIS	-	expression tag	UNP B0RY21
A	0	MSE	-	expression tag	UNP B0RY21
A	22	ALA	GLN	engineered mutation	UNP B0RY21

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	GLY	-	expression tag	UNP B0RY21
B	-18	SER	-	expression tag	UNP B0RY21
B	-17	SER	-	expression tag	UNP B0RY21
B	-16	HIS	-	expression tag	UNP B0RY21
B	-15	HIS	-	expression tag	UNP B0RY21
B	-14	HIS	-	expression tag	UNP B0RY21
B	-13	HIS	-	expression tag	UNP B0RY21
B	-12	HIS	-	expression tag	UNP B0RY21
B	-11	HIS	-	expression tag	UNP B0RY21
B	-10	SER	-	expression tag	UNP B0RY21
B	-9	SER	-	expression tag	UNP B0RY21
B	-8	GLY	-	expression tag	UNP B0RY21
B	-7	LEU	-	expression tag	UNP B0RY21
B	-6	VAL	-	expression tag	UNP B0RY21
B	-5	PRO	-	expression tag	UNP B0RY21
B	-4	ARG	-	expression tag	UNP B0RY21
B	-3	GLY	-	expression tag	UNP B0RY21
B	-2	SER	-	expression tag	UNP B0RY21
B	-1	HIS	-	expression tag	UNP B0RY21
B	0	MSE	-	expression tag	UNP B0RY21
B	22	ALA	GLN	engineered mutation	UNP B0RY21
C	-19	GLY	-	expression tag	UNP B0RY21
C	-18	SER	-	expression tag	UNP B0RY21
C	-17	SER	-	expression tag	UNP B0RY21
C	-16	HIS	-	expression tag	UNP B0RY21
C	-15	HIS	-	expression tag	UNP B0RY21
C	-14	HIS	-	expression tag	UNP B0RY21
C	-13	HIS	-	expression tag	UNP B0RY21
C	-12	HIS	-	expression tag	UNP B0RY21
C	-11	HIS	-	expression tag	UNP B0RY21
C	-10	SER	-	expression tag	UNP B0RY21
C	-9	SER	-	expression tag	UNP B0RY21
C	-8	GLY	-	expression tag	UNP B0RY21
C	-7	LEU	-	expression tag	UNP B0RY21
C	-6	VAL	-	expression tag	UNP B0RY21
C	-5	PRO	-	expression tag	UNP B0RY21
C	-4	ARG	-	expression tag	UNP B0RY21
C	-3	GLY	-	expression tag	UNP B0RY21
C	-2	SER	-	expression tag	UNP B0RY21
C	-1	HIS	-	expression tag	UNP B0RY21
C	0	MSE	-	expression tag	UNP B0RY21
C	22	ALA	GLN	engineered mutation	UNP B0RY21

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	GLY	-	expression tag	UNP B0RY21
D	-18	SER	-	expression tag	UNP B0RY21
D	-17	SER	-	expression tag	UNP B0RY21
D	-16	HIS	-	expression tag	UNP B0RY21
D	-15	HIS	-	expression tag	UNP B0RY21
D	-14	HIS	-	expression tag	UNP B0RY21
D	-13	HIS	-	expression tag	UNP B0RY21
D	-12	HIS	-	expression tag	UNP B0RY21
D	-11	HIS	-	expression tag	UNP B0RY21
D	-10	SER	-	expression tag	UNP B0RY21
D	-9	SER	-	expression tag	UNP B0RY21
D	-8	GLY	-	expression tag	UNP B0RY21
D	-7	LEU	-	expression tag	UNP B0RY21
D	-6	VAL	-	expression tag	UNP B0RY21
D	-5	PRO	-	expression tag	UNP B0RY21
D	-4	ARG	-	expression tag	UNP B0RY21
D	-3	GLY	-	expression tag	UNP B0RY21
D	-2	SER	-	expression tag	UNP B0RY21
D	-1	HIS	-	expression tag	UNP B0RY21
D	0	MSE	-	expression tag	UNP B0RY21
D	22	ALA	GLN	engineered mutation	UNP B0RY21

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0
3	B	1	Total Zn 1 1	0	0
3	C	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0
4	B	1	Total Na 1 1	0	0
4	C	1	Total Na 1 1	0	0
4	D	2	Total Na 2 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	552	Total O 555 555	0	3
5	B	482	Total O 484 484	0	2
5	C	359	Total O 362 362	0	3
5	D	465	Total O 468 468	0	3

Chain D:

87%

7%

6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	104.84Å 94.51Å 144.50Å 90.00° 104.17° 90.00°	Depositor
Resolution (Å)	47.26 – 2.10 47.26 – 2.10	Depositor EDS
% Data completeness (in resolution range)	96.2 (47.26-2.10) 93.9 (47.26-2.10)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.26 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.154 , 0.189 0.155 , 0.190	Depositor DCC
R_{free} test set	7680 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.699	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20869	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/4869	0.36	0/6579
1	B	0.14	0/4850	0.35	0/6560
1	C	0.13	0/4832	0.34	0/6539
1	D	0.13	0/4850	0.34	0/6558
All	All	0.14	0/19401	0.35	0/26236

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4765	0	4606	16	0
1	B	4746	0	4550	21	0
1	C	4728	0	4513	21	0
1	D	4746	0	4563	24	0
2	A	6	0	8	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
5	A	555	0	0	1	0
5	B	484	0	0	1	0
5	C	362	0	0	0	0
5	D	468	0	0	3	0
All	All	20869	0	18240	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:ARG:HB3	1:B:409:MSE:HE2	1.77	0.66
1:D:419:MSE:HE2	1:D:490:ILE:HG22	1.79	0.65
1:D:324:LEU:HD12	1:D:333:MSE:HB3	1.81	0.61
1:B:251:MSE:HE2	1:B:352:MSE:HG3	1.82	0.61
1:C:251:MSE:HE1	1:C:255:TYR:HE2	1.69	0.58
1:C:419:MSE:HE2	1:C:490:ILE:HG22	1.87	0.56
1:C:291:ASN:HB2	1:C:295:GLU:HB2	1.88	0.55
1:C:27:GLN:HB3	1:C:29:VAL:HG13	1.87	0.55
1:D:494:GLU:HA	1:D:498:TRP:O	2.07	0.54
1:B:419:MSE:HE2	1:B:490:ILE:HG22	1.90	0.54
1:A:219:LYS:HA	1:A:219:LYS:HE2	1.90	0.53
1:A:40:ASP:HB3	1:A:50:LYS:HB2	1.91	0.52
1:B:324:LEU:HD12	1:B:333:MSE:HB3	1.92	0.52
1:D:443:LYS:NZ	5:D:807:HOH:O	2.42	0.52
1:B:50:LYS:HG2	1:B:123:LYS:HG2	1.93	0.51
1:B:69:TRP:CE2	1:B:332:PRO:HA	2.46	0.50
1:A:69:TRP:CE3	1:A:333:MSE:HB2	2.47	0.50
1:D:47:ARG:HA	1:D:137:MSE:SE	2.61	0.50
1:D:251:MSE:HE1	1:D:255:TYR:HE2	1.78	0.49
1:C:324:LEU:HD12	1:C:333:MSE:HB3	1.95	0.49
1:C:47:ARG:HA	1:C:137:MSE:SE	2.64	0.48
1:A:69:TRP:CE2	1:A:332:PRO:HA	2.49	0.48
1:D:69:TRP:CE2	1:D:332:PRO:HA	2.49	0.48
1:D:108:LYS:HB3	5:D:1145:HOH:O	2.14	0.48
1:D:270:THR:HG21	1:D:273:LEU:HB3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:270:THR:HG21	1:C:273:LEU:HB3	1.95	0.47
1:D:514:GLU:HG2	1:D:514:GLU:O	2.14	0.47
1:B:448:MSE:SE	1:B:448:MSE:H	2.48	0.47
1:D:282:ARG:HD2	1:D:453:TRP:CZ3	2.50	0.47
1:D:510:THR:O	1:D:514:GLU:HB3	2.15	0.46
1:B:382:MSE:HE1	1:B:489:LEU:HG	1.96	0.46
1:A:251:MSE:HE1	1:A:311:ASN:HB2	1.98	0.46
1:A:50:LYS:NZ	5:A:805:HOH:O	2.41	0.45
1:A:324:LEU:HD12	1:A:333:MSE:HG2	1.99	0.45
1:A:47:ARG:HA	1:A:137:MSE:SE	2.67	0.45
1:A:494:GLU:HA	1:A:498:TRP:O	2.15	0.45
1:B:47:ARG:HA	1:B:137:MSE:SE	2.67	0.45
1:C:420:MSE:SE	1:C:483:MSE:HE3	2.67	0.45
1:C:494:GLU:HA	1:C:498:TRP:O	2.16	0.45
1:B:224:LEU:HA	1:B:265:PHE:HB2	1.98	0.45
1:D:220:GLN:O	1:D:258:ARG:NH1	2.49	0.45
1:A:270:THR:HG21	1:A:273:LEU:HB3	1.98	0.45
1:C:318:TYR:CD2	1:C:319:ARG:HG2	2.52	0.44
1:A:359:TRP:CH2	1:A:367:MSE:HG3	2.52	0.44
1:B:592:ARG:HE	1:B:592:ARG:HB3	1.62	0.44
1:B:270:THR:HG21	1:B:273:LEU:HB3	1.99	0.44
1:D:40:ASP:HB3	1:D:50:LYS:HB2	1.98	0.44
1:B:597:ARG:HG3	1:B:597:ARG:HH11	1.82	0.43
1:B:480:ARG:NH1	5:B:805:HOH:O	2.39	0.43
1:C:494:GLU:O	1:C:615:LYS:NZ	2.47	0.43
1:B:494:GLU:HA	1:B:498:TRP:O	2.19	0.43
1:C:592:ARG:HE	1:C:592:ARG:HB3	1.66	0.43
1:A:592:ARG:HE	1:A:592:ARG:HB3	1.58	0.43
1:B:515:SER:O	1:B:517:ASP:N	2.45	0.43
1:D:511:LYS:O	1:D:515:SER:HB3	2.18	0.43
1:C:251:MSE:HE2	1:C:314:TRP:CZ3	2.53	0.43
1:C:478:PHE:O	1:C:482:ARG:HG2	2.18	0.43
1:B:259:HIS:HE1	1:B:448:MSE:O	2.02	0.43
1:B:80:ILE:HB	1:B:105:TYR:CE2	2.55	0.42
1:B:251:MSE:CE	1:B:352:MSE:HG3	2.47	0.42
1:A:323:ASP:OD1	1:A:323:ASP:N	2.53	0.41
1:D:90:VAL:HG11	1:D:112:PRO:HD2	2.01	0.41
1:B:369:ALA:HB2	1:B:609:LEU:HG	2.01	0.41
1:C:39:VAL:O	1:C:167:VAL:HA	2.21	0.41
1:D:183:ARG:HD3	5:D:1182:HOH:O	2.19	0.41
1:A:36:LYS:NZ	1:A:164:GLN:OE1	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:LYS:HA	1:A:427:LYS:HD3	1.89	0.41
1:C:69:TRP:CE2	1:C:332:PRO:HA	2.55	0.41
1:C:259:HIS:HE1	1:C:448:MSE:O	2.03	0.41
1:C:448:MSE:H	1:C:448:MSE:SE	2.53	0.41
1:D:80:ILE:HB	1:D:105:TYR:CE2	2.56	0.40
1:D:291:ASN:HB2	1:D:295:GLU:HB2	2.02	0.40
1:D:515:SER:C	1:D:517:ASP:H	2.28	0.40
1:D:592:ARG:HE	1:D:592:ARG:HB3	1.50	0.40
1:D:66:TYR:CD1	1:D:83:LEU:HD12	2.57	0.40
1:A:318:TYR:CD2	1:A:319:ARG:HG2	2.57	0.40
1:B:582:PRO:HB3	1:B:599:ASP:OD1	2.21	0.40
1:D:262:HIS:O	1:D:282:ARG:HB3	2.21	0.40
1:C:304:ASP:HB3	1:C:359:TRP:CZ2	2.57	0.40
1:C:611:ARG:CZ	1:C:617:ASP:HB2	2.52	0.40
1:C:224:LEU:HA	1:C:265:PHE:HB2	2.03	0.40
1:D:280:HIS:C	1:D:317:LYS:HG3	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	604/646 (94%)	590 (98%)	13 (2%)	1 (0%)	43	44
1	B	605/646 (94%)	590 (98%)	13 (2%)	2 (0%)	36	36
1	C	605/646 (94%)	589 (97%)	16 (3%)	0	100	100
1	D	604/646 (94%)	589 (98%)	15 (2%)	0	100	100
All	All	2418/2584 (94%)	2358 (98%)	57 (2%)	3 (0%)	48	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	516	ASP
1	A	414	TYR
1	B	414	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	495/510 (97%)	495 (100%)	0	100	100
1	B	489/510 (96%)	488 (100%)	1 (0%)	87	93
1	C	483/510 (95%)	483 (100%)	0	100	100
1	D	492/510 (96%)	490 (100%)	2 (0%)	84	89
All	All	1959/2040 (96%)	1956 (100%)	3 (0%)	87	93

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	138	THR
1	D	29	VAL
1	D	377	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	45	GLN
1	B	330	ASN
1	B	507	ASN
1	C	554	ASN
1	D	27	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 9 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	701	-	5,5,5	0.86	0	5,5,5	1.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	701	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	GOL	C1-C2-C3-O3
2	A	701	GOL	O1-C1-C2-C3
2	A	701	GOL	O2-C2-C3-O3
2	A	701	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	585/646 (90%)	-0.44	2 (0%) 90 91	12, 26, 42, 80	1 (0%)
1	B	585/646 (90%)	-0.34	3 (0%) 87 88	13, 28, 43, 84	2 (0%)
1	C	585/646 (90%)	-0.09	7 (1%) 76 78	17, 34, 54, 87	2 (0%)
1	D	585/646 (90%)	-0.31	2 (0%) 90 91	12, 29, 46, 83	1 (0%)
All	All	2340/2584 (90%)	-0.30	14 (0%) 85 87	12, 29, 48, 87	6 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	515	SER	3.7
1	C	515	SER	3.0
1	C	516	ASP	2.8
1	B	516	ASP	2.8
1	C	517	ASP	2.8
1	B	22	ALA	2.8
1	A	515	SER	2.8
1	C	22	ALA	2.7
1	A	22	ALA	2.5
1	D	514	GLU	2.5
1	C	442	GLY	2.3
1	C	510	THR	2.1
1	C	518	LYS	2.1
1	D	515	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NA	D	703	1/1	0.91	0.16	45,45,45,45	0
2	GOL	A	701	6/6	0.92	0.10	27,31,34,35	0
4	NA	D	702	1/1	0.93	0.10	41,41,41,41	0
4	NA	C	702	1/1	0.93	0.07	46,46,46,46	0
4	NA	B	702	1/1	0.94	0.06	32,32,32,32	0
3	ZN	B	701	1/1	0.98	0.02	27,27,27,27	0
4	NA	A	703	1/1	0.98	0.03	25,25,25,25	0
3	ZN	D	701	1/1	0.99	0.03	29,29,29,29	0
3	ZN	C	701	1/1	0.99	0.04	32,32,32,32	0
3	ZN	A	702	1/1	1.00	0.02	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ZN B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.