



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 10:09 PM UTC

PDB ID : 1JBO / pdb_00001jbo
Title : The 1.45Å Three-Dimensional Structure of c-Phycocyanin from the Thermophilic Cyanobacterium *Synechococcus elongatus*
Authors : Nield, J.; Rizkallah, P.J.; Barber, J.; Chayen, N.E.
Deposited on : 2002-05-02
Resolution : 1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1756 (1.46-1.46)
Clashscore	190562	1795 (1.46-1.46)
Ramachandran outliers	187476	1776 (1.46-1.46)
Sidechain outliers	187428	1776 (1.46-1.46)
RSRZ outliers	180081	1756 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	162	% 77% 17% • •
2	B	172	2% 76% 20% •

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 43	C 33	N 4	O 6	0	0
3	B	1	Total 43	C 33	N 4	O 6	0	0
3	B	1	Total 43	C 33	N 4	O 6	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	257	Total 257	O 257	0	0
4	B	217	Total 217	O 217	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: C-Phycocyanin alpha chain



• Molecule 2: C-Phycocyanin beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	188.00Å 188.00Å 60.54Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	56.70 – 1.45 56.70 – 1.45	Depositor EDS
% Data completeness (in resolution range)	(Not available) (56.70-1.45) 98.8 (56.70-1.45)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 1.45Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.146 , 0.188 0.153 , 0.192	Depositor DCC
R_{free} test set	3617 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	14.7	Xtriage
Anisotropy	0.591	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 48.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	3153	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MEN, CYC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.04	27/1303 (2.1%)	1.55	8/1765 (0.5%)
2	B	2.00	21/1365 (1.5%)	1.49	8/1842 (0.4%)
All	All	2.02	48/2668 (1.8%)	1.52	16/3607 (0.4%)

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	62	LYS	CB-CG	-17.46	1.00	1.52
1	A	21	ASN	N-CA	-9.93	1.33	1.46
1	A	11	ALA	CA-CB	-9.21	1.38	1.53
1	A	62	LYS	CG-CD	-8.77	1.26	1.52
1	A	47	ASN	CG-OD1	-8.19	1.07	1.23
2	B	121	ALA	CA-C	7.76	1.62	1.52
2	B	172	ALA	CA-CB	7.15	1.65	1.53
2	B	152	PRO	C-O	6.87	1.31	1.23
2	B	90	ILE	C-O	6.59	1.31	1.24
1	A	132	ALA	N-CA	6.55	1.54	1.46
1	A	42	ARG	NE-CZ	6.52	1.40	1.33
2	B	130	ALA	CA-CB	6.43	1.63	1.53
2	B	52	VAL	N-CA	6.38	1.54	1.46
2	B	139	ALA	CA-C	6.28	1.60	1.52
1	A	35	VAL	CA-CB	6.28	1.61	1.54
2	B	60	PHE	C-O	6.27	1.31	1.24
2	B	157	ALA	C-O	-6.25	1.16	1.24
1	A	36	ALA	CA-CB	-6.23	1.43	1.53
2	B	1	MET	CB-CG	-6.17	1.33	1.52
1	A	30	ARG	C-O	6.15	1.31	1.24
2	B	44	ILE	CA-CB	6.14	1.61	1.54
1	A	115	LEU	CA-C	6.03	1.60	1.52
2	B	170	ALA	CA-CB	-5.97	1.43	1.53
1	A	15	GLN	CB-CG	-5.95	1.34	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	94	MET	SD-CE	-5.92	1.64	1.79
1	A	12	ALA	C-O	5.74	1.30	1.24
1	A	137	LYS	C-O	5.72	1.30	1.24
2	B	88	MET	CA-C	5.65	1.59	1.52
1	A	150	VAL	C-N	5.63	1.41	1.33
1	A	117	GLU	CA-CB	5.59	1.62	1.53
1	A	140	HIS	C-N	-5.53	1.25	1.33
2	B	63	GLN	C-O	-5.46	1.18	1.24
2	B	9	VAL	CA-CB	5.35	1.60	1.54
1	A	164	ALA	C-O	5.35	1.30	1.24
2	B	168	ARG	CB-CG	-5.35	1.36	1.52
1	A	118	ILE	CA-CB	5.34	1.60	1.54
2	B	23	GLN	CD-OE1	5.32	1.33	1.23
1	A	2	LYS	C-O	5.27	1.30	1.24
1	A	120[A]	SER	CA-CB	5.26	1.61	1.53
1	A	120[B]	SER	CA-CB	5.26	1.61	1.53
1	A	84	CYS	CA-C	5.26	1.59	1.52
1	A	63	PHE	CA-CB	5.21	1.58	1.53
2	B	134	GLN	CD-OE1	5.20	1.33	1.23
1	A	22	THR	C-O	5.15	1.30	1.24
1	A	135	TYR	CA-C	5.09	1.59	1.52
2	B	91	ILE	CA-CB	-5.08	1.48	1.54
2	B	68	GLN	CA-C	-5.08	1.47	1.53
2	B	1	MET	CG-SD	5.05	1.93	1.80

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	156	SER	N-CA-C	8.07	120.08	111.28
1	A	22	THR	OG1-CB-CG2	-6.51	96.28	109.30
1	A	96	THR	N-CA-CB	6.26	119.42	110.16
1	A	57	GLN	CB-CG-CD	-6.18	102.09	112.60
1	A	62	LYS	CG-CD-CE	-6.11	97.25	111.30
2	B	112	LEU	N-CA-C	5.83	119.57	112.23
1	A	116	SER	CA-CB-OG	-5.79	99.51	111.10
2	B	138	ASP	N-CA-C	5.53	117.31	111.28
1	A	122	PHE	CA-CB-CG	-5.40	108.40	113.80
1	A	57	GLN	CA-CB-CG	-5.40	103.31	114.10
2	B	105	SER	N-CA-C	5.32	117.77	111.33
2	B	52	VAL	O-C-N	5.20	127.31	121.90
2	B	62	GLU	CA-C-N	5.18	130.03	123.34
2	B	62	GLU	C-N-CA	5.18	130.03	123.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	112	ILE	N-CA-C	5.06	115.83	110.72
2	B	131	VAL	O-C-N	5.04	126.85	121.91

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1244	0	1218	17	0
2	B	1306	0	1302	45	0
3	A	43	0	35	7	0
3	B	86	0	74	33	0
4	A	257	0	0	10	4
4	B	217	0	0	13	3
All	All	3153	0	2629	85	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:155:CYS:SG	3:B:503:CYC:HAC1	1.19	1.70
2:B:84:CYS:SG	3:B:502:CYC:HAC2	1.32	1.64
2:B:155:CYS:SG	3:B:503:CYC:CAC	2.15	1.32
2:B:84:CYS:SG	3:B:502:CYC:CAC	2.19	1.30
1:A:38[B]:MET:CE	1:A:38[B]:MET:SD	2.28	1.21
3:B:502:CYC:HC	3:B:502:CYC:HMD1	1.07	1.11
3:B:502:CYC:HMA1	3:B:502:CYC:HB	0.95	1.05
3:B:502:CYC:HMA1	3:B:502:CYC:NB	1.77	0.99
3:B:503:CYC:HMD2	3:B:503:CYC:HC	1.26	0.98
3:B:502:CYC:HB	3:B:502:CYC:CMA	1.79	0.95
2:B:79[A]:ARG:HD3	4:B:658:HOH:O	1.67	0.94
3:A:501:CYC:HC	3:A:501:CYC:HMD1	1.35	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:90:ILE:HG21	3:B:502:CYC:HBB3	1.55	0.89
3:B:502:CYC:HMD1	3:B:502:CYC:NC	1.88	0.87
3:B:502:CYC:HMA3	4:B:649:HOH:O	1.74	0.87
2:B:1:MET:N	2:B:110[A]:ARG:HH22	1.76	0.84
2:B:1:MET:H1	2:B:110[A]:ARG:HH22	1.22	0.84
2:B:151:THR:O	3:B:503:CYC:HMD2	1.78	0.83
2:B:72:MEN:HE22	3:B:502:CYC:HBD2	1.60	0.82
2:B:84:CYS:SG	3:B:502:CYC:CBC	2.69	0.79
1:A:15:GLN:HG3	1:A:17:ARG:HD3	1.64	0.79
3:A:501:CYC:HMD1	3:A:501:CYC:NC	1.98	0.78
2:B:155:CYS:SG	3:B:503:CYC:C3C	2.73	0.76
3:B:503:CYC:HC	3:B:503:CYC:CMD	1.99	0.76
1:A:21:ASN:HB2	4:A:642:HOH:O	1.87	0.73
1:A:125[B]:SER:OG	4:A:595:HOH:O	2.06	0.71
2:B:79[B]:ARG:HD2	4:B:658:HOH:O	1.91	0.68
2:B:30[B]:LEU:HD11	4:B:698:HOH:O	1.95	0.67
2:B:134:GLN:NE2	2:B:137:LYS:HE2	2.10	0.65
2:B:134:GLN:HE22	2:B:137:LYS:NZ	1.95	0.65
3:B:503:CYC:HMD2	3:B:503:CYC:NC	2.06	0.65
3:B:502:CYC:HC	3:B:502:CYC:CMD	1.99	0.62
2:B:84:CYS:CB	3:B:502:CYC:HAC2	2.29	0.61
1:A:42:ARG:NH2	4:A:757:HOH:O	1.91	0.61
2:B:30[B]:LEU:CD1	4:B:698:HOH:O	2.47	0.60
3:A:501:CYC:HMA2	4:A:510:HOH:O	2.01	0.60
2:B:155:CYS:SG	3:B:503:CYC:CBC	2.88	0.60
1:A:15:GLN:CG	1:A:17:ARG:HD3	2.32	0.59
2:B:117[B]:GLU:OE1	4:B:671:HOH:O	2.17	0.59
2:B:151:THR:O	3:B:503:CYC:CMD	2.50	0.59
2:B:90:ILE:CG2	3:B:502:CYC:HBB3	2.31	0.58
2:B:117[B]:GLU:OE2	4:B:696:HOH:O	2.17	0.58
1:A:38[B]:MET:HE2	4:A:577:HOH:O	2.03	0.57
2:B:86:ARG:HH22	3:B:502:CYC:C1A	2.18	0.57
4:A:616:HOH:O	3:B:503:CYC:HMA2	2.04	0.56
2:B:86:ARG:NH2	3:B:502:CYC:C1A	2.69	0.56
2:B:110[A]:ARG:NH2	4:B:715:HOH:O	2.02	0.56
1:A:57:GLN:NE2	4:A:580:HOH:O	2.36	0.55
1:A:42:ARG:NE	4:A:757:HOH:O	2.39	0.55
3:A:501:CYC:CMA	3:A:501:CYC:HB	2.19	0.54
3:B:503:CYC:CMD	3:B:503:CYC:NC	2.68	0.54
1:A:22:THR:HB	4:A:636:HOH:O	2.08	0.53
2:B:30[B]:LEU:HD12	4:B:620:HOH:O	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:155:CYS:CB	3:B:503:CYC:HAC1	2.25	0.52
2:B:1:MET:N	2:B:110[A]:ARG:NH2	2.53	0.52
2:B:134:GLN:HE22	2:B:137:LYS:CE	2.25	0.50
2:B:134:GLN:NE2	2:B:137:LYS:CE	2.75	0.50
3:B:503:CYC:NB	3:B:503:CYC:HMA3	2.27	0.49
2:B:117[B]:GLU:HG3	4:B:648:HOH:O	2.13	0.48
3:B:502:CYC:CMA	4:B:649:HOH:O	2.48	0.48
3:A:501:CYC:CMA	3:A:501:CYC:NB	2.77	0.47
2:B:84:CYS:SG	3:B:502:CYC:C3C	2.95	0.45
2:B:109:ASP:HB2	2:B:110[A]:ARG:HD2	1.98	0.45
3:A:501:CYC:HMA2	3:A:501:CYC:HB	1.79	0.45
1:A:57:GLN:HE21	1:A:57:GLN:HB3	1.42	0.43
2:B:68:GLN:NE2	4:B:535:HOH:O	2.50	0.43
2:B:14:ALA:C	2:B:15[B]:ARG:HE	2.26	0.43
1:A:22:THR:CB	4:A:636:HOH:O	2.65	0.43
1:A:90:TYR:O	1:A:94:MET:HG2	2.19	0.42
2:B:5:PHE:CD1	2:B:27:LEU:HD22	2.55	0.42
3:B:503:CYC:HB	3:B:503:CYC:CMA	2.32	0.42
3:B:503:CYC:HMA3	3:B:503:CYC:HB	1.84	0.42
1:A:15:GLN:CD	1:A:17:ARG:HD3	2.45	0.42
3:A:501:CYC:NB	3:A:501:CYC:HMA3	2.35	0.41
1:A:8:ALA:HB1	1:A:23:GLU:HB3	2.02	0.41
2:B:117[B]:GLU:CD	4:B:696:HOH:O	2.62	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:735:HOH:O	4:A:735:HOH:O[6_556]	1.59	0.61
4:A:561:HOH:O	4:B:607:HOH:O[3_555]	1.85	0.35
4:A:661:HOH:O	4:B:617:HOH:O[5_556]	1.92	0.28
4:A:628:HOH:O	4:B:692:HOH:O[5_556]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	167/162 (103%)	164 (98%)	3 (2%)	0	100	100
2	B	179/172 (104%)	176 (98%)	3 (2%)	0	100	100
All	All	346/334 (104%)	340 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/123 (106%)	124 (95%)	6 (5%)	24	2
2	B	137/127 (108%)	137 (100%)	0	100	100
All	All	267/250 (107%)	261 (98%)	6 (2%)	48	13

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	22	THR
1	A	62	LYS
1	A	70[A]	GLN
1	A	70[B]	GLN
1	A	118	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	47	ASN
1	A	57	GLN
2	B	35	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	63	GLN
2	B	68	GLN
2	B	78	ASN
2	B	134	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MEN	B	72	2	7,8,9	2.59	2 (28%)	4,9,11	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MEN	B	72	2	-	2/7/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	72	MEN	CE2-ND2	6.29	1.56	1.45
2	B	72	MEN	OD1-CG	2.05	1.27	1.23

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	72	MEN	CA-CB-CG-OD1
2	B	72	MEN	CA-CB-CG-ND2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	72	MEN	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CYC	B	503	-	46,46,46	3.81	25 (54%)	63,67,67	4.88	31 (49%)
3	CYC	A	501	1	46,46,46	2.10	15 (32%)	63,67,67	3.34	27 (42%)
3	CYC	B	502	-	46,46,46	3.21	22 (47%)	63,67,67	4.56	37 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CYC	B	503	-	-	9/26/74/74	0/4/4/4
3	CYC	A	501	1	-	10/26/74/74	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CYC	B	502	-	-	8/26/74/74	0/4/4/4

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	503	CYC	C2C-C1C	-13.63	1.39	1.52
3	B	503	CYC	OC-C1C	10.29	1.43	1.23
3	B	502	CYC	C1B-NB	-9.11	1.22	1.37
3	B	503	CYC	CAC-C3C	-8.14	1.38	1.54
3	B	502	CYC	C2C-C1C	-7.74	1.45	1.52
3	B	502	CYC	OC-C1C	7.35	1.37	1.23
3	A	501	CYC	OB-C4B	6.76	1.36	1.23
3	B	502	CYC	CAC-C3C	-6.37	1.41	1.54
3	B	503	CYC	C4C-NC	-6.08	1.25	1.37
3	B	503	CYC	C4B-C3B	-5.39	1.38	1.48
3	B	502	CYC	CMC-C2C	-5.38	1.41	1.53
3	B	503	CYC	OB-C4B	4.92	1.32	1.23
3	B	502	CYC	CHA-C1A	4.71	1.47	1.38
3	B	502	CYC	C2A-C3A	4.64	1.46	1.36
3	A	501	CYC	OC-C1C	4.55	1.32	1.23
3	B	503	CYC	CHB-C4A	4.54	1.51	1.40
3	B	502	CYC	C1C-NC	-4.53	1.31	1.37
3	A	501	CYC	C1C-NC	-4.28	1.32	1.37
3	B	503	CYC	CMA-C3A	-4.25	1.42	1.50
3	B	502	CYC	C2C-C3C	-4.08	1.43	1.54
3	B	503	CYC	CHD-C1D	4.00	1.49	1.40
3	B	503	CYC	C2C-C3C	-3.72	1.44	1.54
3	A	501	CYC	C3D-C2D	3.53	1.48	1.38
3	B	503	CYC	CBD-CAD	3.41	1.63	1.51
3	B	502	CYC	CHA-C4D	3.31	1.47	1.40
3	B	503	CYC	CHA-C1A	3.28	1.44	1.38
3	B	503	CYC	CBD-CGD	3.27	1.58	1.50
3	B	503	CYC	C4D-ND	-3.26	1.32	1.37
3	B	503	CYC	C2A-C3A	3.24	1.43	1.36
3	A	501	CYC	CHB-C4A	3.19	1.48	1.40
3	B	502	CYC	C1D-C2D	3.18	1.49	1.41
3	A	501	CYC	C4B-C3B	-3.18	1.42	1.48
3	B	502	CYC	C3D-C2D	3.17	1.47	1.38
3	B	502	CYC	CBA-CAA	-3.17	1.41	1.51
3	A	501	CYC	CHD-C1D	3.16	1.47	1.40
3	A	501	CYC	C2A-C3A	3.15	1.43	1.36
3	B	503	CYC	C3B-C2B	3.15	1.43	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	503	CYC	C1B-NB	-3.11	1.32	1.37
3	B	503	CYC	C3C-C4C	-2.95	1.44	1.50
3	B	502	CYC	C3C-C4C	-2.91	1.44	1.50
3	A	501	CYC	CMB-C2B	-2.89	1.44	1.50
3	B	503	CYC	CHA-C4D	-2.85	1.33	1.40
3	A	501	CYC	C1B-NB	-2.75	1.33	1.37
3	B	502	CYC	C1D-ND	2.74	1.42	1.37
3	B	502	CYC	CHB-C4A	2.70	1.46	1.40
3	B	502	CYC	OB-C4B	2.66	1.28	1.23
3	A	501	CYC	CBD-CAD	-2.64	1.42	1.51
3	B	503	CYC	C1B-C2B	-2.59	1.40	1.45
3	B	502	CYC	CBD-CAD	-2.59	1.43	1.51
3	B	503	CYC	O2A-CGA	2.59	1.39	1.30
3	B	502	CYC	CMB-C2B	-2.47	1.45	1.50
3	A	501	CYC	CBA-CAA	-2.33	1.43	1.51
3	B	503	CYC	C1A-C2A	-2.33	1.42	1.45
3	B	503	CYC	C3D-C2D	2.26	1.44	1.38
3	B	502	CYC	C1B-C2B	2.17	1.49	1.45
3	B	503	CYC	C1D-ND	-2.15	1.34	1.37
3	A	501	CYC	CHA-C4D	2.13	1.45	1.40
3	B	503	CYC	C1D-C2D	2.10	1.46	1.41
3	B	502	CYC	O2A-CGA	2.07	1.37	1.30
3	B	502	CYC	C1A-NA	-2.06	1.34	1.38
3	A	501	CYC	C2C-C1C	2.05	1.53	1.52
3	A	501	CYC	C2C-C3C	-2.04	1.49	1.54

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	CYC	OC-C1C-C2C	-14.46	114.67	126.17
3	B	502	CYC	C2C-C1C-NC	13.36	119.41	108.29
3	B	503	CYC	C2C-C1C-NC	13.32	119.38	108.29
3	B	502	CYC	C3B-C4B-NB	13.01	117.14	106.77
3	B	503	CYC	CHD-C4C-NC	-12.62	109.88	125.63
3	B	503	CYC	C1C-NC-C4C	-11.97	98.39	113.41
3	A	501	CYC	OC-C1C-C2C	-11.36	117.14	126.17
3	A	501	CYC	C3B-C4B-NB	11.26	115.75	106.77
3	B	502	CYC	C1C-NC-C4C	-10.56	100.17	113.41
3	B	502	CYC	CAA-CBA-CGA	-10.47	85.89	113.67
3	A	501	CYC	OB-C4B-C3B	-10.37	117.14	128.03
3	B	503	CYC	C3B-C4B-NB	10.25	114.94	106.77
3	B	503	CYC	OC-C1C-C2C	-9.54	118.59	126.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	CYC	C3C-C4C-NC	9.46	120.12	107.94
3	B	502	CYC	CAB-C3B-C4B	9.20	135.60	121.37
3	B	503	CYC	CBC-CAC-C3C	9.03	132.57	113.41
3	B	503	CYC	CAB-C3B-C4B	8.19	134.03	121.37
3	B	503	CYC	C4D-C3D-C2D	-8.19	98.09	107.62
3	B	503	CYC	OC-C1C-NC	-8.16	115.31	124.93
3	B	503	CYC	CHA-C4D-C3D	-8.08	109.85	127.22
3	B	503	CYC	OB-C4B-C3B	-8.07	119.55	128.03
3	A	501	CYC	C2C-C1C-NC	8.01	114.95	108.29
3	B	503	CYC	CMC-C2C-C1C	6.59	126.61	112.40
3	B	502	CYC	C1B-NB-C4B	-5.77	103.57	110.66
3	B	502	CYC	C3C-C4C-NC	5.67	115.24	107.94
3	A	501	CYC	C1C-NC-C4C	-5.66	106.31	113.41
3	B	502	CYC	CBB-CAB-C3B	-5.58	97.29	112.42
3	A	501	CYC	C1B-NB-C4B	-5.53	103.87	110.66
3	B	502	CYC	C2B-C1B-NB	5.43	114.89	106.97
3	B	503	CYC	C1B-NB-C4B	-5.37	104.07	110.66
3	B	503	CYC	C3D-C4D-ND	5.31	114.22	107.57
3	B	502	CYC	O1A-CGA-CBA	-5.08	106.98	123.09
3	B	503	CYC	C1D-CHD-C4C	5.04	136.36	127.76
3	B	502	CYC	CBA-CAA-C2A	4.86	125.98	112.53
3	B	503	CYC	CHA-C4D-ND	4.61	135.71	125.29
3	B	502	CYC	CBC-CAC-C3C	4.56	123.08	113.41
3	B	503	CYC	CAC-C3C-C4C	4.52	124.28	112.67
3	A	501	CYC	CAB-C3B-C4B	4.49	128.31	121.37
3	B	503	CYC	CMA-C3A-C4A	4.31	131.79	125.10
3	B	502	CYC	CMA-C3A-C4A	4.06	131.41	125.10
3	B	503	CYC	CAD-C3D-C4D	3.97	132.06	125.77
3	B	502	CYC	O2A-CGA-CBA	3.88	126.26	114.00
3	B	502	CYC	CMC-C2C-C1C	3.85	120.71	112.40
3	B	502	CYC	CMB-C2B-C1B	3.72	128.68	124.16
3	B	502	CYC	CHA-C4D-C3D	-3.50	119.69	127.22
3	B	503	CYC	CBD-CAD-C3D	-3.47	102.92	112.53
3	A	501	CYC	CAA-CBA-CGA	-3.39	104.66	113.67
3	B	502	CYC	C1A-C2A-C3A	-3.33	103.13	106.73
3	B	503	CYC	C2D-C1D-ND	-3.20	103.06	107.43
3	B	502	CYC	CHB-C4A-NA	-3.18	118.09	124.95
3	B	502	CYC	CHA-C1A-C2A	-3.16	118.09	125.40
3	A	501	CYC	C1A-C2A-C3A	-3.16	103.31	106.73
3	B	502	CYC	OB-C4B-NB	-3.14	117.72	125.08
3	A	501	CYC	CHD-C1D-ND	-3.12	118.24	125.29
3	B	502	CYC	O1D-CGD-CBD	-3.07	113.37	123.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	CYC	CHB-C4A-C3A	2.99	132.56	124.87
3	A	501	CYC	O2D-CGD-O1D	-2.98	115.67	123.33
3	B	503	CYC	C1A-C2A-C3A	-2.96	103.53	106.73
3	B	503	CYC	CMC-C2C-C3C	2.95	125.38	113.98
3	B	502	CYC	CAC-C3C-C4C	2.94	120.22	112.67
3	A	501	CYC	CMC-C2C-C1C	2.87	118.59	112.40
3	A	501	CYC	CHA-C4D-C3D	-2.86	121.07	127.22
3	B	503	CYC	CAA-C2A-C1A	2.86	130.04	125.02
3	A	501	CYC	C1D-CHD-C4C	2.85	132.63	127.76
3	A	501	CYC	C3C-C4C-NC	2.81	111.56	107.94
3	A	501	CYC	O1A-CGA-CBA	-2.78	114.28	123.09
3	B	502	CYC	OB-C4B-C3B	-2.77	125.12	128.03
3	A	501	CYC	C4D-C3D-C2D	-2.77	104.40	107.62
3	B	502	CYC	CBD-CAD-C3D	2.76	120.16	112.53
3	A	501	CYC	C4A-C3A-C2A	2.75	109.60	106.48
3	B	502	CYC	CMC-C2C-C3C	2.63	124.15	113.98
3	B	503	CYC	CHB-C1B-C2B	-2.63	121.73	126.97
3	A	501	CYC	CMC-C2C-C3C	2.62	124.11	113.98
3	A	501	CYC	O2D-CGD-CBD	2.62	122.26	114.00
3	B	502	CYC	C2D-C1D-ND	-2.61	103.88	107.43
3	A	501	CYC	C1A-NA-C4A	2.59	111.27	106.52
3	A	501	CYC	CAC-C3C-C4C	2.55	119.23	112.67
3	B	503	CYC	CHA-C1A-C2A	-2.43	119.78	125.40
3	A	501	CYC	C2B-C1B-NB	2.43	110.51	106.97
3	B	502	CYC	CHA-C4D-ND	2.41	130.74	125.29
3	B	503	CYC	C1D-C2D-C3D	2.37	110.72	107.76
3	B	503	CYC	CAD-CBD-CGD	2.36	119.93	113.67
3	B	502	CYC	C4D-C3D-C2D	-2.36	104.87	107.62
3	B	502	CYC	CHA-C1A-NA	2.32	129.47	124.60
3	A	501	CYC	CHB-C4A-C3A	2.23	130.61	124.87
3	A	501	CYC	CHD-C4C-NC	-2.22	122.85	125.63
3	B	502	CYC	CHD-C4C-NC	-2.20	122.89	125.63
3	B	503	CYC	CAA-CBA-CGA	2.17	119.41	113.67
3	B	502	CYC	CHB-C1B-NB	-2.16	121.45	126.06
3	B	503	CYC	CBA-CAA-C2A	-2.16	106.57	112.53
3	A	501	CYC	O2A-CGA-CBA	2.15	120.79	114.00
3	B	502	CYC	CAA-C2A-C1A	2.11	128.72	125.02
3	A	501	CYC	C3D-C4D-ND	2.09	110.19	107.57
3	B	502	CYC	OC-C1C-NC	-2.07	122.49	124.93
3	B	502	CYC	C2C-C3C-C4C	2.05	104.41	101.34

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	CYC	NA-C4A-CHB-C1B
3	A	501	CYC	C3A-C4A-CHB-C1B
3	A	501	CYC	C4C-C3C-CAC-CBC
3	B	502	CYC	C3A-C4A-CHB-C1B
3	B	503	CYC	C3A-C4A-CHB-C1B
3	B	502	CYC	C3A-C2A-CAA-CBA
3	B	503	CYC	ND-C1D-CHD-C4C
3	A	501	CYC	ND-C1D-CHD-C4C
3	B	502	CYC	ND-C1D-CHD-C4C
3	A	501	CYC	C2D-C1D-CHD-C4C
3	B	502	CYC	C2D-C1D-CHD-C4C
3	B	503	CYC	C2D-C1D-CHD-C4C
3	B	502	CYC	C1A-C2A-CAA-CBA
3	B	503	CYC	C2B-C3B-CAB-CBB
3	B	502	CYC	NA-C4A-CHB-C1B
3	B	503	CYC	NA-C4A-CHB-C1B
3	A	501	CYC	C1A-C2A-CAA-CBA
3	A	501	CYC	C3A-C2A-CAA-CBA
3	A	501	CYC	CAA-CBA-CGA-O1A
3	B	502	CYC	CAA-CBA-CGA-O1A
3	B	502	CYC	CAA-CBA-CGA-O2A
3	A	501	CYC	CAA-CBA-CGA-O2A
3	B	503	CYC	CAA-CBA-CGA-O2A
3	B	503	CYC	CAD-CBD-CGD-O2D
3	B	503	CYC	CAA-CBA-CGA-O1A
3	A	501	CYC	CAD-CBD-CGD-O1D
3	B	503	CYC	CAD-CBD-CGD-O1D


There are no ring outliers.



3 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	503	CYC	15	0
3	A	501	CYC	7	0
3	B	502	CYC	18	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	162/162 (100%)	-0.16	1 (0%) 85 89	10, 15, 24, 32	7 (4%)
2	B	171/172 (99%)	0.13	3 (1%) 67 70	13, 19, 27, 39	10 (5%)
All	All	333/334 (99%)	-0.01	4 (1%) 76 80	10, 17, 27, 39	17 (5%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	174	ALA	4.1
1	A	15	GLN	2.6
2	B	113	ASN	2.4
2	B	110[A]	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MEN	B	72	9/10	0.97	0.06	15,18,21,24	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CYC	B	502	43/43	0.89	0.14	13,22,39,48	0
3	CYC	B	503	43/43	0.89	0.11	16,20,27,31	0
3	CYC	A	501	43/43	0.95	0.07	9,12,16,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CYC B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CYC A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.