



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 10:30 PM UTC

PDB ID : 1JBV / pdb_00001jbv
Title : FPGS-AMPPCP complex
Authors : Sun, X.; Cross, J.A.; Bogнар, A.L.; Baker, E.N.; Smith, C.A.
Deposited on : 2001-06-06
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	428	 71% 21% • 6%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3433 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FOLYLPOLYGLUTAMATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	404	Total	C	N	O	S	0	0	0
			3093	1974	541	573	5			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	128	ALA	GLY	SEE REMARK 999	UNP P15925
A	185	KCX	LYS	modified residue	UNP P15925

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	307	Total	O	0	0
			307	307		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: FOLYLPOLYGLUTAMATE SYNTHASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.10Å 45.00Å 84.30Å 90.00° 107.10° 90.00°	Depositor
Resolution (Å)	100.00 – 1.95	Depositor
% Data completeness (in resolution range)	(Not available) (100.00-1.95)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.194 , 0.237	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3433	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: KCX, ACP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	1/3146 (0.0%)	0.96	13/4295 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	84	MET	SD-CE	-5.25	1.66	1.79

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	VAL	N-CA-C	7.14	118.17	107.75
1	A	323	GLY	N-CA-C	-6.89	104.14	113.37
1	A	250	SER	N-CA-C	6.78	120.51	110.48
1	A	142	ILE	N-CA-C	6.31	116.71	107.37
1	A	249	ILE	N-CA-C	-6.15	97.51	107.28
1	A	42	ILE	N-CA-C	-6.06	98.80	107.77
1	A	367	VAL	CA-C-N	5.76	127.05	119.84
1	A	367	VAL	C-N-CA	5.76	127.05	119.84
1	A	252	LEU	N-CA-C	-5.54	103.22	110.53
1	A	285	PRO	N-CA-C	-5.40	106.36	113.65
1	A	334	GLN	CA-C-N	5.21	125.12	119.76
1	A	334	GLN	C-N-CA	5.21	125.12	119.76
1	A	168	LEU	N-CA-C	5.15	119.43	113.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3093	0	3096	98	0
2	A	2	0	0	0	0
3	A	31	0	14	4	0
4	A	307	0	0	6	0
All	All	3433	0	3110	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:VAL:CG2	1:A:301:LEU:HG	1.95	0.96
1:A:392:GLN:HE21	1:A:392:GLN:H	1.13	0.96
1:A:1:MET:HE2	4:A:579:HOH:O	1.71	0.90
1:A:233:LEU:CD1	1:A:330:GLN:HG2	2.02	0.89
1:A:257:VAL:HG21	1:A:301:LEU:HG	1.63	0.80
1:A:233:LEU:HD13	1:A:330:GLN:HG2	1.65	0.77
1:A:317:ASN:HB2	1:A:318:PRO:HD2	1.68	0.76
1:A:367:VAL:O	1:A:370:THR:HG22	1.84	0.75
1:A:317:ASN:O	1:A:321:ILE:HG23	1.87	0.74
1:A:70:LEU:HD23	1:A:84:MET:HE3	1.70	0.72
1:A:233:LEU:HD12	1:A:330:GLN:HG2	1.72	0.72
1:A:50:LYS:HG2	3:A:999:ACP:O2B	1.89	0.71
1:A:413:LEU:HD12	3:A:999:ACP:N1	2.06	0.70
1:A:321:ILE:O	1:A:324:LEU:HB3	1.94	0.68
1:A:173:LEU:N	1:A:173:LEU:HD12	2.09	0.68
1:A:168:LEU:O	1:A:171:GLN:HG3	1.95	0.66
1:A:297:TRP:N	1:A:297:TRP:CD1	2.64	0.66
1:A:329:LYS:NZ	1:A:329:LYS:HA	2.12	0.65
1:A:392:GLN:H	1:A:392:GLN:NE2	1.90	0.65
1:A:364:LEU:HB2	1:A:387:LEU:HD23	1.80	0.63
1:A:257:VAL:HG22	1:A:301:LEU:HG	1.79	0.62
1:A:297:TRP:HB3	1:A:300:ARG:HD2	1.82	0.61
1:A:108:ARG:HB3	4:A:641:HOH:O	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:THR:CG2	1:A:99:VAL:HG21	2.30	0.60
1:A:286:GLN:HG3	4:A:668:HOH:O	2.03	0.58
1:A:376:GLU:HA	4:A:727:HOH:O	2.02	0.58
1:A:133:ARG:NH2	1:A:137:VAL:O	2.35	0.57
1:A:113:GLN:NE2	1:A:113:GLN:HA	2.19	0.57
1:A:47:THR:HG21	1:A:167:ALA:HB3	1.86	0.56
1:A:315:ALA:HB3	1:A:410:THR:OG1	2.06	0.56
1:A:313:ASP:OD1	1:A:315:ALA:HB2	2.07	0.55
1:A:413:LEU:O	1:A:413:LEU:HD23	2.07	0.55
1:A:6:THR:HG23	1:A:99:VAL:HG21	1.89	0.55
1:A:133:ARG:HD3	4:A:442:HOH:O	2.07	0.54
1:A:324:LEU:HG	1:A:328:LEU:HD22	1.90	0.54
1:A:321:ILE:HD12	1:A:321:ILE:C	2.33	0.53
1:A:329:LYS:HA	1:A:329:LYS:HZ2	1.73	0.53
1:A:350:ALA:C	1:A:352:ALA:H	2.16	0.53
1:A:392:GLN:HE21	1:A:392:GLN:N	1.95	0.53
1:A:1:MET:HE3	1:A:6:THR:HA	1.92	0.52
1:A:413:LEU:HD23	1:A:413:LEU:C	2.35	0.52
1:A:313:ASP:O	1:A:410:THR:HA	2.09	0.52
1:A:234:HIS:CE1	1:A:239:ARG:NH2	2.78	0.52
1:A:113:GLN:HA	1:A:113:GLN:HE21	1.76	0.51
1:A:321:ILE:O	1:A:325:ILE:HG13	2.11	0.51
1:A:324:LEU:HD21	1:A:410:THR:HG21	1.92	0.50
1:A:395:LEU:HD12	1:A:407:ILE:HD13	1.94	0.50
1:A:6:THR:HG23	1:A:99:VAL:HG11	1.93	0.50
1:A:315:ALA:HB1	1:A:321:ILE:HG22	1.94	0.50
1:A:38:GLN:HB2	1:A:133:ARG:HD2	1.93	0.50
1:A:362:VAL:O	1:A:386:ARG:HG3	2.11	0.50
1:A:300:ARG:HA	3:A:999:ACP:N7	2.27	0.49
1:A:127:LEU:C	1:A:127:LEU:HD23	2.37	0.49
1:A:243:GLU:OE1	1:A:248:ARG:NE	2.42	0.49
3:A:999:ACP:N3	3:A:999:ACP:H5'2	2.29	0.48
1:A:172:LYS:C	1:A:173:LEU:HD12	2.39	0.48
1:A:133:ARG:NE	1:A:133:ARG:HA	2.28	0.47
1:A:256:LEU:HD21	1:A:297:TRP:CG	2.50	0.47
1:A:117:ASN:ND2	4:A:710:HOH:O	2.47	0.47
1:A:47:THR:CG2	1:A:169:ASP:HB2	2.45	0.47
1:A:364:LEU:HB2	1:A:387:LEU:CD2	2.44	0.46
1:A:301:LEU:N	1:A:313:ASP:OD2	2.49	0.46
1:A:388:LYS:HB3	1:A:393:GLU:OE1	2.15	0.46
1:A:2:ASN:OD1	1:A:5:GLU:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:ALA:HB2	1:A:297:TRP:HH2	1.79	0.46
1:A:173:LEU:N	1:A:173:LEU:CD1	2.79	0.46
1:A:296:HIS:C	1:A:297:TRP:CD1	2.94	0.46
1:A:399:LEU:HA	1:A:399:LEU:HD23	1.74	0.46
1:A:47:THR:HG23	1:A:169:ASP:HB2	1.98	0.46
1:A:356:THR:HG21	1:A:386:ARG:NH1	2.31	0.46
1:A:22:HIS:HE1	1:A:151:ASP:O	2.00	0.45
1:A:313:ASP:N	1:A:409:ILE:O	2.47	0.45
1:A:313:ASP:HB3	1:A:410:THR:HB	1.99	0.45
1:A:318:PRO:HA	1:A:321:ILE:HG13	1.98	0.45
1:A:317:ASN:HB2	1:A:318:PRO:CD	2.44	0.44
1:A:70:LEU:HD23	1:A:84:MET:CE	2.42	0.44
1:A:199:ASN:HA	1:A:221:ARG:HD2	2.00	0.44
1:A:318:PRO:O	1:A:322:ASN:HB2	2.17	0.44
1:A:365:VAL:HG12	1:A:388:LYS:HB2	2.00	0.44
1:A:1:MET:HB3	1:A:5:GLU:HB2	1.99	0.43
1:A:350:ALA:C	1:A:352:ALA:N	2.76	0.43
1:A:297:TRP:HA	1:A:298:PRO:HD2	1.94	0.43
1:A:233:LEU:HD23	1:A:237:GLY:O	2.19	0.43
1:A:341:GLY:HA2	1:A:365:VAL:O	2.19	0.43
1:A:300:ARG:HG3	1:A:300:ARG:O	2.20	0.42
1:A:256:LEU:HG	1:A:297:TRP:CD1	2.55	0.42
1:A:75:PHE:CD1	1:A:75:PHE:C	2.97	0.42
1:A:328:LEU:HD12	1:A:328:LEU:HA	1.91	0.42
1:A:329:LYS:HA	1:A:329:LYS:HZ3	1.84	0.42
1:A:261:GLN:O	1:A:265:MET:HG2	2.20	0.41
1:A:301:LEU:HD22	1:A:324:LEU:HD13	2.01	0.41
1:A:415:LEU:O	1:A:419:VAL:HG23	2.20	0.41
1:A:313:ASP:OD1	1:A:315:ALA:N	2.52	0.41
1:A:410:THR:OG1	1:A:411:GLY:N	2.54	0.41
1:A:365:VAL:HB	1:A:366:PRO:HD2	2.02	0.41
1:A:50:LYS:HD2	1:A:143:GLU:HG3	2.02	0.41
1:A:1:MET:CE	1:A:6:THR:HA	2.49	0.40
1:A:236:TRP:CZ3	1:A:331:LEU:HD23	2.56	0.40
1:A:296:HIS:HA	1:A:297:TRP:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/428 (92%)	380 (96%)	14 (4%)	1 (0%)	36	28

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/343 (94%)	305 (95%)	17 (5%)	20	9

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	LEU
1	A	106	LEU
1	A	165	GLU
1	A	173	LEU
1	A	233	LEU
1	A	280	GLU
1	A	301	LEU
1	A	306	ASP
1	A	321	ILE
1	A	328	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	329	LYS
1	A	330	GLN
1	A	334	GLN
1	A	351	MET
1	A	353	ASP
1	A	368	PRO
1	A	392	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	HIS
1	A	37	GLN
1	A	110	GLN
1	A	112	GLN
1	A	113	GLN
1	A	136	GLN
1	A	184	HIS
1	A	234	HIS
1	A	238	GLN
1	A	262	GLN
1	A	270	GLN
1	A	278	GLN
1	A	287	ASN
1	A	290	GLN
1	A	296	HIS
1	A	330	GLN
1	A	334	GLN
1	A	392	GLN
1	A	421	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	A	185	1	10,11,12	0.93	1 (10%)	6,12,14	1.22	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	185	1	-	2/9/10/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	185	KCX	OQ1-CX	2.23	1.25	1.21

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	185	KCX	OQ1-CX-NZ	-2.59	120.99	124.92

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	185	KCX	C-CA-CB-CG
1	A	185	KCX	CA-CB-CG-CD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ACP	A	999	2	31,33,33	1.32	5 (16%)	47,52,52	1.06	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACP	A	999	2	-	7/19/38/38	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	999	ACP	PB-O2B	-3.42	1.48	1.56
3	A	999	ACP	PB-O3A	2.88	1.61	1.58
3	A	999	ACP	C4-N3	2.34	1.38	1.34
3	A	999	ACP	PG-O2G	-2.26	1.49	1.55
3	A	999	ACP	PG-O3G	-2.25	1.49	1.55

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	999	ACP	O1G-PG-C3B	-2.32	106.31	111.37
3	A	999	ACP	O2B-PB-O1B	2.30	117.43	109.95
3	A	999	ACP	O2A-PA-O3A	2.05	112.81	107.27

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	999	ACP	PG-C3B-PB-O2B
3	A	999	ACP	C5'-O5'-PA-O1A
3	A	999	ACP	C5'-O5'-PA-O2A
3	A	999	ACP	C5'-O5'-PA-O3A
3	A	999	ACP	PB-C3B-PG-O1G
3	A	999	ACP	C2'-C1'-N9-C8
3	A	999	ACP	O4'-C1'-N9-C8

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	999	ACP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.