



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:17 AM UTC

PDB ID : 1JEC / pdb_00001jec
Title : Crystal Structure of ATP Sulfurylase in complex with thiosulfate
Authors : Ullrich, T.C.; Huber, R.
Deposited on : 2001-06-17
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SO4	A	525	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	ACY	A	537	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 4585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SULFATE ADENYLYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	510	Total	C	N	O	S	8	0	0
			4075	2598	706	766	5			

- Molecule 2 is CADMIUM ION (CCD ID: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	7	Total	Cd	0	0
			7	7		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Ca	0	0
			3	3		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Na	0	0
			3	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is THIOSULFATE (CCD ID: THJ) (formula: O_3S_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	3	2		

- Molecule 8 is ACETIC ACID (CCD ID: ACY) (formula: $C_2H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	438	Total 438	O 438	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SULFATE ADENYLYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	186.69Å 186.69Å 115.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	24.34 – 2.50 24.34 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (24.34-2.50) 99.8 (24.34-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 2.50Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.178 , 0.236 0.179 , 0.238	Depositor DCC
R_{free} test set	1384 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.228	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for $-1/3^*h+1/3^*k+4/3^*l,-k,2/3^*h+1/3^*k+1/3^*l$ 0.024 for $-2/3^*h-1/3^*k-4/3^*l,-1/3^*h-2/3^*k+4/3^*l,-1/3^*h+1/3^*k+1/3^*l$ 0.008 for $-h,1/3^*h-1/3^*k-4/3^*l,-1/3^*h-2/3^*k+1/3^*l$	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4585	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4, ACY, CA, NA, CD, THJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	0/4171	1.07	30/5667 (0.5%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	GLY	N-CA-C	8.46	125.15	115.08
1	A	81	THR	N-CA-C	8.40	123.53	113.28
1	A	161	ILE	N-CA-C	-8.04	104.64	111.56
1	A	455	ILE	CA-C-N	7.20	127.82	119.47
1	A	455	ILE	C-N-CA	7.20	127.82	119.47
1	A	249	TYR	CA-C-N	-6.98	112.78	119.76
1	A	249	TYR	C-N-CA	-6.98	112.78	119.76
1	A	430	ILE	N-CA-C	-6.97	96.86	107.73
1	A	74	LEU	N-CA-C	-6.52	101.75	110.55
1	A	110	ILE	N-CA-C	6.17	114.20	107.60
1	A	451	SER	N-CA-C	6.13	118.63	110.53
1	A	219	VAL	N-CA-C	6.12	117.11	108.36
1	A	484	GLN	N-CA-C	5.93	118.32	109.25
1	A	96	ILE	N-CA-C	5.83	117.15	108.46
1	A	34	VAL	N-CA-C	5.79	117.33	108.71
1	A	160	ALA	N-CA-C	5.73	119.59	109.96
1	A	264	ARG	N-CA-C	-5.71	106.30	113.72
1	A	133	PHE	N-CA-C	5.48	119.66	112.92
1	A	199	PRO	N-CA-C	-5.46	103.22	111.41
1	A	3	ALA	CA-C-N	5.43	125.38	119.78
1	A	3	ALA	C-N-CA	5.43	125.38	119.78
1	A	172	LEU	N-CA-C	5.40	119.87	113.28
1	A	265	MET	N-CA-C	-5.37	104.50	111.74
1	A	117	VAL	N-CA-C	5.30	116.08	108.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	254	ALA	N-CA-C	5.28	117.83	109.50
1	A	131	LYS	N-CA-C	5.21	116.64	111.07
1	A	147	ASN	N-CA-C	5.18	119.31	112.89
1	A	401	GLY	N-CA-C	5.17	118.02	112.33
1	A	197	ARG	N-CA-C	-5.17	105.27	112.30
1	A	372	PRO	N-CA-C	5.16	119.19	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4075	0	4035	97	0
2	A	7	0	0	0	0
3	A	3	0	0	0	1
4	A	1	0	0	0	0
5	A	3	0	0	0	0
6	A	5	0	0	3	0
7	A	5	0	0	0	0
8	A	48	0	36	1	1
9	A	438	0	0	11	0
All	All	4585	0	4071	97	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ASN:HD21	1:A:108:ASP:H	1.13	0.95
1:A:201:HIS:H	1:A:204:HIS:HD2	0.96	0.94
1:A:201:HIS:H	1:A:204:HIS:CD2	1.87	0.92
1:A:433:HIS:CD2	1:A:435:ASN:H	2.01	0.79
1:A:115:LEU:HD23	1:A:158:LEU:HD13	1.64	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ASN:ND2	1:A:108:ASP:H	1.82	0.77
1:A:201:HIS:N	1:A:204:HIS:HD2	1.80	0.75
1:A:350:LYS:O	1:A:350:LYS:HD3	1.87	0.73
1:A:340:TYR:HE2	9:A:852:HOH:O	1.72	0.72
1:A:36:ASN:HD21	1:A:108:ASP:N	1.86	0.72
1:A:298:ASN:C	1:A:298:ASN:HD22	1.97	0.72
1:A:139:HIS:HD2	1:A:141:ALA:H	1.35	0.72
1:A:298:ASN:HD21	1:A:302:VAL:HG12	1.57	0.69
1:A:289:GLY:H	1:A:292:HIS:HD2	1.40	0.68
1:A:310:ALA:HB3	9:A:619:HOH:O	1.92	0.68
1:A:46:GLU:OE2	1:A:166:HIS:HE1	1.77	0.67
1:A:246:ILE:HD13	1:A:256:LEU:HB2	1.77	0.66
1:A:433:HIS:HD2	1:A:435:ASN:H	1.41	0.66
1:A:221:ILE:HD12	1:A:246:ILE:HD12	1.79	0.65
1:A:58:GLY:HA2	1:A:158:LEU:HD22	1.78	0.64
1:A:38:THR:H	1:A:41:GLN:NE2	1.95	0.64
1:A:469:LYS:HG2	9:A:769:HOH:O	1.99	0.63
1:A:298:ASN:HD21	1:A:302:VAL:H	1.47	0.62
1:A:169:TYR:N	1:A:170:PRO:HD3	2.16	0.61
1:A:202:ARG:HH21	1:A:202:ARG:HG3	1.66	0.60
1:A:298:ASN:ND2	1:A:302:VAL:H	2.01	0.59
1:A:98:PRO:O	1:A:99:ASP:HB2	2.03	0.59
1:A:289:GLY:H	1:A:292:HIS:CD2	2.20	0.58
1:A:115:LEU:HD23	1:A:158:LEU:CD1	2.33	0.57
1:A:166:HIS:HD2	6:A:525:SO4:O1	1.87	0.57
1:A:404:LEU:HD21	1:A:485:LEU:HD11	1.87	0.56
1:A:355:ASN:HB2	9:A:670:HOH:O	2.04	0.56
1:A:295:PRO:HG2	1:A:304:PHE:CD1	2.41	0.56
1:A:36:ASN:ND2	1:A:108:ASP:N	2.51	0.56
1:A:298:ASN:C	1:A:298:ASN:ND2	2.62	0.55
1:A:461:ASP:C	1:A:463:LYS:H	2.15	0.55
1:A:379:GLU:CD	1:A:379:GLU:H	2.15	0.54
1:A:349:THR:O	1:A:350:LYS:HB2	2.06	0.54
1:A:35:TRP:HE1	1:A:41:GLN:HE22	1.55	0.53
1:A:338:ASP:OD2	9:A:694:HOH:O	2.18	0.53
1:A:347:ASP:HB3	1:A:350:LYS:HB3	1.89	0.53
1:A:124:ASN:OD1	1:A:127:ILE:HG13	2.09	0.52
1:A:370:GLU:HG2	1:A:371:ILE:N	2.24	0.52
1:A:202:ARG:HH21	1:A:202:ARG:CG	2.21	0.52
1:A:173:ARG:HB3	9:A:668:HOH:O	2.09	0.52
1:A:314:VAL:HG11	1:A:325:VAL:HG21	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:HIS:HD2	1:A:435:ASN:N	2.08	0.51
1:A:139:HIS:CD2	1:A:141:ALA:H	2.22	0.51
1:A:299:SER:C	1:A:301:GLY:H	2.17	0.51
1:A:38:THR:H	1:A:41:GLN:HE21	1.59	0.51
1:A:43:CYS:CB	1:A:262:ALA:HB2	2.41	0.50
1:A:285:HIS:HA	1:A:324:GLU:O	2.11	0.50
1:A:298:ASN:ND2	1:A:302:VAL:HG12	2.26	0.50
1:A:425:GLY:O	8:A:537:ACY:H3	2.12	0.50
1:A:274:HIS:ND1	1:A:292:HIS:HE1	2.10	0.49
1:A:490:GLU:OE1	1:A:498:LYS:HE2	2.12	0.49
1:A:377:TYR:HB3	1:A:379:GLU:OE2	2.11	0.49
1:A:39:PRO:HG2	9:A:611:HOH:O	2.12	0.49
1:A:138:GLU:OE2	1:A:298:ASN:HB2	2.12	0.49
1:A:350:LYS:HD3	1:A:350:LYS:C	2.39	0.48
1:A:314:VAL:CG1	1:A:325:VAL:HG21	2.44	0.47
1:A:335:PRO:HG3	1:A:354:LEU:HD12	1.96	0.47
1:A:173:ARG:NH1	6:A:525:SO4:O3	2.47	0.47
1:A:169:TYR:HE1	9:A:865:HOH:O	1.98	0.46
1:A:455:ILE:HA	1:A:456:PRO:HD2	1.71	0.46
1:A:236:HIS:HD2	9:A:636:HOH:O	1.98	0.46
1:A:346:ILE:HD12	1:A:346:ILE:C	2.40	0.46
1:A:198:ASN:HB3	1:A:199:PRO:CD	2.45	0.45
1:A:46:GLU:OE2	1:A:166:HIS:CE1	2.63	0.45
1:A:124:ASN:C	1:A:124:ASN:HD22	2.25	0.45
1:A:372:PRO:HB2	1:A:374:TRP:CD1	2.52	0.45
1:A:166:HIS:HD2	6:A:525:SO4:S	2.39	0.45
1:A:71:ASP:O	1:A:72:SER:HB2	2.16	0.44
1:A:61:ASN:HA	1:A:155:GLY:HA3	1.98	0.44
1:A:147:ASN:N	1:A:147:ASN:ND2	2.63	0.44
1:A:476:ASP:HB3	1:A:481:ALA:HB2	2.00	0.44
1:A:327:PRO:HG2	9:A:857:HOH:O	2.17	0.44
1:A:123:PRO:HD2	1:A:151:ASP:O	2.18	0.44
1:A:202:ARG:O	1:A:206:GLU:HG2	2.18	0.44
1:A:202:ARG:CG	1:A:202:ARG:NH2	2.78	0.43
1:A:336:ASP:OD2	1:A:352:ARG:NH2	2.51	0.43
1:A:43:CYS:HB2	1:A:262:ALA:HB2	2.00	0.43
1:A:115:LEU:C	1:A:115:LEU:HD13	2.44	0.42
1:A:335:PRO:HG3	1:A:354:LEU:CD1	2.49	0.42
1:A:404:LEU:HD21	1:A:485:LEU:CD1	2.49	0.42
1:A:124:ASN:ND2	1:A:126:THR:H	2.16	0.42
1:A:83:PRO:C	1:A:84:ILE:HD12	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:ARG:HB3	1:A:383:ILE:HD13	2.03	0.41
1:A:400:LEU:HB2	1:A:456:PRO:O	2.20	0.41
1:A:299:SER:C	1:A:301:GLY:N	2.78	0.41
1:A:61:ASN:C	1:A:61:ASN:OD1	2.64	0.41
1:A:139:HIS:HE1	1:A:305:TYR:OH	2.04	0.41
1:A:272:VAL:HG21	1:A:313:LEU:HD13	2.03	0.41
1:A:45:ILE:O	1:A:49:LEU:HG	2.21	0.40
1:A:221:ILE:HG22	1:A:223:PRO:HD3	2.03	0.40
1:A:319:HIS:HB2	9:A:650:HOH:O	2.21	0.40
1:A:409:GLU:O	1:A:413:ILE:HG13	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:520:CA:CA	3:A:520:CA:CA[18_445]	1.42	0.78
8:A:537:ACY:OXT	8:A:537:ACY:OXT[5_556]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	508/510 (100%)	492 (97%)	15 (3%)	1 (0%)	43 63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	350	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	445/445 (100%)	430 (97%)	15 (3%)	32 60

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	124	ASN
1	A	130	GLU
1	A	158	LEU
1	A	179	LEU
1	A	202	ARG
1	A	207	LEU
1	A	246	ILE
1	A	298	ASN
1	A	313	LEU
1	A	346	ILE
1	A	379	GLU
1	A	429	LYS
1	A	438	GLU
1	A	457	ASN
1	A	474	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	21	ASN
1	A	36	ASN
1	A	41	GLN
1	A	63	ASN
1	A	124	ASN
1	A	139	HIS
1	A	147	ASN
1	A	166	HIS
1	A	198	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	HIS
1	A	243	GLN
1	A	292	HIS
1	A	298	ASN
1	A	345	GLN
1	A	388	ASN
1	A	433	HIS
1	A	471	ASN
1	A	484	GLN
1	A	506	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 28 ligands modelled in this entry, 14 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	ACY	A	534	2	3,3,3	1.50	0	3,3,3	1.28	0
8	ACY	A	530	-	3,3,3	1.47	0	3,3,3	1.24	0
8	ACY	A	532	-	3,3,3	1.54	0	3,3,3	1.14	0
8	ACY	A	526	2	3,3,3	1.55	0	3,3,3	1.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	A	525	2	4,4,4	0.41	0	6,6,6	0.16	0
8	ACY	A	531	-	3,3,3	1.58	0	3,3,3	1.42	0
8	ACY	A	537	-	3,3,3	1.47	0	3,3,3	1.19	0
7	THJ	A	540	2	3,4,4	0.90	0	2,6,6	0.10	0
8	ACY	A	535	2	3,3,3	1.76	1 (33%)	3,3,3	1.07	0
8	ACY	A	527	2	3,3,3	1.53	0	3,3,3	1.16	0
8	ACY	A	528	-	3,3,3	1.66	1 (33%)	3,3,3	1.21	0
8	ACY	A	536	-	3,3,3	1.71	0	3,3,3	1.06	0
8	ACY	A	529	-	3,3,3	1.71	1 (33%)	3,3,3	1.19	0
8	ACY	A	533	2	3,3,3	1.60	0	3,3,3	0.98	0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	529	ACY	CH3-C	2.21	1.57	1.49
8	A	528	ACY	CH3-C	2.20	1.57	1.49
8	A	535	ACY	O-C	2.04	1.31	1.22

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	525	SO4	3	0
8	A	537	ACY	1	1

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	510/510 (100%)	-0.63	1 (0%) 91 89	19, 31, 50, 70	4 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	348	THR	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	ACY	A	532	4/4	0.37	0.27	91,91,91,91	0
8	ACY	A	528	4/4	0.59	0.25	55,57,57,58	0
8	ACY	A	530	4/4	0.70	0.23	80,81,81,81	0
8	ACY	A	529	4/4	0.70	0.18	50,51,52,52	0
8	ACY	A	536	4/4	0.74	0.19	43,46,48,48	0
8	ACY	A	531	4/4	0.80	0.16	37,40,40,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	SO4	A	525	5/5	0.81	0.21	99,99,99,99	0
5	NA	A	1522	1/1	0.88	0.19	42,42,42,42	0
8	ACY	A	537	4/4	0.88	0.15	47,47,49,49	0
5	NA	A	1538	1/1	0.92	0.13	57,57,57,57	0
5	NA	A	1537	1/1	0.93	0.06	40,40,40,40	0
3	CA	A	517	1/1	0.94	0.14	54,54,54,54	0
8	ACY	A	535	4/4	0.94	0.11	35,35,38,39	0
3	CA	A	519	1/1	0.95	0.11	46,46,46,46	0
4	MG	A	521	1/1	0.95	0.06	46,46,46,46	0
8	ACY	A	527	4/4	0.96	0.09	38,40,41,42	0
8	ACY	A	533	4/4	0.97	0.10	32,32,34,38	0
8	ACY	A	534	4/4	0.98	0.08	49,51,51,52	0
8	ACY	A	526	4/4	0.98	0.06	28,29,29,31	0
2	CD	A	600	1/1	0.99	0.04	40,40,40,40	0
2	CD	A	518	1/1	0.99	0.03	74,74,74,74	1
7	THJ	A	540	5/5	0.99	0.04	27,27,29,30	0
2	CD	A	516	1/1	1.00	0.03	43,43,43,43	0
2	CD	A	512	1/1	1.00	0.04	50,50,50,50	0
2	CD	A	513	1/1	1.00	0.01	55,55,55,55	1
2	CD	A	514	1/1	1.00	0.01	32,32,32,32	0
2	CD	A	515	1/1	1.00	0.08	36,36,36,36	1
3	CA	A	520	1/1	1.00	0.01	28,28,28,28	0

6.5 Other polymers ⓘ

There are no such residues in this entry.