



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:42 PM UTC

PDB ID : 4JE5 / pdb_00004je5
Title : Crystal structure of the aromatic aminotransferase Aro8, a putative alpha-aminoadipate aminotransferase in *Saccharomyces cerevisiae*
Authors : Bulfer, S.L.; Brunzelle, J.S.; Trievel, R.C.
Deposited on : 2013-02-26
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	503	4% 91% 7% .
1	B	503	13% 89% 9% ..
1	C	503	4% 91% 7% .
2	D	503	4% 90% 8% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16855 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aromatic/aminoadipate aminotransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	26	0
			3978	2568	644	758	8			
1	B	497	Total	C	N	O	S	0	16	0
			3882	2511	630	732	9			
1	C	492	Total	C	N	O	S	0	18	0
			3899	2508	636	746	9			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P53090
A	-1	HIS	-	expression tag	UNP P53090
A	0	MET	-	expression tag	UNP P53090
B	-2	GLY	-	expression tag	UNP P53090
B	-1	HIS	-	expression tag	UNP P53090
B	0	MET	-	expression tag	UNP P53090
C	-2	GLY	-	expression tag	UNP P53090
C	-1	HIS	-	expression tag	UNP P53090
C	0	MET	-	expression tag	UNP P53090


- Molecule 2 is a protein called Aromatic/aminoadipate aminotransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	496	Total	C	N	O	P S	0	15	0
			3961	2545	645	761	1 9			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	expression tag	UNP P53090
D	-1	HIS	-	expression tag	UNP P53090
D	0	MET	-	expression tag	UNP P53090

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 5 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (CCD ID: PMP) (formula: C₈H₁₃N₂O₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			16	8	2	5	1		
5	C	1	Total	C	N	O	P	0	0
			16	8	2	5	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	280	Total	O	0	0
			280	280		
6	B	213	Total	O	0	0
			213	213		
6	C	264	Total	O	0	0
			264	264		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	256	Total 256	O 256	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	227.44Å 159.83Å 70.64Å 90.00° 106.03° 90.00°	Depositor
Resolution (Å)	34.25 – 1.91 34.25 – 1.91	Depositor EDS
% Data completeness (in resolution range)	96.6 (34.25-1.91) 96.5 (34.25-1.91)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.182 , 0.217 0.186 , 0.221	Depositor DCC
R_{free} test set	9078 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.023 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16855	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, EPE, PMP, LLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/4149	0.85	0/5656
1	B	0.77	1/4041 (0.0%)	0.87	2/5525 (0.0%)
1	C	0.81	1/4049 (0.0%)	0.86	2/5527 (0.0%)
2	D	0.80	0/4074	0.85	0/5566
All	All	0.79	2/16313 (0.0%)	0.86	4/22274 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	62	PRO	CA-C	5.93	1.55	1.51
1	C	62	PRO	CA-C	5.22	1.54	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	74	GLU	CB-CA-C	-8.82	106.39	116.54
1	C	324	LYS	CA-C-N	-5.94	113.56	119.56
1	C	324	LYS	C-N-CA	-5.94	113.56	119.56
1	B	463	ASN	N-CA-C	5.30	121.53	109.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3978	0	3889	26	0
1	B	3882	0	3720	34	0
1	C	3899	0	3744	26	0
2	D	3961	0	3785	33	0
3	A	15	0	6	0	0
4	A	30	0	34	2	0
4	B	15	0	17	1	0
4	C	30	0	34	3	0
5	B	16	0	11	4	0
5	C	16	0	11	3	0
6	A	280	0	0	1	0
6	B	213	0	0	1	0
6	C	264	0	0	3	0
6	D	256	0	0	1	0
All	All	16855	0	15251	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:LYS:HA	1:A:324[A]:LYS:HE3	1.47	0.94
1:B:251:TYR:HH	5:B:1000:PMP:HO3	1.16	0.87
1:C:267:GLU:HA	1:C:270[B]:GLN:HG2	1.65	0.77
1:C:305:LYS:NZ	5:C:1000:PMP:H4A1	2.00	0.76
1:C:311:THR:O	1:C:341[B]:THR:HG21	1.85	0.74
1:A:401[A]:THR:CG2	1:A:403:ASN:OD1	2.37	0.73
1:A:431:VAL:HG13	1:A:436:VAL:HG13	1.71	0.72
2:D:311:THR:O	2:D:341[A]:THR:HG21	1.91	0.71
1:C:84:LYS:HG2	1:C:100[A]:SER:OG	1.91	0.70
1:C:431:VAL:HG13	1:C:436:VAL:HG13	1.72	0.70
1:C:305:LYS:HZ1	5:C:1000:PMP:H4A1	1.57	0.69
1:C:427:LEU:HD21	1:C:495:GLU:HG2	1.75	0.68
1:C:335:GLN:HG2	2:D:142[B]:THR:HG21	1.78	0.66
2:D:309:PRO:O	2:D:312[A]:ARG:HD2	1.95	0.65
1:A:431:VAL:HG12	1:A:436:VAL:O	1.96	0.65
1:A:334:ILE:HG22	1:B:334:ILE:HD13	1.80	0.64
2:D:463:ASN:HB3	2:D:466:ILE:HG13	1.80	0.63
1:C:430:LYS:HE2	1:C:495:GLU:OE1	2.00	0.62
1:B:61[A]:LYS:HG3	1:B:78:ILE:HD11	1.81	0.62
1:B:276:ASP:OD1	1:B:279:GLU:HG2	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:346:ASN:O	1:C:350[B]:SER:HB2	2.00	0.61
1:B:311:THR:O	1:B:341[A]:THR:HG21	1.99	0.61
4:A:602:EPE:O8	4:A:602:EPE:H32	1.98	0.61
1:B:61[B]:LYS:HG3	1:B:78:ILE:HD11	1.83	0.60
2:D:84:LYS:HG2	2:D:100[A]:SER:OG	2.03	0.59
2:D:128:LEU:HD13	2:D:133:TRP:CE2	2.38	0.59
1:A:321:LYS:CA	1:A:324[A]:LYS:HE3	2.29	0.59
1:A:84:LYS:HA	1:A:99:LEU:HB2	1.86	0.58
1:A:332:MET:O	1:B:146[B]:GLU:HG3	2.04	0.57
2:D:439:VAL:HG13	2:D:443:TRP:CE3	2.38	0.57
4:A:603:EPE:H92	6:A:840:HOH:O	2.03	0.57
1:C:335:GLN:CG	2:D:142[B]:THR:HG21	2.35	0.57
2:D:60:PRO:HD3	2:D:72:ILE:HD11	1.86	0.56
1:A:439:VAL:HG13	1:A:443:TRP:CE3	2.41	0.56
1:C:333[B]:THR:O	2:D:142[B]:THR:HG23	2.06	0.56
2:D:476:VAL:HG23	2:D:481:LEU:HB2	1.88	0.55
2:D:431:VAL:HG12	2:D:436:VAL:O	2.07	0.55
1:B:431:VAL:HG13	1:B:436:VAL:HG13	1.88	0.54
1:B:128:LEU:HD13	1:B:133:TRP:CE2	2.43	0.54
2:D:84:LYS:HA	2:D:99:LEU:HB2	1.90	0.53
1:A:431:VAL:CG1	1:A:436:VAL:HG13	2.39	0.53
1:B:28:CYS:HB3	1:B:39:PHE:CZ	2.45	0.51
1:B:26:LYS:O	1:B:29:ILE:HG12	2.10	0.51
2:D:431:VAL:HG13	2:D:436:VAL:HG13	1.92	0.51
1:B:32:PHE:CZ	1:B:44:LEU:HG	2.45	0.51
1:C:334:ILE:O	1:C:335:GLN:HB2	2.11	0.51
1:A:47:LYS:HD2	1:A:100[B]:SER:HB2	1.93	0.50
4:B:604:EPE:H21	6:B:1214:HOH:O	2.10	0.50
2:D:422[A]:GLN:HA	2:D:422[A]:GLN:OE1	2.11	0.50
1:B:312[A]:ARG:HA	1:B:312[A]:ARG:NE	2.25	0.50
4:C:1002:EPE:H91	6:C:1238:HOH:O	2.12	0.50
2:D:463:ASN:N	2:D:464:PRO:HD3	2.26	0.49
2:D:312[A]:ARG:HD2	2:D:312[A]:ARG:H	1.77	0.49
1:B:84:LYS:HA	1:B:99:LEU:HB2	1.95	0.49
1:C:84:LYS:HA	1:C:99:LEU:HB2	1.95	0.49
1:B:309:PRO:O	1:B:312[A]:ARG:HD2	2.13	0.48
2:D:305:LLP:C5'	2:D:305:LLP:NZ	2.76	0.48
1:A:449[B]:GLU:OE2	1:A:459:LYS:NZ	2.45	0.48
1:C:431:VAL:CG1	1:C:436:VAL:HG13	2.42	0.48
1:C:334:ILE:HG22	2:D:334:ILE:HD13	1.96	0.48
5:B:1000:PMP:C5A	5:B:1000:PMP:HNA1	2.27	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:379:LEU:HD21	1:B:485:LEU:HD22	1.96	0.48
1:B:47:LYS:HD2	1:B:100:SER:HB2	1.95	0.47
1:B:478:PRO:O	1:B:482:THR:HG23	2.14	0.47
1:B:312[A]:ARG:HD2	1:B:312[A]:ARG:H	1.79	0.47
1:C:434:ARG:HG3	1:C:491:THR:OG1	2.14	0.47
1:A:401[A]:THR:HG22	1:A:403:ASN:OD1	2.13	0.47
1:C:439:VAL:HG13	1:C:443:TRP:CE3	2.50	0.46
1:B:28:CYS:HB3	1:B:39:PHE:CE1	2.50	0.46
1:A:335:GLN:HB3	1:B:312[B]:ARG:NH2	2.30	0.46
1:C:305:LYS:HZ3	5:C:1000:PMP:H4A1	1.75	0.46
2:D:379:LEU:HD21	2:D:485:LEU:HD22	1.96	0.46
1:C:408:VAL:O	1:C:408:VAL:HG12	2.15	0.45
4:C:1002:EPE:H61	6:C:1238:HOH:O	2.15	0.45
2:D:45:PRO:HB2	6:D:776:HOH:O	2.16	0.45
5:B:1000:PMP:C5A	5:B:1000:PMP:N4A	2.79	0.45
1:A:439:VAL:HA	1:A:440:PRO:HD3	1.79	0.45
1:B:383:LEU:HD21	1:B:402:VAL:HG13	1.97	0.45
1:A:449[B]:GLU:OE2	1:A:459:LYS:CE	2.64	0.45
1:B:463:ASN:C	1:B:465:ASN:H	2.25	0.45
1:C:309:PRO:O	1:C:312[B]:ARG:HD2	2.17	0.45
1:C:427:LEU:CD2	1:C:495:GLU:HG2	2.44	0.45
1:A:310:GLY:HA3	1:B:103:LEU:HA	1.99	0.45
1:B:108[B]:SER:OG	1:B:327:LEU:HD11	2.17	0.45
1:B:379:LEU:O	1:B:383:LEU:HB2	2.16	0.44
1:A:401[A]:THR:HG21	1:A:403:ASN:OD1	2.17	0.44
2:D:381:LYS:HD3	2:D:382:TYR:CZ	2.53	0.44
1:C:405:ASP:OD1	1:C:407:SER:HB2	2.18	0.43
1:A:142:THR:HG21	1:B:335[B]:GLN:HE21	1.84	0.43
1:B:459:LYS:HA	1:B:459:LYS:HD2	1.73	0.43
2:D:409:HIS:HE1	2:D:411:GLU:OE1	2.00	0.43
1:C:312[B]:ARG:NE	1:C:312[B]:ARG:HA	2.33	0.43
1:B:12:LEU:O	1:B:210:LYS:HE3	2.19	0.43
5:B:1000:PMP:N4A	5:B:1000:PMP:H5A1	2.34	0.43
2:D:58:ASP:OD1	2:D:79:LYS:HG2	2.19	0.43
4:C:1001:EPE:H21	4:C:1001:EPE:H102	1.66	0.42
1:A:407:SER:HA	1:A:412:PHE:CD2	2.54	0.42
2:D:134:ASP:HB3	2:D:323:LEU:HD12	2.01	0.42
1:A:126:HIS:HB3	1:A:290[A]:SER:OG	2.19	0.42
2:D:141:ASN:HB2	2:D:305:LLP:H6	2.01	0.42
1:C:335:GLN:HB3	2:D:312[B]:ARG:NH1	2.34	0.42
1:A:371[B]:LYS:HD3	1:A:473:TYR:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:334:ILE:HG23	2:D:335:GLN:O	2.19	0.42
1:A:324[A]:LYS:HB2	1:A:325:PRO:CD	2.50	0.41
2:D:216:PRO:O	2:D:225[A]:SER:HA	2.20	0.41
1:A:7:LYS:HE2	1:A:294:GLU:HG2	2.03	0.41
2:D:312[A]:ARG:NE	2:D:312[A]:ARG:HA	2.34	0.41
1:B:251:TYR:CE1	1:B:305[B]:LYS:HE3	2.56	0.41
1:B:138:THR:CG2	1:B:316[A]:ILE:HG13	2.50	0.41
1:B:183:VAL:HA	1:B:184:PRO:HD3	1.94	0.41
1:C:321:LYS:HG3	6:C:1237:HOH:O	2.21	0.40
1:A:183:VAL:HA	1:A:184:PRO:HD3	1.93	0.40
1:B:203:THR:HA	1:B:204:PRO:HD2	1.79	0.40
1:A:449[B]:GLU:HG3	1:A:450:THR:N	2.37	0.40
2:D:216:PRO:O	2:D:225[B]:SER:HA	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	516/503 (103%)	502 (97%)	14 (3%)	0	100	100
1	B	511/503 (102%)	491 (96%)	19 (4%)	1 (0%)	43	36
1	C	506/503 (101%)	492 (97%)	14 (3%)	0	100	100
2	D	508/503 (101%)	494 (97%)	12 (2%)	2 (0%)	30	22
All	All	2041/2012 (101%)	1979 (97%)	59 (3%)	3 (0%)	43	40

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	414	THR
2	D	335	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	464	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/439 (99%)	429 (98%)	7 (2%)	55	54
1	B	411/439 (94%)	406 (99%)	5 (1%)	63	63
1	C	420/439 (96%)	413 (98%)	7 (2%)	53	52
2	D	425/438 (97%)	423 (100%)	2 (0%)	81	84
All	All	1692/1755 (96%)	1671 (99%)	21 (1%)	65	63

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	LEU
1	A	136	LEU
1	A	322	ILE
1	A	341	THR
1	A	401[A]	THR
1	A	401[B]	THR
1	A	426	SER
1	B	44	LEU
1	B	210	LYS
1	B	383	LEU
1	B	391	ILE
1	B	459	LYS
1	C	94	SER
1	C	136	LEU
1	C	322	ILE
1	C	341[A]	THR
1	C	341[B]	THR
1	C	451[A]	GLU
1	C	451[B]	GLU
2	D	90	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	386	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	ASN
1	A	346	ASN
1	A	366	HIS
1	A	425	GLN
1	B	54	ASN
1	B	164	HIS
1	B	346	ASN
1	B	366	HIS
1	B	425	GLN
1	C	346	ASN
1	C	465	ASN
2	D	346	ASN
2	D	403	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LLP	D	305	2	23,24,25	1.95	5 (21%)	25,32,34	1.66	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LLP	D	305	2	-	5/16/17/19	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	305	LLP	O3-C3	-5.52	1.24	1.36
2	D	305	LLP	C2-N1	3.79	1.40	1.33
2	D	305	LLP	C4-C4'	3.12	1.53	1.46
2	D	305	LLP	C4'-NZ	2.61	1.35	1.27
2	D	305	LLP	C6-N1	2.31	1.39	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	305	LLP	OP4-C5'-C5	3.90	116.66	109.36
2	D	305	LLP	C4-C4'-NZ	-3.45	108.10	124.04
2	D	305	LLP	OP2-P-OP4	-3.29	98.09	106.67
2	D	305	LLP	OP3-P-OP2	2.90	118.68	107.80
2	D	305	LLP	C5-C6-N1	-2.03	120.53	123.83

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	305	LLP	C5'-OP4-P-OP3
2	D	305	LLP	CA-CB-CG-CD
2	D	305	LLP	C3-C4-C4'-NZ
2	D	305	LLP	CD-CE-NZ-C4'
2	D	305	LLP	C5-C4-C4'-NZ

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	305	LLP	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PMP	B	1000	-	16,16,16	1.05	1 (6%)	22,23,23	1.24	2 (9%)
3	PLP	A	601	-	15,15,16	1.14	1 (6%)	21,22,23	1.23	2 (9%)
4	EPE	C	1001	-	15,15,15	0.87	1 (6%)	19,20,20	1.86	4 (21%)
4	EPE	B	604	-	15,15,15	0.85	1 (6%)	19,20,20	2.00	5 (26%)
4	EPE	A	602	-	15,15,15	0.92	1 (6%)	19,20,20	1.98	5 (26%)
4	EPE	A	603	-	15,15,15	1.00	1 (6%)	19,20,20	2.09	6 (31%)
4	EPE	C	1002	-	15,15,15	0.85	1 (6%)	19,20,20	2.04	5 (26%)
5	PMP	C	1000	-	16,16,16	1.14	1 (6%)	22,23,23	1.30	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PMP	B	1000	-	-	4/8/8/8	0/1/1/1
3	PLP	A	601	-	-	0/6/6/8	0/1/1/1
4	EPE	C	1001	-	-	6/9/19/19	0/1/1/1
4	EPE	B	604	-	-	3/9/19/19	0/1/1/1
4	EPE	A	602	-	-	1/9/19/19	0/1/1/1
4	EPE	A	603	-	-	2/9/19/19	0/1/1/1
4	EPE	C	1002	-	-	4/9/19/19	0/1/1/1
5	PMP	C	1000	-	-	2/8/8/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	EPE	C10-S	3.27	1.82	1.77
4	B	604	EPE	C10-S	3.02	1.81	1.77
4	A	602	EPE	C10-S	2.93	1.81	1.77
5	B	1000	PMP	C2-N1	2.92	1.39	1.33
4	C	1002	EPE	C10-S	2.85	1.81	1.77
5	C	1000	PMP	C2-N1	2.85	1.38	1.33
3	A	601	PLP	C2-N1	2.71	1.38	1.33
4	C	1001	EPE	C10-S	2.50	1.81	1.77

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	604	EPE	C5-N4-C3	5.90	121.55	108.84
4	C	1001	EPE	C5-N4-C3	5.79	121.31	108.84
4	A	602	EPE	C5-N4-C3	5.16	119.95	108.84
4	C	1002	EPE	C5-N4-C3	4.94	119.48	108.84
4	A	603	EPE	C5-N4-C3	4.72	119.00	108.84
4	C	1002	EPE	C6-N1-C2	4.44	118.41	108.84
4	A	602	EPE	C7-N4-C3	3.93	121.71	111.24
4	A	603	EPE	C6-N1-C2	3.83	117.09	108.84
4	A	602	EPE	O1S-S-C10	3.47	111.98	106.73
4	B	604	EPE	C7-N4-C5	3.30	120.03	111.24
4	C	1001	EPE	C7-N4-C3	3.29	120.00	111.24
4	A	603	EPE	C7-N4-C5	2.92	119.01	111.24
4	A	603	EPE	O2S-S-C10	2.90	111.11	106.73
4	A	603	EPE	C7-N4-C3	2.77	118.62	111.24
4	C	1001	EPE	C7-N4-C5	2.68	118.37	111.24
5	B	1000	PMP	O3P-P-O4P	-2.59	99.91	106.67
4	C	1001	EPE	C6-C5-N4	2.57	115.83	110.65
4	B	604	EPE	O3S-S-C10	2.56	111.02	106.00
4	B	604	EPE	C7-N4-C3	2.53	117.97	111.24
4	A	603	EPE	O1S-S-C10	2.48	110.47	106.73
4	C	1002	EPE	C7-N4-C5	2.47	117.83	111.24
4	C	1002	EPE	C9-N1-C2	-2.42	104.78	111.24
5	C	1000	PMP	C5-C6-N1	-2.31	120.08	123.83
3	A	601	PLP	C6-C5-C4	2.29	119.97	118.10
4	A	602	EPE	C7-N4-C5	2.21	117.13	111.24
4	B	604	EPE	C6-C5-N4	2.09	114.86	110.65
5	B	1000	PMP	C6-C5-C4	2.09	119.64	118.06
3	A	601	PLP	O3P-P-O2P	2.09	115.62	107.80
4	C	1002	EPE	O2S-S-C10	2.07	109.85	106.73
4	A	602	EPE	O2S-S-C10	-2.06	103.62	106.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1000	PMP	C6-C5-C4	2.03	119.59	118.06

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	602	EPE	C8-C7-N4-C3
4	B	604	EPE	C10-C9-N1-C6
4	B	604	EPE	C8-C7-N4-C5
4	C	1001	EPE	C10-C9-N1-C2
5	B	1000	PMP	C3-C4-C4A-N4A
5	B	1000	PMP	C5-C4-C4A-N4A
5	B	1000	PMP	C5A-O4P-P-O2P
5	B	1000	PMP	C5A-O4P-P-O3P
5	C	1000	PMP	C5-C4-C4A-N4A
4	C	1001	EPE	N4-C7-C8-O8
4	A	603	EPE	S-C10-C9-N1
4	B	604	EPE	C10-C9-N1-C2
4	C	1001	EPE	C10-C9-N1-C6
4	C	1002	EPE	C9-C10-S-O3S
4	C	1002	EPE	C9-C10-S-O1S
4	C	1002	EPE	C9-C10-S-O2S
4	C	1002	EPE	C10-C9-N1-C2
4	C	1001	EPE	C9-C10-S-O3S
4	A	603	EPE	C8-C7-N4-C5
4	C	1001	EPE	C9-C10-S-O1S
5	C	1000	PMP	C3-C4-C4A-N4A
4	C	1001	EPE	C8-C7-N4-C5

There are no ring outliers.

7 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1000	PMP	4	0
4	C	1001	EPE	1	0
4	B	604	EPE	1	0
4	A	602	EPE	1	0
4	A	603	EPE	1	0
4	C	1002	EPE	2	0
5	C	1000	PMP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/503 (98%)	-0.14	21 (4%) 40 42	8, 23, 45, 69	28 (5%)
1	B	497/503 (98%)	0.38	67 (13%) 7 7	10, 29, 66, 80	16 (3%)
1	C	492/503 (97%)	-0.06	22 (4%) 38 40	9, 24, 49, 67	18 (3%)
2	D	495/503 (98%)	-0.01	22 (4%) 39 41	8, 24, 54, 65	15 (3%)
All	All	1978/2012 (98%)	0.05	132 (6%) 24 25	8, 25, 57, 80	77 (3%)

All (132) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	32	PHE	6.2
1	B	498	ILE	6.1
1	B	32	PHE	5.8
1	C	28	CYS	5.8
1	B	88	ASP	4.9
1	C	27	THR	4.9
2	D	32	PHE	4.4
1	B	463	ASN	4.4
2	D	39	PHE	4.1
1	B	89	LYS	4.1
1	B	461	VAL	4.0
1	A	31	LEU	4.0
1	B	87	ALA	4.0
1	B	273	PRO	3.9
1	C	462	SER	3.9
1	B	91	ALA	3.8
2	D	273	PRO	3.7
1	B	412	PHE	3.7
1	C	35	PRO	3.7
1	C	414	THR	3.7
1	B	464	PRO	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	462	SER	3.6
1	B	434	ARG	3.6
2	D	271	SER	3.6
1	B	459	LYS	3.5
1	B	407	SER	3.3
1	B	39	PHE	3.3
1	C	26	LYS	3.3
2	D	462	SER	3.3
2	D	497	GLY	3.2
1	B	37	ILE	3.2
1	C	76	ASN	3.1
2	D	37	ILE	3.1
2	D	407	SER	3.1
1	C	2	THR	3.1
2	D	36	ASN	3.0
1	A	90	SER	3.0
1	B	33	GLN	3.0
1	B	269	ALA	3.0
1	A	37	ILE	3.0
1	B	413	LYS	2.9
1	B	431	VAL	2.9
1	B	436	VAL	2.9
1	B	90	SER	2.9
1	A	87	ALA	2.9
2	D	33	GLN	2.9
1	C	37	ILE	2.9
1	C	36	ASN	2.8
1	B	491	THR	2.8
1	B	488	LEU	2.8
1	A	434	ARG	2.8
1	C	87	ALA	2.7
1	B	482	THR	2.7
1	B	384	PRO	2.7
1	B	430	LYS	2.7
1	B	438	VAL	2.7
1	C	461	VAL	2.7
2	D	406	ALA	2.7
1	B	31	LEU	2.7
1	B	417	ASN	2.7
1	C	499	SER	2.6
1	B	408	VAL	2.6
2	D	269	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	415	LYS	2.6
1	B	432	VAL	2.6
1	B	493	TYR	2.6
1	A	499	SER	2.6
1	B	271	SER	2.6
2	D	257[A]	ASN	2.6
1	A	35	PRO	2.5
1	B	410	PRO	2.5
1	B	494	GLU	2.5
1	A	88	ASP	2.5
1	A	25	LEU	2.5
1	B	35	PRO	2.5
1	B	383	LEU	2.5
1	C	413	LYS	2.5
1	C	25	LEU	2.4
1	B	29	ILE	2.4
1	B	264	LYS	2.4
2	D	388	ALA	2.4
1	A	33	GLN	2.4
1	C	387	ASP	2.4
2	D	22	PRO	2.4
1	A	463	ASN	2.4
1	B	391	ILE	2.4
1	C	75	GLN	2.4
1	B	416	TYR	2.3
1	A	38	ILE	2.3
1	B	429	HIS	2.3
1	B	422	GLN	2.3
2	D	28	CYS	2.3
1	A	36	ASN	2.3
2	D	414	THR	2.3
1	B	274	LYS	2.3
1	B	389	PHE	2.3
1	B	421	TYR	2.2
1	B	435	GLY	2.2
2	D	435	GLY	2.2
1	B	36	ASN	2.2
1	B	270	GLN	2.2
1	B	267	GLU	2.2
1	B	423	LEU	2.2
2	D	272	SER	2.2
1	A	258	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	388	ALA	2.2
1	B	382	TYR	2.2
1	B	38	ILE	2.2
1	B	260	ILE	2.2
1	A	193	GLU	2.2
1	A	2	THR	2.2
1	A	73	ASP	2.2
1	B	34	ASP	2.2
1	A	41	GLY	2.2
1	B	492	LEU	2.2
2	D	265	GLU	2.1
1	B	27	THR	2.1
1	B	414	THR	2.1
1	B	272	SER	2.1
1	C	88	ASP	2.1
1	A	462	SER	2.1
1	C	39	PHE	2.1
1	C	435	GLY	2.1
1	B	390	VAL	2.1
2	D	476	VAL	2.1
1	B	22	PRO	2.1
1	C	41	GLY	2.0
1	B	406	ALA	2.0
1	C	415	LYS	2.0
1	B	286	ASN	2.0
1	A	22	PRO	2.0
2	D	410	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LLP	D	305	24/25	0.92	0.12	16,32,38,39	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EPE	C	1002	15/15	0.80	0.15	44,58,75,75	0
4	EPE	C	1001	15/15	0.87	0.17	42,58,67,67	0
4	EPE	A	603	15/15	0.87	0.13	47,56,69,70	0
3	PLP	A	601	15/16	0.89	0.12	31,38,41,41	0
4	EPE	B	604	15/15	0.90	0.19	32,34,39,40	11
5	PMP	C	1000	16/16	0.91	0.11	24,39,44,47	0
4	EPE	A	602	15/15	0.94	0.11	35,40,50,51	0
5	PMP	B	1000	16/16	0.95	0.09	31,40,43,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.