



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:22 PM UTC

PDB ID : 2JH3 / pdb_00002jh3
Title : The crystal structure of DR2241 from *Deinococcus radiodurans* at 1.9 Å resolution reveals a multi-domain protein with structural similarity to chelatasases but also with two additional novel domains
Authors : Leiros, H.-K.S.; Mcsweeney, S.M.
Deposited on : 2007-02-20
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	4% 78% 16% • •
1	B	474	10% 75% 17% • • •
1	C	474	4% 76% 18% • •
1	D	474	8% 77% 16% • • •

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 14998 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIBOSOMAL PROTEIN S2-RELATED PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	459	Total	C	N	O	S	55	0	0
			3502	2188	667	641	6			
1	B	459	Total	C	N	O	S	101	0	0
			3502	2188	667	641	6			
1	C	459	Total	C	N	O	S	77	0	0
			3502	2188	667	641	6			
1	D	456	Total	C	N	O	S	104	0	0
			3476	2174	661	635	6			

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	298	Total 298	O 298	0	0
3	B	184	Total 184	O 184	0	0
3	C	285	Total 285	O 285	0	0
3	D	217	Total 217	O 217	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RIBOSOMAL PROTEIN S2-RELATED PROTEIN




• Molecule 1: RIBOSOMAL PROTEIN S2-RELATED PROTEIN



• Molecule 1: RIBOSOMAL PROTEIN S2-RELATED PROTEIN





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	124.78Å 128.69Å 135.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.7 (20.00-1.90) 98.6 (20.00-1.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.189 , 0.238 0.197 , 0.245	Depositor DCC
R_{free} test set	3400 reflections (1.99%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.015 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14998	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.49	12/3580 (0.3%)	1.27	26/4882 (0.5%)
1	B	1.50	23/3580 (0.6%)	1.37	47/4882 (1.0%)
1	C	1.38	12/3580 (0.3%)	1.29	26/4882 (0.5%)
1	D	1.35	12/3554 (0.3%)	1.32	40/4848 (0.8%)
All	All	1.43	59/14294 (0.4%)	1.31	139/19494 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	2
1	B	0	4
1	D	0	2
All	All	1	8

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	386	HIS	CG-CD2	33.31	1.72	1.35
1	D	263	ARG	CD-NE	-31.93	1.01	1.46
1	A	220	GLU	CD-OE1	30.20	1.82	1.25
1	A	265	ASP	N-CA	-19.15	1.22	1.45
1	B	277	GLU	CD-OE2	17.66	1.58	1.25
1	B	386	HIS	CG-ND1	-16.80	1.19	1.38
1	A	178	ARG	CB-CG	15.82	2.00	1.52
1	B	277	GLU	CD-OE1	-14.94	0.96	1.25
1	B	177	SER	C-N	14.63	1.54	1.33
1	A	19	ARG	CG-CD	14.52	1.96	1.52
1	C	221	ARG	CG-CD	-12.67	1.14	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	HIS	CG-ND1	12.12	1.51	1.38
1	B	466	GLU	CB-CG	-11.59	1.17	1.52
1	A	217	HIS	CB-CG	11.47	1.66	1.50
1	D	234	PRO	CA-CB	-10.93	1.35	1.53
1	B	178	ARG	N-CA	10.89	1.60	1.46
1	B	19	ARG	CD-NE	10.87	1.61	1.46
1	D	265	ASP	CA-C	-10.73	1.38	1.52
1	D	232	ARG	CA-CB	-10.53	1.35	1.53
1	B	217	HIS	CB-CG	10.15	1.64	1.50
1	B	277	GLU	CG-CD	9.57	1.75	1.52
1	B	91	GLN	CD-OE1	9.04	1.40	1.23
1	D	76	TYR	CE1-CZ	8.66	1.59	1.38
1	B	189	SER	C-N	8.62	1.45	1.33
1	D	233	PHE	CG-CD1	8.61	1.56	1.38
1	D	2	ARG	CD-NE	-7.40	1.35	1.46
1	C	97	GLY	N-CA	7.37	1.58	1.44
1	D	76	TYR	CZ-OH	-7.26	1.22	1.38
1	C	403	ARG	CG-CD	7.08	1.73	1.52
1	C	178	ARG	N-CA	6.90	1.55	1.46
1	D	167	GLN	CG-CD	-6.83	1.34	1.52
1	B	178	ARG	CA-C	6.82	1.61	1.52
1	B	232	ARG	CB-CG	-6.80	1.32	1.52
1	C	113	PRO	N-CA	-6.72	1.39	1.47
1	B	134	GLU	N-CA	6.43	1.54	1.46
1	B	19	ARG	CB-CG	6.29	1.71	1.52
1	A	81	VAL	C-O	-6.23	1.17	1.24
1	C	354	ARG	CD-NE	-6.21	1.37	1.46
1	B	216	LYS	CB-CG	-5.94	1.34	1.52
1	C	125	ALA	CA-CB	-5.81	1.44	1.53
1	D	149	ARG	N-CA	-5.78	1.38	1.45
1	C	94	VAL	CA-C	5.75	1.57	1.53
1	B	386	HIS	CB-CG	5.74	1.58	1.50
1	A	19	ARG	CD-NE	-5.49	1.38	1.46
1	B	224	GLN	CB-CG	5.48	1.68	1.52
1	D	412	VAL	CA-CB	5.43	1.61	1.54
1	C	366	LEU	C-O	-5.40	1.17	1.24
1	C	47	TRP	N-CA	-5.39	1.40	1.46
1	A	271	ILE	CA-CB	5.38	1.61	1.54
1	A	364	LEU	C-O	-5.36	1.17	1.24
1	A	9	HIS	CA-C	5.27	1.59	1.52
1	B	231	GLU	CA-CB	5.25	1.61	1.53
1	B	437	THR	CA-CB	5.23	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	206	VAL	CA-CB	5.14	1.61	1.54
1	B	292	LEU	N-CA	-5.09	1.40	1.46
1	C	28	LEU	CA-C	5.06	1.59	1.52
1	A	392	SER	CA-C	5.05	1.59	1.52
1	B	94	VAL	CA-CB	5.03	1.60	1.54
1	D	416	ALA	CA-CB	-5.01	1.45	1.53

All (139) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	SER	O-C-N	-15.76	97.78	123.00
1	C	96	THR	CA-C-N	-13.14	101.58	122.86
1	C	96	THR	C-N-CA	-13.14	101.58	122.86
1	B	386	HIS	CA-CB-CG	12.72	126.52	113.80
1	B	177	SER	CA-C-N	12.54	145.49	121.54
1	B	177	SER	C-N-CA	12.54	145.49	121.54
1	A	265	ASP	CA-CB-CG	11.37	123.97	112.60
1	A	265	ASP	N-CA-C	11.08	125.47	108.96
1	B	228	GLN	OE1-CD-NE2	-10.91	111.69	122.60
1	D	228	GLN	OE1-CD-NE2	-10.64	111.96	122.60
1	D	148	ALA	O-C-N	10.22	134.54	122.17
1	B	19	ARG	CD-NE-CZ	-10.01	110.39	124.40
1	B	386	HIS	ND1-CG-CD2	-9.97	96.13	106.10
1	D	204	GLN	OE1-CD-NE2	-9.95	112.65	122.60
1	C	235	GLN	OE1-CD-NE2	-9.90	112.69	122.60
1	B	235	GLN	OE1-CD-NE2	-9.82	112.78	122.60
1	D	167	GLN	OE1-CD-NE2	-9.82	112.78	122.60
1	D	224	GLN	OE1-CD-NE2	-9.75	112.85	122.60
1	D	91	GLN	OE1-CD-NE2	-9.69	112.91	122.60
1	B	167	GLN	OE1-CD-NE2	-9.60	113.00	122.60
1	A	224	GLN	OE1-CD-NE2	-9.26	113.34	122.60
1	B	266	GLU	N-CA-C	9.15	122.44	111.82
1	A	23	GLN	OE1-CD-NE2	-8.95	113.65	122.60
1	D	149	ARG	O-C-N	8.93	129.59	121.19
1	D	234	PRO	N-CA-CB	-8.84	94.35	103.19
1	B	189	SER	CA-C-N	8.83	138.40	121.54
1	B	189	SER	C-N-CA	8.83	138.40	121.54
1	D	223	GLN	OE1-CD-NE2	-8.71	113.89	122.60
1	C	191	VAL	N-CA-C	8.66	117.44	108.95
1	C	96	THR	O-C-N	-8.62	112.27	122.87
1	C	221	ARG	CB-CG-CD	8.57	131.01	111.30
1	B	217	HIS	CA-CB-CG	8.46	122.26	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	149	ARG	CA-C-O	8.30	126.33	119.36
1	A	266	GLU	CB-CA-C	-8.25	97.65	111.02
1	B	201	GLU	CB-CA-C	-8.13	95.91	110.37
1	B	91	GLN	CG-CD-OE1	-8.09	104.61	120.80
1	C	289	GLY	N-CA-C	-8.00	102.80	112.48
1	C	177	SER	CA-C-N	7.78	136.40	121.54
1	C	177	SER	C-N-CA	7.78	136.40	121.54
1	C	354	ARG	NE-CZ-NH2	7.76	126.18	119.20
1	B	354	ARG	NE-CZ-NH1	-7.72	113.78	121.50
1	B	277	GLU	CB-CG-CD	-7.66	99.58	112.60
1	C	221	ARG	CG-CD-NE	-7.62	95.22	112.00
1	C	354	ARG	NE-CZ-NH1	-7.59	113.91	121.50
1	C	178	ARG	N-CA-C	7.52	126.81	110.80
1	B	200	VAL	O-C-N	-7.47	115.00	122.99
1	B	354	ARG	NE-CZ-NH2	7.46	125.92	119.20
1	B	134	GLU	CB-CA-C	7.46	122.58	110.88
1	D	76	TYR	CB-CG-CD1	-7.44	109.64	120.80
1	B	201	GLU	CB-CG-CD	-7.36	100.08	112.60
1	A	19	ARG	CG-CD-NE	7.35	128.17	112.00
1	B	277	GLU	CG-CD-OE1	7.32	135.23	118.40
1	B	91	GLN	OE1-CD-NE2	7.16	129.76	122.60
1	C	235	GLN	CG-CD-NE2	7.13	127.09	116.40
1	A	220	GLU	CA-CB-CG	7.13	128.36	114.10
1	D	234	PRO	CA-CB-CG	7.08	117.96	104.50
1	D	234	PRO	CB-CA-C	-7.00	99.23	111.21
1	B	386	HIS	CG-ND1-CE1	6.97	121.14	109.30
1	D	91	GLN	CG-CD-NE2	6.94	126.80	116.40
1	D	265	ASP	CA-CB-CG	-6.93	105.67	112.60
1	B	228	GLN	CG-CD-NE2	6.92	126.79	116.40
1	D	228	GLN	CG-CD-NE2	6.88	126.72	116.40
1	A	224	GLN	CG-CD-NE2	6.87	126.71	116.40
1	A	149	ARG	CA-C-N	6.85	126.65	119.05
1	A	149	ARG	C-N-CA	6.85	126.65	119.05
1	D	204	GLN	CG-CD-NE2	6.81	126.62	116.40
1	B	165	ARG	CB-CA-C	6.81	122.42	110.85
1	A	243	GLY	CA-C-N	6.75	126.72	119.76
1	A	243	GLY	C-N-CA	6.75	126.72	119.76
1	B	167	GLN	CG-CD-NE2	6.73	126.50	116.40
1	D	167	GLN	CG-CD-NE2	6.69	126.43	116.40
1	B	235	GLN	CG-CD-NE2	6.68	126.42	116.40
1	D	224	GLN	CG-CD-NE2	6.67	126.40	116.40
1	A	265	ASP	N-CA-CB	6.62	122.02	111.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	178	ARG	CA-C-O	-6.59	111.09	120.51
1	A	23	GLN	CG-CD-NE2	6.55	126.22	116.40
1	D	233	PHE	CD1-CG-CD2	-6.53	108.80	118.60
1	B	386	HIS	CG-CD2-NE2	-6.51	100.69	107.20
1	D	263	ARG	CD-NE-CZ	6.50	133.50	124.40
1	C	149	ARG	CA-C-N	6.44	127.89	119.84
1	C	149	ARG	C-N-CA	6.44	127.89	119.84
1	D	354	ARG	NE-CZ-NH1	-6.36	115.14	121.50
1	C	466	GLU	CB-CG-CD	-6.33	101.84	112.60
1	A	465	ARG	CA-CB-CG	-6.31	101.47	114.10
1	D	137	ASP	CA-C-N	6.28	126.02	119.05
1	D	137	ASP	C-N-CA	6.28	126.02	119.05
1	D	233	PHE	CZ-CE2-CD2	6.26	131.27	120.00
1	B	178	ARG	CA-C-N	-6.25	110.45	121.70
1	B	178	ARG	C-N-CA	-6.25	110.45	121.70
1	C	403	ARG	CB-CG-CD	-6.25	96.92	111.30
1	B	177	SER	O-C-N	6.23	130.00	122.96
1	B	263	ARG	CA-C-N	6.19	128.86	120.38
1	B	263	ARG	C-N-CA	6.19	128.86	120.38
1	B	19	ARG	CG-CD-NE	6.18	125.61	112.00
1	D	223	GLN	CG-CD-NE2	6.17	125.65	116.40
1	A	263	ARG	CA-C-N	6.15	133.29	121.54
1	A	263	ARG	C-N-CA	6.15	133.29	121.54
1	D	265	ASP	N-CA-CB	6.09	120.78	110.49
1	A	149	ARG	CD-NE-CZ	-5.96	116.06	124.40
1	D	76	TYR	CD1-CG-CD2	5.95	127.02	118.10
1	B	133	PRO	O-C-N	-5.89	114.68	122.64
1	D	354	ARG	CG-CD-NE	-5.89	99.03	112.00
1	D	265	ASP	O-C-N	-5.88	114.78	122.59
1	C	395	ARG	CD-NE-CZ	-5.85	116.22	124.40
1	A	466	GLU	CA-CB-CG	5.79	125.69	114.10
1	C	216	LYS	N-CA-C	5.79	117.67	111.36
1	D	289	GLY	N-CA-C	-5.77	105.50	112.48
1	B	232	ARG	CA-CB-CG	5.76	125.62	114.10
1	B	233	PHE	CA-CB-CG	5.74	119.53	113.80
1	D	129	ARG	CD-NE-CZ	-5.72	116.39	124.40
1	A	288	ARG	NE-CZ-NH2	5.66	124.29	119.20
1	D	233	PHE	CB-CG-CD1	5.64	130.29	120.70
1	D	149	ARG	N-CA-C	5.63	118.83	108.69
1	C	285	LEU	N-CA-C	5.56	117.42	111.36
1	D	263	ARG	CG-CD-NE	5.56	124.23	112.00
1	B	137	ASP	CA-C-N	5.47	126.67	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	137	ASP	C-N-CA	5.47	126.67	119.84
1	A	412	VAL	N-CA-CB	5.33	118.58	110.58
1	D	354	ARG	NE-CZ-NH2	5.33	124.00	119.20
1	A	286	ALA	O-C-N	-5.33	116.47	122.12
1	C	344	ARG	NE-CZ-NH2	5.32	123.99	119.20
1	D	265	ASP	CB-CA-C	-5.32	99.83	110.42
1	A	392	SER	N-CA-C	5.29	116.73	111.07
1	A	137	ASP	CA-C-N	5.28	126.43	119.84
1	A	137	ASP	C-N-CA	5.28	126.43	119.84
1	B	217	HIS	CB-CG-CD2	5.24	138.01	131.20
1	C	326	GLU	N-CA-C	5.21	116.96	111.28
1	B	268	GLY	N-CA-C	-5.18	104.64	112.41
1	D	76	TYR	CG-CD1-CE1	-5.18	113.44	121.20
1	B	263	ARG	CA-CB-CG	5.16	124.42	114.10
1	C	69	PRO	N-CA-C	5.14	118.65	110.21
1	C	248	HIS	CA-C-N	5.14	125.43	119.47
1	C	248	HIS	C-N-CA	5.14	125.43	119.47
1	A	2	ARG	N-CA-C	5.11	117.15	109.23
1	D	60	VAL	N-CA-CB	5.06	116.05	110.53
1	B	178	ARG	N-CA-C	5.06	121.58	110.80
1	D	60	VAL	CB-CA-C	5.04	117.70	111.15
1	B	344	ARG	NE-CZ-NH2	5.04	123.74	119.20
1	B	231	GLU	CB-CG-CD	5.03	121.16	112.60

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	265	ASP	CA

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	19	ARG	Sidechain
1	A	217	HIS	Sidechain
1	B	189	SER	Mainchain,Peptide
1	B	19	ARG	Sidechain
1	B	386	HIS	Sidechain
1	D	264	GLU	Mainchain
1	D	76	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3502	0	3479	38	0
1	B	3502	0	3479	50	0
1	C	3502	0	3479	52	0
1	D	3476	0	3455	39	0
2	A	8	0	0	0	0
2	B	8	0	0	0	0
2	C	8	0	0	0	0
2	D	8	0	0	0	0
3	A	298	0	0	8	0
3	B	184	0	0	12	0
3	C	285	0	0	11	0
3	D	217	0	0	5	0
All	All	14998	0	13892	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:275:HIS:CE1	1:C:363:ARG:HH21	1.42	1.36
1:B:0:ALA:HB1	1:B:268:GLY:H	1.14	1.05
1:C:275:HIS:CE1	1:C:363:ARG:NH2	2.25	1.04
1:C:275:HIS:HE1	1:C:363:ARG:HH21	0.99	0.96
1:A:329:ARG:NH2	3:A:2183:HOH:O	1.97	0.95
1:D:329:ARG:NH2	3:D:2139:HOH:O	2.00	0.94
1:C:329:ARG:NH2	3:C:2199:HOH:O	2.06	0.89
1:B:178:ARG:O	1:B:179:GLU:HB3	1.72	0.88
1:B:0:ALA:HB1	1:B:268:GLY:N	1.90	0.86
1:D:283:ARG:O	1:D:287:GLU:HG3	1.79	0.83
1:C:195:GLU:OE2	3:C:2125:HOH:O	2.00	0.80
1:B:97:GLY:O	1:B:109:ARG:HD2	1.83	0.79
1:C:275:HIS:ND1	1:C:363:ARG:NH2	2.32	0.78
1:B:329:ARG:NH2	3:B:2101:HOH:O	2.17	0.76
1:B:36:HIS:NE2	3:B:2013:HOH:O	2.20	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:PRO:HG3	3:B:2127:HOH:O	1.88	0.72
1:D:391:MET:HE1	3:D:2186:HOH:O	1.90	0.71
1:C:283:ARG:O	1:C:287:GLU:HG3	1.91	0.70
1:D:403:ARG:HG3	3:D:2183:HOH:O	1.92	0.69
1:C:220:GLU:OE1	3:C:2133:HOH:O	2.10	0.69
1:B:275:HIS:HE1	1:B:363:ARG:CZ	2.06	0.68
1:B:386:HIS:NE2	3:B:2141:HOH:O	2.26	0.67
1:A:165:ARG:HG3	3:A:2106:HOH:O	1.92	0.67
1:C:270:ASP:OD1	3:C:2150:HOH:O	2.13	0.66
1:D:222:LEU:HD12	1:D:222:LEU:C	2.20	0.66
1:C:305:GLU:OE1	1:C:354:ARG:HD2	1.95	0.65
1:C:117:HIS:HE1	1:C:261:GLU:OE2	1.79	0.65
1:C:115:GLY:O	1:C:158:HIS:HE1	1.80	0.64
1:A:115:GLY:O	1:A:158:HIS:HE1	1.81	0.64
1:C:284:HIS:CE1	1:C:288:ARG:HH21	2.15	0.64
1:C:117:HIS:CD2	1:C:119:GLY:H	2.14	0.64
1:A:248:HIS:O	1:A:251:VAL:HG22	1.97	0.63
1:C:117:HIS:HD2	1:C:119:GLY:H	1.47	0.63
1:D:31:ARG:NH2	1:D:253:GLU:OE2	2.32	0.63
1:D:222:LEU:HD12	1:D:222:LEU:O	1.99	0.62
1:A:109:ARG:NH2	1:A:261:GLU:O	2.32	0.62
1:B:178:ARG:O	1:B:179:GLU:CB	2.34	0.62
1:B:129:ARG:CD	1:B:167:GLN:OE1	2.48	0.62
1:A:383:ARG:HD3	3:A:2227:HOH:O	2.00	0.61
1:C:275:HIS:HE1	1:C:363:ARG:NH2	1.82	0.61
1:C:284:HIS:CE1	1:C:288:ARG:NH2	2.69	0.60
1:D:297:LEU:HD12	1:D:306:LEU:HG	1.83	0.60
1:A:0:ALA:HB1	1:A:267:ARG:O	2.01	0.60
1:A:117:HIS:CD2	1:A:119:GLY:H	2.20	0.60
1:B:0:ALA:CB	1:B:268:GLY:H	2.03	0.60
1:D:133:PRO:O	1:D:134:GLU:C	2.40	0.59
1:C:295:VAL:HG21	1:C:369:LEU:HD21	1.85	0.59
1:C:382:HIS:C	1:C:383:ARG:HG2	2.25	0.59
1:A:9:HIS:HD2	1:A:10:GLY:O	1.85	0.59
1:A:204:GLN:HE21	1:A:238:PRO:HG2	1.68	0.58
1:C:160:GLN:O	1:C:164:GLU:HG3	2.04	0.58
1:D:125:ALA:HB1	1:D:129:ARG:HH21	1.69	0.57
1:A:386:HIS:CE1	3:A:2235:HOH:O	2.58	0.57
1:A:292:LEU:HD22	1:A:438:ILE:HD12	1.87	0.56
1:B:277:GLU:CG	1:B:277:GLU:OE1	2.53	0.56
1:B:129:ARG:HD3	1:B:167:GLN:OE1	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:334:ARG:NE	3:C:2201:HOH:O	2.25	0.56
1:B:295:VAL:HG21	1:B:369:LEU:HD21	1.88	0.56
1:D:196:TRP:CG	1:D:197:PRO:HD3	2.40	0.55
1:B:57:LEU:O	1:B:60:VAL:HG22	2.07	0.55
1:B:20:ALA:O	1:B:24:VAL:HG23	2.07	0.55
1:C:209:PRO:HB3	1:C:211:LEU:HD22	1.89	0.54
1:B:129:ARG:HD2	1:B:167:GLN:OE1	2.08	0.54
1:B:65:VAL:HG13	1:B:108:VAL:HG22	1.90	0.54
1:B:248:HIS:O	1:B:251:VAL:HG22	2.08	0.54
1:C:65:VAL:CG1	1:C:108:VAL:HG22	2.37	0.54
1:C:248:HIS:O	1:C:251:VAL:HG22	2.07	0.54
1:D:387:TRP:CE3	1:D:429:TRP:HA	2.44	0.53
1:D:0:ALA:HA	1:D:268:GLY:HA3	1.90	0.53
1:D:109:ARG:HD2	3:D:2090:HOH:O	2.09	0.53
1:C:9:HIS:HD2	1:C:10:GLY:O	1.91	0.53
1:D:76:TYR:CZ	1:D:80:THR:HG21	2.44	0.53
1:B:400:THR:O	1:B:403:ARG:HB2	2.09	0.52
1:B:306:LEU:HD12	1:B:306:LEU:N	2.25	0.52
1:A:90:HIS:ND1	3:A:2064:HOH:O	2.34	0.51
1:A:260:ALA:O	1:A:263:ARG:HG2	2.10	0.51
1:B:109:ARG:NH1	3:B:2041:HOH:O	2.44	0.51
1:B:285:LEU:C	1:B:285:LEU:HD23	2.35	0.51
1:C:96:THR:HA	1:C:112:ARG:HD3	1.92	0.51
1:A:172:GLU:HG3	1:A:199:ARG:HB3	1.93	0.51
1:B:21:THR:OG1	3:B:2010:HOH:O	2.19	0.51
1:B:82:LEU:HB2	1:B:83:PRO:HD3	1.92	0.51
1:B:193:LEU:O	1:B:196:TRP:HB3	2.10	0.51
1:A:295:VAL:HG21	1:A:369:LEU:HD21	1.93	0.50
1:A:12:HIS:HE1	1:A:453:THR:OG1	1.94	0.50
1:B:275:HIS:CE1	1:B:363:ARG:CZ	2.93	0.50
1:B:94:VAL:O	3:B:2037:HOH:O	2.19	0.49
1:B:363:ARG:HD3	3:B:2062:HOH:O	2.13	0.49
1:C:263:ARG:HD2	1:C:266:GLU:OE2	2.12	0.49
1:C:382:HIS:C	1:C:383:ARG:CG	2.85	0.49
1:B:264:GLU:HG3	3:B:2041:HOH:O	2.11	0.49
1:B:381:GLU:OE2	1:B:440:SER:OG	2.31	0.49
1:D:117:HIS:CD2	1:D:119:GLY:H	2.30	0.49
1:D:158:HIS:HD2	3:D:2065:HOH:O	1.95	0.49
1:C:146:LEU:HB3	1:C:209:PRO:HA	1.94	0.49
1:B:401:LEU:O	1:B:404:VAL:HG22	2.12	0.49
1:A:60:VAL:HG22	1:A:106:ARG:NE	2.27	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:LEU:HA	1:B:258:LEU:CD1	2.43	0.48
1:B:284:HIS:ND1	1:B:288:ARG:NH2	2.61	0.48
1:A:395:ARG:NH1	1:D:23:GLN:OE1	2.47	0.48
1:B:115:GLY:O	1:B:158:HIS:HE1	1.96	0.48
1:D:12:HIS:HE1	1:D:453:THR:OG1	1.96	0.48
1:A:162:LEU:HA	1:A:165:ARG:HD2	1.96	0.48
1:C:102:VAL:HG13	3:C:2076:HOH:O	2.13	0.47
1:D:146:LEU:HB3	1:D:209:PRO:HA	1.95	0.47
1:A:177:SER:OG	1:A:221:ARG:NH2	2.47	0.47
1:A:386:HIS:HE1	3:A:2235:HOH:O	1.96	0.47
1:A:146:LEU:HB3	1:A:209:PRO:HA	1.96	0.47
1:C:115:GLY:O	1:C:158:HIS:CE1	2.66	0.47
1:A:33:LEU:C	1:A:35:GLY:H	2.23	0.47
1:D:193:LEU:HD21	1:D:222:LEU:HD13	1.97	0.47
1:A:149:ARG:HB3	1:A:150:PRO:HD2	1.97	0.47
1:B:403:ARG:HG3	1:B:463:VAL:HG11	1.97	0.46
1:A:209:PRO:HB3	1:A:211:LEU:HD22	1.97	0.46
1:B:114:LEU:HA	1:B:258:LEU:HD11	1.95	0.46
1:C:65:VAL:HG13	1:C:108:VAL:HA	1.96	0.46
1:D:138:PRO:HB2	1:D:167:GLN:O	2.15	0.46
1:D:397:GLN:HB3	1:D:401:LEU:HB3	1.97	0.46
1:C:282:LEU:C	1:C:282:LEU:HD13	2.40	0.46
1:D:103:LEU:N	1:D:103:LEU:HD23	2.30	0.46
1:A:149:ARG:CB	1:A:150:PRO:HD2	2.46	0.46
1:B:133:PRO:O	1:B:134:GLU:C	2.57	0.46
1:B:222:LEU:HD12	1:B:222:LEU:O	2.16	0.46
1:C:300:TYR:HB2	3:C:2168:HOH:O	2.15	0.46
1:D:285:LEU:C	1:D:285:LEU:HD23	2.40	0.46
1:D:109:ARG:NH2	1:D:261:GLU:O	2.49	0.46
1:A:403:ARG:HG2	3:A:2296:HOH:O	2.16	0.46
1:C:271:ILE:HD13	1:C:276:ALA:HB2	1.98	0.45
1:D:115:GLY:O	1:D:158:HIS:HE1	1.99	0.45
1:A:222:LEU:C	1:A:222:LEU:HD12	2.42	0.45
1:C:106:ARG:HG2	3:C:2077:HOH:O	2.15	0.45
1:D:401:LEU:O	1:D:404:VAL:HG22	2.17	0.45
1:C:97:GLY:HA2	1:C:262:GLY:HA3	1.98	0.45
1:A:117:HIS:HD2	1:A:119:GLY:H	1.62	0.45
1:B:28:LEU:HD23	1:B:31:ARG:HD2	1.98	0.45
1:B:201:GLU:N	1:B:201:GLU:OE1	2.50	0.45
1:D:102:VAL:C	1:D:103:LEU:HD23	2.42	0.45
1:D:137:ASP:HA	1:D:138:PRO:HD3	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:GLU:OE2	3:A:2224:HOH:O	2.21	0.44
1:B:160:GLN:O	1:B:164:GLU:HG3	2.18	0.44
1:A:16:GLU:CD	1:A:16:GLU:H	2.26	0.44
1:C:305:GLU:C	1:C:306:LEU:HD12	2.43	0.44
1:D:271:ILE:HD13	1:D:276:ALA:HB2	1.99	0.43
1:C:387:TRP:CE3	1:C:429:TRP:HA	2.53	0.43
1:A:196:TRP:CG	1:A:197:PRO:HD3	2.53	0.43
1:D:19:ARG:HG2	1:D:23:GLN:NE2	2.33	0.43
1:C:306:LEU:HD12	1:C:306:LEU:N	2.34	0.43
1:A:395:ARG:NH1	1:D:23:GLN:CD	2.77	0.42
1:B:427:ARG:HG3	1:B:430:ALA:HB3	2.01	0.42
1:D:82:LEU:HB2	1:D:83:PRO:HD3	2.01	0.42
1:C:103:LEU:O	1:C:106:ARG:HB2	2.20	0.42
1:A:60:VAL:CG2	1:A:106:ARG:NE	2.82	0.42
1:A:211:LEU:HD23	1:A:214:LEU:HD13	2.00	0.42
1:D:125:ALA:HB1	1:D:129:ARG:NH2	2.33	0.42
1:C:102:VAL:CG1	3:C:2076:HOH:O	2.67	0.42
1:C:271:ILE:HD12	1:C:272:ASP:C	2.44	0.42
1:C:300:TYR:CB	3:C:2168:HOH:O	2.66	0.42
1:A:262:GLY:O	1:A:264:GLU:N	2.53	0.42
1:C:136:THR:O	1:C:138:PRO:HD3	2.19	0.42
1:D:20:ALA:O	1:D:24:VAL:HG23	2.20	0.42
1:C:265:ASP:OD1	1:C:265:ASP:C	2.61	0.42
1:D:51:PRO:HB3	1:D:371:PRO:HB3	2.02	0.41
1:B:23:GLN:OE1	3:B:2011:HOH:O	2.22	0.41
1:B:196:TRP:CZ3	1:B:200:VAL:HG21	2.55	0.41
1:A:401:LEU:O	1:A:404:VAL:HG22	2.21	0.41
1:C:60:VAL:HG23	1:C:106:ARG:NE	2.36	0.41
1:B:19:ARG:NH2	3:B:2009:HOH:O	2.53	0.41
1:C:190:ALA:HA	3:C:2122:HOH:O	2.20	0.41
1:B:9:HIS:HD2	1:B:10:GLY:O	2.04	0.41
1:D:271:ILE:CD1	1:D:276:ALA:HB2	2.50	0.41
1:B:76:TYR:CD2	1:C:134:GLU:HB3	2.56	0.41
1:C:406:ARG:H	1:C:406:ARG:HG2	1.71	0.41
1:C:114:LEU:HA	1:C:258:LEU:HD11	2.03	0.40
1:D:174:VAL:HG12	1:D:191:VAL:HG23	2.02	0.40
1:B:453:THR:HG22	3:B:2020:HOH:O	2.21	0.40
1:C:285:LEU:HD23	1:C:285:LEU:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	455/474 (96%)	438 (96%)	17 (4%)	0	100	100
1	B	455/474 (96%)	431 (95%)	19 (4%)	5 (1%)	11	4
1	C	455/474 (96%)	436 (96%)	17 (4%)	2 (0%)	30	22
1	D	452/474 (95%)	425 (94%)	24 (5%)	3 (1%)	18	10
All	All	1817/1896 (96%)	1730 (95%)	77 (4%)	10 (1%)	21	13

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	178	ARG
1	B	190	ALA
1	C	178	ARG
1	B	119	GLY
1	B	135	GLY
1	B	261	GLU
1	C	177	SER
1	D	266	GLU
1	D	232	ARG
1	D	265	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/360 (98%)	325 (93%)	26 (7%)	13	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	351/360 (98%)	326 (93%)	25 (7%)	13	7
1	C	351/360 (98%)	325 (93%)	26 (7%)	13	6
1	D	348/360 (97%)	319 (92%)	29 (8%)	10	4
All	All	1401/1440 (97%)	1295 (92%)	106 (8%)	12	5

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	SER
1	A	19	ARG
1	A	60	VAL
1	A	86	LEU
1	A	93	PRO
1	A	103	LEU
1	A	143	LEU
1	A	144	LEU
1	A	164	GLU
1	A	178	ARG
1	A	179	GLU
1	A	191	VAL
1	A	211	LEU
1	A	222	LEU
1	A	224	GLN
1	A	264	GLU
1	A	287	GLU
1	A	288	ARG
1	A	331	LEU
1	A	363	ARG
1	A	366	LEU
1	A	391	MET
1	A	406	ARG
1	A	412	VAL
1	A	424	LEU
1	A	428	LEU
1	B	17	SER
1	B	19	ARG
1	B	56	VAL
1	B	58	ARG
1	B	65	VAL
1	B	86	LEU
1	B	91	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	134	GLU
1	B	137	ASP
1	B	143	LEU
1	B	144	LEU
1	B	177	SER
1	B	201	GLU
1	B	211	LEU
1	B	222	LEU
1	B	271	ILE
1	B	285	LEU
1	B	331	LEU
1	B	366	LEU
1	B	391	MET
1	B	403	ARG
1	B	412	VAL
1	B	424	LEU
1	B	428	LEU
1	B	440	SER
1	C	17	SER
1	C	86	LEU
1	C	91	GLN
1	C	122	ASP
1	C	134	GLU
1	C	143	LEU
1	C	144	LEU
1	C	175	LEU
1	C	189	SER
1	C	191	VAL
1	C	211	LEU
1	C	231	GLU
1	C	247	GLU
1	C	253	GLU
1	C	267	ARG
1	C	270	ASP
1	C	271	ILE
1	C	331	LEU
1	C	367	GLU
1	C	374	ILE
1	C	383	ARG
1	C	401	LEU
1	C	406	ARG
1	C	412	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	424	LEU
1	C	428	LEU
1	D	2	ARG
1	D	17	SER
1	D	31	ARG
1	D	60	VAL
1	D	65	VAL
1	D	86	LEU
1	D	103	LEU
1	D	143	LEU
1	D	164	GLU
1	D	195	GLU
1	D	201	GLU
1	D	220	GLU
1	D	221	ARG
1	D	222	LEU
1	D	226	LEU
1	D	231	GLU
1	D	232	ARG
1	D	251	VAL
1	D	263	ARG
1	D	264	GLU
1	D	265	ASP
1	D	267	ARG
1	D	271	ILE
1	D	297	LEU
1	D	366	LEU
1	D	374	ILE
1	D	412	VAL
1	D	424	LEU
1	D	428	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	12	HIS
1	A	36	HIS
1	A	117	HIS
1	A	127	GLN
1	A	158	HIS
1	A	204	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	9	HIS
1	B	12	HIS
1	B	36	HIS
1	B	117	HIS
1	B	158	HIS
1	B	160	GLN
1	B	275	HIS
1	C	9	HIS
1	C	117	HIS
1	C	158	HIS
1	C	160	GLN
1	C	228	GLN
1	C	275	HIS
1	D	12	HIS
1	D	204	GLN
1	D	397	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SF4	A	650	1	0,12,12	-	-	-		
2	SF4	D	650	1	0,12,12	-	-	-		
2	SF4	C	650	1	0,12,12	-	-	-		
2	SF4	B	650	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	A	650	1	-	-	0/6/5/5
2	SF4	D	650	1	-	-	0/6/5/5
2	SF4	C	650	1	-	-	0/6/5/5
2	SF4	B	650	1	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	459/474 (96%)	0.05	17 (3%)	45	48	10, 29, 48, 62	25 (5%)
1	B	458/474 (96%)	0.59	49 (10%)	11	11	10, 37, 68, 105	33 (7%)
1	C	456/474 (96%)	0.09	17 (3%)	45	48	12, 28, 47, 63	26 (5%)
1	D	456/474 (96%)	0.50	38 (8%)	17	18	10, 35, 64, 75	36 (7%)
All	All	1829/1896 (96%)	0.31	121 (6%)	24	26	10, 32, 61, 105	120 (6%)

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	265	ASP	12.2
1	B	190	ALA	10.3
1	C	105	GLY	9.9
1	D	233	PHE	9.4
1	D	150	PRO	9.3
1	D	191	VAL	9.2
1	D	190	ALA	8.4
1	B	265	ASP	8.1
1	B	228	GLN	7.8
1	C	189	SER	7.5
1	B	266	GLU	7.4
1	D	234	PRO	7.2
1	B	233	PHE	7.0
1	A	266	GLU	6.7
1	B	136	THR	6.2
1	D	199	ARG	6.0
1	B	201	GLU	6.0
1	D	265	ASP	6.0
1	B	135	GLY	5.9
1	D	231	GLU	5.9
1	D	232	ARG	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	-1	GLY	5.8
1	D	195	GLU	5.2
1	A	-1	GLY	5.0
1	A	189	SER	4.8
1	B	134	GLU	4.8
1	B	264	GLU	4.6
1	C	-1	GLY	4.5
1	C	33	LEU	4.4
1	C	102	VAL	4.3
1	A	34	ALA	4.3
1	B	137	ASP	4.3
1	A	33	LEU	4.2
1	B	-1	GLY	4.2
1	A	264	GLU	4.1
1	D	200	VAL	4.1
1	D	167	GLN	4.1
1	A	267	ARG	4.0
1	B	267	ARG	3.9
1	D	202	ALA	3.9
1	C	466	GLU	3.8
1	B	225	ALA	3.8
1	B	263	ARG	3.8
1	B	229	ALA	3.5
1	C	104	GLY	3.5
1	B	268	GLY	3.4
1	B	195	GLU	3.4
1	D	266	GLU	3.2
1	C	217	HIS	3.2
1	D	149	ARG	3.1
1	A	36	HIS	3.1
1	B	179	GLU	3.0
1	B	132	LEU	3.0
1	D	159	ALA	3.0
1	B	234	PRO	3.0
1	B	218	ALA	3.0
1	B	17	SER	2.9
1	D	171	VAL	2.9
1	D	264	GLU	2.9
1	B	196	TRP	2.9
1	B	104	GLY	2.9
1	B	143	LEU	2.9
1	D	0	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	230	ALA	2.7
1	B	239	LEU	2.7
1	B	226	LEU	2.7
1	B	170	GLY	2.7
1	B	222	LEU	2.7
1	D	105	GLY	2.6
1	B	231	GLU	2.6
1	C	135	GLY	2.6
1	D	151	GLY	2.6
1	D	173	VAL	2.6
1	C	190	ALA	2.6
1	D	76	TYR	2.6
1	D	192	PRO	2.6
1	B	142	THR	2.6
1	B	191	VAL	2.5
1	B	202	ALA	2.5
1	D	300	TYR	2.4
1	B	236	ALA	2.4
1	D	267	ARG	2.4
1	A	178	ARG	2.4
1	B	178	ARG	2.4
1	D	34	ALA	2.4
1	D	177	SER	2.4
1	C	103	LEU	2.3
1	A	190	ALA	2.3
1	C	267	ARG	2.3
1	C	132	LEU	2.3
1	D	103	LEU	2.3
1	D	170	GLY	2.3
1	A	177	SER	2.3
1	D	166	GLY	2.2
1	A	217	HIS	2.2
1	C	235	GLN	2.2
1	B	153	ALA	2.2
1	B	76	TYR	2.2
1	B	168	PHE	2.2
1	B	238	PRO	2.2
1	D	230	ALA	2.2
1	C	300	TYR	2.1
1	A	136	THR	2.1
1	D	17	SER	2.1
1	B	221	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	263	ARG	2.1
1	B	166	GLY	2.1
1	D	141	VAL	2.1
1	B	33	LEU	2.1
1	B	193	LEU	2.1
1	B	34	ALA	2.1
1	D	147	ALA	2.1
1	D	169	ALA	2.1
1	A	270	ASP	2.1
1	A	179	GLU	2.0
1	B	151	GLY	2.0
1	C	151	GLY	2.0
1	B	138	PRO	2.0
1	B	174	VAL	2.0
1	A	149	ARG	2.0
1	C	465	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SF4	C	650	8/8	0.99	0.03	17,18,21,21	0
2	SF4	B	650	8/8	1.00	0.02	19,20,21,21	0
2	SF4	A	650	8/8	1.00	0.03	16,17,19,19	0
2	SF4	D	650	8/8	1.00	0.03	20,21,23,23	0

6.5 Other polymers [i](#)

There are no such residues in this entry.