



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 07:36 PM UTC

PDB ID : 5JHL / pdb_00005jhl
Title : Crystal structure of zika virus envelope protein in complex with a flavivirus broadly-protective antibody
Authors : Dai, L.; Shi, Y.; Qi, J.; Gao, G.F.
Deposited on : 2016-04-21
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	3% 56% 29% 6% 7%
2	H	231	68% 23% 6%
3	L	216	74% 23% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6087 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called envelope protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	0	0
			2853	1789	482	558	24			

- Molecule 2 is a protein called Antibody Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	216	Total	C	N	O	S	0	0	0
			1624	1022	269	326	7			

- Molecule 3 is a protein called antibody Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	211	Total	C	N	O	S	0	0	0
			1610	1000	269	334	7			

Y141	V147	R148	W149	T165	D166	Q167	M176	T183	R184	D185	E186	Y187	Y193	E196	A197	T198	H199	P205	I206	V207	K208	S209	F210	N211	R212	ASN	GLU	CYS	SER
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.60Å 104.86Å 81.86Å 90.00° 102.70° 90.00°	Depositor
Resolution (Å)	30.69 – 3.00 30.69 – 3.00	Depositor EDS
% Data completeness (in resolution range)	97.7 (30.69-3.00) 89.4 (30.69-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 3.00Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.228 , 0.269 0.228 , 0.266	Depositor DCC
R_{free} test set	820 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	60.9	Xtriage
Anisotropy	0.725	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6087	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	1/2914 (0.0%)	0.84	5/3966 (0.1%)
2	H	0.34	0/1666	0.76	1/2279 (0.0%)
3	L	0.38	0/1647	0.79	2/2243 (0.1%)
All	All	0.42	1/6227 (0.0%)	0.81	8/8488 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	230	ASP	CA-C	-5.92	1.47	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	47	GLY	N-CA-C	-6.03	106.39	115.32
1	A	379	ASP	CA-C-N	5.74	123.79	119.66
1	A	379	ASP	C-N-CA	5.74	123.79	119.66
3	L	119	PHE	CA-C-N	5.57	126.11	120.38
3	L	119	PHE	C-N-CA	5.57	126.11	120.38
1	A	250	ALA	N-CA-C	-5.52	99.05	110.80
1	A	233	THR	CA-C-N	-5.41	113.08	119.84
1	A	233	THR	C-N-CA	-5.41	113.08	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2853	0	2706	110	1
2	H	1624	0	1564	28	1
3	L	1610	0	1491	29	0
All	All	6087	0	5761	164	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:GLN:CG	1:A:371:ASN:OD1	1.89	1.20
1:A:331:GLN:HG2	1:A:371:ASN:OD1	1.42	1.20
1:A:351:THR:HG22	1:A:352:LEU:HB2	1.12	1.09
1:A:331:GLN:CD	1:A:371:ASN:OD1	2.00	1.03
1:A:50:VAL:HG12	1:A:135:LEU:HD23	1.41	1.01
1:A:231:THR:HG23	1:A:232:GLY:H	1.23	1.01
1:A:331:GLN:NE2	1:A:371:ASN:OD1	1.95	0.99
1:A:351:THR:CG2	1:A:352:LEU:HB2	1.92	0.98
1:A:50:VAL:CG1	1:A:135:LEU:HD23	2.01	0.89
1:A:351:THR:HG22	1:A:352:LEU:CB	2.01	0.89
1:A:369:THR:OG1	1:A:370:GLU:HG2	1.78	0.83
1:A:74:CYS:HB2	1:A:77:GLN:HG3	1.66	0.78
2:H:43:LYS:HB2	2:H:53:ILE:HD11	1.67	0.76
1:A:206:MET:HE1	1:A:265:VAL:HB	1.70	0.74
2:H:205:ASN:ND2	2:H:216:ASP:OD1	2.23	0.72
1:A:232:GLY:O	1:A:233:THR:HG22	1.90	0.71
3:L:52:SER:O	3:L:53:ALA:HB3	1.89	0.71
1:A:81:TYR:HB2	1:A:85:GLN:HE22	1.59	0.66
1:A:206:MET:HE3	1:A:265:VAL:HG11	1.79	0.65
1:A:183:PHE:HA	1:A:299:ARG:O	1.97	0.65
1:A:349:MET:HA	1:A:352:LEU:HD12	1.80	0.64
1:A:231:THR:HG23	1:A:232:GLY:N	2.04	0.64
1:A:15:MET:SD	1:A:16:SER:N	2.72	0.62
1:A:352:LEU:O	1:A:352:LEU:HG	1.99	0.62
1:A:125:MET:HB2	1:A:206:MET:HA	1.80	0.62
2:H:104:ARG:NH1	2:H:107:TYR:O	2.32	0.62
1:A:192:PRO:HD3	1:A:289:LEU:HD12	1.81	0.62
1:A:307:LEU:HD22	1:A:342:PRO:HG3	1.82	0.61
1:A:124:LYS:CD	1:A:236:TRP:HH2	2.14	0.61
1:A:124:LYS:HD2	1:A:236:TRP:HH2	1.66	0.60
1:A:358:LEU:HD22	1:A:378:LEU:HD22	1.83	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:ASP:C	1:A:231:THR:HG22	2.27	0.59
3:L:52:SER:O	3:L:53:ALA:CB	2.50	0.59
2:H:63:THR:O	2:H:64:ASN:HB2	2.02	0.59
3:L:82:SER:O	3:L:85:LEU:HG	2.02	0.58
1:A:172:ASN:N	1:A:172:ASN:OD1	2.37	0.57
1:A:314:PHE:HE2	1:A:398:HIS:HB2	1.69	0.57
1:A:50:VAL:HG23	1:A:50:VAL:O	2.03	0.57
1:A:295:MET:HB2	1:A:298:LEU:HD12	1.84	0.57
1:A:183:PHE:CD2	1:A:300:LEU:O	2.57	0.57
1:A:308:CYS:HB2	1:A:342:PRO:HD3	1.86	0.56
1:A:302:GLY:C	1:A:304:SER:H	2.13	0.56
1:A:170:THR:HG22	1:A:172:ASN:H	1.71	0.56
1:A:230:ASP:OD2	1:A:231:THR:N	2.32	0.55
3:L:187:TYR:O	3:L:193:TYR:OH	2.23	0.55
3:L:50:ILE:HD13	3:L:56:ARG:HB3	1.88	0.55
2:H:17:VAL:HG11	2:H:91:LEU:HD12	1.90	0.54
1:A:169:ILE:HG23	1:A:174:PRO:HA	1.89	0.54
1:A:299:ARG:O	1:A:300:LEU:C	2.51	0.54
2:H:152:LYS:HA	2:H:185:THR:HG23	1.89	0.54
2:H:29:THR:OG1	2:H:30:SER:N	2.40	0.53
1:A:200:ASP:OD2	1:A:201:LEU:N	2.34	0.53
1:A:23:VAL:HG12	1:A:31:VAL:HG11	1.90	0.52
3:L:85:LEU:HD22	3:L:167:GLN:HB3	1.91	0.52
3:L:15:THR:HG21	3:L:80:ILE:HD13	1.90	0.52
1:A:226:HIS:CD2	1:A:234:PRO:HB3	2.45	0.52
3:L:92:GLN:NE2	3:L:96:TYR:O	2.44	0.51
1:A:62:GLU:OE1	1:A:123:LYS:NZ	2.36	0.51
1:A:39:PRO:HG3	1:A:300:LEU:HA	1.93	0.51
2:H:25:LEU:HD22	2:H:116:THR:HG21	1.92	0.51
2:H:164:ASN:HD22	2:H:168:LEU:HD13	1.76	0.51
1:A:351:THR:CB	1:A:352:LEU:HB2	2.42	0.50
3:L:16:SER:OG	3:L:19:ASP:OD1	2.28	0.50
1:A:345:MET:O	1:A:354:PRO:HA	2.12	0.50
2:H:208:HIS:ND1	2:H:211:SER:OG	2.44	0.50
3:L:137:LEU:HD13	3:L:176:MET:HG3	1.93	0.49
2:H:206:VAL:HB	2:H:215:VAL:HG13	1.93	0.49
1:A:66:SER:HB2	1:A:118:LYS:HB3	1.95	0.49
1:A:206:MET:CE	1:A:265:VAL:HB	2.41	0.49
1:A:72:SER:HB3	1:A:113:LEU:HD13	1.95	0.49
1:A:295:MET:HB2	1:A:298:LEU:CD1	2.42	0.49
1:A:312:PHE:C	1:A:396:ILE:HD11	2.37	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:177:ALA:HB2	2:H:186:LEU:HD23	1.95	0.48
1:A:387:ILE:O	1:A:397:THR:HA	2.13	0.48
3:L:108:LYS:HA	3:L:141:TYR:OH	2.13	0.48
1:A:224:PRO:HD3	1:A:241:ALA:HB3	1.95	0.48
1:A:278:ASP:HA	1:A:279:GLY:HA2	1.65	0.48
1:A:226:HIS:CG	1:A:234:PRO:HB3	2.49	0.48
1:A:314:PHE:CE2	1:A:398:HIS:HB2	2.49	0.48
1:A:187:GLY:O	1:A:293:LEU:HB2	2.14	0.47
1:A:226:HIS:CD2	1:A:234:PRO:CB	2.98	0.47
3:L:135:CYS:HB2	3:L:149:TRP:CH2	2.50	0.47
1:A:36:GLN:C	1:A:38:LYS:H	2.23	0.47
1:A:312:PHE:HE1	1:A:365:ILE:HD11	1.79	0.47
2:H:175:PHE:CD1	3:L:165:THR:HG23	2.49	0.47
1:A:235:HIS:ND1	1:A:235:HIS:C	2.73	0.47
1:A:351:THR:CA	1:A:352:LEU:HB2	2.45	0.46
3:L:196:GLU:HG2	3:L:207:VAL:HG22	1.97	0.46
1:A:350:GLN:HA	1:A:351:THR:HG23	1.97	0.46
1:A:345:MET:HG2	1:A:387:ILE:HG22	1.97	0.46
2:H:93:SER:OG	2:H:94:GLU:OE2	2.31	0.46
1:A:9:ARG:HB2	1:A:323:HIS:NE2	2.30	0.46
1:A:34:MET:H	1:A:34:MET:HG3	1.41	0.46
1:A:249:HIS:O	1:A:250:ALA:HB2	2.14	0.46
1:A:64:SER:HB2	1:A:120:ALA:HB3	1.98	0.46
1:A:125:MET:HG3	1:A:204:LEU:HD11	1.97	0.46
1:A:49:THR:HG21	1:A:281:LYS:HD3	1.98	0.46
1:A:124:LYS:CD	1:A:236:TRP:CH2	2.98	0.46
1:A:345:MET:HE2	1:A:387:ILE:HG22	1.97	0.46
1:A:366:THR:O	1:A:367:GLU:C	2.55	0.46
3:L:120:PRO:HB3	3:L:210:PHE:CE2	2.51	0.46
2:H:125:THR:HG22	2:H:211:SER:HB3	1.98	0.46
1:A:101:TRP:NE1	1:A:106:GLY:O	2.47	0.45
1:A:295:MET:HG3	1:A:298:LEU:HD12	1.98	0.45
1:A:39:PRO:N	1:A:300:LEU:HD12	2.31	0.45
1:A:49:THR:O	1:A:50:VAL:HG13	2.16	0.45
1:A:57:ARG:NH1	1:A:59:TYR:OH	2.49	0.45
1:A:69:ALA:O	1:A:115:THR:HG23	2.17	0.45
2:H:63:THR:O	2:H:64:ASN:CB	2.63	0.45
1:A:49:THR:C	1:A:50:VAL:HG13	2.42	0.45
2:H:155:PHE:HA	2:H:156:PRO:HA	1.73	0.45
3:L:50:ILE:HA	3:L:56:ARG:HA	1.99	0.45
3:L:209:SER:OG	3:L:210:PHE:N	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:30:HIS:CD2	3:L:70:GLY:HA2	2.53	0.44
3:L:198:THR:HG23	3:L:205:PRO:HB3	1.98	0.44
2:H:128:PRO:HD3	2:H:208:HIS:ND1	2.33	0.43
2:H:23:VAL:HG12	2:H:91:LEU:HD11	2.00	0.43
1:A:40:THR:HG23	1:A:144:HIS:HB3	2.01	0.43
1:A:231:THR:CG2	1:A:232:GLY:H	2.05	0.43
3:L:48:LEU:HB3	3:L:57:TYR:CD2	2.53	0.43
2:H:128:PRO:HB3	2:H:154:TYR:HB3	2.00	0.43
1:A:235:HIS:O	1:A:235:HIS:CG	2.70	0.43
1:A:330:VAL:HG11	1:A:389:ILE:HG21	2.00	0.43
2:H:78:ASP:HB2	2:H:85:TYR:HE1	1.83	0.43
1:A:106:GLY:HA2	2:H:104:ARG:HD3	2.01	0.43
1:A:295:MET:HB2	1:A:298:LEU:HG	2.01	0.43
1:A:224:PRO:HA	1:A:237:ASN:O	2.19	0.42
1:A:192:PRO:HG3	1:A:290:LYS:H	1.83	0.42
1:A:345:MET:HE3	1:A:378:LEU:HB2	2.00	0.42
3:L:68:GLY:HA3	3:L:73:PHE:HA	2.01	0.42
1:A:300:LEU:HA	1:A:300:LEU:HD12	1.87	0.42
2:H:161:VAL:HA	2:H:205:ASN:O	2.20	0.42
3:L:211:ASN:HB3	3:L:212:ARG:H	1.65	0.42
1:A:295:MET:HB2	1:A:298:LEU:CG	2.49	0.42
1:A:74:CYS:O	1:A:77:GLN:HB2	2.20	0.42
1:A:21:VAL:HG23	1:A:23:VAL:HG22	2.01	0.42
1:A:191:GLU:HA	1:A:192:PRO:HD3	1.85	0.42
1:A:368:SER:HB2	1:A:369:THR:H	1.74	0.42
3:L:63:ARG:HB3	3:L:78:SER:O	2.20	0.42
1:A:99:ARG:HA	1:A:103:ASN:OD1	2.20	0.42
1:A:38:LYS:HA	1:A:300:LEU:HD13	2.01	0.41
1:A:51:SER:O	1:A:52:ASN:HB2	2.20	0.41
1:A:165:ALA:HB3	1:A:178:ALA:HB1	2.03	0.41
2:H:32:ASN:OD1	2:H:33:THR:N	2.53	0.41
3:L:135:CYS:HB2	3:L:149:TRP:CZ2	2.56	0.41
1:A:82:LEU:H	1:A:85:GLN:CD	2.28	0.41
1:A:206:MET:HE3	1:A:265:VAL:CG1	2.46	0.41
1:A:124:LYS:HD2	1:A:236:TRP:CH2	2.50	0.41
1:A:320:GLU:HB2	1:A:400:TRP:CZ2	2.56	0.41
1:A:349:MET:CA	1:A:352:LEU:HD12	2.49	0.41
3:L:6:MET:HE3	3:L:25:CYS:SG	2.61	0.41
1:A:49:THR:O	1:A:50:VAL:CG1	2.69	0.41
1:A:51:SER:O	1:A:134:ASN:ND2	2.54	0.41
1:A:200:ASP:HA	1:A:215:LYS:HD2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:56:ILE:HA	2:H:62:GLY:O	2.21	0.41
2:H:201:THR:HA	2:H:218:LYS:HE3	2.02	0.41
3:L:141:TYR:O	3:L:199:HIS:HE1	2.04	0.41
1:A:101:TRP:HB2	3:L:93:TYR:HB2	2.02	0.40
3:L:108:LYS:HB2	3:L:108:LYS:HE3	1.86	0.40
1:A:82:LEU:O	1:A:85:GLN:NE2	2.54	0.40
1:A:248:ALA:HA	1:A:253:GLN:HA	2.03	0.40
2:H:43:LYS:HE2	2:H:45:SER:OG	2.22	0.40
2:H:47:GLY:C	2:H:48:LYS:HG3	2.47	0.40
3:L:50:ILE:HG21	3:L:66:GLY:HA3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:GLY:O	2:H:212:SER:OG[2_444]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/416 (92%)	311 (82%)	41 (11%)	29 (8%)		
2	H	214/231 (93%)	195 (91%)	13 (6%)	6 (3%)		
3	L	209/216 (97%)	197 (94%)	12 (6%)	0		
All	All	804/863 (93%)	703 (87%)	66 (8%)	35 (4%)		

All (35) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	227	ALA
1	A	231	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	247	ASP
1	A	288	HIS
2	H	64	ASN
1	A	36	GLN
1	A	201	LEU
1	A	250	ALA
1	A	278	ASP
1	A	300	LEU
1	A	301	LYS
1	A	368	SER
2	H	221	PRO
1	A	192	PRO
1	A	207	ASN
1	A	233	THR
1	A	234	PRO
1	A	352	LEU
2	H	48	LYS
2	H	108	ALA
2	H	138	ALA
1	A	191	GLU
1	A	195	GLY
1	A	272	ALA
1	A	273	LEU
1	A	318	PRO
2	H	30	SER
1	A	70	SER
1	A	200	ASP
1	A	229	ALA
1	A	310	ALA
1	A	8	ASN
1	A	104	GLY
1	A	196	LEU
1	A	50	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/348 (87%)	258 (85%)	44 (15%)	3	15
2	H	184/200 (92%)	173 (94%)	11 (6%)	17	50
3	L	181/192 (94%)	171 (94%)	10 (6%)	19	53
All	All	667/740 (90%)	602 (90%)	65 (10%)	8	30

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	13	GLU
1	A	23	VAL
1	A	34	MET
1	A	37	ASP
1	A	40	THR
1	A	44	GLU
1	A	49	THR
1	A	64	SER
1	A	66	SER
1	A	68	MET
1	A	79	GLU
1	A	97	VAL
1	A	125	MET
1	A	133	GLU
1	A	136	GLU
1	A	142	SER
1	A	172	ASN
1	A	177	GLU
1	A	180	LEU
1	A	188	LEU
1	A	191	GLU
1	A	205	THR
1	A	206	MET
1	A	216	GLU
1	A	231	THR
1	A	233	THR
1	A	235	HIS
1	A	249	HIS
1	A	254	THR
1	A	266	HIS
1	A	278	ASP
1	A	283	ARG
1	A	284	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	296	ASP
1	A	299	ARG
1	A	300	LEU
1	A	307	LEU
1	A	315	THR
1	A	351	THR
1	A	368	SER
1	A	369	THR
1	A	378	LEU
1	A	395	LYS
2	H	7	VAL
2	H	31	GLU
2	H	48	LYS
2	H	50	LEU
2	H	77	VAL
2	H	90	SER
2	H	92	THR
2	H	106	TYR
2	H	109	LEU
2	H	170	SER
2	H	215	VAL
3	L	13	MET
3	L	48	LEU
3	L	58	THR
3	L	85	LEU
3	L	106	GLU
3	L	147	VAL
3	L	183	THR
3	L	185	ASP
3	L	186	GLU
3	L	196	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	226	HIS
1	A	331	GLN
1	A	362	ASN
3	L	30	HIS
3	L	39	GLN
3	L	158	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/416 (92%)	0.10	12 (3%) 51 30	46, 75, 114, 166	0
2	H	216/231 (93%)	-0.13	1 (0%) 87 72	39, 63, 108, 155	0
3	L	211/216 (97%)	-0.12	0 100 100	38, 68, 85, 107	0
All	All	812/863 (94%)	-0.02	13 (1%) 70 47	38, 69, 108, 166	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	31	GLU	2.8
1	A	16	SER	2.7
1	A	195	GLY	2.5
1	A	3	CYS	2.4
1	A	22	ASP	2.4
1	A	4	ILE	2.4
1	A	11	PHE	2.3
1	A	24	VAL	2.3
1	A	192	PRO	2.3
1	A	336	ASP	2.3
1	A	21	VAL	2.2
1	A	364	VAL	2.1
1	A	28	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.