



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:03 AM UTC

PDB ID : 2JI6 / pdb_00002ji6
Title : X-ray structure of Oxalyl-CoA decarboxylase in complex with 3-deaza- ThDP and oxalyl-CoA
Authors : Berthold, C.L.; Toyota, C.G.; Moussatche, P.; Wood, M.D.; Leeper, F.; Richards, N.G.J.; Lindqvist, Y.
Deposited on : 2007-02-26
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	 88% 9% ..
1	B	568	 87% 11% ..

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 9617 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called OXALYL-COA DECARBOXYLASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	5	0
			4200	2645	727	791	37			
1	B	559	Total	C	N	O	S	0	11	0
			4237	2672	731	797	37			

- Molecule 2 is 2-{4-[(4-AMINO-2-METHYLPYRIMIDIN-5-YL)METHYL]-3-METHYLT HIOPHEN-2-YL}ETHYL TRIHYDROGEN DIPHOSPHATE (CCD ID: TPW) (formula: C₁₃H₁₉N₃O₇P₂S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 27 10 5 10 2	0	0
4	B	1	Total C N O P 27 10 5 10 2	0	0

- Molecule 5 is OXALYL-COENZYME A (CCD ID: OXK) (formula: $C_{23}H_{36}N_7O_{19}P_3S$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			53	23	7	19	3	1		
5	B	1	Total	C	N	O	P	S	0	0
			53	23	7	19	3	1		

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		
6	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is 2-[3-(2-HYDROXY-1,1-DIHYDROXYMETHYL-ETHYLAMINO)-PROPYLAMINO]-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: B3P) (formula: $C_{11}H_{26}N_2O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			19	11	2	6		
7	B	1	Total	C	N	O	0	0
			19	11	2	6		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	464	Total	O	0	0
			464	464		
8	B	444	Total	O	0	0
			444	444		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: OXALYL-COA DECARBOXYLASE



• Molecule 1: OXALYL-COA DECARBOXYLASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	127.00Å 127.00Å 151.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.06 30.00 – 2.07	Depositor EDS
% Data completeness (in resolution range)	98.5 (30.00-2.06) 98.5 (30.00-2.07)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.20 (at 2.07Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.174 , 0.212 0.178 , 0.215	Depositor DCC
R_{free} test set	3997 reflections (4.64%)	wwPDB-VP
Wilson B-factor (Å ²)	24.6	Xtriage
Anisotropy	1.006	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 32.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.126 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9617	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PGE, B3P, TPW, OXK, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/4289	0.83	5/5805 (0.1%)
1	B	0.60	0/4342	0.82	5/5878 (0.1%)
All	All	0.61	0/8631	0.82	10/11683 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	451	GLY	N-CA-C	-6.71	104.21	111.93
1	B	451	GLY	N-CA-C	-6.02	104.37	112.14
1	B	421	ASP	N-CA-C	5.98	116.17	108.34
1	A	481	GLY	N-CA-C	5.96	118.62	110.69
1	B	481	GLY	N-CA-C	5.92	119.10	110.63
1	B	36	ILE	N-CA-C	5.89	118.12	111.88
1	A	36	ILE	N-CA-C	5.75	117.72	112.43
1	A	415	LYS	CA-C-N	5.07	124.97	119.85
1	A	415	LYS	C-N-CA	5.07	124.97	119.85
1	B	34	ILE	CB-CA-C	-5.06	105.92	110.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4200	0	4252	36	0
1	B	4237	0	4299	54	0
2	A	26	0	16	2	0
2	B	26	0	16	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	27	0	12	0	0
4	B	27	0	12	1	0
5	A	53	0	31	2	0
5	B	53	0	31	2	0
6	A	10	0	14	0	0
6	B	10	0	14	0	0
7	A	19	0	26	1	0
7	B	19	0	26	0	0
8	A	464	0	0	1	0
8	B	444	0	0	4	0
All	All	9617	0	8749	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:THR:HG23	8:B:2245:HOH:O	1.79	0.82
1:B:219[B]:MET:HE2	1:B:287:MET:HE3	1.63	0.80
1:B:278:LEU:HD11	1:B:283:LEU:HD13	1.68	0.76
1:B:219[B]:MET:HE2	1:B:287:MET:CE	2.18	0.73
1:B:287:MET:HE2	1:B:295:TRP:HZ2	1.54	0.72
2:A:1566:TPW:H2	5:A:1569:OXK:CM1	2.20	0.71
2:B:1566:TPW:H2	5:B:1569:OXK:CM1	2.19	0.71
1:B:81:ALA:HB3	1:B:82:PRO:CD	2.21	0.70
1:B:287:MET:HE2	1:B:295:TRP:CZ2	2.28	0.69
1:B:236:LEU:HD22	1:B:330:VAL:HG13	1.77	0.67
1:A:153:VAL:O	1:A:157:VAL:HG22	1.94	0.66
1:B:219[A]:MET:HE3	1:B:287:MET:HE3	1.77	0.65
1:A:552:GLU:O	1:A:557:LYS:HB3	1.99	0.63
1:A:455:PHE:HZ	1:A:462:LEU:HD22	1.63	0.63
1:A:238:GLU:HA	1:A:260:GLN:HE22	1.65	0.62
1:B:264:ALA:HB3	1:B:355:VAL:HG13	1.82	0.61
1:B:109[B]:GLU:OE1	8:B:2096:HOH:O	2.16	0.61
1:A:288:GLN:OE1	1:A:294:THR:HG21	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:ALA:CB	1:B:82:PRO:CD	2.81	0.59
1:A:120:TYR:OH	5:B:1569:OXK:OM2	2.22	0.58
1:A:281:ALA:HB1	1:A:287:MET:CE	2.33	0.58
1:B:81:ALA:HB3	1:B:82:PRO:HD3	1.86	0.57
1:A:14:HIS:NE2	1:A:42:MET:HE3	2.20	0.57
1:B:351:LEU:O	1:B:355:VAL:HG23	2.04	0.57
1:B:14:HIS:CE1	1:B:42:MET:CE	2.88	0.57
1:B:14:HIS:CE1	1:B:42:MET:HE3	2.41	0.56
1:B:217:VAL:HG21	1:B:245:LEU:HD12	1.88	0.56
1:B:278:LEU:CD1	1:B:283:LEU:HD13	2.35	0.55
1:B:288:GLN:HG2	1:B:294:THR:HG21	1.89	0.54
1:B:140:ASN:ND2	8:B:2141:HOH:O	2.42	0.53
2:A:1566:TPW:N1'	1:B:56:GLU:OE2	2.42	0.53
1:A:56:GLU:OE2	2:B:1566:TPW:N1'	2.42	0.52
1:A:376:ASN:H	1:A:379:ASN:HD21	1.57	0.52
1:A:556:ILE:HD11	5:A:1569:OXK:S	2.49	0.52
1:A:209:LEU:HD22	1:A:301:LYS:HD3	1.91	0.52
1:A:546:ASP:HB3	1:A:549:ALA:HB2	1.92	0.52
1:B:153:VAL:O	1:B:157:VAL:HG22	2.11	0.51
1:B:376:ASN:HD22	1:B:376:ASN:C	2.19	0.51
1:B:430:ILE:HD12	1:B:430:ILE:C	2.36	0.51
1:B:14:HIS:NE2	1:B:42:MET:HE3	2.27	0.50
1:A:219[B]:MET:SD	1:A:270:LEU:HD21	2.51	0.50
1:A:552:GLU:O	1:A:557:LYS:CB	2.59	0.50
1:B:213:ALA:HB2	1:B:275:VAL:HG21	1.94	0.50
1:A:14:HIS:CE1	1:A:42:MET:HE3	2.47	0.49
1:A:104:LEU:HD23	1:A:166:VAL:HB	1.93	0.49
1:B:546:ASP:HB3	1:B:549:ALA:HB2	1.94	0.49
1:B:376:ASN:ND2	1:B:379:ASN:H	2.10	0.49
1:B:80:SER:HB3	1:B:107:SER:HA	1.95	0.49
1:A:225:ALA:HA	1:A:253:LEU:HD22	1.96	0.48
1:A:81:ALA:HB3	1:A:82:PRO:CD	2.43	0.48
1:B:257:ASN:C	1:B:257:ASN:HD22	2.20	0.47
1:B:14:HIS:CE1	1:B:42:MET:HE1	2.50	0.46
1:A:520:ASN:ND2	8:A:2411:HOH:O	2.49	0.46
1:A:80:SER:HB3	1:A:107:SER:HA	1.98	0.46
1:B:245:LEU:HD23	1:B:263:ALA:HA	1.98	0.45
1:A:565:VAL:HG13	8:B:2002:HOH:O	2.16	0.45
1:A:553:SER:HB2	1:A:557:LYS:HA	1.99	0.45
1:B:243:PRO:HD3	1:B:348:THR:HG22	1.99	0.45
1:A:283:LEU:O	1:A:289:HIS:HA	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:LEU:HD11	1:B:319:ALA:HB3	1.99	0.44
1:B:236:LEU:HD13	1:B:334:ARG:HG3	1.98	0.44
1:A:7:VAL:O	1:A:7:VAL:HG23	2.17	0.44
1:B:363:ALA:O	1:B:367:THR:HG23	2.17	0.44
1:A:247:MET:HE1	1:A:286:LEU:HB3	1.99	0.43
1:B:430:ILE:HD12	1:B:431:GLY:N	2.33	0.43
1:B:437:ALA:O	1:B:441:VAL:HG22	2.17	0.43
1:A:14:HIS:CE1	1:A:42:MET:CE	3.01	0.43
1:B:465:ILE:HG22	1:B:538:PRO:HB3	2.00	0.43
1:B:540:LEU:C	1:B:540:LEU:HD23	2.43	0.43
1:B:376:ASN:HD21	1:B:379:ASN:H	1.67	0.43
1:B:224:ALA:HA	1:B:326:ILE:HD13	2.01	0.43
1:A:219[B]:MET:HE2	1:A:287:MET:SD	2.58	0.43
1:B:81:ALA:HB3	1:B:82:PRO:HD2	2.00	0.42
1:A:230:ASP:OD1	1:A:253:LEU:HD13	2.19	0.42
1:A:7:VAL:O	1:A:7:VAL:CG2	2.66	0.42
1:B:81:ALA:CB	1:B:82:PRO:HD3	2.47	0.42
1:B:217:VAL:CG2	1:B:245:LEU:HD12	2.50	0.42
1:A:225:ALA:CA	1:A:253:LEU:HD22	2.50	0.42
1:A:427:VAL:HG22	1:B:82:PRO:HB3	2.01	0.42
1:A:110:ARG:CZ	1:A:110:ARG:HA	2.50	0.41
7:A:1571:B3P:O2	1:B:469[A]:ASN:ND2	2.53	0.41
1:B:326:ILE:O	1:B:330:VAL:HG23	2.21	0.41
1:A:63:ALA:O	1:A:74:GLY:HA3	2.21	0.41
1:B:152:ALA:HA	1:B:164:VAL:HG11	2.03	0.41
1:B:253:LEU:HA	1:B:416:PRO:HB3	2.01	0.41
1:B:552:GLU:HB3	1:B:557:LYS:HG3	2.03	0.41
1:A:52:SER:H	1:A:468:TYR:HH	1.67	0.40
1:A:85:LEU:HG	1:A:123:MET:HE1	2.03	0.40
1:B:16:LEU:HA	1:B:145:ILE:HG21	2.03	0.40
1:B:326:ILE:HG13	4:B:1568:ADP:C2	2.56	0.40
1:B:29:TYR:O	1:B:76:CYS:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	562/568 (99%)	542 (96%)	19 (3%)	1 (0%)	43	38
1	B	568/568 (100%)	548 (96%)	19 (3%)	1 (0%)	43	38
All	All	1130/1136 (100%)	1090 (96%)	38 (3%)	2 (0%)	43	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	81	ALA
1	B	81	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	442/445 (99%)	432 (98%)	10 (2%)	44	41
1	B	448/445 (101%)	442 (99%)	6 (1%)	61	62
All	All	890/890 (100%)	874 (98%)	16 (2%)	51	51

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	VAL
1	A	22	MET
1	A	80	SER
1	A	88	VAL
1	A	180	GLU
1	A	253	LEU
1	A	257	ASN
1	A	379	ASN
1	A	462	LEU
1	A	557	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	80	SER
1	B	110	ARG
1	B	257	ASN
1	B	294	THR
1	B	338	LYS
1	B	376	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	140	ASN
1	A	183	ASN
1	A	196	GLN
1	A	257	ASN
1	A	260	GLN
1	A	304	GLN
1	A	379	ASN
1	A	391	ASN
1	A	520	ASN
1	B	140	ASN
1	B	228	GLN
1	B	257	ASN
1	B	304	GLN
1	B	316	GLN
1	B	376	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	OXK	B	1569	-	52,55,55	0.95	3 (5%)	73,82,82	1.77	16 (21%)
2	TPW	A	1566	3	25,27,27	1.45	5 (20%)	37,40,40	1.65	9 (24%)
7	B3P	B	1571	-	18,18,18	0.86	0	23,23,23	3.03	6 (26%)
6	PGE	A	1570	-	9,9,9	0.56	0	8,8,8	0.37	0
7	B3P	A	1571	-	18,18,18	0.97	1 (5%)	23,23,23	3.11	6 (26%)
4	ADP	B	1568	-	28,29,29	1.52	6 (21%)	43,45,45	1.74	10 (23%)
5	OXK	A	1569	-	52,55,55	0.95	2 (3%)	73,82,82	1.78	15 (20%)
6	PGE	B	1570	-	9,9,9	0.61	0	8,8,8	0.42	0
2	TPW	B	1566	3	25,27,27	1.37	5 (20%)	37,40,40	1.51	7 (18%)
4	ADP	A	1568	-	28,29,29	1.57	6 (21%)	43,45,45	1.84	11 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	OXK	B	1569	-	-	3/51/71/71	0/3/3/3
2	TPW	A	1566	3	-	3/17/17/17	0/2/2/2
7	B3P	B	1571	-	-	12/28/28/28	-
6	PGE	A	1570	-	-	7/7/7/7	-
7	B3P	A	1571	-	-	8/28/28/28	-
4	ADP	B	1568	-	-	2/16/32/32	0/3/3/3
5	OXK	A	1569	-	-	3/51/71/71	0/3/3/3
6	PGE	B	1570	-	-	3/7/7/7	-
2	TPW	B	1566	3	-	3/17/17/17	0/2/2/2
4	ADP	A	1568	-	-	2/16/32/32	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1568	ADP	C5-C4	4.83	1.47	1.39
4	A	1568	ADP	C5-C4	4.50	1.47	1.39
4	A	1568	ADP	PA-O3A	3.83	1.63	1.59
2	A	1566	TPW	P1-O11	3.57	1.63	1.59
4	B	1568	ADP	PA-O3A	3.32	1.63	1.59
2	B	1566	TPW	C3-C4	-2.86	1.37	1.45
2	B	1566	TPW	P1-O11	2.85	1.62	1.59
5	A	1569	OXK	P2-O6	2.85	1.62	1.59
4	A	1568	ADP	C5-C6	2.83	1.48	1.41
4	B	1568	ADP	C8-N7	2.72	1.36	1.31
2	A	1566	TPW	C3-C4	-2.71	1.37	1.45
2	A	1566	TPW	C4'-N3'	2.70	1.38	1.35
5	B	1569	OXK	P1-O6	2.63	1.62	1.59
4	B	1568	ADP	C5-C6	2.52	1.48	1.41
2	A	1566	TPW	C2'-N3'	2.52	1.38	1.34
5	B	1569	OXK	P2-O6	2.50	1.62	1.59
4	A	1568	ADP	C8-N7	2.45	1.36	1.31
5	A	1569	OXK	P1-O6	2.34	1.62	1.59
2	A	1566	TPW	C2'-N1'	2.28	1.37	1.34
4	A	1568	ADP	C4-N9	-2.24	1.33	1.37
4	A	1568	ADP	C5-N7	-2.24	1.35	1.39
2	B	1566	TPW	C4'-N3'	2.15	1.37	1.35
2	B	1566	TPW	C6'-N1'	2.11	1.38	1.34
2	B	1566	TPW	C2-C3	2.08	1.38	1.36
5	B	1569	OXK	C8-N7	2.06	1.35	1.31
7	A	1571	B3P	C2-N2	2.06	1.49	1.46
4	B	1568	ADP	C5-N7	-2.05	1.35	1.39
4	B	1568	ADP	C4-N9	-2.04	1.33	1.37

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1571	B3P	C10-C8-N2	-7.58	86.38	109.02
7	A	1571	B3P	C11-C8-N2	-7.33	87.15	109.02
7	B	1571	B3P	C10-C8-N2	-7.17	87.63	109.02
7	B	1571	B3P	C9-C8-N2	-6.87	88.53	109.02
7	B	1571	B3P	C11-C8-N2	-6.53	89.53	109.02
7	A	1571	B3P	C9-C8-N2	-6.38	89.97	109.02
5	A	1569	OXK	CP1-S-CM1	-5.95	92.83	99.85
5	B	1569	OXK	CP1-S-CM1	-5.79	93.02	99.85
7	A	1571	B3P	C10-C8-C9	5.18	121.38	110.02
7	B	1571	B3P	C10-C8-C9	5.13	121.27	110.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1569	OXK	C5-C4-N3	-4.89	119.99	126.72
5	A	1569	OXK	N1-C2-N3	-4.85	121.24	128.58
5	B	1569	OXK	C5-C4-N3	-4.75	120.17	126.72
5	B	1569	OXK	N1-C2-N3	-4.75	121.39	128.58
4	B	1568	ADP	C5-C4-N3	-4.74	120.19	126.72
4	A	1568	ADP	C5-C4-N3	-4.71	120.24	126.72
7	B	1571	B3P	C11-C8-C9	4.37	119.61	110.02
7	A	1571	B3P	C11-C8-C10	4.31	119.48	110.02
5	B	1569	OXK	CP4-CP5-NP2	-4.16	103.16	112.00
7	B	1571	B3P	C11-C8-C10	4.06	118.94	110.02
4	B	1568	ADP	N3-C4-N9	3.97	133.92	127.17
7	A	1571	B3P	C11-C8-C9	3.97	118.72	110.02
4	A	1568	ADP	N3-C4-N9	3.94	133.87	127.17
4	B	1568	ADP	N3-C2-N1	-3.82	122.80	128.58
4	A	1568	ADP	C4-N9-C8	3.75	109.68	105.74
5	A	1569	OXK	N9-C8-N7	-3.74	108.63	113.94
4	A	1568	ADP	N3-C2-N1	-3.74	122.92	128.58
2	A	1566	TPW	C6'-C5'-C4'	3.70	120.10	115.55
5	B	1569	OXK	N9-C8-N7	-3.68	108.72	113.94
2	B	1566	TPW	C2-S1-C5	-3.62	88.99	92.41
5	A	1569	OXK	CP4-CP5-NP2	-3.62	104.30	112.00
5	A	1569	OXK	C2-N3-C4	3.48	120.33	111.83
4	B	1568	ADP	C2-N3-C4	3.46	120.27	111.83
4	A	1568	ADP	C2-N3-C4	3.43	120.22	111.83
4	A	1568	ADP	C4-C5-N7	-3.43	106.67	110.58
2	A	1566	TPW	C35-C3-C2	-3.31	119.99	124.23
2	B	1566	TPW	N1'-C2'-N3'	-3.31	120.02	125.53
4	B	1568	ADP	C4-N9-C8	3.31	109.21	105.74
5	B	1569	OXK	C2-N3-C4	3.30	119.88	111.83
5	B	1569	OXK	CP1-CP2-NP1	-3.28	105.57	112.41
2	A	1566	TPW	C2-S1-C5	-3.21	89.38	92.41
5	A	1569	OXK	N3-C4-N9	3.11	132.46	127.17
5	A	1569	OXK	CP1-CP2-NP1	-3.11	105.92	112.41
2	A	1566	TPW	N1'-C2'-N3'	-3.05	120.45	125.53
4	B	1568	ADP	C4-C5-N7	-3.04	107.11	110.58
2	B	1566	TPW	C2A-C2'-N1'	3.02	120.42	117.20
5	A	1569	OXK	C4-C5-N7	-3.00	107.15	110.58
5	B	1569	OXK	C4-C5-N7	-2.97	107.18	110.58
5	A	1569	OXK	C4-N9-C8	2.94	108.82	105.74
2	A	1566	TPW	C35-C5'-C6'	-2.89	117.63	122.19
5	B	1569	OXK	N3-C4-N9	2.89	132.08	127.17
5	A	1569	OXK	CP2-NP1-CP3	2.87	128.17	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1569	OXK	C5-N7-C8	2.80	107.85	103.45
4	A	1568	ADP	N9-C8-N7	-2.76	110.02	113.94
5	B	1569	OXK	CP2-NP1-CP3	2.75	127.94	122.82
5	B	1569	OXK	C5-N7-C8	2.73	107.75	103.45
5	B	1569	OXK	C4-N9-C8	2.73	108.61	105.74
4	A	1568	ADP	C5-N7-C8	2.73	107.74	103.45
5	B	1569	OXK	CP5-NP2-CP6	2.72	127.44	122.55
5	A	1569	OXK	OM3-CM2-CM1	2.70	119.76	113.82
5	B	1569	OXK	OM3-CM2-CM1	2.70	119.76	113.82
2	B	1566	TPW	C6'-C5'-C4'	2.61	118.75	115.55
5	A	1569	OXK	CP5-NP2-CP6	2.54	127.11	122.55
4	A	1568	ADP	C6-C5-N7	2.51	136.93	132.09
4	B	1568	ADP	C2-N1-C6	2.49	122.81	118.73
4	A	1568	ADP	C2-N1-C6	2.47	122.78	118.73
2	B	1566	TPW	C2'-N3'-C4'	2.46	121.88	118.10
2	A	1566	TPW	C6'-N1'-C2'	2.42	120.05	116.07
5	B	1569	OXK	O33-P3-O31	2.41	116.84	107.80
4	B	1568	ADP	C6-C5-N7	2.39	136.70	132.09
2	A	1566	TPW	C2-C3-C4	2.36	113.59	111.92
2	A	1566	TPW	C5'-C6'-N1'	-2.36	120.00	123.83
4	B	1568	ADP	C5-N7-C8	2.28	107.03	103.45
4	B	1568	ADP	N9-C8-N7	-2.24	110.76	113.94
2	B	1566	TPW	C5A-C5-S1	-2.22	115.70	120.90
4	A	1568	ADP	C4-N9-C1'	-2.16	121.58	126.63
2	B	1566	TPW	C35-C5'-C6'	-2.11	118.87	122.19
2	A	1566	TPW	C2A-C2'-N1'	2.10	119.44	117.20
5	B	1569	OXK	O11-P1-O12	2.07	122.07	112.44
5	A	1569	OXK	O33-P3-O31	2.01	115.33	107.80

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1566	TPW	P1-O11-P2-O21
2	A	1566	TPW	P1-O11-P2-O23
2	B	1566	TPW	P1-O11-P2-O23
7	A	1571	B3P	C11-C8-C9-O1
7	A	1571	B3P	O2-C10-C8-C9
7	A	1571	B3P	O3-C11-C8-N2
7	A	1571	B3P	O3-C11-C8-C10
7	B	1571	B3P	N1-C4-C6-O5
7	B	1571	B3P	C7-C4-C6-O5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	B	1571	B3P	C11-C8-C9-O1
7	B	1571	B3P	O2-C10-C8-C11
7	B	1571	B3P	O3-C11-C8-C10
6	B	1570	PGE	O2-C3-C4-O3
7	A	1571	B3P	C2-C1-C3-N1
7	B	1571	B3P	C2-C1-C3-N1
4	B	1568	ADP	O4'-C4'-C5'-O5'
7	B	1571	B3P	C5-C4-C6-O5
7	A	1571	B3P	C3-C1-C2-N2
6	A	1570	PGE	O3-C5-C6-O4
4	B	1568	ADP	C3'-C4'-C5'-O5'
4	A	1568	ADP	O4'-C4'-C5'-O5'
4	A	1568	ADP	C3'-C4'-C5'-O5'
7	A	1571	B3P	N2-C8-C9-O1
7	A	1571	B3P	O2-C10-C8-N2
7	B	1571	B3P	N1-C4-C7-O6
6	A	1570	PGE	O1-C1-C2-O2
7	B	1571	B3P	C9-C8-N2-C2
6	A	1570	PGE	C3-C4-O3-C5
6	A	1570	PGE	C6-C5-O3-C4
5	A	1569	OXK	P2-O6-P1-O12
5	B	1569	OXK	P2-O6-P1-O12
6	A	1570	PGE	C1-C2-O2-C3
7	B	1571	B3P	C5-C4-C7-O6
7	B	1571	B3P	O3-C11-C8-C9
5	A	1569	OXK	CPB-O7-P2-O22
6	B	1570	PGE	C6-C5-O3-C4
5	B	1569	OXK	C3'-O3'-P3-O31
6	B	1570	PGE	C3-C4-O3-C5
2	B	1566	TPW	P1-O11-P2-O21
6	A	1570	PGE	C4-C3-O2-C2
5	A	1569	OXK	P2-O6-P1-O11
5	B	1569	OXK	P2-O6-P1-O11
2	A	1566	TPW	P1-O11-P2-O22
2	B	1566	TPW	P1-O11-P2-O22
7	B	1571	B3P	N2-C8-C9-O1
6	A	1570	PGE	O2-C3-C4-O3




There are no ring outliers.

6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1569	OXK	2	0
2	A	1566	TPW	2	0
7	A	1571	B3P	1	0
4	B	1568	ADP	1	0
5	A	1569	OXK	2	0
2	B	1566	TPW	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand ADP B 1568




Ligand OXK A 1569



Ligand TPW B 1566





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	559/568 (98%)	-1.45	0 100 100	18, 31, 40, 49	5 (0%)
1	B	559/568 (98%)	-1.44	0 100 100	16, 31, 41, 48	11 (1%)
All	All	1118/1136 (98%)	-1.45	0 100 100	16, 31, 41, 49	16 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	B3P	A	1571	19/19	0.97	0.06	43,56,69,70	0
6	PGE	B	1570	10/10	0.98	0.06	47,48,49,49	0
6	PGE	A	1570	10/10	0.98	0.06	52,52,53,53	0
7	B3P	B	1571	19/19	0.98	0.06	51,60,71,72	0
4	ADP	A	1568	27/27	0.99	0.04	26,32,33,33	0
4	ADP	B	1568	27/27	0.99	0.04	26,32,33,34	0
5	OXK	A	1569	53/53	0.99	0.04	32,41,44,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	OXK	B	1569	53/53	0.99	0.04	37,47,51,53	0
2	TPW	A	1566	26/26	1.00	0.03	19,22,23,24	0
2	TPW	B	1566	26/26	1.00	0.03	18,24,28,29	0
3	MG	A	1567	1/1	1.00	0.03	22,22,22,22	0
3	MG	B	1567	1/1	1.00	0.02	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around B3P A 1571:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B3P B 1571:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP A 1568:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 1568:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OXK A 1569:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OXK B 1569:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TPW A 1566:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TPW B 1566:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.