



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 08:15 AM EDT

PDB ID : 2JJ0 / pdb_00002jj0
Title : PHOTOSYNTHETIC REACTION CENTER MUTANT WITH ALA M248 REPLACED WITH TRP (CHAIN M, AM248W)
Authors : Fyfe, P.K.; Potter, J.A.; Cheng, J.; Williams, C.M.; Watson, A.J.; Jones, M.R.
Deposited on : 2007-07-03
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	260	 2% 78% 10% 10%
2	L	281	 6% 84% 15% .
3	M	308	 2% 87% 10% ..

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 7111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REACTION CENTER PROTEIN H CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	235	Total	C	N	O	S	0	1	0
			1796	1148	305	334	9			

- Molecule 2 is a protein called REACTION CENTER PROTEIN L CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	281	Total	C	N	O	S	0	1	0
			2244	1516	356	364	8			


- Molecule 3 is a protein called REACTION CENTER PROTEIN M CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	301	Total	C	N	O	S	0	0	0
			2412	1612	394	396	10			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	248	TRP	ALA	engineered mutation	UNP P0C0Y9

- Molecule 4 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 5 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	L	1	Total	C	N	O	0	0
			65	55	4	6		
5	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 6 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			17	13	4		

- Molecule 7 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 8 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Fe	0	0
			1	1		

- Molecule 9 is SPEROIDENONE (CCD ID: SPN) (formula: C₄₁H₇₀O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	C	O	0	0
			43	41	2		

- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	1	Total	Cl	0	0
			1	1		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	H	55	Total	O	0	0
			55	55		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	L	23	Total 23	O 23	0	0
11	M	44	Total 44	O 44	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: REACTION CENTER PROTEIN H CHAIN



• Molecule 2: REACTION CENTER PROTEIN L CHAIN



• Molecule 3: REACTION CENTER PROTEIN M CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.81Å 139.81Å 185.15Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.90 – 2.80 27.90 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.0 (27.90-2.80) 98.8 (27.90-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.203 , 0.245 0.237 , 0.278	Depositor DCC
R_{free} test set	2573 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	60.5	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7111	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, CL, BCL, SPN, BPH, U10, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.82	0/1843	0.97	6/2509 (0.2%)
2	L	0.77	0/2333	0.87	1/3194 (0.0%)
3	M	0.75	0/2506	0.93	4/3422 (0.1%)
All	All	0.78	0/6682	0.92	11/9125 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	2
3	M	0	2
All	All	0	4

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	48	GLY	CA-C-N	9.89	132.20	119.84
3	M	48	GLY	C-N-CA	9.89	132.20	119.84
1	H	75	VAL	CA-C-N	9.21	131.35	119.84
1	H	75	VAL	C-N-CA	9.21	131.35	119.84
1	H	76	PRO	N-CA-C	-6.08	99.95	112.47
1	H	41	PRO	N-CA-C	-5.82	100.49	112.47
3	M	47	LEU	N-CA-C	-5.52	100.30	109.46
3	M	259	ASN	N-CA-C	5.51	116.52	108.14
2	L	38	THR	N-CA-CB	5.11	117.63	110.12
1	H	216	ILE	CA-C-N	5.07	125.35	119.93
1	H	216	ILE	C-N-CA	5.07	125.35	119.93

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	40	TYR	Peptide
1	H	75	VAL	Peptide
3	M	300	ASN	Peptide
3	M	48	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1796	0	1790	23	0
2	L	2244	0	2196	32	0
3	M	2412	0	2318	27	0
4	L	198	0	222	15	0
4	M	66	0	74	4	0
5	L	65	0	76	8	0
5	M	65	0	76	8	0
6	L	17	0	15	2	0
7	M	81	0	106	2	0
8	M	1	0	0	0	0
9	M	43	0	69	9	0
10	M	1	0	0	0	0
11	H	55	0	0	1	0
11	L	23	0	0	0	0
11	M	44	0	0	1	0
All	All	7111	0	6942	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:275:LEU:HD23	3:M:278:LEU:HD23	1.53	0.88
1:H:173[B]:GLU:OE2	1:H:175:MET:HE3	1.77	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:L:1285:BPH:HHC	5:L:1285:BPH:HBB3	1.62	0.80
5:M:1307:BPH:HHC	5:M:1307:BPH:HBB3	1.64	0.79
2:L:181:PHE:CD2	5:M:1307:BPH:HBB1	2.20	0.77
1:H:41:PRO:HD2	11:H:2008:HOH:O	1.85	0.77
2:L:181:PHE:HB3	5:M:1307:BPH:HBB2	1.69	0.74
5:L:1285:BPH:HBB2	3:M:210:TYR:HB3	1.71	0.73
3:M:157:TRP:CD1	9:M:1308:SPN:H202	2.24	0.73
1:H:198:VAL:H	3:M:9:GLN:HE22	1.39	0.69
5:L:1285:BPH:HMC1	3:M:213:ALA:HB3	1.76	0.68
1:H:198:VAL:H	3:M:9:GLN:NE2	1.91	0.67
3:M:133:THR:HG21	3:M:147:ALA:HA	1.78	0.66
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.77	0.65
1:H:61:PRO:HA	1:H:76:PRO:HD3	1.77	0.65
2:L:264:GLN:HA	2:L:267:VAL:HG13	1.77	0.65
4:L:1283:BCL:HMB3	4:L:1283:BCL:CBB	2.27	0.64
2:L:21:LEU:HD23	2:L:22:PHE:CE1	2.33	0.63
2:L:38:THR:HG22	2:L:99:SER:HB2	1.80	0.62
3:M:133:THR:CG2	3:M:147:ALA:HA	2.30	0.61
1:H:37:ARG:NH2	1:H:60:LYS:O	2.33	0.61
2:L:71:LEU:H	2:L:71:LEU:HD12	1.66	0.60
2:L:190:HIS:HA	6:L:1286:U10:O2	2.03	0.59
2:L:69:PRO:HG2	2:L:142:TRP:HB2	1.86	0.58
1:H:173[B]:GLU:OE2	1:H:175:MET:CE	2.51	0.58
4:L:1282:BCL:H62	4:M:1304:BCL:H203	1.84	0.58
2:L:51:TRP:O	2:L:54:VAL:HG22	2.04	0.57
4:L:1284:BCL:HBB2	4:L:1284:BCL:HMB3	1.87	0.57
1:H:81:GLU:OE2	2:L:8:LYS:NZ	2.31	0.57
4:L:1282:BCL:C6	4:M:1304:BCL:H203	2.34	0.57
3:M:157:TRP:NE1	9:M:1308:SPN:H202	2.19	0.56
2:L:135:ARG:HB3	2:L:136:PRO:HD3	1.87	0.56
4:L:1283:BCL:HMB3	4:L:1283:BCL:HBB3	1.87	0.56
3:M:133:THR:HG22	3:M:147:ALA:HB2	1.87	0.55
1:H:34:GLU:O	1:H:37:ARG:HG3	2.08	0.54
2:L:38:THR:HG22	2:L:99:SER:CB	2.37	0.53
1:H:117:ARG:NH2	1:H:227:LEU:HD22	2.25	0.52
2:L:128:TYR:CE2	2:L:132:VAL:HG21	2.44	0.52
9:M:1308:SPN:HMA3	9:M:1308:SPN:H32	1.91	0.52
1:H:86:ALA:O	1:H:87:LEU:HD23	2.10	0.52
4:L:1282:BCL:CAB	9:M:1308:SPN:H162	2.40	0.52
2:L:207:ARG:HG3	3:M:142:MET:HG2	1.92	0.51
1:H:45:GLU:HG3	1:H:94:GLU:OE2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:164:ARG:HH12	3:M:173:GLU:HG3	1.75	0.51
4:L:1282:BCL:C3B	9:M:1308:SPN:H152	2.41	0.51
5:L:1285:BPH:HBB1	3:M:210:TYR:CD2	2.46	0.51
1:H:134:MET:HE1	1:H:141:HIS:C	2.37	0.50
4:L:1282:BCL:H141	9:M:1308:SPN:H101	1.92	0.50
2:L:219:LEU:HD12	3:M:132:ARG:NH1	2.27	0.50
3:M:270:ILE:HD13	7:M:1305:CDL:H311	1.94	0.50
3:M:157:TRP:CE2	9:M:1308:SPN:HM73	2.47	0.49
2:L:181:PHE:HB3	5:M:1307:BPH:CBB	2.40	0.48
2:L:162:TYR:OH	3:M:187:ASN:ND2	2.46	0.48
3:M:278:LEU:HD13	7:M:1305:CDL:H391	1.97	0.47
1:H:87:LEU:HD13	1:H:98:HIS:HB2	1.95	0.47
2:L:34:PHE:O	2:L:38:THR:HG23	2.14	0.47
1:H:140:PHE:CE2	1:H:171:ILE:HG23	2.50	0.47
2:L:85:LEU:O	2:L:89:ILE:HG13	2.15	0.47
2:L:180:PHE:CE2	2:L:240:ALA:HB1	2.49	0.47
1:H:65:ILE:HB	2:L:205:GLU:HA	1.98	0.46
5:L:1285:BPH:CMC	3:M:213:ALA:HB3	2.44	0.46
3:M:21:THR:HG23	3:M:26:LEU:HD21	1.97	0.46
2:L:210:ASP:OD1	2:L:210:ASP:N	2.49	0.46
2:L:173:HIS:CE1	2:L:177:ILE:HD11	2.51	0.46
1:H:61:PRO:HA	1:H:76:PRO:CD	2.46	0.46
2:L:207:ARG:HB3	2:L:211:HIS:CG	2.51	0.46
4:L:1282:BCL:OBB	9:M:1308:SPN:HM63	2.16	0.45
2:L:66:VAL:HG11	2:L:89:ILE:HD12	1.97	0.45
5:L:1285:BPH:HHC	5:L:1285:BPH:CBB	2.40	0.45
1:H:117:ARG:CZ	1:H:227:LEU:HD22	2.47	0.45
1:H:134:MET:HE1	1:H:142:VAL:N	2.31	0.45
3:M:269:ALA:O	3:M:270:ILE:C	2.59	0.45
2:L:1:ALA:O	2:L:2:LEU:HD23	2.17	0.44
1:H:73:LEU:HG	1:H:75:VAL:HG13	2.00	0.44
4:L:1284:BCL:CMD	3:M:206:ILE:HD13	2.47	0.44
4:L:1284:BCL:HMB3	4:L:1284:BCL:CBB	2.47	0.44
1:H:195:MET:HE3	1:H:195:MET:HB3	1.93	0.43
4:L:1282:BCL:HMB1	4:L:1282:BCL:CBB	2.49	0.43
1:H:171:ILE:HB	1:H:172:PRO:CD	2.48	0.43
4:L:1282:BCL:C14	9:M:1308:SPN:H101	2.49	0.42
3:M:133:THR:HG22	3:M:147:ALA:CB	2.49	0.42
5:M:1307:BPH:HHC	5:M:1307:BPH:CBB	2.44	0.42
2:L:180:PHE:CD2	2:L:240:ALA:HB1	2.55	0.42
5:L:1285:BPH:HBB3	5:L:1285:BPH:CHC	2.43	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:259:ASN:ND2	11:M:2036:HOH:O	2.52	0.42
2:L:128:TYR:O	2:L:132:VAL:HG22	2.20	0.41
5:M:1307:BPH:HBB3	5:M:1307:BPH:CHC	2.43	0.41
4:L:1282:BCL:H61	4:M:1304:BCL:H203	2.01	0.41
3:M:202:HIS:CE1	3:M:206:ILE:HD11	2.55	0.41
2:L:2:LEU:CD2	2:L:10:ARG:CZ	2.98	0.41
1:H:75:VAL:HG23	1:H:75:VAL:O	2.20	0.41
2:L:212:GLU:OE2	6:L:1286:U10:H3M2	2.21	0.41
2:L:65:SER:HA	2:L:148:TYR:O	2.20	0.41
5:M:1307:BPH:H6C1	5:M:1307:BPH:H4C1	1.58	0.41
4:M:1304:BCL:H202	5:M:1307:BPH:HMA1	2.02	0.40
4:L:1283:BCL:CBB	4:L:1283:BCL:CMB	2.97	0.40
5:L:1285:BPH:ND	3:M:214:LEU:HD13	2.36	0.40
2:L:49:ILE:HG13	2:L:89:ILE:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	234/260 (90%)	224 (96%)	9 (4%)	1 (0%)	30	60
2	L	280/281 (100%)	265 (95%)	15 (5%)	0	100	100
3	M	299/308 (97%)	284 (95%)	13 (4%)	2 (1%)	18	47
All	All	813/849 (96%)	773 (95%)	37 (5%)	3 (0%)	30	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	M	49	PRO
3	M	301	HIS
1	H	76	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	191/208 (92%)	187 (98%)	4 (2%)	47	79
2	L	221/220 (100%)	214 (97%)	7 (3%)	34	70
3	M	237/242 (98%)	229 (97%)	8 (3%)	32	68
All	All	649/670 (97%)	630 (97%)	19 (3%)	37	73

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	12	LEU
1	H	60	LYS
1	H	134	MET
1	H	231	ASP
2	L	72	GLU
2	L	158	SER
2	L	185	LEU
2	L	210	ASP
2	L	216	PHE
2	L	235	LEU
2	L	267	VAL
3	M	52	LEU
3	M	86	LEU
3	M	124	VAL
3	M	133	THR
3	M	182	HIS
3	M	196	LEU
3	M	274	VAL
3	M	301	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	68	HIS
2	L	183	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	280	ASN
3	M	9	GLN
3	M	28	ASN
3	M	44	ASN
3	M	187	ASN
3	M	259	ASN
3	M	300	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	BPH	L	1285	-	59,70,70	1.21	5 (8%)	59,101,101	1.59	9 (15%)
9	SPN	M	1308	-	42,42,42	3.65	17 (40%)	50,52,52	2.10	18 (36%)
4	BCL	L	1283	2	69,74,74	1.10	2 (2%)	79,115,115	1.26	11 (13%)
4	BCL	L	1282	3	69,74,74	1.18	3 (4%)	79,115,115	1.50	17 (21%)
5	BPH	M	1307	-	59,70,70	1.06	5 (8%)	59,101,101	2.12	16 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	U10	L	1286	-	17,17,63	2.27	2 (11%)	22,23,79	1.31	3 (13%)
7	CDL	M	1305	-	80,80,99	1.12	4 (5%)	86,92,111	1.12	7 (8%)
4	BCL	L	1284	2	69,74,74	1.15	4 (5%)	79,115,115	1.63	16 (20%)
4	BCL	M	1304	3	69,74,74	1.11	3 (4%)	79,115,115	1.27	10 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BPH	L	1285	-	-	10/37/105/105	0/5/6/6
9	SPN	M	1308	-	-	15/50/51/51	-
4	BCL	L	1283	2	-	4/41/137/137	-
4	BCL	L	1282	3	-	8/41/137/137	-
5	BPH	M	1307	-	-	14/37/105/105	0/5/6/6
6	U10	L	1286	-	-	3/8/32/87	0/1/1/1
7	CDL	M	1305	-	-	41/91/91/110	-
4	BCL	L	1284	2	-	5/41/137/137	-
4	BCL	M	1304	3	-	1/41/137/137	-

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	M	1308	SPN	C3-C4	-8.69	1.36	1.50
6	L	1286	U10	C6-C1	8.23	1.50	1.35
9	M	1308	SPN	C10-C9	-7.77	1.35	1.51
9	M	1308	SPN	C14-C13	-7.41	1.36	1.51
9	M	1308	SPN	C6-C5	-7.30	1.36	1.51
9	M	1308	SPN	C17-C18	-6.97	1.36	1.51
9	M	1308	SPN	C4-C5	6.28	1.47	1.33
9	M	1308	SPN	C19-C18	6.14	1.47	1.33
4	L	1282	BCL	MG-NA	6.13	2.20	2.06
9	M	1308	SPN	C8-C9	6.04	1.47	1.33
9	M	1308	SPN	C12-C13	5.69	1.46	1.33
4	M	1304	BCL	MG-NA	5.64	2.19	2.06
4	L	1283	BCL	MG-NA	5.62	2.19	2.06
9	M	1308	SPN	C7-C8	-4.92	1.35	1.50
9	M	1308	SPN	C11-C12	-4.87	1.35	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	M	1305	CDL	OB8-CB7	4.81	1.47	1.33
7	M	1305	CDL	OA6-CA5	4.63	1.47	1.34
5	L	1285	BPH	C1B-C2B	4.60	1.44	1.39
9	M	1308	SPN	C20-C19	-4.53	1.36	1.50
7	M	1305	CDL	OA8-CA7	4.05	1.45	1.33
7	M	1305	CDL	OB6-CB5	4.04	1.45	1.34
4	L	1284	BCL	MG-NB	3.91	2.13	2.05
6	L	1286	U10	C4-C3	3.60	1.49	1.36
9	M	1308	SPN	C21-C22	-3.59	1.35	1.52
5	M	1307	BPH	C1D-C2D	3.50	1.43	1.39
5	L	1285	BPH	C1D-C2D	3.38	1.43	1.39
5	M	1307	BPH	C1B-C2B	3.29	1.43	1.39
4	L	1284	BCL	MG-NA	3.29	2.14	2.06
4	L	1282	BCL	C3B-C4B	3.28	1.47	1.41
9	M	1308	SPN	C16-C15	-3.08	1.36	1.51
4	L	1283	BCL	C3B-C4B	3.05	1.47	1.41
5	L	1285	BPH	C2C-C3C	2.62	1.57	1.54
5	L	1285	BPH	C3B-C4B	2.58	1.45	1.41
4	M	1304	BCL	C3B-C4B	2.56	1.46	1.41
4	L	1284	BCL	C3C-C4C	-2.55	1.48	1.51
9	M	1308	SPN	C1-C2	-2.45	1.51	1.53
5	M	1307	BPH	C3A-C2A	-2.39	1.52	1.54
5	L	1285	BPH	C3D-CAD	-2.35	1.43	1.47
4	L	1284	BCL	C3B-C4B	2.31	1.45	1.41
4	M	1304	BCL	CHB-C1B	-2.30	1.34	1.39
4	L	1282	BCL	MG-NB	2.29	2.10	2.05
5	M	1307	BPH	C3B-C4B	2.23	1.45	1.41
9	M	1308	SPN	C6-C7	-2.09	1.46	1.53
5	M	1307	BPH	C1-C2	2.04	1.55	1.49
9	M	1308	SPN	C10-C11	-2.00	1.47	1.53

All (107) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	1307	BPH	O2D-CGD-CBD	7.40	119.08	110.95
5	M	1307	BPH	C4D-CHA-CBD	-5.90	105.63	108.45
5	M	1307	BPH	C1-O2A-CGA	5.08	128.94	116.65
4	L	1284	BCL	O2D-CGD-CBD	5.04	120.04	111.23
9	M	1308	SPN	CM5-C13-C14	4.85	123.64	115.23
5	M	1307	BPH	C2B-C1B-NB	-4.62	106.09	109.43
5	L	1285	BPH	CMA-C3A-C4A	-4.57	104.76	114.61
5	L	1285	BPH	O2D-CGD-CBD	4.50	115.89	110.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	1284	BCL	O1D-CGD-CBD	-4.46	115.73	124.52
7	M	1305	CDL	OA6-CA5-C11	4.31	120.80	111.48
4	M	1304	BCL	C4D-CHA-C1A	4.16	126.20	121.24
7	M	1305	CDL	OB6-CB5-C51	4.14	120.43	111.48
5	L	1285	BPH	C4D-CHA-CBD	-4.04	106.52	108.45
5	M	1307	BPH	C1-C2-C3	-3.97	119.70	126.20
9	M	1308	SPN	CM6-C18-C17	3.97	122.11	115.23
9	M	1308	SPN	C15-C14-C13	3.86	122.86	113.47
9	M	1308	SPN	C16-C17-C18	3.70	122.48	113.47
4	L	1282	BCL	C1-O2A-CGA	3.62	125.41	116.65
4	L	1284	BCL	C2B-C1B-NB	-3.58	106.61	110.33
9	M	1308	SPN	CM3-C5-C6	3.48	121.27	115.23
9	M	1308	SPN	CM4-C9-C10	3.43	121.19	115.23
4	L	1284	BCL	CAC-C3C-C4C	-3.41	105.01	112.58
9	M	1308	SPN	C15-C16-C17	3.40	125.61	113.13
4	M	1304	BCL	CHA-C1A-NA	-3.32	118.87	126.39
5	M	1307	BPH	OBD-CAD-CBD	-3.29	121.00	125.82
5	M	1307	BPH	C2D-C1D-ND	-3.27	107.06	109.43
9	M	1308	SPN	C11-C10-C9	3.25	123.94	113.19
4	L	1284	BCL	CAA-C2A-C3A	-3.24	104.23	113.00
4	L	1282	BCL	C4D-CHA-C1A	3.21	125.08	121.24
4	L	1282	BCL	C3B-C4B-NB	-3.21	105.53	109.76
4	L	1283	BCL	C3B-C4B-NB	-3.20	105.53	109.76
9	M	1308	SPN	C7-C6-C5	3.15	123.63	113.19
5	M	1307	BPH	C3B-C4B-NB	-3.13	103.50	108.05
5	L	1285	BPH	C1-C2-C3	-3.12	121.09	126.20
9	M	1308	SPN	C16-C15-C14	3.11	124.54	113.13
4	L	1284	BCL	C2C-C3C-C4C	3.07	105.94	101.34
4	M	1304	BCL	CHD-C1D-ND	-3.06	120.50	124.80
4	L	1284	BCL	C4D-CHA-C1A	3.04	124.87	121.24
4	L	1282	BCL	CHD-C1D-ND	-3.01	120.57	124.80
4	L	1283	BCL	CHD-C1D-ND	-3.00	120.58	124.80
7	M	1305	CDL	OB6-CB5-OB7	-3.00	116.69	123.70
5	L	1285	BPH	C2B-C1B-NB	-2.96	107.29	109.43
5	M	1307	BPH	CAA-C2A-C3A	-2.93	105.08	113.00
4	L	1283	BCL	CAA-C2A-C3A	-2.91	105.12	113.00
4	L	1282	BCL	O2D-CGD-CBD	2.90	116.30	111.23
4	L	1282	BCL	CMB-C2B-C1B	-2.89	121.01	125.42
5	M	1307	BPH	O1D-CGD-CBD	-2.88	120.36	124.72
4	L	1284	BCL	CHD-C1D-ND	-2.86	120.78	124.80
4	L	1284	BCL	CAA-CBA-CGA	2.86	121.32	113.21
4	L	1282	BCL	C2B-C1B-NB	-2.83	107.39	110.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	1283	BCL	C4A-NA-C1A	-2.82	105.39	106.68
4	L	1283	BCL	C2B-C1B-NB	-2.82	107.40	110.33
9	M	1308	SPN	CM7-C22-C21	2.78	121.18	111.27
9	M	1308	SPN	C3-C4-C5	-2.77	122.06	126.83
4	L	1282	BCL	CHA-C1A-NA	-2.72	120.22	126.39
5	M	1307	BPH	C1B-NB-C4B	2.71	112.76	108.82
4	M	1304	BCL	CAC-C3C-C4C	-2.70	106.59	112.58
4	L	1282	BCL	CHD-C1D-C2D	2.66	131.01	125.49
4	L	1283	BCL	CHA-C1A-NA	-2.65	120.39	126.39
4	L	1283	BCL	CHD-C1D-C2D	2.64	130.98	125.49
7	M	1305	CDL	OA8-CA7-C31	2.63	119.86	111.83
4	L	1282	BCL	CAA-C2A-C3A	-2.63	105.90	113.00
4	M	1304	BCL	C1D-ND-C4D	2.60	108.14	106.31
4	L	1284	BCL	C5-C3-C2	-2.60	115.33	121.17
4	L	1284	BCL	C1D-ND-C4D	2.59	108.13	106.31
7	M	1305	CDL	OB8-CB7-C71	2.59	119.74	111.83
4	L	1284	BCL	C6-C5-C3	-2.57	107.20	113.47
4	L	1282	BCL	CMA-C3A-C2A	-2.54	104.16	113.98
5	L	1285	BPH	C1A-C2A-C3A	-2.53	100.43	102.84
4	L	1284	BCL	C3B-C4B-NB	-2.48	106.48	109.76
4	L	1284	BCL	CHA-C1A-NA	-2.48	120.78	126.39
9	M	1308	SPN	C21-C20-C19	2.46	118.62	112.16
5	M	1307	BPH	CMA-C3A-C4A	-2.44	109.35	114.61
7	M	1305	CDL	OA8-CA7-OA9	-2.43	117.54	123.63
4	M	1304	BCL	C2B-C1B-NB	-2.42	107.81	110.33
5	M	1307	BPH	CMB-C2B-C3B	2.41	129.50	124.68
4	L	1282	BCL	O1D-CGD-CBD	-2.39	119.80	124.52
9	M	1308	SPN	CM7-C22-C23	2.37	119.73	111.27
6	L	1286	U10	C1M-C1-C6	-2.32	120.63	124.45
5	L	1285	BPH	CMB-C2B-C3B	2.32	129.32	124.68
5	M	1307	BPH	CAA-CBA-CGA	2.32	119.79	113.21
4	L	1284	BCL	C1C-NC-C4C	2.31	107.73	106.68
6	L	1286	U10	O5-C5-C6	-2.30	117.34	121.79
5	M	1307	BPH	C5-C3-C2	2.30	126.33	121.17
4	L	1282	BCL	CAA-CBA-CGA	2.29	119.71	113.21
4	L	1284	BCL	CHD-C1D-C2D	2.29	130.25	125.49
4	L	1282	BCL	C1D-ND-C4D	2.29	107.92	106.31
4	L	1283	BCL	C1D-ND-C4D	2.28	107.91	106.31
9	M	1308	SPN	C10-C9-C8	-2.28	116.06	121.17
9	M	1308	SPN	CMB-C30-CM9	2.28	119.83	114.59
4	L	1283	BCL	C4D-CHA-C1A	2.27	123.95	121.24
4	M	1304	BCL	C1-C2-C3	-2.22	122.56	126.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	1304	BCL	CHD-C1D-C2D	2.21	130.09	125.49
4	L	1283	BCL	CMA-C3A-C2A	-2.21	105.43	113.98
7	M	1305	CDL	CB4-OB6-CB5	-2.20	112.53	117.80
4	L	1282	BCL	O2A-C1-C2	2.19	116.55	108.11
4	L	1283	BCL	CMD-C2D-C1D	2.19	128.58	124.73
9	M	1308	SPN	C7-C8-C9	-2.18	122.62	127.62
9	M	1308	SPN	C14-C13-C12	-2.17	116.30	121.17
5	L	1285	BPH	C2D-C1D-ND	-2.09	107.92	109.43
5	L	1285	BPH	CMC-C2C-C3C	2.08	122.14	114.13
4	L	1282	BCL	CHB-C1B-NB	2.06	127.14	124.05
6	L	1286	U10	C3M-O3-C3	2.05	123.69	116.47
4	M	1304	BCL	C2A-C1A-CHA	2.05	127.43	123.87
5	M	1307	BPH	C4-C3-C2	-2.05	118.36	123.63
4	M	1304	BCL	C3B-C4B-NB	-2.02	107.09	109.76
4	L	1282	BCL	C5-C3-C2	2.00	125.66	121.17

There are no chirality outliers.

All (101) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	M	1305	CDL	CA2-OA2-PA1-OA3
7	M	1305	CDL	CA2-OA2-PA1-OA5
7	M	1305	CDL	CB2-OB2-PB2-OB3
7	M	1305	CDL	CB2-OB2-PB2-OB4
7	M	1305	CDL	CB2-OB2-PB2-OB5
9	M	1308	SPN	C20-C21-C22-CM7
9	M	1308	SPN	C14-C15-C16-C17
5	M	1307	BPH	C4-C3-C5-C6
9	M	1308	SPN	CM3-C5-C6-C7
9	M	1308	SPN	C11-C10-C9-CM4
9	M	1308	SPN	CM5-C13-C14-C15
9	M	1308	SPN	C16-C17-C18-CM6
5	M	1307	BPH	C2-C3-C5-C6
9	M	1308	SPN	C4-C5-C6-C7
9	M	1308	SPN	C11-C10-C9-C8
9	M	1308	SPN	C12-C13-C14-C15
9	M	1308	SPN	C16-C17-C18-C19
5	M	1307	BPH	C15-C16-C17-C18
4	L	1282	BCL	C15-C16-C17-C18
7	M	1305	CDL	CA7-C31-C32-C33
4	L	1283	BCL	C13-C15-C16-C17
4	L	1283	BCL	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	L	1282	BCL	C8-C10-C11-C12
5	M	1307	BPH	C10-C11-C12-C13
4	L	1282	BCL	C13-C15-C16-C17
7	M	1305	CDL	C51-CB5-OB6-CB4
7	M	1305	CDL	C36-C37-C38-C39
7	M	1305	CDL	C14-C15-C16-C17
7	M	1305	CDL	OB7-CB5-OB6-CB4
4	L	1283	BCL	C15-C16-C17-C18
7	M	1305	CDL	C58-C59-C60-C61
7	M	1305	CDL	CB2-C1-CA2-OA2
7	M	1305	CDL	C38-C39-C40-C41
5	L	1285	BPH	C16-C17-C18-C20
7	M	1305	CDL	C11-C12-C13-C14
7	M	1305	CDL	C76-C77-C78-C79
7	M	1305	CDL	C12-C13-C14-C15
7	M	1305	CDL	C53-C54-C55-C56
5	L	1285	BPH	C16-C17-C18-C19
4	L	1284	BCL	C15-C16-C17-C18
7	M	1305	CDL	OB5-CB3-CB4-CB6
7	M	1305	CDL	C35-C36-C37-C38
7	M	1305	CDL	C55-C56-C57-C58
5	L	1285	BPH	O2A-C1-C2-C3
7	M	1305	CDL	C54-C55-C56-C57
5	M	1307	BPH	C6-C7-C8-C9
5	L	1285	BPH	C6-C7-C8-C10
5	M	1307	BPH	C11-C12-C13-C15
7	M	1305	CDL	C80-C81-C82-C83
7	M	1305	CDL	C33-C34-C35-C36
7	M	1305	CDL	O1-C1-CA2-OA2
5	M	1307	BPH	C11-C12-C13-C14
9	M	1308	SPN	C5-C6-C7-C8
6	L	1286	U10	C6-C7-C8-C9
7	M	1305	CDL	OB5-CB3-CB4-OB6
4	L	1282	BCL	C3-C5-C6-C7
7	M	1305	CDL	C51-C52-C53-C54
5	M	1307	BPH	C2C-C3C-CAC-CBC
4	L	1284	BCL	C16-C17-C18-C19
5	M	1307	BPH	C16-C17-C18-C19
7	M	1305	CDL	C31-CA7-OA8-CA6
4	L	1282	BCL	C12-C13-C15-C16
5	M	1307	BPH	C12-C13-C15-C16
7	M	1305	CDL	C13-C14-C15-C16

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	M	1305	CDL	C77-C78-C79-C80
5	L	1285	BPH	C4C-C3C-CAC-CBC
7	M	1305	CDL	OA9-CA7-OA8-CA6
4	L	1284	BCL	CHA-CBD-CGD-O1D
4	L	1284	BCL	CHA-CBD-CGD-O2D
7	M	1305	CDL	CA2-OA2-PA1-OA4
4	L	1282	BCL	C11-C10-C8-C9
4	L	1282	BCL	C14-C13-C15-C16
5	M	1307	BPH	C16-C17-C18-C20
4	L	1284	BCL	C16-C17-C18-C20
7	M	1305	CDL	C40-C41-C42-C43
5	L	1285	BPH	C6-C7-C8-C9
7	M	1305	CDL	C60-C61-C62-C63
7	M	1305	CDL	C71-C72-C73-C74
7	M	1305	CDL	CB5-C51-C52-C53
7	M	1305	CDL	C1-CB2-OB2-PB2
9	M	1308	SPN	CM7-C22-C23-C24
5	L	1285	BPH	C3-C5-C6-C7
4	L	1283	BCL	C2A-CAA-CBA-CGA
5	L	1285	BPH	C12-C13-C15-C16
5	L	1285	BPH	C8-C10-C11-C12
4	L	1282	BCL	C4C-C3C-CAC-CBC
7	M	1305	CDL	OA6-CA4-CA6-OA8
6	L	1286	U10	C7-C8-C9-C10
4	M	1304	BCL	CAA-CBA-CGA-O2A
7	M	1305	CDL	C79-C80-C81-C82
9	M	1308	SPN	C7-C8-C9-CM4
7	M	1305	CDL	C32-C31-CA7-OA8
7	M	1305	CDL	C32-C33-C34-C35
5	L	1285	BPH	C14-C13-C15-C16
9	M	1308	SPN	C10-C11-C12-C13
7	M	1305	CDL	C32-C31-CA7-OA9
9	M	1308	SPN	C6-C7-C8-C9
6	L	1286	U10	C5-C4-O4-C4M
5	M	1307	BPH	C14-C13-C15-C16
5	M	1307	BPH	C4C-C3C-CAC-CBC
5	M	1307	BPH	C5-C6-C7-C8




There are no ring outliers.

9 monomers are involved in 39 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	L	1285	BPH	8	0
9	M	1308	SPN	9	0
4	L	1283	BCL	3	0
4	L	1282	BCL	9	0
5	M	1307	BPH	8	0
6	L	1286	U10	2	0
7	M	1305	CDL	2	0
4	L	1284	BCL	3	0
4	M	1304	BCL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand BPH M 1307



Ligand U10 L 1286







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	235/260 (90%)	0.20	6 (2%) 57 47	21, 43, 53, 58	5 (2%)
2	L	281/281 (100%)	0.50	16 (5%) 29 22	22, 44, 56, 63	2 (0%)
3	M	301/308 (97%)	0.41	5 (1%) 69 60	31, 44, 54, 79	1 (0%)
All	All	817/849 (96%)	0.38	27 (3%) 49 39	21, 44, 54, 79	8 (0%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	82	LYS	6.1
1	H	184	LYS	4.7
1	H	220	LYS	4.5
1	H	197	LYS	4.5
3	M	302	GLY	4.5
3	M	52	LEU	4.3
2	L	67[A]	TYR	3.5
2	L	59	TRP	3.4
2	L	277	GLY	3.2
1	H	163	LYS	3.2
2	L	83	GLY	3.1
2	L	72	GLU	3.1
2	L	80	LEU	3.1
1	H	173[A]	GLU	3.0
2	L	144	TYR	2.7
2	L	81	ALA	2.6
2	L	56	GLN	2.5
2	L	84	GLY	2.4
2	L	87	GLN	2.3
2	L	281	GLY	2.2
3	M	121	PHE	2.2
1	H	94	GLU	2.2
2	L	69	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	M	205	SER	2.1
2	L	270	PRO	2.0
2	L	278	GLY	2.0
3	M	76	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	U10	L	1286	17/63	0.83	0.36	29,32,33,33	17
7	CDL	M	1305	81/100	0.85	0.31	24,39,52,54	81
5	BPH	M	1307	65/65	0.91	0.13	38,44,85,86	0
9	SPN	M	1308	43/43	0.91	0.13	37,43,51,52	0
4	BCL	L	1284	66/66	0.93	0.12	29,36,50,54	0
4	BCL	L	1282	66/66	0.94	0.11	37,44,69,69	0
5	BPH	L	1285	65/65	0.94	0.11	33,40,43,46	0
4	BCL	M	1304	66/66	0.95	0.11	36,40,51,54	0
4	BCL	L	1283	66/66	0.95	0.11	29,39,53,56	0
10	CL	M	1309	1/1	0.98	0.05	39,39,39,39	0
8	FE	M	1306	1/1	0.99	0.05	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around U10 L 1286:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL M 1305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH M 1307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SPN M 1308:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 1284:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 1282:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 1285:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 1304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BCL L 1283:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.