



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:16 AM UTC

PDB ID : 2JKE / pdb_00002jke
Title : Structure of a family 97 alpha-glucosidase from Bacteroides thetaiotaomicron
in complex with deoxynojirimycin
Authors : Gloster, T.M.; Turkenburg, J.P.; Potts, J.R.; Henrissat, B.; Davies, G.J.
Deposited on : 2008-08-28
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	727	 84% 9% 6%
1	B	727	 86% 8% 6%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 13487 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUB).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	687	Total	C	N	O	S	0	49	0
			5787	3706	954	1096	31			
1	B	687	Total	C	N	O	S	0	38	0
			5713	3654	939	1088	32			

- Molecule 2 is 1-DEOXYNOJIRIMYCIN (CCD ID: NOJ) (formula: $C_6H_{13}NO_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			11	6	1	4		
2	B	1	Total	C	N	O	0	0
			11	6	1	4		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	965	Total 965	O 965	0	0
5	B	966	Total 966	O 966	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUSB)



• Molecule 1: ALPHA-GLUCOSIDASE (ALPHA-GLUCOSIDASE SUSB)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.72Å 112.24Å 102.49Å 90.00° 100.86° 90.00°	Depositor
Resolution (Å)	100.50 – 1.70 100.50 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (100.50-1.70) 99.7 (100.50-1.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.02 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.4.0077	Depositor
R, R_{free}	0.155 , 0.187 (Not available) , 0.183	Depositor DCC
R_{free} test set	9229 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	16.2	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 69.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13487	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NOJ, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	2/6087 (0.0%)	0.84	0/8249
1	B	0.77	2/5980 (0.0%)	0.85	0/8105
All	All	0.77	4/12067 (0.0%)	0.84	0/16354

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	560	THR	CA-CB	7.58	1.57	1.52
1	B	560	THR	CA-CB	6.46	1.57	1.52
1	A	560	THR	N-CA	6.03	1.50	1.46
1	B	560	THR	N-CA	5.92	1.50	1.46

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5787	0	5697	92	0
1	B	5713	0	5587	54	0
2	A	11	0	12	1	0
2	B	11	0	12	1	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
4	A	16	0	24	0	0
4	B	16	0	24	2	0
5	A	965	0	0	10	0
5	B	966	0	0	8	0
All	All	13487	0	11356	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109[A]:THR:CG2	1:A:119:GLU:HG2	1.67	1.24
1:A:429[A]:ARG:HH21	1:A:429[A]:ARG:CG	1.55	1.20
1:A:22:GLN:C	1:A:23[A]:GLN:NE2	2.03	1.17
1:A:45[A]:THR:HG22	1:A:60:THR:HG22	1.28	1.09
1:A:429[A]:ARG:HH21	1:A:429[A]:ARG:HG2	1.13	1.07
1:A:22:GLN:C	1:A:23[A]:GLN:HE21	1.62	1.06
1:A:658[A]:GLU:H	1:A:658[A]:GLU:CD	1.62	1.04
1:B:229[A]:THR:CG2	1:B:244:HIS:ND1	2.21	1.04
1:A:429[A]:ARG:HH21	1:A:429[A]:ARG:CB	1.75	0.98
1:B:544[B]:THR:HG21	1:B:589:LEU:HD22	1.45	0.96
1:B:229[A]:THR:HG23	1:B:244:HIS:ND1	1.81	0.94
1:A:429[A]:ARG:HG2	1:A:429[A]:ARG:NH2	1.81	0.90
1:A:109[A]:THR:HG22	1:A:119:GLU:HG2	1.53	0.89
1:A:45[A]:THR:HG21	5:A:2029:HOH:O	1.73	0.89
1:A:109[A]:THR:CG2	1:A:119:GLU:CG	2.52	0.88
1:A:109[A]:THR:HG21	1:A:119:GLU:HG2	1.55	0.88
1:B:544[B]:THR:HG21	1:B:589:LEU:CD2	2.03	0.87
1:A:24:LYS:HZ3	1:A:35[B]:THR:HG21	1.38	0.86
1:A:24:LYS:HG3	1:A:35[B]:THR:HG22	1.60	0.84
1:A:24:LYS:NZ	1:A:35[B]:THR:HG21	1.92	0.83
4:B:1731:EDO:H11	5:B:2733:HOH:O	1.78	0.83
1:A:429[A]:ARG:CG	1:A:429[A]:ARG:NH2	2.29	0.82
1:A:429[A]:ARG:CB	1:A:429[A]:ARG:NH2	2.43	0.81
1:A:109[A]:THR:HG22	1:A:119:GLU:CG	2.10	0.80
1:B:366:HIS:HD2	1:B:417:ASP:OD2	1.67	0.78
1:A:631:GLU:OE1	1:A:639[B]:THR:HG21	1.84	0.76
1:A:366:HIS:HD2	1:A:417:ASP:OD2	1.70	0.75
1:B:331:TRP:CE2	1:B:335:ILE:HG13	2.21	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45[A]:THR:CG2	1:A:60:THR:HG22	2.14	0.73
1:A:429[A]:ARG:NH2	1:A:429[A]:ARG:HB3	2.04	0.73
1:B:26[A]:THR:HG22	1:B:33:VAL:HG22	1.72	0.70
4:B:1731:EDO:C1	5:B:2733:HOH:O	2.39	0.69
1:A:110:TRP:HE1	1:A:308:ASN:ND2	1.91	0.69
1:A:62:GLY:C	1:A:63[A]:LEU:HD23	2.18	0.68
1:A:191:ASP:OD1	1:A:481:HIS:HD2	1.77	0.68
1:B:24[A]:LYS:HE3	1:B:33:VAL:HG11	1.76	0.68
1:B:111:GLN:HG2	1:B:119:GLU:HG2	1.76	0.66
1:B:229[A]:THR:HG22	1:B:244:HIS:ND1	2.10	0.66
1:B:565[B]:GLU:CD	1:B:570:LYS:HD2	2.21	0.66
1:B:470:TYR:OH	1:B:489:HIS:HE1	1.80	0.65
1:A:658[B]:GLU:HA	1:A:715[B]:ASN:OD1	1.98	0.64
1:A:470:TYR:OH	1:A:489:HIS:HE1	1.83	0.62
1:A:24:LYS:NZ	1:A:35[B]:THR:CG2	2.61	0.62
1:A:448:GLU:OE2	1:A:489:HIS:HD2	1.83	0.61
1:B:191:ASP:OD1	1:B:481:HIS:HD2	1.83	0.61
1:A:491:LEU:HA	1:A:494[A]:VAL:HG22	1.82	0.60
1:A:23[B]:GLN:NE2	5:A:2002:HOH:O	2.33	0.60
1:B:470:TYR:O	1:B:481:HIS:HE1	1.85	0.60
1:A:366:HIS:HE1	1:A:392:GLY:O	1.84	0.60
1:B:667:PHE:O	1:B:705:ASN:HA	2.02	0.60
1:A:331:TRP:CE2	1:A:335:ILE:HG13	2.37	0.59
1:B:703:LEU:HD22	1:B:707[B]:SER:OG	2.02	0.59
1:A:63[A]:LEU:HD22	1:A:171:GLU:HG3	1.85	0.58
1:B:507:HIS:HD2	2:B:1727:NOJ:O2	1.87	0.58
1:A:38:VAL:CG1	1:A:42:GLY:HA2	2.33	0.58
1:B:102[A]:GLN:NE2	5:B:2127:HOH:O	2.37	0.58
1:B:448:GLU:OE2	1:B:489:HIS:HD2	1.87	0.57
1:B:605:GLU:HG3	5:B:2814:HOH:O	2.03	0.57
1:A:109[A]:THR:HG21	1:A:119:GLU:CG	2.31	0.57
1:B:576[B]:ASN:H	1:B:576[B]:ASN:HD22	1.53	0.56
1:B:366:HIS:HE1	1:B:392:GLY:O	1.88	0.56
1:A:26[A]:THR:HG22	1:A:33:VAL:HG22	1.86	0.56
1:B:26[A]:THR:HG21	5:B:2007:HOH:O	2.04	0.56
1:A:194:GLU:OE1	1:A:533:TYR:OH	2.24	0.56
1:B:110:TRP:HE1	1:B:308:ASN:ND2	2.02	0.56
1:A:639[B]:THR:HG22	1:A:654:CYS:SG	2.46	0.55
1:B:383:HIS:CE1	1:B:611[A]:MET:HE1	2.41	0.55
1:B:229[A]:THR:HG23	1:B:244:HIS:HA	1.89	0.54
1:A:470:TYR:O	1:A:481:HIS:HE1	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:TRP:CZ2	1:A:335:ILE:HG13	2.42	0.54
1:A:211[A]:GLU:HG2	5:A:2345:HOH:O	2.08	0.54
1:A:491:LEU:HD12	1:A:494[A]:VAL:CG2	2.38	0.54
1:A:229:THR:OG1	1:A:244:HIS:HD2	1.90	0.54
1:B:24[A]:LYS:HE3	1:B:33:VAL:CG1	2.40	0.52
1:A:565:GLU:CD	1:A:570:LYS:HD2	2.34	0.52
1:A:24:LYS:HZ3	1:A:35[B]:THR:CG2	2.19	0.52
1:A:712:HIS:HD2	5:A:2911:HOH:O	1.93	0.52
1:B:194:GLU:OE1	1:B:533:TYR:OH	2.28	0.51
1:B:331:TRP:CZ2	1:B:335:ILE:HG13	2.46	0.51
1:A:22:GLN:CA	1:A:23[A]:GLN:NE2	2.72	0.50
1:A:429[C]:ARG:NH2	5:A:2643:HOH:O	2.44	0.50
1:A:507:HIS:HD2	2:A:1727:NOJ:O2	1.95	0.50
1:A:507:HIS:HE1	1:A:558:ASP:OD2	1.95	0.50
1:B:229[A]:THR:HG22	1:B:244:HIS:CE1	2.47	0.50
1:A:22:GLN:C	1:A:23[A]:GLN:HE22	2.11	0.49
1:A:110:TRP:HE1	1:A:308:ASN:HD21	1.60	0.49
1:B:470:TYR:OH	1:B:489:HIS:CE1	2.64	0.49
1:A:229:THR:HB	1:A:230:ALA:HA	1.95	0.49
1:A:467[B]:LYS:HE3	1:A:507:HIS:CE1	2.48	0.49
1:A:24:LYS:HZ2	1:A:35[B]:THR:CG2	2.25	0.48
1:B:50:TYR:OH	1:B:51[A]:LYS:HE2	2.13	0.48
1:B:269:LEU:HB2	1:B:277[A]:LYS:HD3	1.96	0.48
1:A:109[A]:THR:HG23	1:A:119:GLU:HG2	1.81	0.48
1:A:667:PHE:O	1:A:705:ASN:HA	2.14	0.47
1:A:22:GLN:CA	1:A:23[A]:GLN:HE22	2.28	0.47
1:A:400:TRP:HH2	5:A:2959:HOH:O	1.95	0.47
1:A:583:ILE:HD11	1:A:694[B]:GLN:HG3	1.96	0.46
1:A:23[A]:GLN:NE2	1:A:23[A]:GLN:CA	2.79	0.46
1:A:23[A]:GLN:HE21	1:A:23[A]:GLN:CA	2.27	0.46
1:A:68:GLU:OE1	1:A:89:LYS:HD3	2.15	0.46
1:B:507:HIS:HE1	1:B:558:ASP:OD2	1.98	0.46
1:B:106:PHE:CZ	1:B:108[B]:GLU:CD	2.94	0.45
1:A:22:GLN:N	1:A:23[A]:GLN:HE22	2.14	0.45
1:A:534:GLU:HB3	1:A:579:VAL:HG22	1.98	0.45
1:A:232:MET:HE1	1:A:300:ILE:HG13	1.99	0.45
1:A:422:GLU:OE1	1:A:425[A]:ARG:NH2	2.45	0.45
1:B:565[B]:GLU:CG	1:B:570:LYS:HD2	2.47	0.45
1:A:244:HIS:CG	1:A:245:GLU:H	2.35	0.45
1:A:50:TYR:OH	1:A:51[A]:LYS:HE2	2.17	0.44
1:A:534:GLU:HA	1:A:538:GLY:HA2	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323[A]:LYS:HB3	1:A:323[A]:LYS:HE3	1.64	0.44
1:A:693:PRO:HG2	1:A:694[B]:GLN:OE1	2.18	0.43
1:B:229[A]:THR:CG2	1:B:244:HIS:HA	2.48	0.43
1:A:26[A]:THR:HG21	5:A:2007:HOH:O	2.18	0.43
1:A:35[B]:THR:OG1	1:A:47:GLU:HG2	2.19	0.43
1:A:631:GLU:HG3	1:A:639[B]:THR:HG1	1.83	0.43
1:A:628[B]:ASN:ND2	5:A:2856:HOH:O	2.51	0.43
1:A:366:HIS:CE1	1:A:392:GLY:O	2.66	0.43
1:A:421:LYS:O	1:A:425[A]:ARG:HG3	2.19	0.42
1:B:24[A]:LYS:HE2	5:B:2007:HOH:O	2.19	0.42
1:B:50:TYR:CZ	1:B:51[A]:LYS:HE2	2.54	0.42
1:B:565[A]:GLU:HG3	1:B:606:ASN:CG	2.44	0.42
1:A:34[B]:MET:SD	1:A:144:PHE:CD1	3.13	0.42
1:B:534:GLU:HB3	1:B:579:VAL:HG22	2.01	0.42
1:A:571:MET:HG2	5:A:2797:HOH:O	2.20	0.41
1:A:583:ILE:CD1	1:A:694[B]:GLN:HG3	2.51	0.41
1:A:712:HIS:HE1	5:A:2884:HOH:O	2.03	0.41
1:B:383:HIS:CE1	1:B:611[A]:MET:CE	3.03	0.41
1:A:35[B]:THR:OG1	1:A:47:GLU:CG	2.69	0.41
1:B:232:MET:HE1	1:B:300:ILE:HG13	2.03	0.41
1:B:453:LYS:HD3	5:B:2306:HOH:O	2.20	0.41
1:B:57:LYS:O	1:B:58:PRO:C	2.64	0.41
1:B:244:HIS:CG	1:B:245:GLU:H	2.39	0.41
1:B:366:HIS:CE1	1:B:392:GLY:O	2.70	0.41
1:A:323[A]:LYS:HA	1:A:324:PRO:HD3	1.88	0.40
1:B:211[A]:GLU:HB3	5:B:2341:HOH:O	2.21	0.40
1:B:677[B]:ILE:HD13	1:B:702:ILE:HD13	2.03	0.40
1:B:678:ALA:HA	1:B:722:SER:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	734/727 (101%)	716 (98%)	17 (2%)	1 (0%)	48	31
1	B	723/727 (99%)	702 (97%)	20 (3%)	1 (0%)	48	31
All	All	1457/1454 (100%)	1418 (97%)	37 (2%)	2 (0%)	48	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	331	TRP
1	B	331	TRP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	637/627 (102%)	624 (98%)	13 (2%)	48	32
1	B	626/627 (100%)	621 (99%)	5 (1%)	73	65
All	All	1263/1254 (101%)	1245 (99%)	18 (1%)	70	46

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23[A]	GLN
1	A	23[B]	GLN
1	A	24	LYS
1	A	63[A]	LEU
1	A	63[B]	LEU
1	A	323[A]	LYS
1	A	323[B]	LYS
1	A	429[A]	ARG
1	A	429[B]	ARG
1	A	429[C]	ARG
1	A	542	TYR
1	A	658[A]	GLU
1	A	658[B]	GLU
1	B	87	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	229[A]	THR
1	B	229[B]	THR
1	B	261	LYS
1	B	542	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	GLN
1	A	122	ASN
1	A	136	ASN
1	A	159	GLN
1	A	164	ASN
1	A	219	GLN
1	A	244	HIS
1	A	308	ASN
1	A	366	HIS
1	A	473	ASN
1	A	481	HIS
1	A	489	HIS
1	A	507	HIS
1	A	525	ASN
1	A	712	HIS
1	B	30	ASN
1	B	31	ASN
1	B	122	ASN
1	B	136	ASN
1	B	255	HIS
1	B	308	ASN
1	B	366	HIS
1	B	369	ASN
1	B	481	HIS
1	B	489	HIS
1	B	507	HIS
1	B	525	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	B	1729	-	3,3,3	0.57	0	2,2,2	0.28	0
4	EDO	B	1730	-	3,3,3	0.45	0	2,2,2	0.21	0
4	EDO	A	1729	-	3,3,3	0.44	0	2,2,2	0.17	0
4	EDO	A	1730	-	3,3,3	0.47	0	2,2,2	0.29	0
4	EDO	A	1731	-	3,3,3	0.64	0	2,2,2	0.05	0
4	EDO	B	1731	-	3,3,3	0.48	0	2,2,2	0.74	0
4	EDO	B	1732	-	3,3,3	0.48	0	2,2,2	0.30	0
4	EDO	A	1732	-	3,3,3	0.45	0	2,2,2	0.91	0
2	NOJ	A	1727	3	11,11,11	1.04	1 (9%)	13,15,15	1.58	3 (23%)
2	NOJ	B	1727	3	11,11,11	1.00	1 (9%)	13,15,15	1.80	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	1729	-	-	0/1/1/1	-
4	EDO	B	1730	-	-	0/1/1/1	-
4	EDO	A	1729	-	-	0/1/1/1	-
4	EDO	A	1730	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1731	-	-	0/1/1/1	-
4	EDO	B	1731	-	-	0/1/1/1	-
4	EDO	B	1732	-	-	0/1/1/1	-
4	EDO	A	1732	-	-	0/1/1/1	-
2	NOJ	A	1727	3	-	0/2/19/19	0/1/1/1
2	NOJ	B	1727	3	-	0/2/19/19	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1727	NOJ	C1-C2	2.34	1.54	1.52
2	A	1727	NOJ	C1-C2	2.32	1.54	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1727	NOJ	C1-C2-C3	-3.64	105.80	110.25
2	B	1727	NOJ	C1-N5-C5	3.22	116.78	109.71
2	A	1727	NOJ	C1-N5-C5	3.04	116.40	109.71
2	A	1727	NOJ	C4-C5-N5	3.04	115.24	109.12
2	B	1727	NOJ	O4-C4-C3	-2.44	104.64	110.38
2	A	1727	NOJ	C1-C2-C3	-2.10	107.68	110.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1731	EDO	2	0
2	A	1727	NOJ	1	0
2	B	1727	NOJ	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	687/727 (94%)	-0.44	2 (0%) 90 91	6, 15, 26, 35	49 (7%)
1	B	687/727 (94%)	-0.52	1 (0%) 92 92	7, 15, 25, 35	38 (5%)
All	All	1374/1454 (94%)	-0.48	3 (0%) 91 92	6, 15, 26, 35	87 (6%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	348	THR	3.0
1	B	348[A]	THR	2.5
1	A	648	ASP	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	1730	4/4	0.92	0.10	23,29,30,33	0
4	EDO	B	1730	4/4	0.96	0.07	20,26,26,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	1732	4/4	0.97	0.08	14,20,20,22	0
4	EDO	A	1731	4/4	0.97	0.05	16,17,19,19	0
4	EDO	B	1731	4/4	0.97	0.06	16,19,20,22	0
4	EDO	A	1729	4/4	0.98	0.05	17,18,19,20	0
4	EDO	B	1729	4/4	0.98	0.05	17,17,19,21	0
2	NOJ	A	1727	11/11	0.98	0.04	10,12,13,14	0
2	NOJ	B	1727	11/11	0.98	0.04	10,13,14,14	0
4	EDO	B	1732	4/4	0.99	0.04	16,17,18,18	0
3	CA	A	1728	1/1	1.00	0.02	11,11,11,11	0
3	CA	B	1728	1/1	1.00	0.03	11,11,11,11	0

6.5 Other polymers [i](#)

There are no such residues in this entry.