



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:05 AM UTC

PDB ID : 6JKF / pdb_00006jkf
Title : Crystal structure of Serratia marcescens Chitinase B complexed with compound 2-8-s2
Authors : Yang, Q.; Jiang, X.
Deposited on : 2019-02-28
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	497	3% 94% 6%
1	B	497	9% 90% 9%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 8599 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chitinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3902	2496	658	734	14			
1	B	497	Total	C	N	O	S	0	0	0
			3907	2499	659	735	14			

- Molecule 2 is 6-azanyl-11-methyl-2-oxidanylidene-7-[[[(2R)-oxolan-2-yl]methyl]-N-(pyridin-3-ylmethyl)-1,9-diaza-7-azoniatricyclo[8.4.0.0[^]{3,8}]tetradeca-3(8),4,6,9,11,13-hexaene-5-carboxamide (CCD ID: BV0) (formula: C₂₄H₂₅N₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	24	6	3		
2	B	1	Total	C	N	O	0	0
			33	24	6	3		
2	B	1	Total	C	N	O	0	0
			33	24	6	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	366	Total 366	O 366	0	0
3	B	325	Total 325	O 325	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Chitinase



• Molecule 1: Chitinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.77Å 105.00Å 185.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.71 – 1.99 29.71 – 1.99	Depositor EDS
% Data completeness (in resolution range)	99.6 (29.71-1.99) 99.5 (29.71-1.99)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.09 (at 2.00Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.182 , 0.201 0.183 , 0.202	Depositor DCC
R_{free} test set	2000 reflections (2.64%)	wwPDB-VP
Wilson B-factor (Å ²)	26.6	Xtriage
Anisotropy	0.605	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8599	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BV0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.22	0/4013	0.41	0/5470
1	B	0.38	1/4018 (0.0%)	0.58	7/5477 (0.1%)
All	All	0.31	1/8031 (0.0%)	0.50	7/10947 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	300	SER	N-CA	-5.34	1.39	1.46

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	304	GLY	N-CA-C	-8.68	103.24	115.30
1	B	316	ASP	C-N-CD	7.71	137.57	120.60
1	B	313	PRO	CB-CA-C	-7.25	101.53	113.06
1	B	301	GLY	N-CA-C	6.93	120.87	110.75
1	B	295	ALA	N-CA-C	5.85	119.01	109.59
1	B	313	PRO	N-CA-C	5.62	121.51	113.47
1	B	315	GLU	N-CA-C	-5.12	101.81	109.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3902	0	3736	24	0
1	B	3907	0	3741	40	0
2	A	33	0	0	1	0
2	B	66	0	0	3	0
3	A	366	0	0	2	0
3	B	325	0	0	2	0
All	All	8599	0	7477	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:501:BV0:C20	2:A:501:BV0:O2	1.63	1.19
2:B:501:BV0:C20	2:B:501:BV0:O2	1.63	1.16
2:B:502:BV0:C20	2:B:502:BV0:O2	1.63	1.16
1:B:323:TYR:OH	1:B:335:LYS:HE2	1.79	0.82
1:A:155:ILE:HG13	1:A:201:GLN:HE21	1.51	0.76
1:B:294:ARG:NH1	1:B:339:ILE:HD11	2.05	0.71
1:B:314:GLY:N	1:B:338:ARG:HH11	1.91	0.69
1:B:353:TYR:O	1:B:370:HIS:NE2	2.25	0.66
1:B:314:GLY:CA	1:B:338:ARG:NH1	2.60	0.65
1:B:314:GLY:HA2	1:B:338:ARG:NH1	2.13	0.63
1:B:314:GLY:CA	1:B:338:ARG:HH11	2.14	0.60
1:B:224:THR:HG22	1:B:296:PHE:CD2	2.36	0.60
1:A:155:ILE:HD11	1:A:202:ILE:HG13	1.83	0.60
1:B:294:ARG:HG2	1:B:339:ILE:CD1	2.32	0.60
1:B:3:THR:N	3:B:602:HOH:O	2.34	0.60
1:B:478:LYS:HE2	1:B:493:LEU:HB2	1.84	0.59
1:B:297:LYS:HD2	1:B:324:TRP:CE2	2.38	0.58
1:A:144:GLU:HA	1:A:145:TYR:CG	2.39	0.57
1:B:299:VAL:CG1	1:B:305:GLY:HA2	2.34	0.57
1:A:297:LYS:HD3	1:A:324:TRP:CE2	2.39	0.57
1:B:314:GLY:H	1:B:338:ARG:HH11	1.50	0.57
1:B:315:GLU:OE1	1:B:319:PRO:HB3	2.04	0.57
1:A:159:GLN:HG2	3:A:904:HOH:O	2.05	0.56
1:B:303:ASN:HB3	1:B:306:GLN:O	2.06	0.55
1:B:144:GLU:HA	1:B:145:TYR:CG	2.42	0.55
1:B:299:VAL:HG12	1:B:305:GLY:HA2	1.90	0.54
1:B:151:VAL:HG12	1:B:155:ILE:HD11	1.91	0.53
1:A:155:ILE:HG13	1:A:201:GLN:NE2	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:PRO:HB2	1:B:314:GLY:HA3	1.92	0.51
1:B:155:ILE:HD13	1:B:201:GLN:HG3	1.91	0.50
1:A:278:GLU:HG3	1:A:445:PRO:HB2	1.94	0.49
1:B:155:ILE:HD13	1:B:201:GLN:OE1	2.12	0.49
1:A:155:ILE:HD12	1:A:201:GLN:HG3	1.95	0.48
1:B:370:HIS:O	1:B:374:GLY:N	2.46	0.47
1:B:201:GLN:HG2	3:B:822:HOH:O	2.13	0.47
1:B:50:SER:HA	1:B:51:PHE:HA	1.72	0.46
1:B:368:LEU:HB2	1:B:377:VAL:HB	1.97	0.46
1:A:198:LYS:HD3	1:A:201:GLN:NE2	2.30	0.46
1:A:151:VAL:O	1:A:155:ILE:HG12	2.15	0.46
1:A:320:SER:OG	1:A:321:THR:N	2.47	0.46
1:B:151:VAL:HG12	1:B:155:ILE:CD1	2.45	0.46
1:B:366:PRO:HD3	1:B:384:SER:HB3	1.98	0.46
1:B:317:PRO:O	1:B:318:TYR:C	2.59	0.45
1:A:478:LYS:HE2	1:A:493:LEU:HB2	1.97	0.45
1:B:50:SER:HB2	1:B:51:PHE:CG	2.51	0.45
1:A:50:SER:HB2	1:A:51:PHE:CG	2.51	0.45
1:B:473:TYR:CD1	1:B:494:LYS:HD3	2.52	0.44
1:A:273:GLN:HA	1:A:276:MET:HE2	2.00	0.44
1:A:50:SER:HA	1:A:51:PHE:HA	1.73	0.44
1:A:38:PRO:O	1:A:42:LYS:HG3	2.18	0.44
1:A:473:TYR:CD1	1:A:494:LYS:HD2	2.53	0.43
1:B:144:GLU:HA	1:B:145:TYR:CD2	2.54	0.43
1:A:94:ILE:HD12	1:A:141:ILE:CD1	2.49	0.43
1:B:144:GLU:CD	1:B:212:MET:HE1	2.44	0.42
1:A:201:GLN:HG2	3:A:744:HOH:O	2.18	0.42
1:B:338:ARG:O	1:B:339:ILE:HD13	2.18	0.42
1:A:155:ILE:CD1	1:A:201:GLN:HG3	2.49	0.42
1:A:155:ILE:HD11	1:A:202:ILE:CG1	2.49	0.42
1:B:144:GLU:OE2	2:B:501:BV0:N3	2.53	0.42
1:A:101:ASN:HA	1:A:144:GLU:O	2.20	0.41
1:B:219:PRO:HB2	1:B:314:GLY:CA	2.50	0.41
1:B:370:HIS:CE1	1:B:372:GLN:HG3	2.56	0.41
1:B:320:SER:OG	1:B:321:THR:N	2.52	0.41
1:B:147:GLN:O	1:B:151:VAL:HG23	2.21	0.41
1:A:473:TYR:CD1	1:A:497:ARG:HG2	2.56	0.40
1:B:315:GLU:N	1:B:338:ARG:HH12	2.19	0.40
1:A:144:GLU:HA	1:A:145:TYR:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	494/497 (99%)	485 (98%)	9 (2%)	0	100	100
1	B	495/497 (100%)	486 (98%)	9 (2%)	0	100	100
All	All	989/994 (100%)	971 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	403/403 (100%)	402 (100%)	1 (0%)	87	92
1	B	403/403 (100%)	401 (100%)	2 (0%)	81	87
All	All	806/806 (100%)	803 (100%)	3 (0%)	84	89

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	498	VAL
1	B	300	SER
1	B	316	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	201	GLN
1	A	272	GLN
1	A	352	ASN
1	A	395	GLN
1	B	16	ASN
1	B	43	GLN
1	B	272	GLN
1	B	356	GLN
1	B	373	ASN
1	B	395	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BV0	A	501	-	36,37,37	3.15	16 (44%)	41,53,53	1.56	6 (14%)
2	BV0	B	502	-	36,37,37	3.16	16 (44%)	41,53,53	1.62	7 (17%)
2	BV0	B	501	-	36,37,37	3.15	15 (41%)	41,53,53	1.56	8 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BV0	A	501	-	-	2/13/20/20	0/5/5/5
2	BV0	B	502	-	-	0/13/20/20	0/5/5/5
2	BV0	B	501	-	-	3/13/20/20	0/5/5/5

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	BV0	O-C5	7.55	1.37	1.22
2	B	502	BV0	O-C5	7.42	1.37	1.22
2	A	501	BV0	O-C5	7.34	1.37	1.22
2	B	501	BV0	C11-N2	6.61	1.48	1.33
2	A	501	BV0	C11-N2	6.59	1.48	1.33
2	B	502	BV0	C11-N2	6.16	1.47	1.33
2	B	502	BV0	C6-N1	6.12	1.38	1.30
2	A	501	BV0	C6-N1	5.87	1.38	1.30
2	B	501	BV0	C6-N1	5.80	1.38	1.30
2	B	502	BV0	C18-N4	5.36	1.49	1.33
2	A	501	BV0	C18-N4	5.34	1.49	1.33
2	B	501	BV0	C18-N4	5.33	1.49	1.33
2	A	501	BV0	C23-C20	-5.29	1.25	1.52
2	B	501	BV0	C23-C20	-5.25	1.25	1.52
2	B	502	BV0	C23-C20	-5.16	1.26	1.52
2	B	502	BV0	C9-C8	5.06	1.47	1.39
2	A	501	BV0	C9-C8	4.90	1.47	1.39
2	B	501	BV0	C9-C8	4.71	1.47	1.39
2	B	501	BV0	O2-C21	-4.70	1.29	1.43
2	A	501	BV0	O2-C21	-4.67	1.29	1.43
2	B	502	BV0	O2-C21	-4.64	1.29	1.43
2	B	502	BV0	O2-C20	4.64	1.63	1.42
2	B	501	BV0	O2-C20	4.62	1.63	1.42
2	A	501	BV0	O2-C20	4.62	1.63	1.42
2	B	502	BV0	C10-C11	4.54	1.59	1.50
2	B	501	BV0	C6-N	-4.35	1.30	1.40
2	A	501	BV0	C6-N	-4.32	1.30	1.40
2	A	501	BV0	C10-C11	4.21	1.58	1.50
2	B	502	BV0	C6-N	-4.21	1.30	1.40
2	B	501	BV0	C19-N5	4.13	1.53	1.48
2	B	502	BV0	C19-N5	4.04	1.53	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	BV0	C10-C11	3.90	1.58	1.50
2	A	501	BV0	C19-N5	3.78	1.52	1.48
2	A	501	BV0	C4-C3	3.50	1.42	1.35
2	B	501	BV0	C4-C3	3.49	1.42	1.35
2	B	502	BV0	C4-C3	3.48	1.42	1.35
2	B	501	BV0	O1-C11	-2.60	1.17	1.23
2	A	501	BV0	O1-C11	-2.59	1.17	1.23
2	B	502	BV0	O1-C11	-2.49	1.17	1.23
2	A	501	BV0	C16-C15	2.26	1.44	1.37
2	B	502	BV0	C16-C15	2.23	1.44	1.37
2	B	502	BV0	C-C1	2.20	1.56	1.50
2	B	501	BV0	C16-C15	2.14	1.43	1.37
2	B	501	BV0	C-C1	2.10	1.55	1.50
2	A	501	BV0	C-C1	2.07	1.55	1.50
2	A	501	BV0	C1-C6	2.05	1.47	1.42
2	B	502	BV0	C1-C6	2.02	1.47	1.42

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	BV0	C8-C5-N	6.23	118.70	114.20
2	A	501	BV0	C8-C5-N	6.21	118.69	114.20
2	B	501	BV0	C8-C5-N	5.94	118.49	114.20
2	B	501	BV0	C15-N3-C14	4.09	124.02	116.85
2	A	501	BV0	C15-N3-C14	3.38	122.78	116.85
2	B	502	BV0	C15-N3-C14	3.17	122.40	116.85
2	B	502	BV0	C3-C2-C1	-2.73	118.92	122.03
2	B	502	BV0	C1-C6-N	2.72	120.88	115.92
2	A	501	BV0	C7-C8-C5	-2.71	118.58	121.11
2	A	501	BV0	C1-C6-N	2.67	120.78	115.92
2	B	502	BV0	C7-C8-C5	-2.66	118.62	121.11
2	B	501	BV0	C1-C6-N	2.65	120.74	115.92
2	A	501	BV0	C3-C2-C1	-2.63	119.03	122.03
2	B	501	BV0	C19-N5-C18	-2.47	117.60	121.45
2	B	502	BV0	O1-C11-N2	-2.31	118.09	122.59
2	B	501	BV0	C3-C2-C1	-2.31	119.40	122.03
2	B	501	BV0	C7-C8-C5	-2.28	118.98	121.11
2	A	501	BV0	C9-C8-C7	2.12	119.92	116.48
2	B	501	BV0	C9-C8-C7	2.11	119.90	116.48
2	B	502	BV0	C9-C8-C7	2.11	119.90	116.48
2	B	501	BV0	C13-C14-N3	-2.08	119.78	123.75

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	BV0	N5-C19-C20-C23
2	A	501	BV0	N5-C19-C20-O2
2	B	501	BV0	N5-C19-C20-O2
2	B	501	BV0	C20-C19-N5-C7
2	B	501	BV0	C20-C19-N5-C18


There are no ring outliers.

3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	BV0	1	0
2	B	502	BV0	1	0
2	B	501	BV0	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand BV0 A 501



Ligand BV0 B 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/497 (99%)	0.06	14 (2%) 55 54	16, 28, 45, 58	0
1	B	497/497 (100%)	0.30	43 (8%) 16 15	18, 28, 58, 71	0
All	All	993/994 (99%)	0.18	57 (5%) 29 28	16, 28, 51, 71	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	314	GLY	6.4
1	B	326	VAL	5.1
1	B	332	VAL	4.7
1	B	374	GLY	4.5
1	A	498	VAL	4.1
1	B	350	GLN	4.0
1	B	375	LEU	4.0
1	B	303	ASN	3.9
1	B	369	TYR	3.7
1	B	298	GLY	3.6
1	B	324	TRP	3.6
1	A	321	THR	3.6
1	B	219	PRO	3.6
1	B	296	PHE	3.5
1	B	319	PRO	3.5
1	B	299	VAL	3.2
1	B	373	ASN	3.2
1	B	354	GLY	3.2
1	B	353	TYR	3.2
1	B	300	SER	3.2
1	B	489	ASP	3.0
1	B	331	CYS	2.8
1	B	304	GLY	2.8
1	B	318	TYR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	313	PRO	2.8
1	B	315	GLU	2.7
1	A	3	THR	2.7
1	B	372	GLN	2.7
1	B	323	TYR	2.7
1	B	351	GLY	2.7
1	B	356	GLN	2.6
1	B	321	THR	2.6
1	B	220	TRP	2.6
1	A	353	TYR	2.5
1	A	497	ARG	2.5
1	B	223	VAL	2.5
1	A	351	GLY	2.4
1	A	374	GLY	2.4
1	B	335	LYS	2.4
1	B	327	GLY	2.4
1	B	333	ARG	2.4
1	A	489	ASP	2.3
1	A	371	ALA	2.3
1	B	339	ILE	2.3
1	A	354	GLY	2.3
1	B	301	GLY	2.3
1	B	317	PRO	2.3
1	B	305	GLY	2.3
1	B	3	THR	2.3
1	B	368	LEU	2.3
1	B	325	LEU	2.2
1	A	319	PRO	2.2
1	A	347	GLN	2.2
1	B	297	LYS	2.2
1	B	310	HIS	2.1
1	A	301	GLY	2.1
1	A	302	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BV0	B	502	33/33	0.82	0.12	33,43,47,53	0
2	BV0	B	501	33/33	0.87	0.11	28,40,66,69	0
2	BV0	A	501	33/33	0.92	0.09	25,30,40,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BV0 B 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BV0 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BV0 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.