



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 09:36 AM UTC

PDB ID : 1JL2 / pdb_00001jl2
Title : Crystal structure of TCEO RNase H-a chimera combining the folding core from T. thermophilus RNase H and the remaining region of E. coli RNase H
Authors : Robic, S.; Berger, J.M.; Marqusee, S.
Deposited on : 2001-07-13
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	156	 76% 18% • •
1	B	156	 62% 22% • 15%
1	C	156	 59% 25% • 15%
1	D	156	 64% 28% • 6%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4705 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chimera of Ribonuclease HI, Ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	150	Total	C	N	O	S	0	0	0
			1189	750	220	216	3			
1	B	133	Total	C	N	O	S	0	0	0
			1042	656	189	194	3			
1	C	133	Total	C	N	O	S	0	0	0
			1044	656	190	195	3			
1	D	146	Total	C	N	O	S	0	0	0
			1149	724	209	213	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ALA	CYS	conflict	UNP P0A7Y4
A	63	ALA	CYS	conflict	UNP P29253
A	134	ALA	CYS	conflict	UNP P0A7Y4
B	13	ALA	CYS	conflict	UNP P0A7Y4
B	63	ALA	CYS	conflict	UNP P29253
B	134	ALA	CYS	conflict	UNP P0A7Y4
C	13	ALA	CYS	conflict	UNP P0A7Y4
C	63	ALA	CYS	conflict	UNP P29253
C	134	ALA	CYS	conflict	UNP P0A7Y4
D	13	ALA	CYS	conflict	UNP P0A7Y4
D	63	ALA	CYS	conflict	UNP P29253
D	134	ALA	CYS	conflict	UNP P0A7Y4

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	83	Total	O	0	0
			83	83		
2	B	76	Total	O	0	0
			76	76		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	52	Total	O	0	0
			52	52		
2	D	70	Total	O	0	0
			70	70		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Chimera of Ribonuclease HI, Ribonuclease H

Chain A: 




• Molecule 1: Chimera of Ribonuclease HI, Ribonuclease H

Chain B: 




• Molecule 1: Chimera of Ribonuclease HI, Ribonuclease H

Chain C: 



• Molecule 1: Chimera of Ribonuclease HI, Ribonuclease H

Chain D: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.20Å 87.03Å 60.69Å 90.00° 91.87° 90.00°	Depositor
Resolution (Å)	20.00 – 1.76	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-1.76)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.249 , 0.286	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4705	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1219	0.85	5/1645 (0.3%)
1	B	0.39	0/1065	0.87	3/1436 (0.2%)
1	C	0.37	0/1066	0.92	5/1437 (0.3%)
1	D	0.37	0/1175	0.83	1/1584 (0.1%)
All	All	0.38	0/4525	0.87	14/6102 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	65	VAL	N-CA-C	7.63	118.80	108.11
1	D	65	VAL	N-CA-C	7.44	118.52	108.11
1	C	117	VAL	N-CA-C	6.61	117.65	107.99
1	C	65	VAL	N-CA-C	6.56	117.30	108.11
1	B	65	VAL	N-CA-C	6.11	117.28	108.48
1	B	117	VAL	N-CA-C	6.10	116.90	107.99
1	B	64	GLU	N-CA-C	-5.32	100.50	108.96
1	C	79	THR	N-CA-C	-5.24	105.34	112.26
1	A	113	ALA	N-CA-C	5.22	120.66	113.77
1	C	40	THR	N-CA-C	5.21	116.96	111.28
1	A	64	GLU	N-CA-C	-5.17	100.30	108.73
1	A	117	VAL	N-CA-C	5.11	115.66	108.36
1	A	115	HIS	N-CA-C	5.05	117.56	110.14
1	C	31	ARG	N-CA-C	5.04	116.80	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1189	0	1159	36	0
1	B	1042	0	1017	35	0
1	C	1044	0	1017	43	0
1	D	1149	0	1113	41	0
2	A	83	0	0	3	0
2	B	76	0	0	2	0
2	C	52	0	0	3	0
2	D	70	0	0	5	0
All	All	4705	0	4306	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:151:GLY:O	1:C:153:GLN:N	1.84	1.08
1:A:61:GLU:HA	1:D:143:MET:HE1	1.33	1.08
1:A:97:LYS:HG2	1:A:98:PRO:HD2	1.48	0.93
1:D:140:ALA:HA	1:D:143:MET:HE2	1.52	0.88
1:A:83:LEU:HD13	1:A:109:LEU:HD21	1.60	0.82
1:B:13:ALA:H	1:B:44:ASN:ND2	1.78	0.81
1:D:7:ILE:HG12	1:D:26:LEU:HD22	1.65	0.79
1:A:16:ASN:HB3	1:C:116:ARG:NH1	1.99	0.78
1:B:60:LYS:HA	1:B:60:LYS:HE2	1.68	0.76
1:A:16:ASN:HB3	1:C:116:ARG:HH12	1.52	0.74
1:A:62:PRO:HD3	1:D:143:MET:HE1	1.70	0.73
1:B:7:ILE:HG12	1:B:26:LEU:HD22	1.71	0.73
1:C:34:THR:HG23	2:C:158:HOH:O	1.90	0.72
1:B:7:ILE:HG12	1:B:26:LEU:CD2	2.19	0.72
1:A:116:ARG:HH11	1:A:116:ARG:HB3	1.55	0.71
1:C:100:LYS:HG2	1:C:101:ASN:ND2	2.05	0.71
1:D:148:GLU:HG2	2:D:181:HOH:O	1.90	0.71
1:A:116:ARG:HB3	1:A:116:ARG:NH1	2.05	0.70
1:C:118:ARG:HG3	2:C:208:HOH:O	1.90	0.70
1:A:62:PRO:HD3	1:D:143:MET:CE	2.21	0.70
1:B:120:HIS:CE1	1:D:153:GLN:HB2	2.26	0.69
1:A:109:LEU:HA	1:A:112:MET:HE2	1.74	0.69
1:C:27:ARG:HD3	1:C:32:GLU:HB2	1.76	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:LYS:N	1:A:3:LYS:HD3	2.09	0.67
1:C:7:ILE:HG12	1:C:26:LEU:HD22	1.76	0.67
1:C:140:ALA:HA	1:C:143:MET:HE3	1.75	0.67
1:C:76:LYS:O	1:C:80:GLU:HB3	1.94	0.67
1:A:146:THR:C	1:A:147:LEU:HD22	2.21	0.66
1:D:99:VAL:O	1:D:100:LYS:HB2	1.95	0.65
1:C:27:ARG:HD2	2:C:194:HOH:O	1.95	0.65
1:B:13:ALA:H	1:B:44:ASN:HD22	1.43	0.65
1:B:140:ALA:HA	1:B:143:MET:HE2	1.78	0.64
1:D:26:LEU:HB2	1:D:33:LYS:HG2	1.78	0.64
1:B:78:PHE:HD2	1:D:41:ARG:HH12	1.46	0.63
1:C:116:ARG:HH21	1:C:118:ARG:HH21	1.47	0.62
1:A:97:LYS:HG2	1:A:98:PRO:CD	2.26	0.62
1:A:97:LYS:HD3	1:A:98:PRO:O	1.99	0.62
1:D:102:ARG:HD3	2:D:217:HOH:O	1.99	0.61
1:D:92:ARG:HG2	1:D:96:GLY:HA2	1.82	0.61
1:A:97:LYS:NZ	1:A:98:PRO:HG2	2.16	0.61
1:A:84:GLU:O	1:A:88:LYS:HD3	2.02	0.58
1:C:26:LEU:HD11	1:C:58:ALA:HB3	1.84	0.58
1:D:93:THR:HG23	1:D:97:LYS:O	2.03	0.58
1:C:132:GLU:O	1:C:136:GLU:HG3	2.04	0.58
1:A:123:LYS:HB2	1:A:123:LYS:NZ	2.19	0.57
1:A:87:ARG:HD3	1:A:88:LYS:HD2	1.85	0.57
1:C:49:LEU:HD23	1:C:104:LEU:HB2	1.87	0.57
1:A:110:LEU:C	1:A:110:LEU:HD23	2.29	0.57
1:D:49:LEU:HD13	1:D:74:LEU:HD21	1.87	0.57
1:A:47:MET:HA	1:A:47:MET:HE2	1.87	0.56
1:D:27:ARG:HG2	1:D:32:GLU:HG3	1.87	0.56
1:A:84:GLU:O	1:A:87:ARG:HG3	2.08	0.54
1:D:72:HIS:CE1	1:D:76:LYS:HE2	2.43	0.53
1:D:13:ALA:H	1:D:44:ASN:ND2	2.07	0.53
1:D:26:LEU:HD11	1:D:58:ALA:HB3	1.89	0.53
1:C:108:LEU:O	1:C:112:MET:HG3	2.09	0.53
1:C:109:LEU:HA	1:C:112:MET:HE2	1.90	0.53
1:B:150:THR:HG21	1:C:132:GLU:OE2	2.09	0.52
1:C:7:ILE:HG23	1:C:26:LEU:HD23	1.91	0.52
1:B:27:ARG:HD2	2:B:191:HOH:O	2.10	0.52
1:C:49:LEU:HD23	1:C:104:LEU:CB	2.40	0.52
1:C:151:GLY:C	1:C:153:GLN:N	2.62	0.52
1:D:80:GLU:HB2	1:D:82:TRP:CD1	2.44	0.52
1:C:27:ARG:HG3	1:C:27:ARG:NH1	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:HIS:HE1	1:D:153:GLN:HB2	1.74	0.52
1:D:151:GLY:O	1:D:153:GLN:HG2	2.10	0.51
1:B:106:GLU:OE2	1:C:128:HIS:HE1	1.93	0.51
1:B:22:TYR:CE2	1:B:37:ALA:HB3	2.46	0.50
1:C:27:ARG:NE	1:C:32:GLU:OE2	2.43	0.50
1:C:3:LYS:HD3	1:C:3:LYS:N	2.26	0.50
1:B:109:LEU:HD23	1:B:112:MET:CE	2.42	0.50
1:A:97:LYS:HZ2	1:A:98:PRO:HG2	1.76	0.50
1:D:142:ALA:O	1:D:145:PRO:HD3	2.12	0.50
1:A:147:LEU:HD22	1:A:147:LEU:N	2.27	0.49
1:B:15:GLY:HA3	2:B:231:HOH:O	2.12	0.49
1:C:147:LEU:HD22	1:C:147:LEU:N	2.27	0.49
1:B:49:LEU:HD13	1:B:74:LEU:HD21	1.94	0.49
1:D:97:LYS:HG2	2:D:203:HOH:O	2.12	0.49
1:B:22:TYR:HB2	1:B:51:ALA:HB2	1.94	0.48
1:A:146:THR:HG22	1:A:146:THR:O	2.13	0.48
1:C:146:THR:C	1:C:147:LEU:HD22	2.38	0.48
1:D:99:VAL:O	1:D:100:LYS:CB	2.60	0.48
1:D:101:ASN:H	1:D:153:GLN:N	2.11	0.48
1:D:3:LYS:HD2	1:D:64:GLU:OE2	2.13	0.48
1:B:109:LEU:HD23	1:B:112:MET:HE2	1.95	0.48
1:A:22:TYR:HB2	1:A:51:ALA:HB2	1.95	0.48
1:D:7:ILE:HG23	1:D:26:LEU:CD2	2.44	0.48
1:B:4:GLN:NE2	1:D:97:LYS:NZ	2.62	0.47
1:B:109:LEU:HA	1:B:112:MET:HE2	1.96	0.47
1:C:41:ARG:NH1	1:C:152:TYR:HE1	2.12	0.47
1:B:3:LYS:N	1:B:3:LYS:HD3	2.28	0.47
1:D:45:ASN:ND2	2:D:191:HOH:O	2.47	0.47
1:C:27:ARG:HG3	1:C:27:ARG:HH11	1.81	0.46
1:B:102:ARG:HB2	1:C:123:LYS:CE	2.45	0.46
1:D:97:LYS:HE2	2:D:185:HOH:O	2.15	0.46
1:A:109:LEU:HD23	1:A:112:MET:CE	2.46	0.46
1:A:87:ARG:HH11	1:A:88:LYS:HE3	1.81	0.46
1:D:83:LEU:HD13	1:D:109:LEU:HD21	1.97	0.45
1:B:102:ARG:HB2	1:C:123:LYS:HE2	1.97	0.45
1:D:129:PRO:O	1:D:133:ARG:HG3	2.17	0.45
1:D:7:ILE:HG23	1:D:26:LEU:HD23	1.99	0.45
1:B:78:PHE:HD2	1:D:41:ARG:NH1	2.13	0.45
1:C:80:GLU:CD	1:C:80:GLU:C	2.84	0.45
1:A:9:THR:HB	1:A:51:ALA:HB1	1.99	0.44
1:C:109:LEU:HA	1:C:112:MET:CE	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:LEU:O	1:B:112:MET:HG3	2.16	0.44
1:C:27:ARG:HH11	1:C:27:ARG:CG	2.30	0.44
1:B:16:ASN:N	1:B:17:PRO:O	2.50	0.44
1:D:22:TYR:HB2	1:D:51:ALA:HB2	1.99	0.44
1:D:67:LEU:C	1:D:67:LEU:HD23	2.42	0.44
1:B:146:THR:OG1	1:B:147:LEU:HD22	2.18	0.44
1:A:123:LYS:HB2	1:A:123:LYS:HZ2	1.82	0.44
1:C:142:ALA:O	1:C:145:PRO:HD3	2.18	0.43
1:B:13:ALA:N	1:B:44:ASN:HD22	2.15	0.43
1:D:113:ALA:HB3	1:D:114:PRO:HD3	1.99	0.43
1:B:44:ASN:HD22	1:B:44:ASN:HA	1.69	0.43
1:D:64:GLU:OE1	1:D:118:ARG:NH2	2.51	0.43
1:A:45:ASN:ND2	2:A:190:HOH:O	2.51	0.43
1:A:123:LYS:N	1:A:123:LYS:HD3	2.34	0.43
1:B:147:LEU:HD22	1:B:147:LEU:N	2.34	0.43
1:D:93:THR:OG1	1:D:97:LYS:HB3	2.19	0.43
1:B:125:HIS:HB3	1:B:132:GLU:HB2	2.00	0.43
1:C:7:ILE:HG23	1:C:26:LEU:CD2	2.49	0.43
1:C:109:LEU:HD23	1:C:112:MET:CE	2.49	0.42
1:C:113:ALA:HB3	1:C:114:PRO:HD3	2.01	0.42
1:A:31:ARG:N	2:A:227:HOH:O	2.51	0.42
1:C:22:TYR:CE2	1:C:37:ALA:HB3	2.54	0.42
1:C:146:THR:O	1:C:146:THR:HG22	2.19	0.42
1:A:97:LYS:HZ3	1:A:98:PRO:HG2	1.85	0.41
1:B:106:GLU:OE2	1:C:128:HIS:CE1	2.71	0.41
1:D:34:THR:OG1	1:D:137:LEU:CD1	2.68	0.41
1:B:67:LEU:C	1:B:67:LEU:HD23	2.46	0.41
1:D:80:GLU:HB2	1:D:82:TRP:NE1	2.36	0.41
1:A:87:ARG:CD	1:A:88:LYS:HD2	2.50	0.41
1:A:110:LEU:HD23	2:A:192:HOH:O	2.20	0.41
1:B:39:TYR:HA	1:B:147:LEU:O	2.21	0.41
1:B:3:LYS:N	1:B:3:LYS:CD	2.84	0.40
1:C:7:ILE:CG1	1:C:26:LEU:HD22	2.49	0.40
1:C:152:TYR:O	1:C:152:TYR:CG	2.73	0.40
1:A:69:THR:O	1:A:121:PHE:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	148/156 (95%)	146 (99%)	2 (1%)	0	100	100
1	B	129/156 (83%)	126 (98%)	3 (2%)	0	100	100
1	C	129/156 (83%)	126 (98%)	2 (2%)	1 (1%)	16	5
1	D	141/156 (90%)	137 (97%)	2 (1%)	2 (1%)	9	2
All	All	547/624 (88%)	535 (98%)	9 (2%)	3 (0%)	24	11

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	152	TYR
1	D	99	VAL
1	D	100	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	115/122 (94%)	111 (96%)	4 (4%)	32	12
1	B	103/122 (84%)	101 (98%)	2 (2%)	50	31
1	C	103/122 (84%)	102 (99%)	1 (1%)	68	56
1	D	112/122 (92%)	111 (99%)	1 (1%)	70	60
All	All	433/488 (89%)	425 (98%)	8 (2%)	51	33

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	87	ARG
1	A	123	LYS
1	A	133	ARG
1	B	3	LYS
1	B	123	LYS
1	C	27	ARG
1	D	102	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	45	ASN
1	A	128	HIS
1	B	4	GLN
1	B	44	ASN
1	B	45	ASN
1	B	128	HIS
1	C	45	ASN
1	C	72	HIS
1	C	101	ASN
1	C	128	HIS
1	D	16	ASN
1	D	44	ASN
1	D	45	ASN
1	D	72	HIS
1	D	125	HIS
1	D	128	HIS
1	D	131	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	152:TYR	C	153:GLN	N	5.56

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.