



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:00 PM UTC

PDB ID : 1JLU / pdb_00001jlu
Title : Crystal Structure of the Catalytic Subunit of cAMP-dependent Protein Kinase Complexed with a Phosphorylated Substrate Peptide and Detergent
Authors : Madhusudan; Trafny, E.A.; Xuong, N.-H.; Adams, J.A.; Ten Eyck, L.F.; Taylor, S.S.; Sowadski, J.M.
Deposited on : 2001-07-16
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	350	
2	S	20	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2962 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AMP-DEPENDENT PROTEIN KINASE, ALPHA-CATALYTIC SUBUNIT.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	E	339	Total	C	N	O	P	S	0	0	0
			2679	1742	446	481	2	8			


- Molecule 2 is a protein called CAMP-DEPENDENT PROTEIN KINASE INHIBITOR, MUSCLE/BRAIN FORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	S	20	Total	C	N	O	P	0	0	0
			159	93	31	34	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	376	ALA	ASN	engineered mutation	UNP P27776
S	377	SEP	ALA	engineered mutation	UNP P27776

- Molecule 3 is N-OCTANE (CCD ID: OCT) (formula: C₈H₁₈).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	1	Total	C	0	0
			8	8		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	102	Total	O	0	0
			102	102		
4	S	14	Total	O	0	0
			14	14		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: AMP-DEPENDENT PROTEIN KINASE, ALPHA-CATALYTIC SUBUNIT

Chain E: 



• Molecule 2: CAMP-DEPENDENT PROTEIN KINASE INHIBITOR, MUSCLE/BRAIN FORM

Chain S: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.87Å 75.58Å 80.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.25	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.25)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.181 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2962	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, OCT, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	1.16	3/2726 (0.1%)	1.63	36/3691 (1.0%)
2	S	1.21	0/150	1.77	2/198 (1.0%)
All	All	1.17	3/2876 (0.1%)	1.64	38/3889 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	1	0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	315	ILE	CA-C	-6.23	1.48	1.52
1	E	13	GLU	CD-OE2	5.09	1.35	1.25
1	E	316	PRO	N-CA	-5.02	1.40	1.47

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	90	ASN	CA-CB-CG	10.46	123.06	112.60
1	E	286	ASN	CA-CB-CG	8.52	121.11	112.60
1	E	77	GLN	N-CA-C	8.41	120.53	111.36
1	E	192	LYS	N-CA-C	-8.38	95.06	108.73
1	E	131	HIS	CA-CB-CG	-8.18	105.62	113.80
1	E	124	ALA	N-CA-C	7.29	121.76	113.01
2	S	366	PHE	CA-CB-CG	-6.83	106.97	113.80
1	E	285	LYS	N-CA-C	-6.80	99.75	109.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	187	PHE	CA-CB-CG	-6.53	107.28	113.80
1	E	202	PRO	N-CA-CB	6.37	109.94	103.25
1	E	33	PRO	N-CA-C	6.33	120.91	111.41
1	E	77	GLN	N-CA-CB	6.25	119.40	110.16
1	E	163	ILE	N-CA-CB	6.23	120.01	111.41
1	E	341	GLU	N-CA-CB	6.17	119.04	109.97
1	E	115	ASN	N-CA-C	6.11	118.99	109.52
1	E	332	GLU	N-CA-C	5.96	118.48	107.99
1	E	205	LEU	CB-CA-C	-5.95	100.38	109.89
1	E	123	VAL	N-CA-CB	5.92	119.32	112.15
1	E	335	ILE	N-CA-CB	5.89	117.76	111.46
1	E	284	LEU	CA-C-N	-5.85	112.76	120.95
1	E	284	LEU	C-N-CA	-5.85	112.76	120.95
1	E	14	SER	CA-C-N	5.84	128.03	120.56
1	E	14	SER	C-N-CA	5.84	128.03	120.56
1	E	59	LEU	N-CA-C	-5.83	100.50	109.76
1	E	205	LEU	N-CA-C	5.74	118.58	109.96
1	E	286	ASN	CB-CA-C	-5.74	99.00	110.42
1	E	85	ILE	N-CA-C	5.72	116.36	110.36
1	E	194	ARG	N-CA-C	5.71	118.26	110.55
1	E	63	LYS	N-CA-C	5.54	117.31	111.28
2	S	380	ASP	CA-CB-CG	5.50	118.10	112.60
1	E	151	VAL	N-CA-C	-5.47	105.17	110.42
1	E	165	ARG	N-CA-C	5.27	121.73	113.72
1	E	286	ASN	N-CA-CB	5.27	119.39	110.49
1	E	333	GLU	N-CA-C	-5.16	103.87	110.53
1	E	64	GLU	CA-C-N	-5.08	114.19	122.26
1	E	64	GLU	C-N-CA	-5.08	114.19	122.26
1	E	275	VAL	N-CA-CB	5.05	119.28	110.65
1	E	185	PHE	CA-CB-CG	-5.02	108.78	113.80

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	E	77	GLN	CA

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2679	0	2567	87	0
2	S	159	0	144	5	0
3	E	8	0	18	0	0
4	E	102	0	0	7	0
4	S	14	0	0	0	0
All	All	2962	0	2729	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:217:LYS:HZ1	1:E:283:ASN:HD22	1.12	0.96
1:E:294:HIS:HD2	1:E:296:TRP:H	1.13	0.96
1:E:131:HIS:HD2	1:E:134:ARG:HH22	1.10	0.93
1:E:71:MET:HE3	1:E:73:ILE:HD11	1.52	0.89
1:E:122:TYR:CE2	1:E:124:ALA:HB2	2.10	0.87
1:E:131:HIS:CD2	1:E:134:ARG:HH22	1.97	0.82
1:E:217:LYS:NZ	1:E:283:ASN:HD22	1.78	0.82
4:E:407:HOH:O	2:S:374:ARG:HD2	1.82	0.79
1:E:30:TRP:CZ3	1:E:93:ARG:HG2	2.26	0.70
1:E:135:ILE:HD12	1:E:138:PHE:HE2	1.57	0.68
1:E:45:ARG:CB	1:E:58:MET:HE1	2.23	0.67
1:E:168:LYS:HG3	1:E:170:GLU:HB2	1.75	0.67
1:E:59:LEU:HD11	1:E:68:HIS:HB3	1.77	0.66
1:E:189:LYS:HG2	1:E:191:VAL:HG22	1.77	0.66
1:E:217:LYS:HZ1	1:E:283:ASN:ND2	1.92	0.65
1:E:131:HIS:HD2	1:E:134:ARG:NH2	1.90	0.64
1:E:307:GLN:OE1	1:E:309:LYS:HE3	1.97	0.64
1:E:285:LYS:O	1:E:285:LYS:HG3	1.97	0.63
1:E:77:GLN:O	1:E:81:LYS:HG3	1.98	0.62
1:E:144:ARG:HD2	4:E:490:HOH:O	2.00	0.61
1:E:99:ASN:C	1:E:99:ASN:HD22	2.08	0.61
1:E:294:HIS:CD2	1:E:296:TRP:H	2.05	0.59
1:E:242:GLN:N	1:E:245:GLN:OE1	2.31	0.59
1:E:170:GLU:OE2	2:S:375:ARG:HD2	2.02	0.58
1:E:100:PHE:CG	1:E:101:PRO:HD2	2.39	0.58
1:E:43:PHE:HB3	1:E:60:VAL:HG13	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:126:GLY:HA2	1:E:327:PHE:CZ	2.41	0.56
1:E:142:HIS:CE1	1:E:146:TYR:CE2	2.95	0.55
1:E:103:LEU:HD22	1:E:185:PHE:HZ	1.73	0.54
1:E:205:LEU:HD12	4:E:492:HOH:O	2.08	0.53
1:E:113:ASN:ND2	1:E:341:GLU:HB3	2.24	0.53
1:E:240:ALA:CB	1:E:245:GLN:HB2	2.39	0.53
1:E:110:PHE:CE2	1:E:117:TYR:CD2	2.98	0.51
1:E:158:HIS:HE1	1:E:220:ASP:OD2	1.94	0.51
1:E:123:VAL:CG1	1:E:175:ASP:HA	2.41	0.50
1:E:30:TRP:CE3	1:E:93:ARG:HG2	2.47	0.50
1:E:165:ARG:HH12	1:E:197:TPO:P	2.33	0.50
1:E:201:THR:O	1:E:202:PRO:C	2.54	0.50
2:S:363:TYR:O	2:S:367:ILE:HG12	2.11	0.50
1:E:140:GLU:N	1:E:141:PRO:HD2	2.26	0.50
1:E:189:LYS:HE3	4:E:496:HOH:O	2.11	0.49
1:E:61:LYS:HE2	1:E:66:GLY:HA2	1.94	0.49
1:E:89:LEU:HD22	1:E:349:GLU:HG2	1.94	0.49
1:E:180:ILE:CG2	1:E:181:GLN:N	2.76	0.48
1:E:71:MET:CE	1:E:73:ILE:HD11	2.34	0.48
1:E:140:GLU:HB2	1:E:141:PRO:HD3	1.95	0.48
1:E:217:LYS:NZ	1:E:283:ASN:ND2	2.54	0.48
1:E:143:ALA:HB1	1:E:231:MET:HE3	1.95	0.48
1:E:71:MET:HE3	1:E:73:ILE:CD1	2.36	0.47
1:E:39:GLN:HB2	1:E:42:GLN:HG3	1.96	0.47
1:E:88:THR:HG21	1:E:116:LEU:CD1	2.45	0.47
1:E:247:TYR:O	1:E:251:VAL:HG22	2.15	0.47
1:E:239:PHE:O	1:E:249:LYS:HE2	2.15	0.47
1:E:284:LEU:HB2	1:E:290:ASP:OD1	2.15	0.47
1:E:195:THR:OG1	1:E:197:TPO:O1P	2.29	0.46
1:E:305:ILE:HD13	1:E:310:VAL:CG2	2.46	0.46
1:E:230:GLU:CD	2:S:375:ARG:HH22	2.24	0.46
2:S:372:THR:HG22	2:S:372:THR:O	2.15	0.46
1:E:142:HIS:HE1	1:E:146:TYR:CE2	2.34	0.45
1:E:164:TYR:O	1:E:165:ARG:HB2	2.15	0.45
1:E:121:GLU:HB2	4:E:398:HOH:O	2.16	0.45
1:E:286:ASN:O	1:E:287:GLY:C	2.60	0.45
1:E:140:GLU:N	1:E:141:PRO:CD	2.80	0.45
1:E:244:ILE:HD12	1:E:244:ILE:HA	1.73	0.44
1:E:56:ARG:HH22	1:E:335:ILE:HA	1.81	0.44
1:E:285:LYS:O	1:E:286:ASN:ND2	2.51	0.44
1:E:103:LEU:HD22	1:E:185:PHE:CZ	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:104:VAL:O	1:E:104:VAL:HG13	2.18	0.43
1:E:131:HIS:O	1:E:135:ILE:HG13	2.18	0.43
1:E:50:GLY:HA2	1:E:330:TYR:CZ	2.53	0.43
1:E:224:LEU:O	1:E:225:GLY:C	2.60	0.43
1:E:162:LEU:HD12	1:E:190:ARG:HA	2.01	0.42
1:E:50:GLY:HA2	1:E:330:TYR:CE2	2.54	0.42
1:E:120:MET:HB2	1:E:120:MET:HE2	1.66	0.42
1:E:305:ILE:HD13	1:E:305:ILE:HA	1.78	0.42
1:E:246:ILE:O	1:E:250:ILE:HG13	2.19	0.41
1:E:263:SER:N	4:E:426:HOH:O	2.49	0.41
1:E:265:LEU:O	1:E:266:LYS:C	2.60	0.41
1:E:342:LYS:HE3	4:E:470:HOH:O	2.20	0.41
1:E:242:GLN:O	1:E:243:PRO:C	2.64	0.41
1:E:33:PRO:HB3	1:E:96:GLN:CD	2.46	0.41
1:E:74:LEU:HD12	1:E:74:LEU:HA	1.82	0.41
1:E:305:ILE:HD13	1:E:310:VAL:HG21	2.02	0.41
1:E:267:ASP:OD2	1:E:294:HIS:HE1	2.04	0.41
1:E:100:PHE:CG	1:E:101:PRO:CD	3.04	0.41
1:E:276:ASP:C	1:E:278:THR:N	2.79	0.41
1:E:58:MET:HE3	1:E:58:MET:HB3	1.81	0.41
1:E:342:LYS:O	1:E:343:CYS:C	2.65	0.40
1:E:100:PHE:CD1	1:E:101:PRO:HD2	2.57	0.40
1:E:168:LYS:HE3	1:E:201:THR:OG1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	335/350 (96%)	318 (95%)	12 (4%)	5 (2%)	8	4
2	S	17/20 (85%)	16 (94%)	1 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	352/370 (95%)	334 (95%)	13 (4%)	5 (1%)	9 5

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	286	ASN
1	E	202	PRO
1	E	288	VAL
1	E	243	PRO
1	E	287	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	E	267/303 (88%)	230 (86%)	37 (14%)	3 2
2	S	14/14 (100%)	11 (79%)	3 (21%)	1 0
All	All	281/317 (89%)	241 (86%)	40 (14%)	3 2

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	19	LEU
1	E	32	THR
1	E	34	SER
1	E	36	ASN
1	E	54	PHE
1	E	60	VAL
1	E	74	LEU
1	E	81	LYS
1	E	93	ARG
1	E	95	LEU
1	E	99	ASN
1	E	111	LYS
1	E	113	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	114	SER
1	E	120	MET
1	E	162	LEU
1	E	163	ILE
1	E	172	LEU
1	E	173	LEU
1	E	174	ILE
1	E	191	VAL
1	E	195	THR
1	E	198	LEU
1	E	203	GLU
1	E	205	LEU
1	E	217	LYS
1	E	224	LEU
1	E	244	ILE
1	E	254	LYS
1	E	274	GLN
1	E	275	VAL
1	E	285	LYS
1	E	288	VAL
1	E	299	THR
1	E	309	LYS
1	E	342	LYS
1	E	349	GLU
2	S	375	ARG
2	S	379	HIS
2	S	380	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	36	ASN
1	E	39	GLN
1	E	62	HIS
1	E	67	ASN
1	E	99	ASN
1	E	113	ASN
1	E	131	HIS
1	E	142	HIS
1	E	177	GLN
1	E	271	ASN
1	E	283	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	294	HIS
2	S	379	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	E	338	1	8,9,10	1.07	1 (12%)	7,12,14	2.40	4 (57%)
1	TPO	E	197	1	8,10,11	1.11	1 (12%)	10,14,16	2.00	3 (30%)
2	SEP	S	377	2	8,9,10	1.03	0	7,12,14	1.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	E	338	1	-	3/6/8/10	-
1	TPO	E	197	1	-	1/9/11/13	-
2	SEP	S	377	2	-	4/6/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	338	SEP	P-O3P	-2.11	1.47	1.54
1	E	197	TPO	P-O3P	-2.05	1.47	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	197	TPO	O2P-P-O1P	5.00	130.31	110.83
1	E	338	SEP	O2P-P-O1P	-4.07	94.99	110.83
1	E	338	SEP	OG-CB-CA	3.33	111.39	108.14
1	E	197	TPO	O3P-P-O1P	-2.81	99.90	110.83
1	E	338	SEP	O3P-P-O1P	2.70	121.36	110.83
1	E	197	TPO	CG2-CB-CA	-2.30	108.78	113.26
1	E	338	SEP	OG-P-O1P	2.02	111.91	106.44

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	E	197	TPO	O-C-CA-CB
1	E	338	SEP	N-CA-CB-OG
2	S	377	SEP	CB-OG-P-O1P
2	S	377	SEP	CB-OG-P-O3P
1	E	338	SEP	CA-CB-OG-P
2	S	377	SEP	CA-CB-OG-P
2	S	377	SEP	CB-OG-P-O2P
1	E	338	SEP	C-CA-CB-OG

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	197	TPO	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OCT	E	381	-	7,7,7	0.62	0	6,6,6	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OCT	E	381	-	-	2/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	381	OCT	C5-C6-C7-C8
3	E	381	OCT	C1-C2-C3-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.