



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:38 PM UTC

PDB ID : 4JLM / pdb_00004jlm
Title : Human dCK C4S-S74E mutant in complex with UDP and the F2.3.1 inhibitor
(2-[(5-ETHYL-2-[3-(2-FLUOROETHOXY)-4-METHOXYPHENYL]-1,3-THIAZOL-4-YL)METHYL)SULFANYL]PYRIMIDINE-4,6-DIAMINE)
Authors : Nomme, J.; Lavie, A.
Deposited on : 2013-03-12
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	233	Total	C	N	O	S	0	4	0
			1942	1247	321	366	8			
1	B	233	Total	C	N	O	S	0	5	0
			1956	1254	323	372	7			

There are 50 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P27707
A	-18	GLY	-	expression tag	UNP P27707
A	-17	SER	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	HIS	-	expression tag	UNP P27707
A	-14	HIS	-	expression tag	UNP P27707
A	-13	HIS	-	expression tag	UNP P27707
A	-12	HIS	-	expression tag	UNP P27707
A	-11	HIS	-	expression tag	UNP P27707
A	-10	HIS	-	expression tag	UNP P27707
A	-9	SER	-	expression tag	UNP P27707
A	-8	SER	-	expression tag	UNP P27707
A	-7	GLY	-	expression tag	UNP P27707
A	-6	LEU	-	expression tag	UNP P27707
A	-5	VAL	-	expression tag	UNP P27707
A	-4	PRO	-	expression tag	UNP P27707
A	-3	ARG	-	expression tag	UNP P27707
A	-2	GLY	-	expression tag	UNP P27707
A	-1	SER	-	expression tag	UNP P27707
A	0	HIS	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
A	74	GLU	SER	engineered mutation	UNP P27707
A	146	SER	CYS	engineered mutation	UNP P27707

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	expression tag	UNP P27707
B	-18	GLY	-	expression tag	UNP P27707
B	-17	SER	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	HIS	-	expression tag	UNP P27707
B	-14	HIS	-	expression tag	UNP P27707
B	-13	HIS	-	expression tag	UNP P27707
B	-12	HIS	-	expression tag	UNP P27707
B	-11	HIS	-	expression tag	UNP P27707
B	-10	HIS	-	expression tag	UNP P27707
B	-9	SER	-	expression tag	UNP P27707
B	-8	SER	-	expression tag	UNP P27707
B	-7	GLY	-	expression tag	UNP P27707
B	-6	LEU	-	expression tag	UNP P27707
B	-5	VAL	-	expression tag	UNP P27707
B	-4	PRO	-	expression tag	UNP P27707
B	-3	ARG	-	expression tag	UNP P27707
B	-2	GLY	-	expression tag	UNP P27707
B	-1	SER	-	expression tag	UNP P27707
B	0	HIS	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707
B	59	SER	CYS	engineered mutation	UNP P27707
B	74	GLU	SER	engineered mutation	UNP P27707
B	146	SER	CYS	engineered mutation	UNP P27707

- Molecule 2 is 2-[(5-ethyl-2-[3-(2-fluoroethoxy)-4-methoxyphenyl]-1,3-thiazol-4-yl)methyl]sulfanylpurine-4,6-diamine (CCD ID: 1NN) (formula: C₁₉H₂₂FN₅O₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		
2	A	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	57	Total	O	0	0
			57	57		
4	B	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Deoxycytidine kinase



• Molecule 1: Deoxycytidine kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	68.52Å 68.52Å 121.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.42 – 2.18 24.42 – 2.18	Depositor EDS
% Data completeness (in resolution range)	97.2 (24.42-2.18) 97.5 (24.42-2.18)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.167 , 0.245 0.167 , 0.242	Depositor DCC
R_{free} test set	1468 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	49.2	Xtriage
Anisotropy	0.150	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.460 for h,-k,-l	Xtriage
Reported twinning fraction	0.514 for H, K, L 0.486 for -H, K, -L	Depositor
Outliers	0 of 28935 reflections	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	4150	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, 1NN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	0/2000	1.09	3/2706 (0.1%)
1	B	0.79	0/2017	1.08	1/2726 (0.0%)
All	All	0.79	0/4017	1.08	4/5432 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	136	ILE	N-CA-C	-6.50	105.97	111.56
1	A	249	LEU	N-CA-C	-5.54	105.16	111.14
1	A	138	ALA	N-CA-C	-5.32	105.40	111.14
1	A	166	PHE	N-CA-C	-5.14	104.27	110.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1942	0	1881	66	0
1	B	1956	0	1904	59	0
2	A	58	0	44	7	0
2	B	29	0	22	5	0
3	A	25	0	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	25	0	11	2	0
4	A	57	0	0	10	0
4	B	58	0	0	2	0
All	All	4150	0	3873	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:1NN:H15	2:A:302:1NN:H12	1.31	1.10
1:B:197:GLU:OE2	4:B:452:HOH:O	1.77	1.01
1:A:19:THR:O	1:A:20:ARG:HG2	1.65	0.97
1:A:34:LYS:O	1:A:38:VAL:HG13	1.67	0.95
1:B:207:LYS:O	1:B:211:LYS:HG3	1.68	0.94
1:B:186:LEU:HD22	1:B:202:LEU:HD13	1.50	0.92
1:A:213:GLU:OE1	1:A:217:LEU:HD22	1.72	0.90
1:B:168:GLN:HE21	1:B:168:GLN:H	1.20	0.89
1:A:94:PHE:O	1:A:98:THR:HG23	1.76	0.86
1:B:82:LEU:HD11	2:B:301:1NN:H15	1.57	0.86
1:A:163:ASN:O	1:A:167:GLY:HA3	1.77	0.83
1:A:45:SER:O	4:A:408:HOH:O	1.95	0.83
1:B:86:TYR:CD1	2:B:301:1NN:H10	2.15	0.81
1:A:163:ASN:O	1:A:167:GLY:CA	2.29	0.79
1:A:47:ASP:OD2	4:A:428:HOH:O	2.01	0.79
1:A:54:PRO:HA	1:A:57:ARG:HE	1.48	0.78
1:A:30:ILE:HD12	2:A:302:1NN:H13	1.66	0.78
1:A:158:TRP:CE2	1:A:162:MET:HE3	2.20	0.76
1:B:31:ALA:HB2	1:B:192:ARG:HH21	1.51	0.76
1:A:107:ALA:O	4:A:415:HOH:O	2.08	0.72
1:B:42:LYS:O	4:B:427:HOH:O	2.08	0.71
1:A:188:ARG:HA	1:A:191:LEU:HB2	1.73	0.70
1:A:54:PRO:HD2	4:A:429:HOH:O	1.90	0.70
1:B:168:GLN:H	1:B:168:GLN:NE2	1.90	0.70
1:A:19:THR:O	1:A:20:ARG:CG	2.40	0.69
1:A:161:TRP:HZ3	1:B:162:MET:HE2	1.58	0.69
1:A:150:THR:O	1:A:154:ILE:HG13	1.93	0.68
2:B:301:1NN:H4	2:B:301:1NN:OAQ	1.94	0.68
1:B:215:TRP:HB2	1:B:221:LEU:HD13	1.76	0.67
2:A:301:1NN:H17	2:A:301:1NN:H14	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:ARG:O	1:A:91:ARG:HD2	1.94	0.66
1:B:196:GLU:CD	1:B:196:GLU:H	2.05	0.65
1:B:178:LEU:HB3	1:B:238:VAL:HG21	1.80	0.64
1:A:77:ASN:O	1:A:81:VAL:HG12	1.98	0.64
1:B:158:TRP:O	1:B:162:MET:HB3	1.98	0.64
1:A:30:ILE:HD12	2:A:302:INN:CAA	2.29	0.62
1:B:166:PHE:HB2	1:B:169:SER:OG	2.00	0.62
1:A:47:ASP:OD1	1:A:119:ALA:HB1	2.00	0.60
1:B:31:ALA:HA	3:B:302:UDP:O3A	2.01	0.60
1:A:161:TRP:CZ3	1:B:162:MET:HE2	2.35	0.60
1:A:101:CYS:O	1:A:105:ILE:HG13	2.03	0.59
1:B:33:GLY:HA2	3:B:302:UDP:O2A	2.03	0.58
1:A:145:GLU:HA	4:A:442:HOH:O	2.03	0.58
1:B:166:PHE:CD1	1:B:166:PHE:N	2.73	0.57
1:B:86:TYR:CE1	2:B:301:INN:H10	2.40	0.56
1:A:162:MET:O	1:A:166:PHE:HD1	1.89	0.56
1:B:182:PRO:O	1:B:186:LEU:HB2	2.06	0.55
1:A:127:GLU:OE1	4:A:409:HOH:O	2.18	0.55
1:A:255:GLU:O	1:A:259:THR:HG23	2.06	0.55
1:B:104:ARG:HE	1:B:133:ASP:CG	2.16	0.54
1:A:48:TRP:O	4:A:408:HOH:O	2.19	0.54
1:A:91:ARG:HG3	1:A:92:TRP:CE2	2.43	0.53
1:B:185:CYS:O	1:B:189:ILE:HG13	2.08	0.53
1:A:30:ILE:HG23	4:A:448:HOH:O	2.07	0.53
1:B:138:ALA:HB1	1:B:152:TRP:HZ3	1.73	0.53
1:A:154:ILE:HG23	1:B:99:TYR:CD1	2.44	0.52
1:B:82:LEU:CD1	2:B:301:INN:H15	2.34	0.52
1:A:131:TYR:CD2	1:A:228:LEU:HD11	2.45	0.52
1:A:171:GLU:HG2	1:A:227:TYR:CE1	2.44	0.52
1:A:130:VAL:HG21	1:A:163:ASN:HD21	1.75	0.52
1:A:163:ASN:O	1:A:167:GLY:HA2	2.08	0.52
1:A:219:ARG:NH1	1:A:231:VAL:O	2.43	0.52
1:A:157:ASP:OD2	1:B:99:TYR:OH	2.12	0.51
1:A:197:GLU:HG2	2:A:302:INN:H16	1.93	0.51
1:B:116:LEU:O	1:B:117:LYS:C	2.54	0.51
1:B:38:VAL:HB	1:B:50:VAL:HG21	1.94	0.50
1:B:175:ILE:HG21	1:B:216:LEU:HD22	1.93	0.50
1:B:250:VAL:HG12	1:B:254:LYS:HE3	1.93	0.50
1:B:138:ALA:CB	1:B:152:TRP:HZ3	2.24	0.50
2:A:301:INN:H8	2:A:302:INN:H2	1.94	0.49
1:A:100:ALA:HB1	4:A:446:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:ARG:NE	4:A:430:HOH:O	2.45	0.49
1:B:195:ASN:C	1:B:197:GLU:H	2.21	0.49
1:A:57:ARG:NH2	1:A:74:GLU:OE2	2.43	0.49
1:B:148:ASN:OD1	1:B:148:ASN:C	2.55	0.49
1:A:58:TRP:HZ2	1:A:103:SER:HG	1.59	0.49
1:A:116:LEU:O	1:A:118:ASP:HA	2.14	0.48
1:A:158:TRP:HA	1:B:102:LEU:HD21	1.95	0.48
1:B:182:PRO:O	1:B:186:LEU:N	2.35	0.48
1:A:158:TRP:NE1	1:A:162:MET:HE3	2.28	0.47
1:A:161:TRP:HZ3	1:B:162:MET:CE	2.27	0.47
1:B:117:LYS:HD2	1:B:117:LYS:HA	1.71	0.47
1:B:19:THR:HA	1:B:20:ARG:HA	1.72	0.47
1:A:196:GLU:H	1:A:196:GLU:CD	2.22	0.46
1:A:22:LYS:NZ	1:A:257:LEU:O	2.48	0.46
1:A:104:ARG:HH21	1:A:104:ARG:HG3	1.79	0.46
1:B:236:LEU:HD13	1:B:249:LEU:HD22	1.97	0.46
1:B:227:TYR:O	1:B:231:VAL:HG23	2.15	0.46
1:A:38:VAL:HG11	1:A:127:GLU:HG3	1.97	0.46
1:B:29:ASN:HB3	1:B:185:CYS:SG	2.56	0.45
1:B:20:ARG:O	1:B:122:PRO:HG2	2.17	0.45
1:B:187:HIS:O	1:B:190:TYR:HB3	2.18	0.44
1:A:171:GLU:HG2	1:A:227:TYR:CZ	2.52	0.44
1:B:196:GLU:CD	1:B:196:GLU:N	2.74	0.44
1:B:38:VAL:HB	1:B:50:VAL:CG2	2.48	0.43
1:B:138:ALA:HB1	1:B:152:TRP:CZ3	2.53	0.43
1:B:179:GLN:NE2	1:B:213:GLU:OE1	2.52	0.42
1:A:135:TYR:HB3	1:A:221:LEU:HD21	2.01	0.42
1:A:231:VAL:HA	1:A:232:PRO:HD3	1.83	0.42
1:B:178:LEU:HB3	1:B:238:VAL:CG2	2.47	0.42
1:B:234:LEU:HD22	1:B:256:PHE:HB2	2.02	0.41
1:A:162:MET:SD	1:B:162:MET:HE3	2.59	0.41
1:A:194:ARG:O	1:A:198:GLN:NE2	2.46	0.41
1:B:54:PRO:O	1:B:55:VAL:C	2.64	0.41
1:B:156:GLN:O	1:B:157:ASP:C	2.62	0.41
1:A:194:ARG:HD3	2:A:302:INN:NAD	2.35	0.41
1:A:242:PHE:CB	1:A:249:LEU:HD11	2.50	0.41
1:B:84[A]:MET:HB3	1:B:92:TRP:CD1	2.55	0.41
1:B:28:GLY:O	1:B:128:ARG:NH2	2.54	0.41
1:A:53:GLU:HG3	1:A:104:ARG:HH22	1.85	0.41
1:A:186:LEU:HA	1:A:189:ILE:HB	2.01	0.41
1:A:77:ASN:HD21	1:B:153:THR:HG22	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:LYS:NZ	1:B:260:LEU:O	2.54	0.41
1:A:213:GLU:OE1	1:A:217:LEU:CD2	2.56	0.41
1:A:219:ARG:NH2	1:A:231:VAL:O	2.53	0.41
1:A:182:PRO:HG2	1:A:206:GLU:HG2	2.03	0.41
1:A:189:ILE:HG22	1:A:190:TYR:N	2.34	0.40
1:B:38:VAL:O	1:B:50:VAL:HG21	2.22	0.40
1:B:71:LEU:O	1:B:76:LYS:HE2	2.21	0.40
1:A:204:TYR:CE2	1:A:208:LEU:HD11	2.56	0.40
1:A:111:SER:HB3	1:A:124:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	233/280 (83%)	218 (94%)	13 (6%)	2 (1%)	14	12
1	B	234/280 (84%)	210 (90%)	18 (8%)	6 (3%)	4	2
All	All	467/560 (83%)	428 (92%)	31 (7%)	8 (2%)	7	4

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	29	ASN
1	B	190	TYR
1	B	196	GLU
1	A	114	GLY
1	B	193	GLY
1	B	237	ASP
1	A	180	ALA
1	B	110	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/256 (83%)	190 (90%)	22 (10%)	7	5
1	B	216/256 (84%)	200 (93%)	16 (7%)	13	13
All	All	428/512 (84%)	390 (91%)	38 (9%)	9	8

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LYS
1	A	35	SER
1	A	50	VAL
1	A	60	ASN
1	A	71	LEU
1	A	73	MET
1	A	76	LYS
1	A	85	MET
1	A	88	LYS
1	A	98	THR
1	A	102	LEU
1	A	106	ARG
1	A	112	LEU
1	A	115	LYS
1	A	132	SER
1	A	163	ASN
1	A	170	LEU
1	A	184	THR
1	A	189	ILE
1	A	214	SER
1	A	226	ASP
1	A	231	VAL
1	B	20	ARG
1	B	49	GLU
1	B	60	ASN
1	B	81	VAL
1	B	88	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	102	LEU
1	B	106	ARG
1	B	120	GLU
1	B	166	PHE
1	B	168	GLN
1	B	169	SER
1	B	196	GLU
1	B	221	LEU
1	B	223	THR
1	B	224	ASN
1	B	229	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	A	113	ASN
1	A	163	ASN
1	A	224	ASN
1	A	229	GLN
1	B	60	ASN
1	B	113	ASN
1	B	163	ASN
1	B	168	GLN
1	B	209	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UDP	A	303	-	25,26,26	1.26	2 (8%)	38,40,40	1.71	6 (15%)
2	1NN	A	302	-	29,31,31	3.21	6 (20%)	39,42,42	5.15	11 (28%)
2	1NN	A	301	-	29,31,31	2.31	5 (17%)	39,42,42	3.53	12 (30%)
2	1NN	B	301	-	29,31,31	1.82	4 (13%)	39,42,42	3.78	16 (41%)
3	UDP	B	302	-	25,26,26	1.43	4 (16%)	38,40,40	1.78	8 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDP	A	303	-	-	1/16/32/32	0/2/2/2
2	1NN	A	302	-	-	3/17/17/17	0/3/3/3
2	1NN	A	301	-	-	4/17/17/17	0/3/3/3
2	1NN	B	301	-	-	6/17/17/17	0/3/3/3
3	UDP	B	302	-	-	6/16/32/32	0/2/2/2

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	302	1NN	CBB-SAT	-9.67	1.54	1.74
2	A	302	1NN	CAW-CBC	-9.65	1.32	1.47
2	A	301	1NN	CAW-CBC	-9.16	1.33	1.47
2	A	302	1NN	CBC-SAT	-8.88	1.53	1.74
2	B	301	1NN	CAW-CBC	-7.20	1.36	1.47
2	A	301	1NN	CBC-SAT	-4.75	1.63	1.74
2	A	301	1NN	CBB-SAT	-4.67	1.64	1.74
3	B	302	UDP	PA-O3A	3.99	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	302	1NN	C2-SAS	-3.21	1.68	1.75
3	B	302	UDP	C2-N1	3.18	1.43	1.38
3	A	303	UDP	PA-O3A	2.98	1.62	1.59
2	B	301	1NN	CAJ-CAL	2.83	1.53	1.49
3	B	302	UDP	C4-N3	-2.71	1.34	1.38
2	A	301	1NN	CAM-SAS	2.69	1.86	1.80
2	A	302	1NN	CAJ-CAL	2.64	1.53	1.49
2	B	301	1NN	CBB-SAT	-2.49	1.69	1.74
3	A	303	UDP	C2-N1	2.43	1.42	1.38
3	B	302	UDP	C6-C5	2.36	1.40	1.35
2	A	302	1NN	CAM-SAS	2.05	1.85	1.80
2	B	301	1NN	CAK-CBB	2.05	1.56	1.50
2	A	301	1NN	CAJ-CAL	2.00	1.52	1.49

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	302	1NN	CBB-SAT-CBC	29.16	97.79	90.09
2	A	301	1NN	CBB-SAT-CBC	17.52	94.72	90.09
2	B	301	1NN	CBB-SAT-CBC	17.27	94.65	90.09
2	A	302	1NN	CAM-CBA-NAP	7.50	125.03	118.87
2	B	301	1NN	CAM-SAS-C2	7.28	111.00	101.65
2	A	301	1NN	C2-N1-C6	6.55	122.58	115.49
2	B	301	1NN	C2-N1-C6	5.12	121.03	115.49
3	B	302	UDP	N3-C2-N1	5.10	121.53	114.89
3	A	303	UDP	C4-N3-C2	-5.08	120.31	126.61
2	B	301	1NN	SAT-CBC-NAP	-5.05	107.02	115.14
2	A	302	1NN	CAB-OAQ-CAY	-4.98	110.20	117.51
2	A	301	1NN	C2-N3-C4	4.95	120.85	115.49
3	B	302	UDP	C4-N3-C2	-4.93	120.50	126.61
2	B	301	1NN	C2-N3-C4	4.60	120.47	115.49
2	A	301	1NN	N1-C2-N3	-4.45	118.89	127.00
2	A	302	1NN	C2-N1-C6	4.35	120.20	115.49
3	A	303	UDP	C5-C4-N3	4.22	120.72	114.80
2	B	301	1NN	CBC-NAP-CBA	4.01	114.83	110.87
3	A	303	UDP	N3-C2-N1	3.80	119.84	114.89
2	B	301	1NN	CAM-CBA-NAP	3.78	121.98	118.87
3	B	302	UDP	C5-C4-N3	3.71	120.00	114.80
2	B	301	1NN	N1-C2-N3	-3.70	120.25	127.00
2	B	301	1NN	CAG-CAF-CAW	3.61	124.66	120.80
2	A	301	1NN	CAL-OAR-CAZ	-3.59	109.02	117.69
3	A	303	UDP	O4-C4-C5	-3.48	119.17	125.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	302	1NN	SAT-CBC-NAP	-3.44	109.61	115.14
2	A	301	1NN	CAB-OAQ-CAY	-3.34	112.62	117.51
2	B	301	1NN	CAW-CBC-SAT	3.27	128.71	122.09
2	A	302	1NN	C2-N3-C4	3.25	119.01	115.49
2	B	301	1NN	CAK-CBB-SAT	3.05	128.14	119.06
2	A	301	1NN	CAF-CAW-CBC	-2.89	116.35	120.75
2	A	302	1NN	CAL-OAR-CAZ	-2.86	110.79	117.69
3	A	303	UDP	O3B-PB-O2B	2.82	118.39	107.80
2	A	302	1NN	CAM-SAS-C2	2.81	105.26	101.65
2	A	301	1NN	SAT-CBC-NAP	-2.78	110.67	115.14
2	B	301	1NN	CAM-CBA-CBB	-2.77	122.45	126.31
2	A	302	1NN	N1-C2-N3	-2.73	122.02	127.00
2	B	301	1NN	NAC-C6-N1	2.67	120.88	116.59
3	B	302	UDP	O3B-PB-O1B	2.62	121.03	110.83
3	B	302	UDP	C6-N1-C2	-2.58	117.86	121.00
3	B	302	UDP	O4-C4-C5	-2.54	120.79	125.16
2	A	301	1NN	CAW-CAI-CAZ	-2.53	116.21	119.60
2	A	302	1NN	CAM-CBA-CBB	-2.51	122.81	126.31
2	B	301	1NN	OAQ-CAY-CAZ	2.45	118.72	115.40
3	A	303	UDP	O2-C2-N1	-2.43	119.64	122.80
2	B	301	1NN	FAE-CAJ-CAL	-2.35	106.37	110.61
2	B	301	1NN	OAR-CAZ-CAI	-2.27	118.60	123.49
2	A	302	1NN	NAD-C4-N3	2.26	120.23	116.59
3	B	302	UDP	O4'-C1'-N1	2.18	113.31	108.36
2	A	301	1NN	OAQ-CAY-CAZ	2.12	118.27	115.40
3	B	302	UDP	O2-C2-N3	-2.10	117.61	121.49
2	A	301	1NN	NAD-C4-N3	2.06	119.90	116.59
2	A	301	1NN	CAI-CAZ-CAY	2.06	122.47	119.83

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	1NN	CAA-CAK-CBB-CBA
2	B	301	1NN	FAE-CAJ-CAL-OAR
3	B	302	UDP	C5'-O5'-PA-O1A
3	B	302	UDP	C5'-O5'-PA-O3A
3	B	302	UDP	PA-O3A-PB-O3B
3	B	302	UDP	O4'-C4'-C5'-O5'
2	B	301	1NN	CAI-CAZ-OAR-CAL
2	B	301	1NN	CAY-CAZ-OAR-CAL
2	A	301	1NN	CAA-CAK-CBB-SAT

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	303	UDP	PA-O3A-PB-O3B
2	A	301	1NN	CBA-CAM-SAS-C2
2	A	302	1NN	CBA-CAM-SAS-C2
2	B	301	1NN	CBA-CAM-SAS-C2
3	B	302	UDP	C5'-O5'-PA-O2A
3	B	302	UDP	C3'-C4'-C5'-O5'
2	A	301	1NN	FAE-CAJ-CAL-OAR
2	A	302	1NN	FAE-CAJ-CAL-OAR
2	B	301	1NN	N1-C2-SAS-CAM
2	B	301	1NN	N3-C2-SAS-CAM
2	A	302	1NN	CAJ-CAL-OAR-CAZ



There are no ring outliers.


4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	302	1NN	6	0
2	A	301	1NN	3	0
2	B	301	1NN	5	0
3	B	302	UDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/280 (83%)	-1.42	0 100 100	27, 49, 71, 87	4 (1%)
1	B	233/280 (83%)	-1.43	0 100 100	23, 50, 72, 88	5 (2%)
All	All	466/560 (83%)	-1.43	0 100 100	23, 50, 72, 88	9 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	1NN	A	302	29/29	0.98	0.06	25,37,42,44	29
2	1NN	A	301	29/29	0.99	0.03	39,51,58,72	0
2	1NN	B	301	29/29	0.99	0.03	40,51,63,65	0
3	UDP	A	303	25/25	1.00	0.03	47,57,64,65	0
3	UDP	B	302	25/25	1.00	0.03	39,59,69,70	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 1NN A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 1NN B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.