



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 04:11 AM UTC

PDB ID : 4JLN / pdb_00004jln
Title : Human dCK C4S-S74E mutant in complex with UDP and the F2.4.1 inhibitor (2-[(2-[3-(2-FLUOROETHOXY)-4-METHOXYPHENYL]-5-PROPYL-1,3-T HIAZOL-4-YL)METHYL]SULFANYL]PYRIMIDINE-4,6-DIAMINE)
Authors : Nomme, J.; Lavie, A.
Deposited on : 2013-03-12
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4117 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	232	Total	C	N	O	S	0	3	0
			1928	1236	320	364	8			
1	B	234	Total	C	N	O	S	0	6	0
			1969	1264	324	374	7			

There are 50 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P27707
A	-18	GLY	-	expression tag	UNP P27707
A	-17	SER	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	HIS	-	expression tag	UNP P27707
A	-14	HIS	-	expression tag	UNP P27707
A	-13	HIS	-	expression tag	UNP P27707
A	-12	HIS	-	expression tag	UNP P27707
A	-11	HIS	-	expression tag	UNP P27707
A	-10	HIS	-	expression tag	UNP P27707
A	-9	SER	-	expression tag	UNP P27707
A	-8	SER	-	expression tag	UNP P27707
A	-7	GLY	-	expression tag	UNP P27707
A	-6	LEU	-	expression tag	UNP P27707
A	-5	VAL	-	expression tag	UNP P27707
A	-4	PRO	-	expression tag	UNP P27707
A	-3	ARG	-	expression tag	UNP P27707
A	-2	GLY	-	expression tag	UNP P27707
A	-1	SER	-	expression tag	UNP P27707
A	0	HIS	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
A	74	GLU	SER	engineered mutation	UNP P27707
A	146	SER	CYS	engineered mutation	UNP P27707

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	expression tag	UNP P27707
B	-18	GLY	-	expression tag	UNP P27707
B	-17	SER	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	HIS	-	expression tag	UNP P27707
B	-14	HIS	-	expression tag	UNP P27707
B	-13	HIS	-	expression tag	UNP P27707
B	-12	HIS	-	expression tag	UNP P27707
B	-11	HIS	-	expression tag	UNP P27707
B	-10	HIS	-	expression tag	UNP P27707
B	-9	SER	-	expression tag	UNP P27707
B	-8	SER	-	expression tag	UNP P27707
B	-7	GLY	-	expression tag	UNP P27707
B	-6	LEU	-	expression tag	UNP P27707
B	-5	VAL	-	expression tag	UNP P27707
B	-4	PRO	-	expression tag	UNP P27707
B	-3	ARG	-	expression tag	UNP P27707
B	-2	GLY	-	expression tag	UNP P27707
B	-1	SER	-	expression tag	UNP P27707
B	0	HIS	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707
B	59	SER	CYS	engineered mutation	UNP P27707
B	74	GLU	SER	engineered mutation	UNP P27707
B	146	SER	CYS	engineered mutation	UNP P27707

- Molecule 2 is 2-[(2-[3-(2-fluoroethoxy)-4-methoxyphenyl]-5-propyl-1,3-thiazol-4-yl)methyl]sulfanylpyrimidine-4,6-diamine (CCD ID: 18V) (formula: C₂₀H₂₄FN₅O₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 30	C 20	F 1	N 5	O 2	S 2	0	0
2	B	1	Total 30	C 20	F 1	N 5	O 2	S 2	0	0

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $\text{C}_9\text{H}_{14}\text{N}_2\text{O}_{12}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 25	C 9	N 2	O 12	P 2	0	0
3	B	1	Total 25	C 9	N 2	O 12	P 2	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	53	Total 53	O 53	0	0
4	B	57	Total 57	O 57	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Deoxycytidine kinase

Chain A: 



• Molecule 1: Deoxycytidine kinase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	68.65Å 68.65Å 120.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.50 – 2.15 27.50 – 2.15	Depositor EDS
% Data completeness (in resolution range)	98.9 (27.50-2.15) 99.0 (27.50-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.197 , 0.250 0.196 , 0.249	Depositor DCC
R_{free} test set	1508 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	43.3	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 26.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.477 for h,-k,-l	Xtriage
Reported twinning fraction	0.508 for H, K, L 0.492 for -H, K, -L	Depositor
Outliers	0 of 29888 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4117	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, 18V

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/1982	0.88	0/2681
1	B	0.53	0/2034	0.85	0/2749
All	All	0.54	0/4016	0.86	0/5430

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1928	0	1871	25	0
1	B	1969	0	1916	29	0
2	A	30	0	24	1	0
2	B	30	0	24	0	0
3	A	25	0	11	0	0
3	B	25	0	11	1	0
4	A	53	0	0	3	0
4	B	57	0	0	2	0
All	All	4117	0	3857	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:THR:HG22	1:B:77:ASN:HD21	1.38	0.88
1:A:57:ARG:NH1	1:A:75:GLN:HE22	1.76	0.82
1:B:135:TYR:HB3	1:B:221:LEU:HD21	1.61	0.80
1:A:57:ARG:HH11	1:A:75:GLN:HE22	1.27	0.78
1:B:48:TRP:O	4:B:455:HOH:O	2.07	0.73
1:A:152:TRP:O	1:A:156:GLN:HG3	1.94	0.68
1:A:111:SER:HB3	1:A:124:LEU:HD21	1.76	0.66
1:B:94:PHE:O	1:B:98:THR:HG23	1.95	0.65
1:A:99:TYR:CD1	1:B:154:ILE:HG23	2.37	0.60
1:A:195:ASN:HA	1:A:198:GLN:HG2	1.84	0.59
1:B:192:ARG:NH2	3:B:302:UDP:O2B	2.36	0.58
1:A:111:SER:O	1:A:115:LYS:HB2	2.03	0.58
1:B:45:SER:O	4:B:455:HOH:O	2.19	0.51
1:B:217:LEU:HD13	1:B:235:THR:HG21	1.91	0.51
1:B:85:MET:HE1	1:B:93:SER:OG	2.11	0.49
1:A:102:LEU:HD11	1:B:161:TRP:CE3	2.48	0.48
1:B:227:TYR:O	1:B:230:GLU:HG2	2.13	0.48
1:B:185:CYS:O	1:B:189:ILE:HG13	2.13	0.47
1:B:161:TRP:O	1:B:165:GLN:HG2	2.15	0.47
1:A:88:LYS:HD3	1:A:91:ARG:HB2	1.97	0.47
1:A:86:TYR:CD1	2:A:301:18V:H10	2.51	0.46
1:B:34:LYS:O	1:B:38:VAL:HG22	2.16	0.46
1:A:84[B]:MET:HB3	1:A:92:TRP:CD1	2.51	0.45
1:B:19:THR:HA	1:B:20:ARG:HA	1.56	0.45
1:A:84[A]:MET:HB3	1:A:92:TRP:CD1	2.52	0.45
1:A:158:TRP:CE2	1:A:162:MET:HE3	2.52	0.45
1:B:215:TRP:HB2	1:B:221:LEU:HD23	1.98	0.45
1:B:34:LYS:HB2	1:B:34:LYS:HE2	1.81	0.44
1:A:232:PRO:HG2	1:A:260:LEU:HD21	1.99	0.43
1:B:44:LEU:HD13	1:B:250:VAL:HG11	2.01	0.43
1:A:220:THR:OG1	1:A:221:LEU:N	2.50	0.43
1:B:179:GLN:NE2	1:B:217:LEU:HD22	2.34	0.43
1:B:149:GLU:O	1:B:153:THR:OG1	2.32	0.43
1:B:148:ASN:OD1	1:B:148:ASN:C	2.62	0.43
1:A:86:TYR:OH	1:A:200:ILE:HD11	2.19	0.42
1:B:177:TYR:CD2	1:B:235:THR:HG23	2.54	0.42
1:A:202:LEU:HB3	4:A:422:HOH:O	2.19	0.42
1:A:252:LYS:NZ	4:A:417:HOH:O	2.37	0.42
1:A:58:TRP:CD2	1:A:78:GLY:HA3	2.55	0.42
1:B:53:GLU:OE1	1:B:128:ARG:HD2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:VAL:HG22	1:A:111:SER:OG	2.20	0.42
1:A:153:THR:HG22	1:B:77:ASN:ND2	2.19	0.41
1:B:26:ILE:HG22	1:B:34:LYS:HG2	2.03	0.41
1:A:71:LEU:HB3	1:A:72:THR:H	1.51	0.41
1:B:160:ASP:O	1:B:161:TRP:C	2.64	0.41
1:B:187:HIS:HD2	1:B:190[A]:TYR:CE1	2.39	0.41
1:B:166:PHE:O	1:B:167:GLY:C	2.63	0.41
1:A:130:VAL:O	1:A:133:ASP:HB2	2.21	0.41
1:A:106:ARG:HG3	4:A:427:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/280 (82%)	219 (95%)	12 (5%)	0	100	100
1	B	236/280 (84%)	226 (96%)	7 (3%)	3 (1%)	9	5
All	All	467/560 (83%)	445 (95%)	19 (4%)	3 (1%)	18	15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	160	ASP
1	B	167	GLY
1	B	161	TRP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/256 (82%)	197 (93%)	14 (7%)	15	10
1	B	217/256 (85%)	205 (94%)	12 (6%)	19	15
All	All	428/512 (84%)	402 (94%)	26 (6%)	17	12

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	VAL
1	A	73	MET
1	A	76	LYS
1	A	81	VAL
1	A	105	ILE
1	A	111	SER
1	A	164	ASN
1	A	168	GLN
1	A	220	THR
1	A	224	ASN
1	A	228	LEU
1	A	229	GLN
1	A	234	LEU
1	A	241	ASP
1	B	76	LYS
1	B	98	THR
1	B	106	ARG
1	B	113	ASN
1	B	146	SER
1	B	153	THR
1	B	164	ASN
1	B	190[A]	TYR
1	B	190[B]	TYR
1	B	203	GLU
1	B	220	THR
1	B	230	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	GLN
1	A	179	GLN
1	B	77	ASN
1	B	156	GLN
1	B	179	GLN
1	B	187	HIS
1	B	209	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UDP	B	302	-	25,26,26	1.19	2 (8%)	38,40,40	1.54	5 (13%)
3	UDP	A	302	-	25,26,26	1.18	3 (12%)	38,40,40	1.50	4 (10%)
2	18V	B	301	-	30,32,32	2.08	4 (13%)	40,43,43	3.90	12 (30%)
2	18V	A	301	-	30,32,32	2.33	4 (13%)	40,43,43	4.36	10 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDP	B	302	-	-	2/16/32/32	0/2/2/2
3	UDP	A	302	-	-	1/16/32/32	0/2/2/2
2	18V	B	301	-	-	3/18/18/18	0/3/3/3
2	18V	A	301	-	-	4/18/18/18	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	18V	CAX-CBD	-8.26	1.34	1.47
2	B	301	18V	CAX-CBD	-8.10	1.35	1.47
2	A	301	18V	CBC-SAU	-7.35	1.59	1.74
2	B	301	18V	CBC-SAU	-5.33	1.63	1.74
2	A	301	18V	CBD-SAU	-4.02	1.65	1.74
2	B	301	18V	CBD-SAU	-3.98	1.65	1.74
2	A	301	18V	CAK-CAL	2.88	1.53	1.49
3	B	302	UDP	C2-N1	2.81	1.42	1.38
3	A	302	UDP	C2-N1	2.57	1.42	1.38
2	B	301	18V	CAK-CAL	2.51	1.52	1.49
3	A	302	UDP	C6-C5	2.45	1.40	1.35
3	A	302	UDP	C4-N3	-2.09	1.35	1.38
3	B	302	UDP	C4-N3	-2.06	1.35	1.38

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	18V	CBC-SAU-CBD	24.70	96.62	90.09
2	B	301	18V	CBC-SAU-CBD	21.49	95.77	90.09
2	A	301	18V	C2-N1-C6	6.01	122.00	115.49
3	B	302	UDP	C4-N3-C2	-4.89	120.54	126.61
2	B	301	18V	C2-N1-C6	4.86	120.75	115.49
2	B	301	18V	C2-N3-C4	4.63	120.50	115.49
2	A	301	18V	SAU-CBD-NAQ	-4.58	107.77	115.14
3	A	302	UDP	C4-N3-C2	-4.47	121.06	126.61
2	A	301	18V	C2-N3-C4	4.34	120.19	115.49
2	B	301	18V	SAU-CBD-NAQ	-4.27	108.28	115.14
3	B	302	UDP	C5-C4-N3	4.12	120.58	114.80
3	A	302	UDP	C5-C4-N3	4.01	120.42	114.80
3	A	302	UDP	N3-C2-N1	3.78	119.82	114.89
2	A	301	18V	N1-C2-N3	-3.61	120.40	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	UDP	N3-C2-N1	3.61	119.59	114.89
2	B	301	18V	CAN-CBB-NAQ	3.59	121.82	118.87
3	B	302	UDP	O4-C4-C5	-3.42	119.26	125.16
2	B	301	18V	N1-C2-N3	-3.35	120.88	127.00
2	B	301	18V	CAM-CBC-SAU	3.01	125.75	119.29
3	A	302	UDP	O4-C4-C5	-3.01	119.98	125.16
2	A	301	18V	CAM-CBC-SAU	2.87	125.45	119.29
2	A	301	18V	CAN-CBB-NAQ	2.76	121.14	118.87
2	B	301	18V	CBD-NAQ-CBB	2.73	113.57	110.87
2	B	301	18V	CAX-CBD-SAU	2.55	127.24	122.09
2	A	301	18V	CAX-CBD-SAU	2.51	127.17	122.09
2	A	301	18V	NAC-C6-N1	2.47	120.55	116.59
3	B	302	UDP	O2A-PA-O3A	2.19	113.19	107.27
2	B	301	18V	NAD-C4-N3	2.18	120.10	116.59
2	B	301	18V	CAL-OAS-CBA	-2.16	112.48	117.69
2	B	301	18V	NAC-C6-N1	2.15	120.04	116.59
2	A	301	18V	CAN-SAT-C2	2.04	104.27	101.65

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	18V	CAA-CAJ-CAM-CBC
3	A	302	UDP	PA-O3A-PB-O3B
3	B	302	UDP	PA-O3A-PB-O3B
2	B	301	18V	CAZ-CBA-OAS-CAL
2	A	301	18V	CBA-CAZ-OAR-CAB
2	A	301	18V	CBB-CAN-SAT-C2
2	A	301	18V	CAG-CAZ-OAR-CAB
2	B	301	18V	CAI-CBA-OAS-CAL
3	B	302	UDP	PA-O3A-PB-O1B
2	B	301	18V	CBB-CAN-SAT-C2


There are no ring outliers.



2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	302	UDP	1	0
2	A	301	18V	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	232/280 (82%)	-1.34	0 100 100	25, 45, 59, 65	3 (1%)
1	B	234/280 (83%)	-1.32	0 100 100	24, 45, 61, 65	6 (2%)
All	All	466/560 (83%)	-1.33	0 100 100	24, 45, 61, 65	9 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	18V	A	301	30/30	0.99	0.03	37,44,47,47	0
2	18V	B	301	30/30	0.99	0.03	30,38,41,47	0
3	UDP	A	302	25/25	0.99	0.03	39,52,56,58	0
3	UDP	B	302	25/25	1.00	0.02	33,42,45,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 18V A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 18V B 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.