



wwPDB EM Validation Summary Report ⓘ

Mar 25, 2026 – 05:56 PM UTC

PDB ID : 8JL3 / pdb_00008jl3
EMDB ID : EMD-36387
Title : membrane proteins
Authors : Yu, J.; Ge, J.P.; Xu, R.S.
Deposited on : 2023-06-02
Resolution : 2.59 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	706	65% 9% 25%
1	B	706	66% 9% 25%
2	C	2	50% 50%
2	D	2	100%
2	E	2	50% 50%
2	F	2	100%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 9408 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heparan-alpha-glucosaminide N-acetyltransferase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	527	Total	C	N	O	S	0	0
			4189	2785	670	715	19		
1	B	527	Total	C	N	O	S	0	0
			4189	2785	670	715	19		

There are 86 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	664	GLY	-	expression tag	UNP Q68CP4
A	665	SER	-	expression tag	UNP Q68CP4
A	666	GLY	-	expression tag	UNP Q68CP4
A	667	GLY	-	expression tag	UNP Q68CP4
A	668	GLY	-	expression tag	UNP Q68CP4
A	669	GLY	-	expression tag	UNP Q68CP4
A	670	SER	-	expression tag	UNP Q68CP4
A	671	GLY	-	expression tag	UNP Q68CP4
A	672	GLY	-	expression tag	UNP Q68CP4
A	673	GLY	-	expression tag	UNP Q68CP4
A	674	GLY	-	expression tag	UNP Q68CP4
A	675	SER	-	expression tag	UNP Q68CP4
A	676	GLY	-	expression tag	UNP Q68CP4
A	677	GLY	-	expression tag	UNP Q68CP4
A	678	GLY	-	expression tag	UNP Q68CP4
A	679	TRP	-	expression tag	UNP Q68CP4
A	680	SER	-	expression tag	UNP Q68CP4
A	681	HIS	-	expression tag	UNP Q68CP4
A	682	PRO	-	expression tag	UNP Q68CP4
A	683	GLN	-	expression tag	UNP Q68CP4
A	684	PHE	-	expression tag	UNP Q68CP4
A	685	GLU	-	expression tag	UNP Q68CP4
A	686	LYS	-	expression tag	UNP Q68CP4
A	687	GLY	-	expression tag	UNP Q68CP4
A	688	GLY	-	expression tag	UNP Q68CP4
A	689	GLY	-	expression tag	UNP Q68CP4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	690	SER	-	expression tag	UNP Q68CP4
A	691	GLY	-	expression tag	UNP Q68CP4
A	692	GLY	-	expression tag	UNP Q68CP4
A	693	GLY	-	expression tag	UNP Q68CP4
A	694	SER	-	expression tag	UNP Q68CP4
A	695	GLY	-	expression tag	UNP Q68CP4
A	696	GLY	-	expression tag	UNP Q68CP4
A	697	SER	-	expression tag	UNP Q68CP4
A	698	ALA	-	expression tag	UNP Q68CP4
A	699	TRP	-	expression tag	UNP Q68CP4
A	700	SER	-	expression tag	UNP Q68CP4
A	701	HIS	-	expression tag	UNP Q68CP4
A	702	PRO	-	expression tag	UNP Q68CP4
A	703	GLN	-	expression tag	UNP Q68CP4
A	704	PHE	-	expression tag	UNP Q68CP4
A	705	GLU	-	expression tag	UNP Q68CP4
A	706	LYS	-	expression tag	UNP Q68CP4
B	664	GLY	-	expression tag	UNP Q68CP4
B	665	SER	-	expression tag	UNP Q68CP4
B	666	GLY	-	expression tag	UNP Q68CP4
B	667	GLY	-	expression tag	UNP Q68CP4
B	668	GLY	-	expression tag	UNP Q68CP4
B	669	GLY	-	expression tag	UNP Q68CP4
B	670	SER	-	expression tag	UNP Q68CP4
B	671	GLY	-	expression tag	UNP Q68CP4
B	672	GLY	-	expression tag	UNP Q68CP4
B	673	GLY	-	expression tag	UNP Q68CP4
B	674	GLY	-	expression tag	UNP Q68CP4
B	675	SER	-	expression tag	UNP Q68CP4
B	676	GLY	-	expression tag	UNP Q68CP4
B	677	GLY	-	expression tag	UNP Q68CP4
B	678	GLY	-	expression tag	UNP Q68CP4
B	679	TRP	-	expression tag	UNP Q68CP4
B	680	SER	-	expression tag	UNP Q68CP4
B	681	HIS	-	expression tag	UNP Q68CP4
B	682	PRO	-	expression tag	UNP Q68CP4
B	683	GLN	-	expression tag	UNP Q68CP4
B	684	PHE	-	expression tag	UNP Q68CP4
B	685	GLU	-	expression tag	UNP Q68CP4
B	686	LYS	-	expression tag	UNP Q68CP4
B	687	GLY	-	expression tag	UNP Q68CP4
B	688	GLY	-	expression tag	UNP Q68CP4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	689	GLY	-	expression tag	UNP Q68CP4
B	690	SER	-	expression tag	UNP Q68CP4
B	691	GLY	-	expression tag	UNP Q68CP4
B	692	GLY	-	expression tag	UNP Q68CP4
B	693	GLY	-	expression tag	UNP Q68CP4
B	694	SER	-	expression tag	UNP Q68CP4
B	695	GLY	-	expression tag	UNP Q68CP4
B	696	GLY	-	expression tag	UNP Q68CP4
B	697	SER	-	expression tag	UNP Q68CP4
B	698	ALA	-	expression tag	UNP Q68CP4
B	699	TRP	-	expression tag	UNP Q68CP4
B	700	SER	-	expression tag	UNP Q68CP4
B	701	HIS	-	expression tag	UNP Q68CP4
B	702	PRO	-	expression tag	UNP Q68CP4
B	703	GLN	-	expression tag	UNP Q68CP4
B	704	PHE	-	expression tag	UNP Q68CP4
B	705	GLU	-	expression tag	UNP Q68CP4
B	706	LYS	-	expression tag	UNP Q68CP4

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	C	2	Total	C	N	O	0	0
			28	16	2	10		
2	D	2	Total	C	N	O	0	0
			28	16	2	10		
2	E	2	Total	C	N	O	0	0
			28	16	2	10		
2	F	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	15	8	1	6	0
3	A	1	14	8	1	5	0
3	B	1	15	8	1	6	0
3	B	1	14	8	1	5	0

- Molecule 4 is ACETYL COENZYME *A (CCD ID: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	S
			48	21	7	16	3	1
4	B	1	Total	C	N	O	P	S
			48	21	7	16	3	1

- Molecule 5 is DODECANE (CCD ID: D12) (formula: $C_{12}H_{26}$).



Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	C	0
			12	12	
5	A	1	Total	C	0
			12	12	
5	A	1	Total	C	0
			12	12	
5	B	1	Total	C	0
			12	12	
5	B	1	Total	C	0
			12	12	
5	B	1	Total	C	0
			12	12	

- Molecule 6 is N-OCTANE (CCD ID: OCT) (formula: C_8H_{18}).




Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total C 8 8	0
6	A	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0
6	B	1	Total C 8 8	0

- Molecule 7 is TETRADECANE (CCD ID: C14) (formula: C₁₄H₃₀).




Mol	Chain	Residues	Atoms		AltConf
7	A	1	Total	C	0
			12	12	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			12	12	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	A	1	Total	C	0
			14	14	
7	B	1	Total	C	0
			12	12	
7	B	1	Total	C	0
			14	14	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 12 12	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0
7	B	1	Total C 14 14	0

- Molecule 8 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms	AltConf
8	A	1	Total C O 28 27 1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
8	B	1	Total	C	O	0
			28	27	1	

- Molecule 9 is DECANE (CCD ID: D10) (formula: C₁₀H₂₂).



Mol	Chain	Residues	Atoms		AltConf
9	A	1	Total	C	0
			10	10	
9	B	1	Total	C	0
			10	10	

- Molecule 10 is HEXADECANE (CCD ID: R16) (formula: C₁₆H₃₄).




Mol	Chain	Residues	Atoms		AltConf
10	A	1	Total	C	0
			16	16	
10	B	1	Total	C	0
			16	16	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Heparan-alpha-glucosaminide N-acetyltransferase



- Molecule 1: Heparan-alpha-glucosaminide N-acetyltransferase




ALA
TRP
SER
HIS
PRO
GLN
PHE
GLU
LYS

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%

HA1
HA2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%


HA1
HA2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

HA1
HA2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

HA1
HA2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	766900	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLR, D10, R16, NAG, D12, ACO, C14, OCT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/4306	0.32	0/5868
1	B	0.23	0/4306	0.32	0/5868
All	All	0.23	0/8612	0.32	0/11736

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4189	0	4270	47	0
1	B	4189	0	4270	45	0
2	C	28	0	25	1	0
2	D	28	0	25	0	0
2	E	28	0	25	1	0
2	F	28	0	25	0	0
3	A	29	0	28	0	0
3	B	29	0	28	0	0
4	A	48	0	31	2	0
4	B	48	0	31	2	0
5	A	36	0	78	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	36	0	78	0	0
6	A	128	0	288	2	0
6	B	128	0	288	2	0
7	A	164	0	346	6	0
7	B	164	0	346	6	0
8	A	28	0	46	2	0
8	B	28	0	46	2	0
9	A	10	0	22	0	0
9	B	10	0	22	0	0
10	A	16	0	34	0	0
10	B	16	0	34	0	0
All	All	9408	0	10386	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 92 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:437:LEU:HB3	8:B:817:CLR:H191	1.79	0.65
1:B:98:TYR:HB3	1:B:109:PHE:HB3	1.81	0.63
1:A:437:LEU:HB3	8:A:816:CLR:H191	1.79	0.63
1:B:148:LYS:HA	2:E:1:NAG:H61	1.81	0.63
1:B:81:GLN:HE21	1:B:130:SER:HB3	1.64	0.62

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	519/706 (74%)	512 (99%)	7 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	519/706 (74%)	512 (99%)	7 (1%)	0	100	100
All	All	1038/1412 (74%)	1024 (99%)	14 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	457/577 (79%)	457 (100%)	0	100	100
1	B	457/577 (79%)	457 (100%)	0	100	100
All	All	914/1154 (79%)	914 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	461	ASN
1	B	286	ASN
1	B	81	GLN
1	A	461	ASN
1	B	140	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.38	0	17,19,21	0.41	0
2	NAG	C	2	2	14,14,15	0.24	0	17,19,21	0.57	0
2	NAG	D	1	2,1	14,14,15	0.25	0	17,19,21	0.54	0
2	NAG	D	2	2	14,14,15	0.20	0	17,19,21	0.49	0
2	NAG	E	1	2,1	14,14,15	0.38	0	17,19,21	0.42	0
2	NAG	E	2	2	14,14,15	0.24	0	17,19,21	0.57	0
2	NAG	F	1	2,1	14,14,15	0.26	0	17,19,21	0.54	0
2	NAG	F	2	2	14,14,15	0.19	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	4/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	4/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 24 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	1	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

74 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	C14	B	810	-	13,13,13	0.21	0	12,12,12	0.16	0
6	OCT	A	831	-	7,7,7	0.23	0	6,6,6	0.18	0
4	ACO	A	802	-	47,50,53	0.45	0	69,75,79	0.54	2 (2%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	D12	B	801	-	11,11,11	0.20	0	10,10,10	0.20	0
6	OCT	B	814	-	7,7,7	0.22	0	6,6,6	0.20	0
6	OCT	B	837	-	7,7,7	0.24	0	6,6,6	0.15	0
7	C14	B	809	-	11,11,13	0.22	0	10,10,12	0.20	0
9	D10	A	821	-	9,9,9	0.22	0	8,8,8	0.22	0
10	R16	A	833	-	15,15,15	0.21	0	14,14,14	0.18	0
6	OCT	B	827	-	7,7,7	0.21	0	6,6,6	0.24	0
5	D12	A	804	-	11,11,11	0.23	0	10,10,10	0.16	0
6	OCT	A	835	-	7,7,7	0.22	0	6,6,6	0.20	0
6	OCT	B	836	-	7,7,7	0.22	0	6,6,6	0.20	0
7	C14	A	811	-	13,13,13	0.22	0	12,12,12	0.20	0
10	R16	B	834	-	15,15,15	0.21	0	14,14,14	0.18	0
6	OCT	B	833	-	7,7,7	0.23	0	6,6,6	0.20	0
7	C14	A	830	-	13,13,13	0.22	0	12,12,12	0.23	0
6	OCT	B	832	-	7,7,7	0.23	0	6,6,6	0.18	0
6	OCT	A	820	-	7,7,7	0.24	0	6,6,6	0.19	0
6	OCT	B	806	-	7,7,7	0.21	0	6,6,6	0.20	0
6	OCT	B	835	-	7,7,7	0.24	0	6,6,6	0.14	0
6	OCT	A	826	-	7,7,7	0.21	0	6,6,6	0.24	0
3	NAG	B	804	1	14,14,15	0.26	0	17,19,21	0.52	0
7	C14	B	828	-	11,11,13	0.24	0	10,10,12	0.18	0
5	D12	A	822	-	11,11,11	0.22	0	10,10,10	0.18	0
7	C14	B	829	-	13,13,13	0.22	0	12,12,12	0.20	0
7	C14	A	808	-	11,11,13	0.21	0	10,10,12	0.20	0
5	D12	B	805	-	11,11,11	0.23	0	10,10,10	0.16	0
8	CLR	B	817	-	31,31,31	0.38	0	48,48,48	0.77	1 (2%)
6	OCT	A	815	-	7,7,7	0.23	0	6,6,6	0.20	0
7	C14	A	810	-	13,13,13	0.20	0	12,12,12	0.25	0
7	C14	A	812	-	13,13,13	0.22	0	12,12,12	0.18	0
7	C14	A	818	-	13,13,13	0.22	0	12,12,12	0.17	0
6	OCT	A	834	-	7,7,7	0.24	0	6,6,6	0.14	0
7	C14	A	814	-	13,13,13	0.22	0	12,12,12	0.19	0
6	OCT	A	832	-	7,7,7	0.22	0	6,6,6	0.20	0
7	C14	A	819	-	13,13,13	0.21	0	12,12,12	0.22	0
7	C14	B	812	-	13,13,13	0.22	0	12,12,12	0.20	0
3	NAG	A	803	1	14,14,15	0.25	0	17,19,21	0.52	0
4	ACO	B	803	-	47,50,53	0.45	0	69,75,79	0.54	2 (2%)
6	OCT	A	823	-	7,7,7	0.24	0	6,6,6	0.22	0
6	OCT	A	824	-	7,7,7	0.24	0	6,6,6	0.18	0
6	OCT	B	816	-	7,7,7	0.23	0	6,6,6	0.20	0
6	OCT	A	805	-	7,7,7	0.22	0	6,6,6	0.20	0
7	C14	A	828	-	13,13,13	0.23	0	12,12,12	0.20	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	C14	B	815	-	13,13,13	0.22	0	12,12,12	0.19	0
6	OCT	B	826	-	7,7,7	0.23	0	6,6,6	0.23	0
9	D10	B	822	-	9,9,9	0.22	0	8,8,8	0.22	0
7	C14	B	811	-	13,13,13	0.20	0	12,12,12	0.25	0
7	C14	B	830	-	13,13,13	0.24	0	12,12,12	0.18	0
6	OCT	B	824	-	7,7,7	0.23	0	6,6,6	0.22	0
6	OCT	B	808	-	7,7,7	0.22	0	6,6,6	0.22	0
5	D12	A	837	-	11,11,11	0.20	0	10,10,10	0.21	0
6	OCT	A	825	-	7,7,7	0.23	0	6,6,6	0.23	0
3	NAG	B	802	-	15,15,15	0.37	0	21,21,21	0.49	0
5	D12	B	823	-	11,11,11	0.22	0	10,10,10	0.18	0
6	OCT	A	817	-	7,7,7	0.22	0	6,6,6	0.20	0
7	C14	B	820	-	13,13,13	0.21	0	12,12,12	0.22	0
7	C14	B	831	-	13,13,13	0.22	0	12,12,12	0.24	0
3	NAG	A	801	-	15,15,15	0.36	0	21,21,21	0.49	0
6	OCT	A	813	-	7,7,7	0.22	0	6,6,6	0.20	0
6	OCT	A	836	-	7,7,7	0.24	0	6,6,6	0.15	0
6	OCT	B	818	-	7,7,7	0.22	0	6,6,6	0.20	0
6	OCT	A	807	-	7,7,7	0.22	0	6,6,6	0.23	0
6	OCT	B	825	-	7,7,7	0.24	0	6,6,6	0.18	0
7	C14	B	819	-	13,13,13	0.22	0	12,12,12	0.17	0
7	C14	A	809	-	13,13,13	0.21	0	12,12,12	0.16	0
7	C14	B	813	-	13,13,13	0.22	0	12,12,12	0.18	0
6	OCT	A	806	-	7,7,7	0.23	0	6,6,6	0.20	0
8	CLR	A	816	-	31,31,31	0.39	0	48,48,48	0.77	1 (2%)
6	OCT	B	821	-	7,7,7	0.25	0	6,6,6	0.19	0
6	OCT	B	807	-	7,7,7	0.23	0	6,6,6	0.20	0
7	C14	A	827	-	11,11,13	0.24	0	10,10,12	0.18	0
7	C14	A	829	-	13,13,13	0.23	0	12,12,12	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	C14	B	810	-	-	5/11/11/11	-
6	OCT	A	831	-	-	1/5/5/5	-
4	ACO	A	802	-	-	7/48/64/67	0/3/3/3
5	D12	B	801	-	-	3/9/9/9	-
6	OCT	B	814	-	-	1/5/5/5	-
6	OCT	B	837	-	-	3/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	C14	B	809	-	-	2/9/9/11	-
9	D10	A	821	-	-	1/7/7/7	-
10	R16	A	833	-	-	5/13/13/13	-
6	OCT	B	827	-	-	2/5/5/5	-
5	D12	A	804	-	-	2/9/9/9	-
6	OCT	A	835	-	-	1/5/5/5	-
6	OCT	B	836	-	-	1/5/5/5	-
7	C14	A	811	-	-	4/11/11/11	-
10	R16	B	834	-	-	5/13/13/13	-
6	OCT	B	833	-	-	0/5/5/5	-
7	C14	A	830	-	-	4/11/11/11	-
6	OCT	B	832	-	-	1/5/5/5	-
6	OCT	A	820	-	-	0/5/5/5	-
6	OCT	B	806	-	-	0/5/5/5	-
6	OCT	B	835	-	-	2/5/5/5	-
6	OCT	A	826	-	-	2/5/5/5	-
3	NAG	B	804	1	-	0/6/23/26	0/1/1/1
7	C14	B	828	-	-	2/9/9/11	-
5	D12	A	822	-	-	2/9/9/9	-
7	C14	B	829	-	-	3/11/11/11	-
7	C14	A	808	-	-	2/9/9/11	-
5	D12	B	805	-	-	2/9/9/9	-
8	CLR	B	817	-	-	6/10/68/68	0/4/4/4
6	OCT	A	815	-	-	0/5/5/5	-
7	C14	A	810	-	-	3/11/11/11	-
7	C14	A	812	-	-	2/11/11/11	-
7	C14	A	818	-	-	4/11/11/11	-
6	OCT	A	834	-	-	2/5/5/5	-
7	C14	A	814	-	-	2/11/11/11	-
6	OCT	A	832	-	-	0/5/5/5	-
7	C14	A	819	-	-	2/11/11/11	-
7	C14	B	812	-	-	4/11/11/11	-
3	NAG	A	803	1	-	0/6/23/26	0/1/1/1
4	ACO	B	803	-	-	7/48/64/67	0/3/3/3
6	OCT	A	823	-	-	0/5/5/5	-
6	OCT	A	824	-	-	3/5/5/5	-
6	OCT	B	816	-	-	0/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	OCT	A	805	-	-	0/5/5/5	-
7	C14	A	828	-	-	3/11/11/11	-
7	C14	B	815	-	-	2/11/11/11	-
6	OCT	B	826	-	-	0/5/5/5	-
9	D10	B	822	-	-	1/7/7/7	-
7	C14	B	811	-	-	3/11/11/11	-
7	C14	B	830	-	-	3/11/11/11	-
6	OCT	B	824	-	-	0/5/5/5	-
6	OCT	B	808	-	-	1/5/5/5	-
5	D12	A	837	-	-	3/9/9/9	-
6	OCT	A	825	-	-	0/5/5/5	-
3	NAG	B	802	-	-	3/6/26/26	0/1/1/1
5	D12	B	823	-	-	2/9/9/9	-
6	OCT	A	817	-	-	1/5/5/5	-
7	C14	B	820	-	-	2/11/11/11	-
7	C14	B	831	-	-	4/11/11/11	-
3	NAG	A	801	-	-	3/6/26/26	0/1/1/1
6	OCT	A	813	-	-	1/5/5/5	-
6	OCT	A	836	-	-	3/5/5/5	-
6	OCT	B	818	-	-	1/5/5/5	-
6	OCT	A	807	-	-	1/5/5/5	-
6	OCT	B	825	-	-	3/5/5/5	-
7	C14	B	819	-	-	4/11/11/11	-
7	C14	A	809	-	-	5/11/11/11	-
7	C14	B	813	-	-	2/11/11/11	-
6	OCT	A	806	-	-	1/5/5/5	-
8	CLR	A	816	-	-	6/10/68/68	0/4/4/4
6	OCT	B	821	-	-	0/5/5/5	-
6	OCT	B	807	-	-	1/5/5/5	-
7	C14	A	827	-	-	2/9/9/11	-
7	C14	A	829	-	-	3/11/11/11	-

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	802	ACO	O6A-CCP-CBP	-2.83	105.99	110.55
4	B	803	ACO	O6A-CCP-CBP	-2.82	106.01	110.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	802	ACO	P2A-O6A-CCP	-2.12	109.55	121.12
4	B	803	ACO	P2A-O6A-CCP	-2.12	109.56	121.12
8	A	816	CLR	C17-C13-C14	-2.10	97.69	100.10

There are no chirality outliers.

5 of 162 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	802	ACO	CCP-O6A-P2A-O3A
4	A	802	ACO	CCP-O6A-P2A-O4A
4	A	802	ACO	CCP-O6A-P2A-O5A
4	A	802	ACO	C5P-C6P-C7P-N8P
4	B	803	ACO	CCP-O6A-P2A-O3A



There are no ring outliers.



18 monomers are involved in 22 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	810	C14	1	0
4	A	802	ACO	2	0
6	A	835	OCT	1	0
6	B	836	OCT	1	0
7	A	811	C14	2	0
8	B	817	CLR	2	0
7	A	812	C14	1	0
7	A	818	C14	1	0
7	A	819	C14	1	0
7	B	812	C14	2	0
4	B	803	ACO	2	0
7	B	820	C14	1	0
7	B	819	C14	1	0
7	A	809	C14	1	0
7	B	813	C14	1	0
6	A	806	OCT	1	0
8	A	816	CLR	2	0
6	B	807	OCT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-36387. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

6.5 Orthogonal surface views

This section was not generated.

6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution ⓘ

This section was not generated.

7.2 Volume estimate versus contour level ⓘ

This section was not generated.

7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.