



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 03:56 PM UTC

PDB ID : 7JM7 / pdb_00007jm7
EMDB ID : EMD-22389
Title : Structure of human CLC-7/OSTM1 complex
Authors : Schrecker, M.; Hite, R.
Deposited on : 2020-07-31
Resolution : 2.82 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11795 (2.32 - 3.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	334	 53% 12% 35%
1	D	334	 53% 12% 35%
2	A	805	 74% 11% 15%
2	C	805	 75% 10% 15%
3	E	5	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	5	 100%
4	F	2	 50%  50%
4	G	2	 100%
4	I	2	 50%  50%
4	J	2	 100%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 29018 atoms, of which 14476 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Osteopetrosis-associated transmembrane protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	B	218	Total	C	H	N	O	S	0	0
			3352	1076	1646	283	328	19		
1	D	218	Total	C	H	N	O	S	0	0
			3352	1076	1646	283	328	19		

- Molecule 2 is a protein called H(+)/Cl(-) exchange transporter 7.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	A	683	Total	C	H	N	O	S	0	0
			10675	3450	5381	890	928	26		
2	C	683	Total	C	H	N	O	S	0	0
			10675	3450	5381	890	928	26		

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	5	Total	C	H	N	O	0	0
			113	34	52	2	25		
3	H	5	Total	C	H	N	O	0	0
			113	34	52	2	25		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	2	Total	C	H	N	O	0	0
			53	16	25	2	10		
4	G	2	Total	C	H	N	O	0	0
			53	16	25	2	10		
4	I	2	Total	C	H	N	O	0	0
			53	16	25	2	10		
4	J	2	Total	C	H	N	O	0	0
			53	16	25	2	10		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	B	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	D	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	D	1	Total	C	H	N	O	0
			27	8	13	1	5	
5	D	1	Total	C	H	N	O	0
			27	8	13	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
5	D	1	Total	C	H	N	O	0
			27	8	13	1	5	

- Molecule 6 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms						AltConf
6	A	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	
6	C	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	


- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
7	A	1	Total	Mg	0
			1	1	
7	C	1	Total	Mg	0
			1	1	

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
8	A	3	Total	Cl	0
			3	3	
8	C	3	Total	Cl	0
			3	3	


- Molecule 9 is (2R)-3-{[(R)-hydroxy{[(1S,2R,3S,4S,5R,6R)-2,3,4,6-tetrahydroxy-5-(phosphonoxy)cyclohexyl]oxy}phosphoryl]oxy}propane-1,2-diyl dinonanoate (CCD ID: 0J1) (formula: C₂₇H₅₂O₁₆P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	A	1	Total	C	H	O	P	0
			90	27	45	16	2	
9	C	1	Total	C	H	O	P	0
			90	27	45	16	2	


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		AltConf
10	A	18	Total	O	0
			18	18	
10	C	18	Total	O	0
			18	18	



• Molecule 2: H(+)/Cl(-) exchange transporter 7

Chain C: 75% 10% 15%




• Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%



• Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2
BGA3
MAN4
MAN5

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	327619	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	44	Depositor
Minimum defocus (nm)	-1200	Depositor
Maximum defocus (nm)	-2700	Depositor
Magnification	22500	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	60.459	Depositor
Minimum map value	-42.713	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	1.144	Depositor
Recommended contour level	2.5	Depositor
Map size (Å)	272.38388, 272.38388, 272.38388	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.709333, 0.709333, 0.709333	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 0J1, MAN, CL, BMA, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.19	0/1738	0.48	3/2362 (0.1%)
1	D	0.19	0/1738	0.48	3/2362 (0.1%)
2	A	0.15	0/5416	0.30	0/7353
2	C	0.15	0/5416	0.30	0/7353
All	All	0.16	0/14308	0.36	6/19430 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	198	THR	OG1-CB-CG2	5.55	120.41	109.30
1	D	198	THR	OG1-CB-CG2	5.54	120.39	109.30
1	D	186	THR	OG1-CB-CG2	5.47	120.23	109.30
1	B	186	THR	OG1-CB-CG2	5.46	120.22	109.30
1	D	198	THR	CA-CB-CG2	5.02	119.03	110.50
1	B	198	THR	CA-CB-CG2	5.01	119.02	110.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	271	ARG	Sidechain
1	D	271	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1706	1646	1643	33	0
1	D	1706	1646	1643	32	0
2	A	5294	5381	5386	55	0
2	C	5294	5381	5386	52	0
3	E	61	52	52	1	0
3	H	61	52	52	1	0
4	F	28	25	25	1	0
4	G	28	25	25	0	0
4	I	28	25	25	1	0
4	J	28	25	25	0	0
5	B	56	52	52	4	0
5	D	56	52	52	4	0
6	A	31	12	12	0	0
6	C	31	12	12	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	A	3	0	0	0	0
8	C	3	0	0	0	0
9	A	45	45	0	0	0
9	C	45	45	0	0	0
10	A	18	0	0	1	0
10	C	18	0	0	1	0
All	All	14542	14476	14390	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:599:GLU:OE1	2:A:607:GLN:NE2	2.13	0.81
2:C:599:GLU:OE1	2:C:607:GLN:NE2	2.13	0.80
2:C:640:ARG:NH2	2:C:738:SER:OG	2.21	0.73
2:A:640:ARG:NH2	2:A:738:SER:OG	2.21	0.72
4:F:1:NAG:O3	4:F:2:NAG:O5	2.08	0.72
4:I:1:NAG:O3	4:I:2:NAG:O5	2.08	0.71
1:D:257:ASP:OD1	1:D:258:VAL:N	2.26	0.69
1:B:257:ASP:OD1	1:B:258:VAL:N	2.26	0.68
2:A:133:ILE:HG13	2:A:261:ILE:HD11	1.78	0.65
2:A:368:MET:O	2:A:579:TYR:OH	2.14	0.65
2:C:133:ILE:HG13	2:C:261:ILE:HD11	1.78	0.65
2:A:493:PHE:CE2	2:A:519:LEU:HD21	2.33	0.64
1:B:152:MET:HE1	1:D:169:ALA:HB2	1.80	0.64
2:A:401:MET:HE1	2:A:608:LEU:HD22	1.78	0.64
2:C:401:MET:HE1	2:C:608:LEU:HD22	1.78	0.64
2:C:493:PHE:CE2	2:C:519:LEU:HD21	2.33	0.64
2:C:715:TYR:CD1	2:C:716:PRO:HA	2.34	0.63
2:C:368:MET:O	2:C:579:TYR:OH	2.14	0.63
2:A:715:TYR:CD1	2:A:716:PRO:HA	2.34	0.62
5:D:503:NAG:C1	5:D:503:NAG:H82	2.30	0.62
2:C:561:ARG:NH1	2:C:598:ILE:O	2.33	0.62
5:B:503:NAG:C1	5:B:503:NAG:H82	2.30	0.62
2:A:561:ARG:NH1	2:A:598:ILE:O	2.33	0.61
1:B:169:ALA:HB2	1:D:152:MET:HE1	1.82	0.61
2:A:258:ALA:O	2:A:262:SER:OG	2.13	0.60
2:A:687:LEU:HD22	2:A:692:VAL:HG11	1.83	0.60
2:C:685:ILE:HD11	2:C:721:ILE:HG13	1.85	0.59
1:B:192:LEU:HD12	1:B:234:LEU:HD22	1.85	0.58
2:C:687:LEU:HD22	2:C:692:VAL:HG11	1.83	0.58
3:H:1:NAG:O3	3:H:2:NAG:O5	2.18	0.58
2:A:685:ILE:HD11	2:A:721:ILE:HG13	1.85	0.58
1:D:192:LEU:HD12	1:D:234:LEU:HD22	1.85	0.58
2:A:313:GLU:OE1	10:A:1001:HOH:O	2.17	0.57
2:C:603:ASP:O	2:C:607:GLN:HG3	2.05	0.56
2:A:265:ARG:NH2	2:A:715:TYR:O	2.39	0.56
2:C:265:ARG:NH2	2:C:715:TYR:O	2.39	0.56
5:D:501:NAG:O7	5:D:501:NAG:O3	2.23	0.56
2:A:603:ASP:O	2:A:607:GLN:HG3	2.05	0.55
1:D:108:PRO:HD2	1:D:110:ARG:HH12	1.71	0.55
2:C:313:GLU:OE1	10:C:1001:HOH:O	2.18	0.55
2:C:446:MET:SD	2:C:464:ALA:HB2	2.46	0.55
2:A:692:VAL:O	2:A:692:VAL:HG13	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:446:MET:SD	2:A:464:ALA:HB2	2.46	0.55
5:B:501:NAG:O7	5:B:501:NAG:O3	2.23	0.54
3:E:1:NAG:O3	3:E:2:NAG:O5	2.18	0.54
2:C:258:ALA:O	2:C:262:SER:OG	2.13	0.54
2:C:692:VAL:HG13	2:C:692:VAL:O	2.07	0.54
5:B:503:NAG:C1	5:B:503:NAG:C8	2.86	0.53
1:B:108:PRO:CD	1:B:110:ARG:HH12	2.22	0.53
1:B:107:ARG:NE	1:D:145:SER:O	2.41	0.53
1:B:108:PRO:HD2	1:B:110:ARG:HH12	1.71	0.53
5:D:503:NAG:C1	5:D:503:NAG:C8	2.86	0.53
1:D:108:PRO:CD	1:D:110:ARG:HH12	2.22	0.52
2:C:358:ILE:CD1	2:C:515:ILE:HD12	2.40	0.52
2:A:358:ILE:CD1	2:A:515:ILE:HD12	2.40	0.51
1:D:108:PRO:HD2	1:D:110:ARG:NH1	2.25	0.51
2:A:309:LEU:CD1	2:A:568:VAL:HG21	2.40	0.51
2:C:309:LEU:CD1	2:C:568:VAL:HG21	2.40	0.51
1:B:108:PRO:HD2	1:B:110:ARG:NH1	2.25	0.51
1:B:296:PRO:HG3	2:A:423:VAL:HG21	1.92	0.51
1:B:104:ARG:HG2	1:D:89:LEU:HD23	1.93	0.50
2:C:435:SER:OG	2:C:437:ASP:OD1	2.29	0.50
2:A:563:THR:O	2:A:567:THR:OG1	2.14	0.50
2:A:435:SER:OG	2:A:437:ASP:OD1	2.29	0.50
1:B:107:ARG:CG	1:D:80:LEU:HD21	2.41	0.50
2:C:715:TYR:CG	2:C:716:PRO:HA	2.48	0.49
2:A:493:PHE:HE2	2:A:519:LEU:HD21	1.78	0.49
2:C:298:SER:O	2:C:302:GLY:N	2.44	0.49
2:A:463:ALA:O	2:A:467:PHE:N	2.39	0.48
2:C:142:CYS:SG	2:C:338:LEU:HD12	2.53	0.48
2:A:715:TYR:CG	2:A:716:PRO:HA	2.48	0.48
2:A:687:LEU:CD2	2:A:692:VAL:HG11	2.44	0.48
1:B:174:CYS:N	1:B:255:CYS:SG	2.87	0.48
2:A:142:CYS:SG	2:A:338:LEU:HD12	2.53	0.48
1:B:108:PRO:HB2	1:B:110:ARG:NH1	2.29	0.47
1:D:108:PRO:CB	1:D:110:ARG:HH12	2.28	0.47
1:D:174:CYS:N	1:D:255:CYS:SG	2.87	0.47
2:C:687:LEU:CD2	2:C:692:VAL:HG11	2.44	0.47
1:B:145:SER:O	1:D:107:ARG:NE	2.48	0.47
1:D:108:PRO:HB2	1:D:110:ARG:NH1	2.29	0.47
1:D:108:PRO:HB2	1:D:110:ARG:HH12	1.79	0.47
1:B:108:PRO:CB	1:B:110:ARG:HH12	2.27	0.47
2:A:109:GLU:OE1	2:A:109:GLU:C	2.57	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:109:GLU:C	2:C:109:GLU:OE1	2.57	0.47
2:A:298:SER:O	2:A:302:GLY:N	2.44	0.46
1:D:296:PRO:HG3	2:C:423:VAL:HG21	1.96	0.46
2:A:560:VAL:HG23	2:A:560:VAL:O	2.16	0.46
2:A:675:LEU:HD13	2:A:778:VAL:HG22	1.97	0.46
1:B:107:ARG:HG3	1:D:80:LEU:HD21	1.98	0.46
1:D:196:THR:O	1:D:200:PHE:HD1	1.99	0.46
2:C:563:THR:O	2:C:567:THR:OG1	2.14	0.46
1:B:108:PRO:HB2	1:B:110:ARG:HH12	1.79	0.46
2:C:675:LEU:HD13	2:C:778:VAL:HG22	1.97	0.46
1:B:283:VAL:HB	1:B:284:PRO:HD3	1.99	0.45
2:A:446:MET:HE1	2:A:459:TYR:CD2	2.52	0.45
2:C:231:VAL:O	2:C:234:VAL:HG12	2.17	0.45
1:D:283:VAL:HB	1:D:284:PRO:HD3	1.99	0.45
2:A:184:ALA:HB1	2:A:418:VAL:HG13	1.99	0.45
2:A:231:VAL:O	2:A:234:VAL:HG12	2.17	0.45
2:C:560:VAL:O	2:C:560:VAL:HG23	2.16	0.45
1:B:149:ALA:HB3	1:D:107:ARG:NH1	2.32	0.44
1:B:196:THR:O	1:B:200:PHE:HD1	1.99	0.44
2:C:446:MET:HE1	2:C:459:TYR:CD2	2.52	0.44
2:C:184:ALA:HB1	2:C:418:VAL:HG13	1.99	0.44
2:C:113:ARG:O	2:C:117:THR:HG23	2.18	0.44
2:C:463:ALA:O	2:C:467:PHE:N	2.39	0.44
2:A:332:MET:HE2	2:C:581:PHE:HA	2.00	0.44
1:B:108:PRO:CG	1:B:110:ARG:HH12	2.30	0.44
2:C:493:PHE:HE2	2:C:519:LEU:HD21	1.78	0.44
2:A:113:ARG:O	2:A:117:THR:HG23	2.18	0.43
2:A:358:ILE:HD13	2:A:515:ILE:HD12	1.99	0.43
1:B:109:VAL:HG11	1:B:256:ILE:HG23	1.99	0.43
2:C:308:VAL:HG22	2:C:327:ILE:HG22	2.00	0.43
1:D:108:PRO:CG	1:D:110:ARG:HH12	2.30	0.43
2:A:737:LEU:HD23	2:A:737:LEU:O	2.19	0.43
1:D:170:ASN:ND2	1:D:253:HIS:O	2.46	0.43
2:C:188:LEU:O	2:C:192:VAL:HG23	2.18	0.43
2:C:358:ILE:HD13	2:C:515:ILE:HD12	1.99	0.43
2:A:188:LEU:O	2:A:192:VAL:HG23	2.18	0.43
2:A:308:VAL:HG22	2:A:327:ILE:HG22	2.00	0.43
1:D:109:VAL:HG11	1:D:256:ILE:HG23	2.00	0.43
1:B:107:ARG:NH1	1:D:149:ALA:HB3	2.34	0.42
1:B:225:ARG:O	1:B:229:LYS:HG3	2.19	0.42
2:A:452:LEU:HG	2:A:453:PHE:CD1	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:531:SER:O	2:A:535:LEU:HD13	2.19	0.42
2:C:452:LEU:HG	2:C:453:PHE:CD1	2.54	0.42
1:B:107:ARG:HG2	1:D:80:LEU:HD21	2.01	0.42
2:C:531:SER:O	2:C:535:LEU:HD13	2.19	0.42
2:C:380:ALA:O	2:C:383:VAL:HB	2.19	0.42
1:D:225:ARG:O	1:D:229:LYS:HG3	2.19	0.42
2:A:757:VAL:HG13	2:A:769:LEU:CD2	2.50	0.42
1:B:107:ARG:HG2	1:D:146:LEU:HD23	2.02	0.42
2:A:380:ALA:O	2:A:383:VAL:HB	2.19	0.42
2:C:737:LEU:O	2:C:737:LEU:HD23	2.19	0.42
2:A:391:VAL:O	2:A:392:PHE:C	2.63	0.41
2:C:757:VAL:HG13	2:C:769:LEU:CD2	2.50	0.41
1:B:192:LEU:O	1:B:196:THR:OG1	2.32	0.41
2:C:385:GLY:O	2:C:386:GLY:C	2.63	0.41
1:B:89:LEU:HD23	1:D:104:ARG:HG2	2.01	0.41
2:A:287:ASP:O	2:A:290:SER:OG	2.33	0.41
2:A:385:GLY:O	2:A:386:GLY:C	2.63	0.41
1:B:101:CYS:SG	1:B:114:THR:HG22	2.61	0.41
1:D:101:CYS:SG	1:D:114:THR:HG22	2.61	0.41
1:B:170:ASN:ND2	1:B:253:HIS:O	2.46	0.41
1:B:221:CYS:O	1:B:225:ARG:HG2	2.20	0.41
2:A:187:VAL:HG21	2:A:421:ALA:HB2	2.03	0.41
2:A:222:VAL:HA	2:A:256:VAL:HG22	2.02	0.41
2:A:384:VAL:O	2:A:385:GLY:C	2.64	0.41
5:D:503:NAG:H83	5:D:503:NAG:H3	2.03	0.41
2:C:384:VAL:O	2:C:385:GLY:C	2.63	0.41
1:B:80:LEU:HD21	1:D:107:ARG:CG	2.51	0.41
2:A:381:MET:HG2	2:A:524:TRP:CZ3	2.56	0.41
2:C:504:THR:O	2:C:504:THR:HG22	2.21	0.41
2:A:99:TYR:O	2:A:283:THR:HG22	2.21	0.40
2:A:581:PHE:HA	2:C:332:MET:HE2	2.04	0.40
2:C:441:LEU:HD23	2:C:441:LEU:H	1.86	0.40
2:A:247:GLU:HG3	2:A:515:ILE:HD11	2.04	0.40
1:D:297:VAL:O	1:D:301:LEU:HG	2.21	0.40
2:C:222:VAL:HA	2:C:256:VAL:HG22	2.03	0.40
2:C:381:MET:HG2	2:C:524:TRP:CZ3	2.56	0.40
2:C:556:LEU:CD2	2:C:566:LEU:HD11	2.51	0.40
5:B:503:NAG:H83	5:B:503:NAG:H3	2.03	0.40
1:D:221:CYS:O	1:D:225:ARG:HG2	2.21	0.40
2:C:247:GLU:HG3	2:C:515:ILE:HD11	2.03	0.40
1:B:297:VAL:O	1:B:301:LEU:HG	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:441:LEU:HD23	2:A:441:LEU:H	1.86	0.40
2:A:556:LEU:CD2	2:A:556:LEU:HD11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	199/302 (66%)	194 (98%)	5 (2%)	42	74
1	D	199/302 (66%)	194 (98%)	5 (2%)	42	74
2	A	568/674 (84%)	564 (99%)	4 (1%)	76	91
2	C	568/674 (84%)	564 (99%)	4 (1%)	76	91
All	All	1534/1952 (79%)	1516 (99%)	18 (1%)	61	86

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	181	GLU
1	B	184	ASN
1	B	191	ASN
1	B	219	GLU
1	B	263	ASN
2	A	109	GLU
2	A	132	LEU
2	A	277	GLU
2	A	381	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	181	GLU
1	D	184	ASN
1	D	191	ASN
1	D	219	GLU
1	D	263	ASN
2	C	109	GLU
2	C	132	LEU
2	C	277	GLU
2	C	381	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	93	ASN
1	B	163	ASN
1	B	253	HIS
2	A	101	ASN
2	A	162	ASN
2	A	479	HIS
2	A	605	HIS
2	A	777	GLN
1	D	93	ASN
1	D	163	ASN
2	C	101	ASN
2	C	162	ASN
2	C	479	HIS
2	C	777	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	E	1	3	14,14,15	0.49	0	17,19,21	0.37	0
3	NAG	E	2	3	14,14,15	0.22	0	17,19,21	0.48	0
3	BMA	E	3	3	11,11,12	0.91	0	15,15,17	0.94	1 (6%)
3	MAN	E	4	3	11,11,12	1.66	2 (18%)	15,15,17	2.14	2 (13%)
3	MAN	E	5	3	11,11,12	1.55	1 (9%)	15,15,17	2.07	2 (13%)
4	NAG	F	1	4,1	14,14,15	0.43	0	17,19,21	0.63	1 (5%)
4	NAG	F	2	4	14,14,15	0.60	0	17,19,21	0.44	0
4	NAG	G	1	4	14,14,15	0.29	0	17,19,21	0.48	0
4	NAG	G	2	4	14,14,15	0.43	0	17,19,21	0.41	0
3	NAG	H	1	3	14,14,15	0.47	0	17,19,21	0.38	0
3	NAG	H	2	3	14,14,15	0.23	0	17,19,21	0.48	0
3	BMA	H	3	3	11,11,12	0.90	0	15,15,17	0.93	1 (6%)
3	MAN	H	4	3	11,11,12	1.66	1 (9%)	15,15,17	2.14	2 (13%)
3	MAN	H	5	3	11,11,12	1.56	2 (18%)	15,15,17	2.07	2 (13%)
4	NAG	I	1	4,1	14,14,15	0.44	0	17,19,21	0.64	1 (5%)
4	NAG	I	2	4	14,14,15	0.58	0	17,19,21	0.43	0
4	NAG	J	1	4	14,14,15	0.29	0	17,19,21	0.48	0
4	NAG	J	2	4	14,14,15	0.43	0	17,19,21	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	MAN	E	4	3	-	1/2/19/22	0/1/1/1
3	MAN	E	5	3	-	1/2/19/22	0/1/1/1
4	NAG	F	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	F	2	4	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	1	4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	1/6/23/26	0/1/1/1
3	NAG	H	1	3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
3	MAN	H	4	3	-	1/2/19/22	0/1/1/1
3	MAN	H	5	3	-	1/2/19/22	0/1/1/1
4	NAG	I	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	NAG	J	1	4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	1/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	4	MAN	O5-C5	4.52	1.52	1.43
3	H	4	MAN	O5-C5	4.50	1.52	1.43
3	H	5	MAN	O5-C5	4.00	1.51	1.43
3	E	5	MAN	O5-C5	3.99	1.51	1.43
3	H	5	MAN	C4-C5	2.04	1.57	1.53
3	E	4	MAN	C1-C2	2.00	1.57	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	4	MAN	C1-O5-C5	6.66	121.12	112.19
3	H	4	MAN	C1-O5-C5	6.63	121.07	112.19
3	E	5	MAN	C1-O5-C5	6.17	120.46	112.19
3	H	5	MAN	C1-O5-C5	6.15	120.44	112.19
3	E	4	MAN	O2-C2-C3	-4.16	101.53	110.15
3	H	4	MAN	O2-C2-C3	-4.16	101.54	110.15
3	E	5	MAN	O2-C2-C3	-4.08	101.69	110.15
3	H	5	MAN	O2-C2-C3	-4.08	101.70	110.15
4	I	1	NAG	C1-O5-C5	2.09	114.98	112.19
4	F	1	NAG	C1-O5-C5	2.08	114.98	112.19
3	H	3	BMA	O2-C2-C3	-2.03	105.94	110.15
3	E	3	BMA	O2-C2-C3	-2.03	105.95	110.15

There are no chirality outliers.

All (26) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	E	2	NAG	C1-C2-N2-C7
3	H	2	NAG	C1-C2-N2-C7
4	F	1	NAG	O5-C5-C6-O6
4	I	1	NAG	O5-C5-C6-O6
4	F	1	NAG	C4-C5-C6-O6
4	I	1	NAG	C4-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
4	J	1	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
4	J	2	NAG	O5-C5-C6-O6
3	E	4	MAN	O5-C5-C6-O6
3	H	4	MAN	O5-C5-C6-O6
3	E	5	MAN	O5-C5-C6-O6
3	H	5	MAN	O5-C5-C6-O6
4	F	2	NAG	C1-C2-N2-C7
4	I	2	NAG	C1-C2-N2-C7
4	F	2	NAG	C3-C2-N2-C7
4	I	2	NAG	C3-C2-N2-C7
3	E	2	NAG	C3-C2-N2-C7
3	H	2	NAG	C3-C2-N2-C7


There are no ring outliers.


8 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	1	NAG	1	0
4	I	2	NAG	1	0
3	H	2	NAG	1	0
4	F	2	NAG	1	0
3	E	2	NAG	1	0
3	H	1	NAG	1	0
4	I	1	NAG	1	0
4	F	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	0J1	C	906	-	45,45,45	1.22	5 (11%)	57,60,60	1.38	5 (8%)
5	NAG	B	502	1	14,14,15	0.17	0	17,19,21	0.54	0
5	NAG	D	501	-	14,14,15	0.23	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ATP	C	901	7	32,33,33	1.34	4 (12%)	48,52,52	1.76	10 (20%)
5	NAG	B	501	-	14,14,15	0.23	0	17,19,21	0.40	0
6	ATP	A	901	7	32,33,33	1.33	4 (12%)	48,52,52	1.77	10 (20%)
5	NAG	B	503	-	14,14,15	0.26	0	17,19,21	0.90	1 (5%)
5	NAG	D	503	-	14,14,15	0.25	0	17,19,21	0.90	1 (5%)
5	NAG	B	504	-	14,14,15	0.22	0	17,19,21	0.50	0
5	NAG	D	504	-	14,14,15	0.23	0	17,19,21	0.49	0
9	0J1	A	906	-	45,45,45	1.22	4 (8%)	57,60,60	1.38	5 (8%)
5	NAG	D	502	1	14,14,15	0.17	0	17,19,21	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	0J1	C	906	-	-	27/41/65/65	0/1/1/1
5	NAG	B	502	1	-	2/6/23/26	0/1/1/1
5	NAG	D	501	-	-	2/6/23/26	0/1/1/1
6	ATP	C	901	7	-	2/22/38/38	0/3/3/3
5	NAG	B	501	-	-	2/6/23/26	0/1/1/1
6	ATP	A	901	7	-	2/22/38/38	0/3/3/3
5	NAG	B	503	-	-	3/6/23/26	0/1/1/1
5	NAG	D	503	-	-	3/6/23/26	0/1/1/1
5	NAG	B	504	-	-	3/6/23/26	0/1/1/1
5	NAG	D	504	-	-	3/6/23/26	0/1/1/1
9	0J1	A	906	-	-	27/41/65/65	0/1/1/1
5	NAG	D	502	1	-	2/6/23/26	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	901	ATP	C5-C4	4.43	1.47	1.39
6	A	901	ATP	C5-C4	4.39	1.46	1.39
9	A	906	0J1	O12-C10	3.06	1.42	1.33
9	C	906	0J1	O12-C10	3.03	1.42	1.33
9	A	906	0J1	P30-O29	2.93	1.64	1.59
9	A	906	0J1	O36-C37	2.92	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	906	OJ1	O36-C37	2.91	1.42	1.34
9	C	906	OJ1	P30-O29	2.90	1.64	1.59
6	A	901	ATP	C5-C6	2.61	1.48	1.41
6	C	901	ATP	C5-C6	2.59	1.48	1.41
6	A	901	ATP	C5-N7	-2.42	1.34	1.39
6	C	901	ATP	C5-N7	-2.42	1.34	1.39
9	C	906	OJ1	P17-O20	2.39	1.66	1.59
9	A	906	OJ1	P17-O20	2.38	1.66	1.59
6	C	901	ATP	C8-N7	2.33	1.36	1.31
6	A	901	ATP	C8-N7	2.31	1.36	1.31
9	C	906	OJ1	P17-O16	2.02	1.67	1.59

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	901	ATP	C5-C4-N3	-5.76	118.79	126.72
6	A	901	ATP	C5-C4-N3	-5.74	118.81	126.72
9	A	906	OJ1	C34-C21-C22	5.67	118.73	110.86
9	C	906	OJ1	C34-C21-C22	5.65	118.71	110.86
9	C	906	OJ1	C28-C34-C21	4.38	117.99	109.11
9	A	906	OJ1	C28-C34-C21	4.36	117.94	109.11
6	C	901	ATP	N3-C4-N9	4.34	134.55	127.17
6	A	901	ATP	N3-C4-N9	4.34	134.54	127.17
9	A	906	OJ1	O36-C37-C39	3.99	120.12	111.48
9	C	906	OJ1	O36-C37-C39	3.99	120.11	111.48
6	A	901	ATP	C2-N3-C4	3.82	121.16	111.83
6	C	901	ATP	C2-N3-C4	3.80	121.12	111.83
6	A	901	ATP	N3-C2-N1	-3.60	123.14	128.58
6	C	901	ATP	N3-C2-N1	-3.56	123.19	128.58
6	C	901	ATP	C4-C5-N7	-3.53	106.55	110.58
6	A	901	ATP	C4-C5-N7	-3.49	106.59	110.58
9	C	906	OJ1	O12-C10-C09	2.90	120.66	111.83
9	A	906	OJ1	O12-C10-C09	2.89	120.65	111.83
5	B	503	NAG	C2-N2-C7	2.73	126.56	122.90
5	D	503	NAG	C2-N2-C7	2.72	126.54	122.90
9	A	906	OJ1	C24-C22-C21	2.68	115.77	109.68
9	C	906	OJ1	C24-C22-C21	2.68	115.77	109.68
6	A	901	ATP	C5-N7-C8	2.62	107.56	103.45
6	C	901	ATP	C5-N7-C8	2.61	107.56	103.45
6	C	901	ATP	C4-N9-C8	2.43	108.28	105.74
6	A	901	ATP	C4-N9-C8	2.42	108.28	105.74
6	C	901	ATP	C6-C5-N7	2.20	136.32	132.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	901	ATP	C6-C5-N7	2.19	136.31	132.09
6	A	901	ATP	N9-C8-N7	-2.12	110.92	113.94
6	C	901	ATP	N9-C8-N7	-2.10	110.95	113.94
6	A	901	ATP	C3'-C2'-C1'	2.05	105.34	101.46
6	C	901	ATP	C3'-C2'-C1'	2.04	105.32	101.46

There are no chirality outliers.

All (78) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	503	NAG	C1-C2-N2-C7
5	B	504	NAG	C1-C2-N2-C7
5	D	503	NAG	C1-C2-N2-C7
5	D	504	NAG	C1-C2-N2-C7
6	A	901	ATP	C5'-O5'-PA-O1A
6	C	901	ATP	C5'-O5'-PA-O1A
9	A	906	OJ1	C39-C37-O36-C14
9	A	906	OJ1	C15-O16-P17-O18
9	A	906	OJ1	C15-O16-P17-O19
9	A	906	OJ1	C15-O16-P17-O20
9	C	906	OJ1	C39-C37-O36-C14
9	C	906	OJ1	C15-O16-P17-O18
9	C	906	OJ1	C15-O16-P17-O19
9	C	906	OJ1	C15-O16-P17-O20
9	A	906	OJ1	O11-C10-O12-C13
9	C	906	OJ1	O11-C10-O12-C13
9	A	906	OJ1	C09-C10-O12-C13
9	C	906	OJ1	C09-C10-O12-C13
9	A	906	OJ1	O38-C37-O36-C14
9	C	906	OJ1	O38-C37-O36-C14
5	B	502	NAG	C4-C5-C6-O6
5	D	502	NAG	C4-C5-C6-O6
5	B	502	NAG	O5-C5-C6-O6
5	B	504	NAG	O5-C5-C6-O6
5	D	502	NAG	O5-C5-C6-O6
5	D	504	NAG	O5-C5-C6-O6
5	B	504	NAG	C4-C5-C6-O6
5	D	504	NAG	C4-C5-C6-O6
5	B	503	NAG	C8-C7-N2-C2
5	B	503	NAG	O7-C7-N2-C2
5	D	503	NAG	C8-C7-N2-C2
5	D	503	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	906	OJ1	C06-C07-C08-C09
9	C	906	OJ1	C06-C07-C08-C09
9	A	906	OJ1	C40-C41-C42-C43
9	C	906	OJ1	C40-C41-C42-C43
9	A	906	OJ1	C07-C08-C09-C10
9	C	906	OJ1	C07-C08-C09-C10
9	A	906	OJ1	C28-O29-P30-O33
9	C	906	OJ1	C28-O29-P30-O33
9	A	906	OJ1	C13-C14-O36-C37
9	C	906	OJ1	C13-C14-O36-C37
9	A	906	OJ1	C37-C39-C40-C41
9	C	906	OJ1	C37-C39-C40-C41
9	C	906	OJ1	C43-C44-C45-C46
9	A	906	OJ1	C43-C44-C45-C46
9	A	906	OJ1	C26-C28-O29-P30
9	C	906	OJ1	C26-C28-O29-P30
9	A	906	OJ1	C04-C05-C06-C07
9	C	906	OJ1	C04-C05-C06-C07
9	A	906	OJ1	C21-O20-P17-O18
9	A	906	OJ1	C21-O20-P17-O19
9	C	906	OJ1	C21-O20-P17-O18
9	C	906	OJ1	C21-O20-P17-O19
9	A	906	OJ1	O36-C14-C15-O16
9	C	906	OJ1	O36-C14-C15-O16
5	B	501	NAG	C3-C2-N2-C7
5	D	501	NAG	C3-C2-N2-C7
9	A	906	OJ1	C03-C04-C05-C06
9	C	906	OJ1	C03-C04-C05-C06
9	C	906	OJ1	C34-C28-O29-P30
5	D	501	NAG	O5-C5-C6-O6
5	B	501	NAG	O5-C5-C6-O6
9	A	906	OJ1	C34-C28-O29-P30
9	A	906	OJ1	C02-C03-C04-C05
9	C	906	OJ1	C02-C03-C04-C05
9	A	906	OJ1	C13-C14-C15-O16
9	C	906	OJ1	C13-C14-C15-O16
6	A	901	ATP	PB-O3B-PG-O3G
6	C	901	ATP	PB-O3B-PG-O3G
9	A	906	OJ1	C14-C15-O16-P17
9	C	906	OJ1	C14-C15-O16-P17
9	A	906	OJ1	C41-C42-C43-C44
9	C	906	OJ1	C41-C42-C43-C44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	C	906	OJ1	C08-C09-C10-O12
9	A	906	OJ1	C08-C09-C10-O12
9	A	906	OJ1	C08-C09-C10-O11
9	C	906	OJ1	C08-C09-C10-O11


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	501	NAG	1	0
5	B	501	NAG	1	0
5	B	503	NAG	3	0
5	D	503	NAG	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand 0J1 C 906







Ligand NAG B 502













Ligand 0J1 A 906



Ligand NAG D 502



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22389. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 198



Y Index: 192




Z Index: 243


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 114 nm^3 ; this corresponds to an approximate mass of 103 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.355 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22389 and PDB model 7JM7. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (2.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8520	0.5170
A	0.8680	0.5460
B	0.8060	0.4380
C	0.8680	0.5450
D	0.8000	0.4480
E	0.8360	0.4520
F	0.3930	0.1460
G	0.6430	0.1960
H	0.8200	0.4200
I	0.5710	0.2960
J	0.7860	0.3590

1.0

0.0

<0.0