



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:53 PM UTC

PDB ID : 8JMK / pdb_00008jmk
Title : Structure of Helicobacter pylori Soj mutant, D41A bound to DNA
Authors : Wu, C.T.; Chu, C.H.; Sun, Y.J.
Deposited on : 2023-06-05
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	
1	C	264	
1	D	264	
2	E	24	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	24	4% 79% 17%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SpoOJ regulator (Soj).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2050	1327	337	378	8			
1	B	264	Total	C	N	O	S	0	0	0
			2050	1327	337	378	8			
1	C	264	Total	C	N	O	S	0	0	0
			2050	1327	337	378	8			
1	D	264	Total	C	N	O	S	0	0	0
			2050	1327	337	378	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	ALA	ASP	engineered mutation	UNP O25759
B	41	ALA	ASP	engineered mutation	UNP O25759
C	41	ALA	ASP	engineered mutation	UNP O25759
D	41	ALA	ASP	engineered mutation	UNP O25759


- Molecule 2 is a DNA chain called DNA (5'-D(P*TP*CP*CP*CP*TP*GP*TP*TP*TP*CP*AP*CP*GP*TP*GP*GP*AP*AP*CP*AP*CP*CP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	24	Total	C	N	O	P	0	0	0
			483	231	81	147	24			

- Molecule 3 is a DNA chain called DNA (5'-D(P*AP*GP*GP*GP*TP*GP*TP*TP*CP*CP*AP*CP*GP*TP*GP*AP*AP*AP*CP*AP*GP*GP*GP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	24	Total	C	N	O	P	0	0	0
			501	236	100	141	24			

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	D	1	Total 31	C 10	N 5	O 13	P 3	0	0


- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0
5	D	1	Total Mg 1 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SpoOJ regulator (Soj)




- Molecule 1: SpoOJ regulator (Soj)



- Molecule 1: SpoOJ regulator (Soj)




- Molecule 1: SpoOJ regulator (Soj)







- Molecule 2: DNA (5'-D(P*TP*CP*CP*CP*TP*GP*TP*TP*TP*CP*AP*CP*GP*TP*GP*GP*AP*AP*CP*AP*CP*CP*CP*T)-3')



- Molecule 3: DNA (5'-D(P*AP*GP*GP*GP*TP*GP*TP*TP*CP*CP*AP*CP*GP*TP*GP*A P*AP*AP*CP*AP*GP*GP*GP*A)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	75.20Å 75.20Å 81.12Å 71.25° 71.38° 67.70°	Depositor
Resolution (Å)	27.88 – 2.70 27.88 – 2.70	Depositor EDS
% Data completeness (in resolution range)	47.5 (27.88-2.70) 55.6 (27.88-2.70)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.01 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.224 , 0.303 0.225 , 0.313	Depositor DCC
R_{free} test set	1194 reflections (2.68%)	wwPDB-VP
Wilson B-factor (Å ²)	38.2	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 7.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.458 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9312	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.60 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7154e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.64	0/2088	1.07	6/2822 (0.2%)
1	B	0.65	0/2088	1.12	9/2822 (0.3%)
1	C	0.64	0/2088	1.07	5/2822 (0.2%)
1	D	0.65	0/2088	1.09	8/2822 (0.3%)
2	E	0.34	0/538	1.01	0/826
3	F	0.33	0/564	1.02	1/870 (0.1%)
All	All	0.62	0/9454	1.08	29/12984 (0.2%)

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	120	VAL	N-CA-C	8.98	120.73	112.29
1	A	210	ASP	N-CA-C	8.34	121.42	111.33
1	C	209	PHE	N-CA-C	8.33	123.62	112.88
1	C	216	ASP	N-CA-C	-7.83	98.08	109.59
1	B	136	GLY	CA-C-N	7.76	128.16	119.32
1	B	136	GLY	C-N-CA	7.76	128.16	119.32
1	B	120	VAL	N-CA-C	7.73	120.49	112.83
1	B	209	PHE	N-CA-C	7.72	123.75	113.72
1	A	209	PHE	N-CA-C	6.88	121.84	113.17
1	D	209	PHE	N-CA-C	6.72	122.31	113.30
3	F	6	DG	C4'-C3'-O3'	6.61	119.92	110.00
1	D	136	GLY	CA-C-N	6.53	126.76	119.32
1	D	136	GLY	C-N-CA	6.53	126.76	119.32
1	C	157	PHE	N-CA-C	6.50	119.19	111.71
1	C	210	ASP	N-CA-C	6.40	119.07	111.33
1	A	120	VAL	N-CA-C	6.29	119.05	112.83
1	B	106	ASN	N-CA-C	6.03	120.77	113.17
1	B	154	GLN	N-CA-C	-5.87	100.42	109.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	157	PHE	N-CA-C	5.79	117.59	111.28
1	A	157	PHE	N-CA-C	5.75	119.10	111.75
1	A	38	ILE	CB-CA-C	-5.73	104.02	110.96
1	B	56	LYS	N-CA-C	5.42	119.58	112.92
1	D	109	GLY	N-CA-C	-5.30	107.36	115.00
1	B	109	GLY	N-CA-C	-5.27	107.73	114.37
1	A	149	VAL	N-CA-C	5.25	115.60	107.78
1	D	234	SER	N-CA-C	5.22	120.71	113.45
1	D	210	ASP	N-CA-C	5.21	117.63	111.33
1	D	256	LYS	N-CA-C	-5.02	105.51	111.69
1	C	39	ASP	N-CA-C	-5.00	100.35	108.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2050	0	2135	13	0
1	B	2050	0	2134	16	0
1	C	2050	0	2134	20	0
1	D	2050	0	2134	21	0
2	E	483	0	272	4	0
3	F	501	0	269	4	0
4	A	31	0	12	3	0
4	B	31	0	12	0	0
4	C	31	0	12	0	0
4	D	31	0	12	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
All	All	9312	0	9126	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:LEU:HD11	1:B:86:VAL:HG23	1.79	0.64
1:B:36:LEU:HB3	1:B:127:ILE:HG12	1.79	0.63
1:B:99:PHE:O	1:B:103:GLN:NE2	2.33	0.62
1:D:79:GLN:HE22	1:D:239:LYS:HA	1.65	0.61
1:D:79:GLN:NE2	1:D:238:GLY:O	2.36	0.58
2:E:1:DT:O2	3:F:24:DA:N6	2.36	0.57
1:D:170:ILE:HG21	1:D:183:ILE:HD11	1.86	0.56
1:A:8:VAL:O	1:A:131:SER:OG	2.24	0.56
1:C:8:VAL:O	1:C:131:SER:OG	2.23	0.55
1:C:54:ARG:HH22	1:D:165:LEU:HD22	1.72	0.55
1:A:232:ALA:HB2	4:A:501:ATP:C8	2.42	0.54
1:B:249:ASN:N	1:B:249:ASN:OD1	2.41	0.53
1:D:106:ASN:O	1:D:108:ARG:NH1	2.42	0.53
1:B:11:GLN:NE2	1:B:162:GLY:O	2.42	0.53
1:C:38:ILE:HB	1:C:129:ILE:HG23	1.92	0.52
1:A:161:GLU:HB2	1:B:54:ARG:HH12	1.73	0.52
2:E:7:DT:H2''	2:E:8:DT:H5''	1.91	0.52
1:A:39:ASP:O	1:A:88:SER:OG	2.28	0.51
1:B:31:HIS:NE2	1:B:259:GLN:OE1	2.39	0.51
1:C:70:GLN:HB2	1:C:73:GLN:HG3	1.92	0.51
1:A:228:SER:H	4:A:501:ATP:HN61	1.58	0.51
1:B:172:MET:O	1:B:176:SER:OG	2.28	0.50
1:B:174:GLN:NE2	1:B:181:LEU:O	2.37	0.49
1:C:2:MET:SD	1:C:2:MET:N	2.86	0.49
1:A:10:ASN:HA	1:A:166:LEU:HD22	1.95	0.49
1:D:174:GLN:NE2	1:D:181:LEU:O	2.37	0.49
1:D:36:LEU:HB3	1:D:127:ILE:HG12	1.95	0.49
1:C:18:THR:OG1	1:C:130:ASP:OD2	2.31	0.48
2:E:23:DC:H42	3:F:2:DG:H1	1.62	0.48
1:B:110:GLU:HG2	1:B:177:THR:HG21	1.96	0.47
1:C:109:GLY:HA2	1:C:112:MET:HG3	1.97	0.47
3:F:5:DT:H2''	3:F:6:DG:C8	2.50	0.47
1:C:61:ILE:HD13	1:C:86:VAL:HG11	1.96	0.47
1:A:36:LEU:HD11	1:A:86:VAL:HG23	1.95	0.47
1:C:96:GLU:HG2	1:C:137:PRO:HG2	1.97	0.47
1:B:8:VAL:O	1:B:131:SER:OG	2.32	0.47
1:C:88:SER:OG	1:C:89:ASN:N	2.45	0.46
1:D:3:SER:OG	1:D:124:TYR:O	2.27	0.46
1:B:171:ARG:HA	1:B:174:GLN:HB2	1.97	0.45
1:C:230:LYS:HB3	1:C:230:LYS:HE3	1.69	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:5:ILE:HG23	1:D:147:HIS:H	1.81	0.44
1:A:17:LYS:NZ	4:A:501:ATP:O2B	2.40	0.44
1:B:7:ALA:HA	1:B:129:ILE:HB	2.00	0.44
1:D:45:ASN:O	1:D:49:SER:OG	2.33	0.44
1:C:173:LEU:HD23	1:C:173:LEU:HA	1.86	0.44
1:B:38:ILE:HD11	1:B:117:LEU:HD21	2.00	0.44
1:A:89:ASN:HB3	1:A:91:GLY:H	1.83	0.44
1:D:88:SER:OG	1:D:89:ASN:N	2.51	0.43
1:D:226:PRO:O	4:D:301:ATP:N6	2.52	0.43
1:D:61:ILE:HD12	1:D:64:VAL:HB	2.01	0.43
1:C:190:MET:HE3	1:C:190:MET:HB2	1.83	0.43
1:D:227:LYS:HZ3	1:D:227:LYS:HG2	1.78	0.42
1:C:55:ASP:HB2	1:C:56:LYS:HE3	2.01	0.42
1:A:262:LEU:HD12	1:A:262:LEU:HA	1.88	0.42
1:C:171:ARG:HA	1:C:171:ARG:HD3	1.86	0.42
1:D:232:ALA:HB2	4:D:301:ATP:C8	2.55	0.42
1:A:80:MET:HA	1:A:81:PRO:HD3	1.94	0.42
1:A:80:MET:HE2	1:A:80:MET:HB3	1.96	0.42
1:D:61:ILE:HD13	1:D:86:VAL:HG11	2.01	0.41
1:C:34:LYS:HD2	1:C:34:LYS:HA	1.86	0.41
1:C:45:ASN:O	1:C:49:SER:OG	2.37	0.41
1:B:117:LEU:HD23	1:B:117:LEU:HA	1.85	0.41
1:C:27:SER:HA	1:C:242:LEU:HD11	2.03	0.41
1:C:49:SER:HB3	1:C:235:PRO:HB3	2.02	0.41
1:C:36:LEU:HD11	1:C:86:VAL:HG23	2.02	0.41
1:D:34:LYS:HD3	1:D:34:LYS:HA	1.88	0.41
2:E:20:DA:H2''	2:E:21:DC:H5''	2.03	0.41
1:D:10:ASN:H	1:D:17:LYS:HD3	1.85	0.40
1:D:4:GLU:CD	1:D:184:ARG:HH21	2.29	0.40
1:B:64:VAL:HG11	1:B:71:ILE:HB	2.03	0.40
1:A:5:ILE:O	1:A:147:HIS:N	2.51	0.40
1:D:113:LEU:HD21	1:D:129:ILE:HD13	2.03	0.40
1:D:196:ASN:HD21	3:F:13:DG:H3'	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/264 (99%)	255 (97%)	7 (3%)	0	100	100
1	B	262/264 (99%)	255 (97%)	7 (3%)	0	100	100
1	C	262/264 (99%)	256 (98%)	6 (2%)	0	100	100
1	D	262/264 (99%)	257 (98%)	5 (2%)	0	100	100
All	All	1048/1056 (99%)	1023 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/227 (100%)	212 (93%)	15 (7%)	15	36
1	B	227/227 (100%)	210 (92%)	17 (8%)	12	31
1	C	227/227 (100%)	210 (92%)	17 (8%)	12	31
1	D	227/227 (100%)	201 (88%)	26 (12%)	5	14
All	All	908/908 (100%)	833 (92%)	75 (8%)	10	26

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	SER
1	A	73	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	89	ASN
1	A	112	MET
1	A	131	SER
1	A	141	ASN
1	A	149	VAL
1	A	167	LEU
1	A	177	THR
1	A	198	THR
1	A	223	ILE
1	A	231	LEU
1	A	246	ILE
1	A	247	LYS
1	A	262	LEU
1	B	32	GLU
1	B	40	PHE
1	B	79	GLN
1	B	102	SER
1	B	110	GLU
1	B	114	LYS
1	B	121	VAL
1	B	131	SER
1	B	142	SER
1	B	149	VAL
1	B	161	GLU
1	B	167	LEU
1	B	176	SER
1	B	204	GLU
1	B	215	ARG
1	B	227	LYS
1	B	231	LEU
1	C	2	MET
1	C	49	SER
1	C	89	ASN
1	C	104	ASP
1	C	106	ASN
1	C	119	SER
1	C	123	LEU
1	C	131	SER
1	C	141	ASN
1	C	165	LEU
1	C	168	ASN
1	C	177	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	212	GLU
1	C	227	LYS
1	C	230	LYS
1	C	231	LEU
1	C	246	ILE
1	D	1	MET
1	D	2	MET
1	D	5	ILE
1	D	34	LYS
1	D	40	PHE
1	D	74	VAL
1	D	79	GLN
1	D	96	GLU
1	D	102	SER
1	D	106	ASN
1	D	114	LYS
1	D	117	LEU
1	D	121	VAL
1	D	131	SER
1	D	142	SER
1	D	153	ILE
1	D	161	GLU
1	D	164	LYS
1	D	165	LEU
1	D	176	SER
1	D	177	THR
1	D	190	MET
1	D	217	SER
1	D	223	ILE
1	D	227	LYS
1	D	231	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	HIS
1	A	259	GLN
1	B	73	GLN
1	B	106	ASN
1	B	115	ASN
1	B	178	ASN
1	C	73	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	89	ASN
1	C	106	ASN
1	C	255	GLN
1	D	79	GLN
1	D	196	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ATP	C	301	5	32,33,33	1.43	5 (15%)	48,52,52	1.92	16 (33%)
4	ATP	D	301	5	32,33,33	1.55	6 (18%)	48,52,52	1.78	9 (18%)
4	ATP	B	301	5	32,33,33	1.43	4 (12%)	48,52,52	2.04	16 (33%)
4	ATP	A	501	5	32,33,33	1.51	4 (12%)	48,52,52	1.81	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	C	301	5	-	0/22/38/38	0/3/3/3
4	ATP	D	301	5	-	1/22/38/38	0/3/3/3
4	ATP	B	301	5	-	4/22/38/38	0/3/3/3
4	ATP	A	501	5	-	0/22/38/38	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	301	ATP	C5-C4	5.69	1.49	1.39
4	A	501	ATP	C5-C4	5.30	1.48	1.39
4	B	301	ATP	C5-C4	4.51	1.47	1.39
4	C	301	ATP	C5-C4	4.32	1.46	1.39
4	A	501	ATP	C4-N9	-3.62	1.30	1.37
4	B	301	ATP	C5-C6	3.05	1.49	1.41
4	C	301	ATP	C5-C6	2.94	1.49	1.41
4	A	501	ATP	C5-N7	-2.85	1.33	1.39
4	C	301	ATP	C8-N7	2.81	1.37	1.31
4	D	301	ATP	PB-O3B	2.70	1.62	1.59
4	D	301	ATP	C8-N7	2.55	1.36	1.31
4	D	301	ATP	C5-N7	-2.54	1.34	1.39
4	B	301	ATP	PB-O3B	2.41	1.62	1.59
4	C	301	ATP	C8-N9	-2.41	1.33	1.37
4	D	301	ATP	C5-C6	2.40	1.47	1.41
4	C	301	ATP	C4-N9	-2.21	1.33	1.37
4	D	301	ATP	C4-N9	-2.18	1.33	1.37
4	B	301	ATP	C8-N7	2.16	1.35	1.31
4	A	501	ATP	C8-N7	2.13	1.35	1.31

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	ATP	C5-C4-N3	-5.10	119.70	126.72
4	D	301	ATP	C2'-C1'-N9	5.01	125.75	113.30
4	B	301	ATP	C5-C4-N3	-4.99	119.85	126.72
4	A	501	ATP	C2'-C1'-N9	4.94	125.59	113.30
4	C	301	ATP	C4-C5-N7	-4.81	105.09	110.58
4	C	301	ATP	C5-C4-N3	-4.70	120.25	126.72
4	B	301	ATP	O4'-C1'-N9	-4.49	99.47	108.09
4	B	301	ATP	N3-C4-N9	4.37	134.60	127.17
4	D	301	ATP	N3-C4-N9	4.19	134.29	127.17
4	B	301	ATP	C4-N9-C8	3.99	109.92	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	ATP	O4'-C1'-N9	-3.78	100.82	108.09
4	A	501	ATP	N3-C4-N9	3.67	133.42	127.17
4	B	301	ATP	C4-C5-N7	-3.62	106.44	110.58
4	A	501	ATP	N6-C6-N1	3.51	126.19	118.38
4	A	501	ATP	C3'-C2'-C1'	-3.45	94.94	101.46
4	A	501	ATP	C5-C4-N3	-3.27	122.22	126.72
4	C	301	ATP	C4-N9-C8	3.15	109.05	105.74
4	C	301	ATP	C2-N3-C4	3.13	119.47	111.83
4	C	301	ATP	C6-C5-N7	3.10	138.07	132.09
4	B	301	ATP	C5-N7-C8	3.10	108.32	103.45
4	B	301	ATP	C2-N3-C4	3.09	119.37	111.83
4	C	301	ATP	N3-C4-N9	3.07	132.38	127.17
4	C	301	ATP	C5-N7-C8	3.06	108.27	103.45
4	D	301	ATP	C2-N3-C4	3.04	119.24	111.83
4	B	301	ATP	N3-C2-N1	-2.99	124.06	128.58
4	B	301	ATP	N9-C8-N7	-2.98	109.71	113.94
4	A	501	ATP	N3-C2-N1	-2.97	124.09	128.58
4	A	501	ATP	C5-C6-N6	-2.92	116.05	123.29
4	D	301	ATP	O2'-C2'-C3'	-2.77	102.93	111.82
4	B	301	ATP	C2'-C3'-C4'	2.75	107.93	102.61
4	C	301	ATP	N3-C2-N1	-2.72	124.46	128.58
4	B	301	ATP	C2'-C1'-N9	2.71	120.03	113.30
4	A	501	ATP	C4-N9-C8	2.69	108.57	105.74
4	D	301	ATP	C2'-C3'-C4'	2.65	107.73	102.61
4	C	301	ATP	N9-C8-N7	-2.63	110.20	113.94
4	A	501	ATP	O3'-C3'-C4'	-2.61	103.58	111.08
4	C	301	ATP	C4-N9-C1'	-2.59	120.58	126.63
4	B	301	ATP	O3'-C3'-C4'	-2.53	103.82	111.08
4	C	301	ATP	C2'-C1'-N9	2.51	119.54	113.30
4	B	301	ATP	C2-N1-C6	2.47	122.78	118.73
4	C	301	ATP	O3'-C3'-C4'	-2.41	104.16	111.08
4	D	301	ATP	N3-C2-N1	-2.38	124.98	128.58
4	A	501	ATP	C2-N3-C4	2.38	117.65	111.83
4	B	301	ATP	O2B-PB-O1B	2.33	123.29	112.44
4	D	301	ATP	O2B-PB-O3B	2.30	113.50	107.27
4	B	301	ATP	O3'-C3'-C2'	-2.25	104.60	111.82
4	A	501	ATP	C4'-O4'-C1'	-2.25	104.49	109.47
4	C	301	ATP	O3G-PG-O2G	2.17	115.93	107.80
4	C	301	ATP	C2-N1-C6	2.15	122.26	118.73
4	D	301	ATP	O3'-C3'-C4'	-2.04	105.22	111.08
4	C	301	ATP	C2'-C3'-C4'	2.04	106.54	102.61
4	B	301	ATP	O2A-PA-O1A	2.02	121.83	112.44

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	301	ATP	PB-O3B-PG-O1G
4	B	301	ATP	PB-O3B-PG-O2G
4	B	301	ATP	PB-O3B-PG-O3G
4	D	301	ATP	O4'-C1'-N9-C8
4	B	301	ATP	PA-O3A-PB-O2B


There are no ring outliers.


2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	301	ATP	2	0
4	A	501	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/264 (100%)	-0.91	0 100 100	22, 46, 91, 129	0
1	B	264/264 (100%)	-0.90	0 100 100	22, 45, 90, 150	0
1	C	264/264 (100%)	-0.88	1 (0%) 88 87	23, 48, 93, 128	0
1	D	264/264 (100%)	-0.91	0 100 100	22, 46, 94, 138	0
2	E	24/24 (100%)	-0.61	0 100 100	33, 59, 148, 164	0
3	F	24/24 (100%)	-0.48	1 (4%) 40 37	33, 58, 143, 162	0
All	All	1104/1104 (100%)	-0.88	2 (0%) 91 90	22, 47, 99, 164	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	102	SER	2.9
3	F	2	DG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	C	302	1/1	0.98	0.09	37,37,37,37	0
4	ATP	B	301	31/31	0.99	0.05	20,27,38,52	0
4	ATP	C	301	31/31	0.99	0.04	19,24,39,42	0
4	ATP	D	301	31/31	0.99	0.04	21,37,51,59	0
5	MG	A	502	1/1	0.99	0.08	30,30,30,30	0
4	ATP	A	501	31/31	0.99	0.04	18,26,47,53	0
5	MG	B	302	1/1	1.00	0.05	40,40,40,40	0
5	MG	D	302	1/1	1.00	0.05	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ATP B 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ATP C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.