



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:45 PM UTC

PDB ID : 1JNY / pdb_00001jny
Title : Crystal structure of Sulfolobus solfataricus elongation factor 1 alpha in complex with GDP
Authors : Vitagliano, L.; Masullo, M.; Sica, F.; Zagari, A.; Bocchini, V.
Deposited on : 2001-07-26
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	435	7% 74% 18% • 5%
1	B	435	16% 61% 27% 6% 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Elongation factor 1-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	415	Total	C	N	O	S	0	0	0
			3248	2073	563	598	14			
1	B	412	Total	C	N	O	S	0	0	0
			3218	2054	559	591	14			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	VAL	ILE	conflict	UNP P35021
A	196	SER	ALA	conflict	UNP P35021
A	203	LYS	ARG	conflict	UNP P35021
A	347	LEU	ILE	conflict	UNP P35021
B	15	VAL	ILE	conflict	UNP P35021
B	196	SER	ALA	conflict	UNP P35021
B	203	LYS	ARG	conflict	UNP P35021
B	347	LEU	ILE	conflict	UNP P35021

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 28	C 10	N 5	O 11	P 2	0	0
2	B	1	Total 28	C 10	N 5	O 11	P 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	314	Total O 314 314	0	0
3	B	165	Total O 165 165	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Elongation factor 1-alpha



• Molecule 1: Elongation factor 1-alpha



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.11Å 113.72Å 80.32Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 20.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.80) 97.6 (20.00-1.80)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.04 (at 1.80Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.220 , 0.269 0.230 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7001	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/3316	0.97	10/4479 (0.2%)
1	B	0.54	0/3286	1.03	17/4440 (0.4%)
All	All	0.55	0/6602	1.00	27/8919 (0.3%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	37	THR	N-CA-C	-10.13	99.47	112.23
1	B	324	ASP	N-CA-C	-8.31	102.01	112.90
1	B	204	SER	N-CA-C	7.90	119.67	111.14
1	B	296	GLY	N-CA-C	-7.79	97.82	111.46
1	A	324	ASP	N-CA-C	-7.71	101.74	112.45
1	A	132	THR	N-CA-C	-7.43	103.11	111.14
1	B	85	PHE	N-CA-C	-7.00	97.50	108.90
1	B	428	LYS	CA-C-N	6.94	126.93	119.78
1	B	428	LYS	C-N-CA	6.94	126.93	119.78
1	A	296	GLY	N-CA-C	-6.56	99.44	111.04
1	A	264	LYS	N-CA-C	-6.28	99.45	109.76
1	B	38	VAL	N-CA-C	-6.21	104.46	110.42
1	B	295	ILE	N-CA-C	5.98	117.45	108.96
1	B	264	LYS	N-CA-C	-5.98	99.92	109.96
1	B	323	ALA	N-CA-C	5.94	119.32	109.46
1	B	366	ASP	N-CA-C	-5.67	101.03	109.42
1	A	4	LYS	CA-C-N	5.63	125.65	119.90
1	A	4	LYS	C-N-CA	5.63	125.65	119.90
1	B	89	ILE	N-CA-C	5.62	118.97	111.44
1	A	192	VAL	N-CA-CB	-5.57	102.06	112.36
1	A	85	PHE	N-CA-C	-5.49	99.46	108.41
1	B	183	ASN	N-CA-C	5.35	122.19	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	386	ALA	N-CA-C	5.32	116.37	108.60
1	B	192	VAL	N-CA-C	5.25	116.58	108.44
1	B	136	ILE	N-CA-C	-5.21	105.42	110.42
1	A	329	ARG	N-CA-C	-5.18	100.29	108.73
1	B	35	GLU	N-CA-C	-5.13	99.86	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3248	0	3317	65	0
1	B	3218	0	3286	99	0
2	A	28	0	12	1	0
2	B	28	0	12	1	0
3	A	314	0	0	10	0
3	B	165	0	0	3	0
All	All	7001	0	6627	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:LEU:HD11	1:A:77:MET:HE3	1.44	0.99
1:B:205:GLU:HA	1:B:208:LYS:HE3	1.46	0.96
1:A:138:LEU:HG	1:A:142:MET:HE2	1.57	0.84
1:B:224:LEU:H	1:B:224:LEU:HD22	1.44	0.82
1:A:13:GLY:H	1:A:135:HIS:HD2	1.31	0.77
1:A:255:GLU:HB3	3:A:795:HOH:O	1.83	0.77
1:B:359:SER:HB3	1:B:391:LYS:HG3	1.68	0.76
1:A:146:GLN:HG2	1:A:186:LYS:HG2	1.68	0.76
1:B:281:THR:HB	1:B:286:MET:HE2	1.69	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:ILE:HD12	1:B:33:ILE:H	1.53	0.73
1:B:14:HIS:HD2	1:B:131:GLN:H	1.35	0.72
1:B:243:ILE:HB	1:B:246:VAL:HB	1.74	0.70
1:A:178:ARG:HH11	1:A:184:THR:HG21	1.57	0.70
1:B:259:LEU:HD11	1:B:276:VAL:HG21	1.72	0.70
1:A:214:THR:HG21	3:A:698:HOH:O	1.92	0.69
1:A:406:PRO:HG2	3:A:795:HOH:O	1.93	0.69
1:B:35:GLU:O	1:B:36:LYS:HG3	1.92	0.69
1:A:405:PRO:HB2	1:A:406:PRO:HD3	1.76	0.68
1:B:42:GLU:O	1:B:46:LYS:HG2	1.95	0.67
1:B:277:ARG:HG3	1:B:300:ARG:HG3	1.76	0.67
1:A:77:MET:HE2	1:A:88:ILE:HB	1.77	0.66
1:B:241:TYR:HB2	1:B:249:VAL:HG13	1.77	0.66
1:A:33:ILE:HD12	1:A:33:ILE:H	1.62	0.65
1:B:77:MET:HG2	1:B:78:ARG:H	1.63	0.64
1:A:369:THR:OG1	1:A:371:GLN:HG2	2.00	0.62
1:B:132:THR:O	1:B:136:ILE:HG13	2.00	0.62
1:A:350:HIS:CD2	1:A:351:THR:H	2.19	0.61
1:A:260:LYS:HE2	3:A:556:HOH:O	2.01	0.61
1:A:243:ILE:HB	1:A:246:VAL:HB	1.82	0.61
1:B:133:ARG:HB2	1:B:176:PHE:CZ	2.36	0.60
1:A:318:ASN:HB3	3:A:794:HOH:O	1.99	0.60
1:A:45:ALA:HB2	1:A:54:LYS:HG3	1.83	0.60
1:A:17:HIS:CD2	1:A:116:SER:H	2.20	0.59
1:A:183:ASN:HB3	3:A:797:HOH:O	2.01	0.59
1:A:303:GLU:HB3	1:A:305:LYS:HE3	1.83	0.59
1:B:13:GLY:H	1:B:135:HIS:HD2	1.50	0.59
1:B:146:GLN:NE2	1:B:223:GLU:HG3	2.17	0.59
1:B:99:LYS:HG3	1:B:331:ILE:HG12	1.84	0.59
1:A:350:HIS:HE1	1:A:397:CYS:O	1.85	0.58
1:B:204:SER:O	1:B:205:GLU:HB2	2.03	0.58
1:B:5:PRO:HG2	1:B:84:TYR:CD1	2.39	0.58
1:B:23:VAL:HG13	1:B:88:ILE:HD13	1.86	0.57
1:B:146:GLN:HE22	1:B:223:GLU:H	1.49	0.57
1:B:28:MET:SD	1:B:55:PHE:HD1	2.27	0.57
1:A:36:LYS:HE2	1:A:40:GLU:OE2	2.05	0.57
1:B:14:HIS:CD2	1:B:131:GLN:H	2.22	0.57
1:B:350:HIS:HE1	1:B:397:CYS:O	1.88	0.57
1:A:378:GLN:H	1:A:378:GLN:CD	2.13	0.56
1:B:38:VAL:O	1:B:42:GLU:HG3	2.06	0.56
1:B:159:PRO:O	1:B:162:ASP:HB2	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:VAL:HG11	1:A:385:VAL:HG11	1.88	0.55
1:B:378:GLN:NE2	1:B:378:GLN:H	2.03	0.55
1:B:35:GLU:C	1:B:37:THR:H	2.14	0.55
1:B:153:LYS:HG2	2:B:600:GDP:C6	2.41	0.55
1:B:277:ARG:CG	1:B:300:ARG:HG3	2.37	0.55
1:B:378:GLN:H	1:B:378:GLN:HE21	1.54	0.55
1:B:95:ARG:O	1:B:96:ASP:HB2	2.07	0.54
1:B:277:ARG:CZ	1:B:277:ARG:HA	2.37	0.54
1:A:354:VAL:HG22	1:A:394:LYS:HE2	1.88	0.54
1:B:116:SER:OG	1:B:153:LYS:HD2	2.07	0.54
1:A:17:HIS:HE1	3:A:508:HOH:O	1.91	0.53
1:B:39:LYS:HD2	1:B:39:LYS:N	2.24	0.53
1:B:224:LEU:H	1:B:224:LEU:CD2	2.17	0.53
1:B:248:THR:HG22	1:B:304:LYS:HB2	1.91	0.53
1:A:263:ASP:OD2	1:A:315:HIS:HE1	1.92	0.53
1:B:33:ILE:O	1:B:35:GLU:N	2.42	0.53
1:A:133:ARG:HG3	1:A:176:PHE:CZ	2.43	0.52
1:B:10:ILE:HG23	1:B:108:ALA:HB2	1.91	0.52
1:B:231:LYS:HE3	1:B:403:GLU:O	2.09	0.52
1:A:111:ALA:HB2	1:A:144:LEU:HD13	1.91	0.52
1:A:137:ILE:O	1:A:140:LYS:HB3	2.08	0.52
1:B:28:MET:SD	1:B:55:PHE:CD1	3.02	0.52
1:B:228:PRO:HB3	1:B:231:LYS:HD3	1.91	0.52
1:B:228:PRO:CB	1:B:231:LYS:HD3	2.39	0.52
1:B:173:VAL:O	1:B:177:MET:HG3	2.10	0.52
1:B:369:THR:OG1	1:B:371:GLN:HG2	2.10	0.52
1:B:400:LYS:HE3	3:B:616:HOH:O	2.09	0.52
1:A:31:GLY:HA2	1:A:79:PHE:HA	1.92	0.52
1:A:93:GLY:HA2	3:A:779:HOH:O	2.09	0.52
1:A:243:ILE:HG12	1:A:249:VAL:CG1	2.39	0.52
1:A:183:ASN:O	1:A:184:THR:HB	2.11	0.51
1:A:341:ASN:HD21	1:A:360:GLU:HA	1.75	0.51
1:A:214:THR:HG22	1:A:217:GLU:H	1.75	0.51
1:B:277:ARG:HG3	1:B:300:ARG:CG	2.40	0.51
1:A:243:ILE:HG12	1:A:249:VAL:HG11	1.92	0.51
1:A:200:ILE:O	1:A:214:THR:HG23	2.11	0.51
1:B:350:HIS:CD2	1:B:351:THR:H	2.28	0.51
1:A:305:LYS:HE3	1:A:305:LYS:H	1.76	0.51
1:B:185:ASN:HD22	1:B:185:ASN:N	2.09	0.51
1:A:135:HIS:HE1	3:A:539:HOH:O	1.94	0.50
1:A:193:VAL:HB	1:A:198:ASP:HB2	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:VAL:HG13	1:B:200:ILE:HD11	1.93	0.50
1:B:30:ARG:HB3	1:B:80:GLU:O	2.12	0.50
1:A:208:LYS:HE2	1:A:208:LYS:H	1.77	0.50
1:A:178:ARG:NH1	1:A:184:THR:HG21	2.26	0.49
1:A:350:HIS:HD2	1:A:351:THR:H	1.59	0.49
1:B:113:LEU:HB2	1:B:147:LEU:HD11	1.93	0.49
1:A:341:ASN:HD21	1:A:360:GLU:CA	2.25	0.48
1:B:6:HIS:CE1	1:B:87:THR:OG1	2.67	0.48
1:B:363:SER:HB2	1:B:372:GLU:HG3	1.96	0.48
1:A:42:GLU:HA	1:A:54:LYS:HG2	1.95	0.48
1:B:236:PRO:HB3	1:B:350:HIS:CD2	2.49	0.48
1:B:277:ARG:HA	1:B:277:ARG:NE	2.28	0.48
1:A:183:ASN:C	1:A:183:ASN:HD22	2.21	0.48
1:A:27:LEU:O	1:A:33:ILE:HD11	2.14	0.48
1:A:138:LEU:CG	1:A:142:MET:HE2	2.37	0.48
1:B:166:TYR:CZ	1:B:191:PRO:HD3	2.48	0.47
1:B:143:GLY:HA2	3:B:700:HOH:O	2.14	0.47
1:B:405:PRO:HB2	1:B:406:PRO:HD3	1.96	0.47
1:B:102:ILE:O	1:B:423:ILE:HD13	2.14	0.47
1:B:265:ILE:O	1:B:273:VAL:HA	2.13	0.47
1:B:359:SER:CB	1:B:391:LYS:HG3	2.42	0.47
1:A:102:ILE:O	1:A:423:ILE:HD13	2.15	0.47
1:B:304:LYS:HB3	1:B:305:LYS:HE2	1.97	0.47
1:B:413:ARG:NH2	1:B:417:LYS:HA	2.31	0.46
1:B:35:GLU:O	1:B:37:THR:N	2.48	0.45
1:B:178:ARG:HH11	1:B:184:THR:HG21	1.82	0.45
1:B:354:VAL:HG13	1:B:394:LYS:HE2	1.97	0.45
1:B:355:ALA:H	1:B:394:LYS:HZ3	1.65	0.45
1:A:116:SER:O	1:A:122:TYR:HB2	2.16	0.45
1:A:315:HIS:HD2	3:A:548:HOH:O	1.99	0.45
1:A:168:GLU:O	1:A:172:GLN:HG3	2.17	0.45
1:B:13:GLY:H	1:B:135:HIS:CD2	2.32	0.44
1:B:219:LEU:O	1:B:222:LEU:HB2	2.18	0.44
1:A:45:ALA:CB	1:A:54:LYS:HG3	2.47	0.44
1:B:178:ARG:NH1	1:B:184:THR:HG21	2.32	0.44
1:B:191:PRO:HB2	1:B:207:MET:SD	2.57	0.44
1:B:25:ARG:HA	1:B:25:ARG:HD2	1.75	0.44
1:B:45:ALA:HB1	1:B:51:GLU:HA	1.99	0.44
1:B:177:MET:HB3	1:B:182:PHE:HB3	1.99	0.44
1:B:141:THR:HG23	1:B:425:VAL:HG12	2.00	0.43
1:B:193:VAL:HB	1:B:198:ASP:HB2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:PRO:HB2	1:A:84:TYR:HD1	1.83	0.43
1:A:405:PRO:CB	1:A:406:PRO:HD3	2.48	0.43
1:A:281:THR:OG1	1:A:295:ILE:HG22	2.19	0.43
1:B:14:HIS:CD2	1:B:125:GLY:HA2	2.54	0.43
1:B:146:GLN:HE22	1:B:223:GLU:HG3	1.84	0.43
1:A:153:LYS:HG2	2:A:500:GDP:C6	2.53	0.42
1:B:268:MET:HG2	1:B:320:PRO:HD2	2.02	0.42
1:B:146:GLN:HE22	1:B:223:GLU:N	2.17	0.42
1:B:224:LEU:HD22	1:B:224:LEU:N	2.25	0.42
1:B:36:LYS:O	1:B:40:GLU:HG3	2.19	0.42
1:B:185:ASN:ND2	1:B:186:LYS:H	2.17	0.42
1:A:8:ASN:HB3	1:A:89:ILE:HD13	2.01	0.42
1:A:365:LEU:HB2	1:A:385:VAL:HG12	2.02	0.42
1:B:395:PRO:HA	3:B:714:HOH:O	2.19	0.42
1:A:341:ASN:HD21	1:A:360:GLU:N	2.17	0.42
1:B:348:HIS:CD2	1:B:413:ARG:HG3	2.55	0.41
1:B:34:ASP:HB3	1:B:37:THR:OG1	2.19	0.41
1:B:185:ASN:ND2	1:B:186:LYS:N	2.68	0.41
1:A:4:LYS:HA	1:A:5:PRO:HD3	1.90	0.41
1:A:278:SER:OG	1:A:298:ASN:HB3	2.20	0.41
1:B:7:LEU:HD21	1:B:224:LEU:HD13	2.02	0.41
1:B:23:VAL:HG13	1:B:88:ILE:CD1	2.49	0.41
1:B:35:GLU:C	1:B:37:THR:N	2.78	0.41
1:B:319:PRO:HA	1:B:320:PRO:HD3	1.98	0.41
1:B:147:LEU:HB3	1:B:187:VAL:HG22	2.02	0.41
1:A:264:LYS:NZ	1:A:275:GLU:HB2	2.35	0.41
1:B:27:LEU:O	1:B:31:GLY:HA3	2.21	0.41
1:B:45:ALA:HA	1:B:53:GLU:HB3	2.03	0.40
1:B:355:ALA:H	1:B:394:LYS:NZ	2.19	0.40
1:A:347:LEU:HD13	1:A:356:CYS:HB2	2.04	0.40
1:B:334:TRP:CD2	1:B:417:LYS:HE2	2.57	0.40
1:B:391:LYS:HE2	1:B:391:LYS:HB3	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	411/435 (94%)	395 (96%)	16 (4%)	0	100	100
1	B	408/435 (94%)	387 (95%)	20 (5%)	1 (0%)	43	31
All	All	819/870 (94%)	782 (96%)	36 (4%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	34	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/375 (95%)	337 (94%)	20 (6%)	19	8
1	B	353/375 (94%)	315 (89%)	38 (11%)	6	1
All	All	710/750 (95%)	652 (92%)	58 (8%)	10	3

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LEU
1	A	33	ILE
1	A	77	MET
1	A	82	LYS
1	A	107	GLN
1	A	113	LEU
1	A	164	LYS
1	A	183	ASN
1	A	184	THR
1	A	185	ASN
1	A	186	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	192	VAL
1	A	198	ASP
1	A	214	THR
1	A	249	VAL
1	A	305	LYS
1	A	353	SER
1	A	365	LEU
1	A	419	VAL
1	A	423	ILE
1	B	16	ASP
1	B	30	ARG
1	B	33	ILE
1	B	35	GLU
1	B	36	LYS
1	B	46	LYS
1	B	47	LYS
1	B	50	LYS
1	B	51	GLU
1	B	78	ARG
1	B	99	LYS
1	B	107	GLN
1	B	113	LEU
1	B	129	GLU
1	B	164	LYS
1	B	183	ASN
1	B	184	THR
1	B	185	ASN
1	B	192	VAL
1	B	222	LEU
1	B	223	GLU
1	B	224	LEU
1	B	244	SER
1	B	249	VAL
1	B	265	ILE
1	B	286	MET
1	B	304	LYS
1	B	317	ASN
1	B	324	ASP
1	B	341	ASN
1	B	349	VAL
1	B	353	SER
1	B	361	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	365	LEU
1	B	375	LYS
1	B	378	GLN
1	B	400	LYS
1	B	423	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	100	ASN
1	A	135	HIS
1	A	183	ASN
1	A	185	ASN
1	A	202	HIS
1	A	238	GLN
1	A	282	HIS
1	A	315	HIS
1	A	317	ASN
1	A	341	ASN
1	A	350	HIS
1	B	6	HIS
1	B	14	HIS
1	B	135	HIS
1	B	146	GLN
1	B	183	ASN
1	B	185	ASN
1	B	202	HIS
1	B	221	GLN
1	B	283	HIS
1	B	294	ASN
1	B	315	HIS
1	B	350	HIS
1	B	378	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GDP	B	600	-	29,30,30	3.00	15 (51%)	45,47,47	3.86	20 (44%)
2	GDP	A	500	-	29,30,30	2.84	14 (48%)	45,47,47	3.66	19 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	B	600	-	-	2/16/32/32	0/3/3/3
2	GDP	A	500	-	-	2/16/32/32	0/3/3/3

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	600	GDP	PA-O3A	8.80	1.69	1.59
2	A	500	GDP	PA-O3A	7.84	1.68	1.59
2	B	600	GDP	O6-C6	5.61	1.34	1.23
2	A	500	GDP	C8-N9	5.51	1.49	1.37
2	A	500	GDP	O6-C6	5.51	1.34	1.23
2	B	600	GDP	C8-N9	5.37	1.49	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	GDP	C2-N1	4.96	1.49	1.37
2	B	600	GDP	C2-N1	4.73	1.49	1.37
2	B	600	GDP	PB-O2B	-3.71	1.41	1.54
2	A	500	GDP	PB-O2B	-3.62	1.41	1.54
2	B	600	GDP	O4'-C1'	3.40	1.49	1.42
2	B	600	GDP	C2-N3	-3.30	1.25	1.33
2	B	600	GDP	C8-N7	3.28	1.41	1.32
2	A	500	GDP	O4'-C1'	3.10	1.49	1.42
2	A	500	GDP	C8-N7	3.09	1.41	1.32
2	A	500	GDP	C2-N3	-3.02	1.25	1.33
2	B	600	GDP	PB-O3B	2.79	1.65	1.54
2	B	600	GDP	C3'-C4'	2.77	1.60	1.53
2	A	500	GDP	C6-N1	-2.71	1.33	1.38
2	A	500	GDP	PB-O3B	2.56	1.64	1.54
2	B	600	GDP	C6-N1	-2.55	1.34	1.38
2	B	600	GDP	O4'-C4'	2.47	1.50	1.45
2	A	500	GDP	O4'-C4'	2.41	1.50	1.45
2	A	500	GDP	C3'-C4'	2.40	1.59	1.53
2	B	600	GDP	C5-C4	2.32	1.45	1.38
2	A	500	GDP	C5-N7	-2.20	1.34	1.39
2	B	600	GDP	C5-N7	-2.18	1.34	1.39
2	A	500	GDP	C5-C4	2.17	1.44	1.38
2	B	600	GDP	O3'-C3'	2.12	1.48	1.43

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	GDP	N9-C8-N7	-11.82	91.47	113.40
2	B	600	GDP	C8-N7-C5	10.74	123.40	104.26
2	A	500	GDP	N9-C8-N7	-10.57	93.79	113.40
2	B	600	GDP	C6-C5-N7	9.90	148.30	130.29
2	A	500	GDP	C6-C5-N7	8.84	146.39	130.29
2	A	500	GDP	C8-N7-C5	8.82	119.97	104.26
2	A	500	GDP	C6-C5-C4	-6.84	108.55	118.83
2	A	500	GDP	N2-C2-N3	6.79	132.92	119.67
2	B	600	GDP	C8-N9-C4	6.27	117.77	106.03
2	B	600	GDP	C6-C5-C4	-6.08	109.68	118.83
2	A	500	GDP	C8-N9-C4	5.70	116.72	106.03
2	B	600	GDP	C4-C5-N7	-5.46	102.02	110.67
2	B	600	GDP	C2-N1-C6	-5.42	115.28	125.11
2	A	500	GDP	C5-C6-N1	5.36	126.90	113.25
2	A	500	GDP	C2-N3-C4	5.34	121.50	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	GDP	N2-C2-N3	5.12	129.66	119.67
2	B	600	GDP	C5-C6-N1	4.87	125.66	113.25
2	A	500	GDP	C2-N1-C6	-4.86	116.30	125.11
2	B	600	GDP	C2-N3-C4	4.45	119.97	112.30
2	A	500	GDP	N2-C2-N1	-4.25	107.79	116.76
2	A	500	GDP	O2'-C2'-C3'	3.95	124.48	111.82
2	B	600	GDP	N2-C2-N1	-3.85	108.63	116.76
2	A	500	GDP	O6-C6-C5	-3.56	117.13	126.53
2	A	500	GDP	C4-C5-N7	-3.54	105.07	110.67
2	B	600	GDP	O3B-PB-O3A	-3.49	92.93	104.64
2	B	600	GDP	O5'-PA-O1A	3.49	122.76	108.94
2	B	600	GDP	C2'-C3'-C4'	3.03	108.46	102.61
2	B	600	GDP	O4'-C1'-N9	-2.82	101.97	108.36
2	B	600	GDP	O6-C6-N1	-2.81	114.84	120.11
2	A	500	GDP	O3B-PB-O2B	2.72	117.99	107.80
2	B	600	GDP	O6-C6-C5	-2.66	119.50	126.53
2	B	600	GDP	C1'-N9-C8	-2.61	119.33	126.73
2	B	600	GDP	O2'-C2'-C3'	2.59	120.12	111.82
2	A	500	GDP	C4'-O4'-C1'	2.50	114.98	109.47
2	A	500	GDP	O3'-C3'-C4'	-2.46	104.01	111.08
2	A	500	GDP	O6-C6-N1	-2.21	115.95	120.11
2	A	500	GDP	N1-C2-N3	-2.21	119.28	123.32
2	B	600	GDP	O3'-C3'-C2'	-2.09	105.10	111.82
2	A	500	GDP	O2B-PB-O1B	2.01	118.65	110.83

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	500	GDP	PA-O3A-PB-O2B
2	B	600	GDP	C5'-O5'-PA-O1A
2	A	500	GDP	PA-O3A-PB-O1B
2	B	600	GDP	C4'-C5'-O5'-PA


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	600	GDP	1	0
2	A	500	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	415/435 (95%)	0.24	30 (7%) 21 20	16, 27, 53, 84	0
1	B	412/435 (94%)	0.88	69 (16%) 4 3	18, 35, 67, 92	0
All	All	827/870 (95%)	0.56	99 (11%) 9 7	16, 31, 61, 92	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	33	ILE	6.1
1	B	124	ALA	6.0
1	B	127	SER	5.7
1	B	181	GLY	5.2
1	B	178	ARG	5.1
1	B	175	LYS	4.8
1	A	283	HIS	4.8
1	A	244	SER	4.4
1	B	180	TYR	4.4
1	B	182	PHE	4.3
1	B	51	GLU	4.2
1	A	245	GLY	4.1
1	B	130	GLY	4.1
1	B	184	THR	4.0
1	B	129	GLU	3.9
1	A	305	LYS	3.9
1	B	120	GLY	3.8
1	B	160	PRO	3.7
1	B	77	MET	3.7
1	B	208	LYS	3.7
1	A	372	GLU	3.6
1	B	185	ASN	3.5
1	B	61	ARG	3.4
1	B	209	TRP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	49	GLY	3.3
1	B	179	SER	3.3
1	B	36	LYS	3.3
1	B	38	VAL	3.3
1	B	168	GLU	3.2
1	B	128	VAL	3.2
1	B	159	PRO	3.2
1	B	242	SER	3.2
1	B	243	ILE	3.1
1	B	117	ALA	3.1
1	A	65	GLU	3.1
1	A	106	SER	3.1
1	A	94	HIS	3.1
1	B	46	LYS	3.0
1	A	183	ASN	3.0
1	B	172	GLN	3.0
1	B	265	ILE	3.0
1	B	203	LYS	3.0
1	B	302	VAL	2.9
1	B	183	ASN	2.9
1	B	204	SER	2.9
1	B	90	ASP	2.9
1	B	37	THR	2.9
1	B	121	GLU	2.9
1	B	188	ARG	2.9
1	A	33	ILE	2.9
1	A	93	GLY	2.8
1	B	119	LYS	2.8
1	A	184	THR	2.8
1	A	281	THR	2.8
1	A	203	LYS	2.7
1	B	224	LEU	2.7
1	B	50	LYS	2.7
1	A	242	SER	2.7
1	B	122	TYR	2.6
1	A	373	ALA	2.6
1	B	43	GLU	2.5
1	B	145	ASP	2.4
1	B	244	SER	2.4
1	B	305	LYS	2.4
1	B	162	ASP	2.4
1	B	303	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	378	GLN	2.3
1	B	394	LYS	2.3
1	B	95	ARG	2.3
1	A	85	PHE	2.3
1	B	378	GLN	2.3
1	B	125	GLY	2.2
1	B	34	ASP	2.2
1	B	16	ASP	2.2
1	B	277	ARG	2.2
1	A	128	VAL	2.2
1	B	170	VAL	2.2
1	A	247	GLY	2.2
1	A	6	HIS	2.2
1	A	64	GLU	2.1
1	B	35	GLU	2.1
1	A	82	LYS	2.1
1	B	45	ALA	2.1
1	B	32	PHE	2.1
1	B	210	TYR	2.1
1	B	192	VAL	2.1
1	A	208	LYS	2.1
1	A	394	LYS	2.1
1	A	182	PHE	2.1
1	A	243	ILE	2.1
1	B	116	SER	2.1
1	B	94	HIS	2.1
1	A	185	ASN	2.1
1	B	173	VAL	2.1
1	B	193	VAL	2.1
1	B	165	ARG	2.1
1	A	302	VAL	2.0
1	A	181	GLY	2.0
1	B	317	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GDP	B	600	28/28	0.93	0.10	37,44,51,53	0
2	GDP	A	500	28/28	0.98	0.05	22,24,26,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.