



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:03 AM UTC

PDB ID : 6JOK / pdb_00006jok
Title : Crystal structure of PDGFRA in complex with sunitinib by soaking
Authors : Liang, L.; Yan, X.E.; Yun, C.H.
Deposited on : 2019-03-22
Resolution : 3.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1065 (3.96-3.64)
Clashscore	190562	1012 (3.94-3.66)
Ramachandran outliers	187476	1048 (3.96-3.64)
Sidechain outliers	187428	1043 (3.96-3.64)
RSRZ outliers	180081	1064 (3.96-3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	10% 64% 29% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	B49	A	1001	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Platelet-derived growth factor receptor alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	0	0	0
			2696	1737	444	498	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	546	GLY	-	expression tag	UNP P16234
A	547	ALA	-	expression tag	UNP P16234
A	548	MET	-	expression tag	UNP P16234
A	549	ASP	-	expression tag	UNP P16234

- Molecule 2 is N-[2-(diethylamino)ethyl]-5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide (CCD ID: B49) (formula: $C_{22}H_{27}FN_4O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			29	22	1	4	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total	O	0	0
			4	4		

- Molecule 1: Platelet-derived growth factor receptor alpha



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	102.61Å 102.61Å 111.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.16 – 3.80 47.16 – 3.80	Depositor EDS
% Data completeness (in resolution range)	97.3 (47.16-3.80) 99.5 (47.16-3.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 3.66Å)	Xtriage
Refinement program	PHENIX (dev_2400: ???)	Depositor
R, R_{free}	0.257 , 0.282 0.250 , 0.277	Depositor DCC
R_{free} test set	391 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	82.4	Xtriage
Anisotropy	0.513	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.042 for -h,-k,l	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	2731	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, B49

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2764	0.58	4/3742 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	868	PHE	N-CA-C	7.78	119.54	111.14
1	A	922	THR	N-CA-C	-6.18	102.38	110.53
1	A	829	GLY	N-CA-C	-5.25	108.07	115.32
1	A	595	LEU	N-CA-C	5.16	117.14	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2696	0	2668	97	0
2	A	29	0	27	13	0
3	A	2	0	0	0	0
4	A	4	0	0	0	0
All	All	2731	0	2695	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 19.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1001:B49:H14	2:A:1001:B49:H27	1.21	1.12
1:A:826:LEU:HD21	1:A:830:LYS:HA	1.27	1.10
1:A:796:LEU:HB3	1:A:954:LEU:HD11	1.40	1.03
1:A:869:ASP:HB3	1:A:871:LEU:HD11	1.42	0.99
1:A:869:ASP:CB	1:A:871:LEU:HD11	1.94	0.97
1:A:869:ASP:HB2	1:A:871:LEU:CD1	1.95	0.95
1:A:869:ASP:CB	1:A:871:LEU:CD1	2.45	0.94
1:A:869:ASP:HB2	1:A:871:LEU:HD13	1.50	0.93
1:A:869:ASP:C	1:A:871:LEU:HD12	1.97	0.89
2:A:1001:B49:H14	2:A:1001:B49:C42	2.00	0.88
1:A:593:LEU:HD12	1:A:594:VAL:H	1.37	0.87
1:A:593:LEU:HD12	1:A:594:VAL:N	1.90	0.86
1:A:796:LEU:CB	1:A:954:LEU:HD11	2.08	0.84
1:A:826:LEU:CD2	1:A:830:LYS:HA	2.09	0.83
1:A:645:LEU:HD12	1:A:645:LEU:O	1.78	0.83
1:A:599:LEU:HD12	2:A:1001:B49:C18	2.11	0.80
1:A:871:LEU:HD12	1:A:871:LEU:N	2.02	0.74
1:A:679:TYR:HB2	1:A:826:LEU:HB3	1.69	0.74
1:A:869:ASP:C	1:A:871:LEU:CD1	2.61	0.73
1:A:586:TRP:HE1	1:A:649:THR:HG23	1.53	0.72
1:A:607:VAL:HG23	1:A:840:ALA:HB2	1.75	0.69
1:A:599:LEU:HD23	1:A:609:GLU:N	2.08	0.68
1:A:599:LEU:HD21	1:A:609:GLU:HB2	1.78	0.65
1:A:869:ASP:O	1:A:871:LEU:HD12	1.95	0.65
1:A:681:ASP:OD2	1:A:684:ASN:HB3	1.97	0.65
1:A:599:LEU:CD2	1:A:609:GLU:N	2.61	0.64
1:A:826:LEU:HD21	1:A:830:LYS:CA	2.17	0.63
1:A:607:VAL:HG22	1:A:627:LYS:HG2	1.81	0.62
1:A:869:ASP:O	1:A:871:LEU:CD1	2.47	0.62
1:A:782:LEU:HD11	1:A:793:LEU:HB3	1.81	0.61
1:A:658:VAL:HG21	1:A:825:LEU:HD12	1.82	0.61
1:A:604:PHE:CD2	1:A:637:GLU:OE2	2.54	0.60
1:A:918:PRO:HG2	1:A:921:ALA:HB2	1.83	0.60
1:A:679:TYR:CD2	1:A:826:LEU:HD22	2.36	0.60
1:A:922:THR:OG1	1:A:925:VAL:HG13	2.01	0.60
1:A:922:THR:O	1:A:925:VAL:HG22	2.01	0.60
1:A:593:LEU:HD21	1:A:626:VAL:HG21	1.82	0.60
2:A:1001:B49:HN25	2:A:1001:B49:C4	2.15	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:586:TRP:NE1	1:A:649:THR:HG23	2.15	0.60
1:A:925:VAL:HG23	1:A:926:TYR:N	2.16	0.60
1:A:599:LEU:CD2	1:A:609:GLU:HB2	2.33	0.58
1:A:645:LEU:HD12	1:A:645:LEU:C	2.29	0.58
1:A:568:ASP:HB2	1:A:569:GLY:HA2	1.85	0.57
1:A:607:VAL:HG22	1:A:627:LYS:CG	2.35	0.57
1:A:599:LEU:HD12	2:A:1001:B49:C13	2.35	0.56
1:A:682:LEU:O	1:A:686:LEU:HG	2.06	0.56
1:A:629:LEU:HG	1:A:641:LEU:HD22	1.88	0.55
1:A:677:CYS:HB3	1:A:826:LEU:O	2.05	0.55
1:A:826:LEU:HD23	1:A:827:ALA:N	2.23	0.54
1:A:595:LEU:HD11	1:A:671:TYR:HE2	1.74	0.52
1:A:809:LEU:HD22	1:A:814:CYS:SG	2.50	0.52
1:A:871:LEU:CD1	1:A:871:LEU:N	2.73	0.52
1:A:560:ARG:HB3	1:A:574:TYR:CD1	2.44	0.52
1:A:633:ALA:HB1	1:A:638:LYS:HE3	1.93	0.51
1:A:681:ASP:OD2	1:A:684:ASN:CB	2.59	0.51
2:A:1001:B49:C4	2:A:1001:B49:N25	2.73	0.50
1:A:785:ASP:OD1	1:A:828:GLN:HG3	2.11	0.50
1:A:675:GLU:OE2	1:A:833:LYS:CE	2.59	0.50
1:A:843:ILE:HD13	1:A:856:PHE:CD2	2.47	0.50
1:A:806:MET:HG3	1:A:943:PHE:CZ	2.47	0.49
1:A:677:CYS:H	2:A:1001:B49:HN24	1.60	0.49
1:A:804:ARG:NH1	1:A:962:TYR:CE1	2.81	0.49
1:A:843:ILE:HD12	1:A:844:MET:N	2.28	0.49
1:A:796:LEU:HB3	1:A:954:LEU:CD1	2.28	0.48
1:A:946:LEU:HD23	1:A:949:ILE:HD12	1.94	0.48
1:A:683:VAL:HG23	1:A:821:ALA:C	2.38	0.48
1:A:684:ASN:OD1	2:A:1001:B49:H26	2.13	0.48
1:A:618:SER:HB2	1:A:973:ASP:H	1.78	0.48
1:A:568:ASP:HB2	1:A:570:HIS:H	1.79	0.48
1:A:599:LEU:HD12	2:A:1001:B49:N23	2.29	0.48
1:A:579:GLN:C	1:A:579:GLN:NE2	2.73	0.47
1:A:899:MET:HE3	1:A:899:MET:HB2	1.75	0.47
1:A:603:ALA:O	1:A:604:PHE:HD1	1.98	0.46
2:A:1001:B49:H24	2:A:1001:B49:H19	1.75	0.46
1:A:925:VAL:CG2	1:A:926:TYR:N	2.79	0.46
1:A:665:THR:HG22	1:A:670:ILE:HG23	1.97	0.46
1:A:684:ASN:O	1:A:684:ASN:ND2	2.50	0.45
1:A:843:ILE:H	1:A:843:ILE:HG13	1.47	0.45
1:A:684:ASN:ND2	1:A:684:ASN:C	2.73	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:781:LEU:HG	1:A:786:ASN:HB2	1.99	0.45
1:A:683:VAL:HG22	1:A:821:ALA:HB3	1.99	0.45
1:A:604:PHE:CG	1:A:637:GLU:OE2	2.71	0.44
1:A:869:ASP:N	1:A:869:ASP:OD1	2.50	0.44
1:A:568:ASP:N	1:A:569:GLY:HA2	2.33	0.44
1:A:580:LEU:HD23	1:A:581:PRO:HD2	1.98	0.44
1:A:857:LEU:HB3	1:A:862:MET:SD	2.58	0.44
1:A:563:GLU:HB2	1:A:575:VAL:HG22	2.00	0.43
1:A:679:TYR:HD2	1:A:826:LEU:HD22	1.82	0.43
1:A:559:TRP:HE1	1:A:816:HIS:CD2	2.36	0.42
2:A:1001:B49:H27	2:A:1001:B49:C37	2.16	0.42
2:A:1001:B49:N25	2:A:1001:B49:H4B	2.33	0.42
1:A:611:THR:HA	1:A:622:MET:O	2.19	0.42
1:A:669:PRO:HG2	1:A:671:TYR:HE1	1.85	0.42
1:A:627:LYS:NZ	2:A:1001:B49:F29	2.43	0.41
1:A:616:SER:HB2	1:A:619:GLN:O	2.20	0.41
1:A:616:SER:HB3	1:A:973:ASP:OD2	2.20	0.41
1:A:607:VAL:CG2	1:A:627:LYS:HG2	2.49	0.41
1:A:662:GLY:O	1:A:673:ILE:HG13	2.20	0.41
1:A:785:ASP:OD2	1:A:828:GLN:HG2	2.21	0.41
1:A:675:GLU:OE2	1:A:833:LYS:NZ	2.54	0.40
1:A:869:ASP:O	1:A:871:LEU:HD11	2.21	0.40
1:A:670:ILE:C	1:A:671:TYR:HD1	2.29	0.40
1:A:662:GLY:C	1:A:673:ILE:HG13	2.47	0.40
1:A:858:PRO:O	1:A:862:MET:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/356 (94%)	325 (97%)	9 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/316 (94%)	274 (92%)	24 (8%)	11	35

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	571	GLU
1	A	580	LEU
1	A	632	THR
1	A	634	ARG
1	A	635	SER
1	A	666	LYS
1	A	667	SER
1	A	692	SER
1	A	777	GLU
1	A	778	VAL
1	A	787	SER
1	A	788	GLU
1	A	832	VAL
1	A	843	ILE
1	A	847	SER
1	A	852	LYS
1	A	854	SER
1	A	871	LEU
1	A	875	LEU
1	A	899	MET
1	A	904	THR
1	A	923	SER
1	A	942	SER
1	A	973	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	579	GLN
1	A	786	ASN
1	A	957	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	B49	A	1001	-	31,31,31	3.75	14 (45%)	42,44,44	2.38	10 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B49	A	1001	-	-	2/18/30/30	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	B49	C20-C21	-12.52	1.32	1.50
2	A	1001	B49	C19-C22	-7.60	1.33	1.48
2	A	1001	B49	C17-C20	-7.44	1.32	1.45
2	A	1001	B49	C17-C16	-6.20	1.33	1.41
2	A	1001	B49	C7-C17	-4.32	1.33	1.39
2	A	1001	B49	C6-C16	-4.04	1.33	1.39
2	A	1001	B49	F29-C15	-3.75	1.27	1.36
2	A	1001	B49	C18-C13	-3.55	1.33	1.41
2	A	1001	B49	C12-C18	-3.34	1.32	1.40
2	A	1001	B49	C21-N24	-3.29	1.32	1.36
2	A	1001	B49	C19-C14	-3.18	1.33	1.39
2	A	1001	B49	C19-C13	-3.00	1.32	1.42
2	A	1001	B49	C16-N24	-2.89	1.33	1.38
2	A	1001	B49	C18-N23	-2.85	1.32	1.37

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	B49	C18-N23-C14	-7.21	105.70	110.31
2	A	1001	B49	C16-N24-C21	-7.05	107.00	111.35
2	A	1001	B49	C20-C12-C18	-5.02	117.40	133.34
2	A	1001	B49	C17-C20-C21	4.99	108.07	105.31
2	A	1001	B49	C20-C21-N24	3.64	108.90	106.91
2	A	1001	B49	C4-C14-C19	-3.48	125.69	131.35
2	A	1001	B49	C5-C15-C7	-3.29	118.89	123.23
2	A	1001	B49	C19-C14-N23	2.95	109.68	107.48
2	A	1001	B49	C7-C17-C16	2.19	121.53	119.39
2	A	1001	B49	C19-C22-N25	-2.07	114.38	117.66

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1001	B49	C38-C37-N25-C22
2	A	1001	B49	N25-C37-C38-N4

There are no ring outliers.

1 monomer is involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	B49	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	338/356 (94%)	0.85	34 (10%) 12 14	64, 86, 122, 154	1 (0%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	784	ASP	6.9
1	A	557	ILE	4.5
1	A	778	VAL	3.9
1	A	968	ASP	3.4
1	A	837	PHE	3.2
1	A	616	SER	3.2
1	A	576	ASP	3.1
1	A	568	ASP	3.1
1	A	839	LEU	3.0
1	A	865	GLU	2.9
1	A	964	LYS	2.8
1	A	777	GLU	2.8
1	A	781	LEU	2.7
1	A	897	PRO	2.6
1	A	632	THR	2.6
1	A	571	GLU	2.4
1	A	898	GLY	2.4
1	A	836	ASP	2.4
1	A	565	ILE	2.3
1	A	563	GLU	2.3
1	A	606	LYS	2.3
1	A	579	GLN	2.3
1	A	631	PRO	2.3
1	A	783	SER	2.2
1	A	935	SER	2.2
1	A	581	PRO	2.2
1	A	559	TRP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	566	SER	2.1
1	A	592	GLY	2.1
1	A	904	THR	2.1
1	A	609	GLU	2.1
1	A	916	ALA	2.1
1	A	591	ASP	2.1
1	A	967	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	B49	A	1001	29/29	0.67	0.21	87,87,87,87	0
3	CL	A	1002	1/1	0.91	0.22	44,44,44,44	0
3	CL	A	1003	1/1	0.98	0.26	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.