



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:53 PM UTC

PDB ID : 6JP2 / pdb_00006jp2
Title : Crystal structure of pyrrolysyl-tRNA synthetase from *Methanomethylophilus alvus*
Authors : Yanagisawa, T.; Kuratani, M.; Yokoyama, S.
Deposited on : 2019-03-25
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	5% 83% 17%
1	B	278	5% 85% 13% .
1	C	278	6% 86% 13% .
1	D	278	12% 77% 19% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8940 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyrrolysyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	S	0	0	0
			2176	1369	373	420	14			
1	B	272	Total	C	N	O	S	0	0	0
			2140	1349	364	413	14			
1	C	276	Total	C	N	O	S	0	0	0
			2170	1366	372	418	14			
1	D	272	Total	C	N	O	S	0	0	0
			2133	1342	368	409	14			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP M9SC49
A	-1	SER	-	expression tag	UNP M9SC49
A	0	HIS	-	expression tag	UNP M9SC49
B	-2	GLY	-	expression tag	UNP M9SC49
B	-1	SER	-	expression tag	UNP M9SC49
B	0	HIS	-	expression tag	UNP M9SC49
C	-2	GLY	-	expression tag	UNP M9SC49
C	-1	SER	-	expression tag	UNP M9SC49
C	0	HIS	-	expression tag	UNP M9SC49
D	-2	GLY	-	expression tag	UNP M9SC49
D	-1	SER	-	expression tag	UNP M9SC49
D	0	HIS	-	expression tag	UNP M9SC49

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	84	Total	O	0	0
			84	84		
2	B	101	Total	O	0	0
			101	101		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	72	Total 72	O 72	0	0
2	D	64	Total 64	O 64	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyrrollysyl-tRNA synthetase




• Molecule 1: Pyrrollysyl-tRNA synthetase




• Molecule 1: Pyrrollysyl-tRNA synthetase



• Molecule 1: Pyrrollysyl-tRNA synthetase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.38Å 112.78Å 107.43Å 90.00° 114.21° 90.00°	Depositor
Resolution (Å)	48.99 – 2.27 48.99 – 2.27	Depositor EDS
% Data completeness (in resolution range)	99.0 (48.99-2.27) 99.0 (48.99-2.27)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.35 (at 2.27Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.213 , 0.257 0.217 , 0.256	Depositor DCC
R_{free} test set	2787 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	41.6	Xtriage
Anisotropy	0.160	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8940	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.11	0/2217	0.30	0/2990
1	B	0.12	0/2178	0.29	0/2936
1	C	0.10	0/2211	0.29	0/2982
1	D	0.14	0/2172	0.38	0/2927
All	All	0.12	0/8778	0.32	0/11835

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2176	0	2152	30	0
1	B	2140	0	2124	25	0
1	C	2170	0	2147	30	0
1	D	2133	0	2113	45	0
2	A	84	0	0	3	0
2	B	101	0	0	4	0
2	C	72	0	0	4	0
2	D	64	0	0	8	0
All	All	8940	0	8536	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:24:LYS:HG3	1:D:25:VAL:H	1.36	0.90
1:D:25:VAL:HG12	1:D:32:ARG:HG2	1.57	0.86
1:D:258:THR:HG22	1:D:260:LYS:H	1.41	0.85
1:D:219:VAL:O	2:D:301:HOH:O	1.99	0.79
1:D:131:ASP:OD2	2:D:302:HOH:O	2.03	0.77
1:B:104:LEU:HD11	1:B:150:ARG:HE	1.51	0.74
1:D:32:ARG:O	1:D:36:PHE:N	2.20	0.73
1:D:206:TYR:O	2:D:303:HOH:O	2.06	0.72
1:A:180:LEU:HG	1:A:240:SER:HB2	1.70	0.71
1:B:127:SER:OG	2:B:301:HOH:O	2.09	0.69
1:C:90:LYS:NZ	2:C:303:HOH:O	2.25	0.69
1:D:131:ASP:OD1	2:D:304:HOH:O	2.10	0.67
1:D:24:LYS:CG	1:D:25:VAL:H	2.08	0.67
1:C:219:VAL:O	2:C:301:HOH:O	2.15	0.65
1:D:141:LYS:NZ	2:D:307:HOH:O	2.31	0.64
1:B:124:ASN:HB2	2:B:327:HOH:O	1.98	0.62
1:C:129:MET:HE2	1:C:170:MET:HB2	1.80	0.62
1:D:24:LYS:HZ1	1:D:26:PHE:HB2	1.64	0.61
1:B:201:GLU:O	1:B:203:SER:N	2.33	0.61
1:C:104:LEU:CD1	1:C:107:GLN:HE21	2.14	0.61
1:C:212:VAL:HB	1:C:220:CYS:HB3	1.82	0.59
1:A:203:SER:HB2	1:A:209:THR:HG23	1.85	0.58
1:A:149:PHE:HZ	1:C:86:ILE:HD12	1.69	0.57
1:C:160:GLU:OE1	2:C:302:HOH:O	2.17	0.56
1:B:180:LEU:HD11	1:B:224:VAL:HG23	1.88	0.56
1:C:173:ARG:N	1:C:174:GLY:HA3	2.21	0.56
1:D:96:MET:HG3	1:D:123:PRO:HG3	1.88	0.56
1:C:200:GLN:NE2	1:C:208:GLU:OE1	2.34	0.54
1:D:24:LYS:HG3	1:D:25:VAL:N	2.15	0.54
1:A:55:ILE:HA	1:C:80:ILE:HD11	1.89	0.54
1:D:24:LYS:CG	1:D:25:VAL:N	2.70	0.54
1:D:46:ASP:HA	1:D:49:LYS:HD2	1.90	0.54
1:D:180:LEU:HD21	1:D:222:ALA:HB1	1.89	0.54
1:B:212:VAL:HB	1:B:220:CYS:HB3	1.89	0.54
1:A:180:LEU:HD12	1:A:224:VAL:HG23	1.89	0.54
1:D:261:LYS:HB3	1:D:271:GLY:HA2	1.90	0.54
1:A:58:PRO:HB3	1:C:80:ILE:HG12	1.88	0.54
1:A:12:ARG:HD2	1:B:275:ASN:HD21	1.72	0.53
1:D:1:MET:HB2	1:D:24:LYS:CE	2.39	0.53
1:A:110:TRP:CE3	1:A:116:ALA:HB2	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:VAL:HB	1:D:220:CYS:HB3	1.91	0.53
1:A:251:THR:HG23	1:A:256:TYR:HB2	1.89	0.53
1:A:261:LYS:HB3	1:A:271:GLY:HA2	1.91	0.53
1:B:38:LYS:NZ	2:B:303:HOH:O	2.28	0.53
1:D:50:LYS:HD2	1:D:272:ALA:HB2	1.89	0.53
1:B:16:TYR:OH	1:B:275:ASN:ND2	2.40	0.52
1:A:177:THR:OG1	1:A:208:GLU:OE2	2.27	0.52
1:B:170:MET:HE3	1:B:235:VAL:HG13	1.92	0.52
1:D:6:THR:HG22	1:D:8:ALA:H	1.74	0.52
1:A:98:ILE:HD12	1:A:104:LEU:HD22	1.92	0.52
1:A:177:THR:HG22	1:A:181:LYS:HE2	1.92	0.51
1:A:100:GLU:OE1	1:A:100:GLU:N	2.43	0.51
1:A:130:ARG:NH1	1:A:234:ASP:OD2	2.44	0.51
1:A:3:VAL:HG13	1:A:26:PHE:HB2	1.92	0.51
1:C:104:LEU:HD12	1:C:107:GLN:HE21	1.75	0.51
1:D:24:LYS:O	1:D:25:VAL:HB	2.10	0.50
1:A:189:LYS:HD2	1:A:190:ALA:N	2.27	0.50
1:A:67:MET:HG2	1:A:246:LEU:HD13	1.94	0.50
1:D:5:TYR:OH	1:D:35:ALA:O	2.30	0.50
1:A:11:GLN:NE2	2:A:307:HOH:O	2.44	0.49
1:C:251:THR:HG23	1:C:256:TYR:HB2	1.95	0.49
1:B:246:LEU:HD12	1:B:249:LEU:HD12	1.95	0.49
1:C:124:ASN:HB2	2:C:308:HOH:O	2.12	0.49
1:B:110:TRP:CE3	1:B:116:ALA:HB2	2.48	0.48
1:A:218:GLU:H	1:A:218:GLU:CD	2.19	0.48
1:D:173:ARG:HG2	1:D:179:VAL:HG21	1.94	0.48
1:D:175:ASP:O	1:D:177:THR:N	2.39	0.48
1:D:65:GLN:NE2	2:D:318:HOH:O	2.47	0.48
1:C:46:ASP:OD1	1:C:50:LYS:NZ	2.39	0.48
1:D:119:PRO:HG2	1:D:120:MET:HE3	1.95	0.47
1:A:156:GLY:C	1:A:158:HIS:H	2.22	0.47
1:C:173:ARG:H	1:C:174:GLY:HA3	1.78	0.47
1:C:71:ALA:HB2	1:C:145:MET:CE	2.43	0.47
1:B:255:LYS:HA	1:B:255:LYS:HE2	1.97	0.47
1:C:110:TRP:CE3	1:C:116:ALA:HB2	2.49	0.47
1:A:83:ARG:NH2	2:A:311:HOH:O	2.47	0.47
1:B:261:LYS:HB3	1:B:271:GLY:HA2	1.97	0.47
1:C:261:LYS:HB3	1:C:271:GLY:HA2	1.96	0.47
1:D:51:ILE:HA	1:D:54:MET:HE3	1.95	0.47
1:D:1:MET:HB2	1:D:24:LYS:HE2	1.98	0.46
1:A:100:GLU:C	1:A:102:LYS:H	2.24	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:LEU:HD22	1:B:222:ALA:HB1	1.97	0.45
1:C:217:GLN:HE21	1:C:218:GLU:H	1.63	0.45
1:B:48:GLU:HG2	2:B:377:HOH:O	2.16	0.45
1:D:6:THR:HG22	1:D:8:ALA:N	2.31	0.45
1:C:180:LEU:HD21	1:C:222:ALA:HB1	1.98	0.45
1:D:24:LYS:NZ	1:D:26:PHE:HB2	2.31	0.45
1:C:71:ALA:HB2	1:C:145:MET:HE1	1.99	0.45
1:D:45:THR:HG22	1:D:49:LYS:HE3	1.99	0.45
1:D:145:MET:HG2	1:D:165:LEU:HB2	1.99	0.45
1:D:82:VAL:O	2:D:305:HOH:O	2.21	0.45
1:B:133:ARG:NH2	1:B:237:GLU:OE1	2.49	0.45
1:D:110:TRP:CE3	1:D:116:ALA:HB2	2.52	0.45
1:D:140:VAL:HB	1:D:170:MET:HB3	1.98	0.44
1:A:60:ARG:HD2	1:C:75:VAL:HG21	1.99	0.44
1:A:129:MET:SD	1:A:168:VAL:HG11	2.57	0.44
1:A:12:ARG:HD2	1:B:275:ASN:ND2	2.31	0.44
1:D:79:PHE:HB3	1:D:143:PHE:HD1	1.83	0.44
1:D:12:ARG:C	1:D:40:MET:HE1	2.43	0.44
1:C:64:THR:HA	1:C:67:MET:HE2	1.99	0.44
1:C:67:MET:O	1:C:145:MET:HE1	2.17	0.43
1:D:95:ARG:NH1	2:D:319:HOH:O	2.51	0.43
1:D:120:MET:HG3	1:D:123:PRO:HD3	2.01	0.43
1:B:83:ARG:HG2	1:D:264:ALA:HB2	2.00	0.43
1:A:86:ILE:HD12	1:C:149:PHE:HZ	1.84	0.42
1:B:176:ALA:HB1	1:B:224:VAL:HG21	2.02	0.42
1:B:96:MET:HG3	1:B:123:PRO:HG3	2.02	0.42
1:C:217:GLN:HE21	1:C:218:GLU:N	2.17	0.42
1:A:63:LEU:HG	1:A:67:MET:HE2	2.02	0.41
1:D:1:MET:HG3	1:D:2:THR:H	1.85	0.41
1:A:247:GLU:OE2	2:A:301:HOH:O	2.21	0.41
1:B:80:ILE:HD11	1:D:55:ILE:HA	2.02	0.41
1:A:120:MET:HG3	1:A:123:PRO:HD3	2.03	0.41
1:B:126:TYR:HA	1:B:129:MET:HE3	2.03	0.41
1:B:220:CYS:SG	1:B:221:SER:N	2.93	0.41
1:C:145:MET:HA	1:C:164:MET:O	2.20	0.41
1:D:230:ASP:CG	1:D:239:TRP:HE1	2.29	0.41
1:C:99:THR:OG1	1:C:102:LYS:NZ	2.55	0.40
1:C:180:LEU:HB2	1:C:240:SER:HB2	2.03	0.40
1:B:131:ASP:OD2	1:D:275:ASN:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/278 (99%)	261 (95%)	12 (4%)	2 (1%)	18	21
1	B	268/278 (96%)	260 (97%)	7 (3%)	1 (0%)	30	36
1	C	274/278 (99%)	270 (98%)	4 (2%)	0	100	100
1	D	268/278 (96%)	250 (93%)	14 (5%)	4 (2%)	8	7
All	All	1085/1112 (98%)	1041 (96%)	37 (3%)	7 (1%)	21	25

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	154	HIS
1	D	1	MET
1	D	25	VAL
1	D	24	LYS
1	D	203	SER
1	A	0	HIS
1	B	202	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/235 (100%)	233 (99%)	2 (1%)	70	82
1	B	231/235 (98%)	230 (100%)	1 (0%)	84	91
1	C	234/235 (100%)	233 (100%)	1 (0%)	84	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	230/235 (98%)	230 (100%)	0	100	100
All	All	930/940 (99%)	926 (100%)	4 (0%)	84	91

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	LEU
1	A	250	LEU
1	B	246	LEU
1	C	219	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	200	GLN
1	B	217	GLN
1	C	57	ASN
1	C	65	GLN
1	C	107	GLN
1	C	166	ASN
1	C	217	GLN
1	D	200	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/278 (99%)	0.52	15 (5%) 31 32	33, 44, 68, 81	0
1	B	272/278 (97%)	0.45	14 (5%) 33 34	31, 42, 68, 84	0
1	C	276/278 (99%)	0.57	18 (6%) 25 26	31, 44, 71, 80	0
1	D	272/278 (97%)	0.82	32 (11%) 9 9	31, 48, 84, 101	0
All	All	1097/1112 (98%)	0.59	79 (7%) 21 22	31, 45, 72, 101	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	205	VAL	5.4
1	D	0	HIS	4.7
1	D	34	ALA	4.6
1	D	31	SER	4.1
1	D	26	PHE	4.1
1	D	25	VAL	4.0
1	D	206	TYR	4.0
1	D	24	LYS	3.9
1	A	156	GLY	3.8
1	B	210	ILE	3.8
1	C	156	GLY	3.8
1	C	0	HIS	3.6
1	D	201	GLU	3.4
1	D	1	MET	3.2
1	B	179	VAL	3.2
1	D	2	THR	3.2
1	C	174	GLY	3.1
1	A	101	ASP	3.1
1	B	275	ASN	3.0
1	C	157	MET	3.0
1	D	101	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	3	VAL	2.8
1	B	177	THR	2.8
1	A	204	ASP	2.8
1	D	32	ARG	2.8
1	D	33	ASP	2.7
1	C	158	HIS	2.7
1	D	204	ASP	2.7
1	D	35	ALA	2.7
1	C	173	ARG	2.7
1	A	99	THR	2.7
1	D	209	THR	2.7
1	C	204	ASP	2.6
1	D	203	SER	2.6
1	D	227	HIS	2.6
1	A	2	THR	2.6
1	B	1	MET	2.6
1	B	176	ALA	2.5
1	A	157	MET	2.5
1	C	2	THR	2.5
1	D	258	THR	2.5
1	D	3	VAL	2.5
1	D	199	VAL	2.5
1	C	155	SER	2.4
1	B	101	ASP	2.4
1	D	37	SER	2.4
1	B	224	VAL	2.4
1	C	1	MET	2.4
1	C	101	ASP	2.3
1	C	46	ASP	2.3
1	D	6	THR	2.3
1	A	-1	SER	2.3
1	D	202	GLU	2.3
1	B	175	ASP	2.3
1	D	175	ASP	2.3
1	B	174	GLY	2.3
1	D	5	TYR	2.2
1	A	153	SER	2.2
1	B	153	SER	2.2
1	A	195	ASP	2.2
1	A	178	GLU	2.2
1	B	2	THR	2.2
1	C	34	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	104	LEU	2.2
1	A	3	VAL	2.2
1	A	210	ILE	2.1
1	D	239	TRP	2.1
1	C	211	ASP	2.1
1	D	102	LYS	2.1
1	B	103	PRO	2.1
1	A	219	VAL	2.1
1	D	174	GLY	2.1
1	D	210	ILE	2.1
1	C	216	GLY	2.1
1	C	31	SER	2.1
1	A	154	HIS	2.1
1	D	104	LEU	2.1
1	B	199	VAL	2.0
1	A	100	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.