



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:22 AM UTC

PDB ID : 1JQI / pdb_00001jqi
Title : Crystal Structure of Rat Short Chain Acyl-CoA Dehydrogenase Complexed With Acetoacetyl-CoA
Authors : Battaile, K.P.; Molin-Case, J.; Paschke, R.; Wang, M.; Bennett, D.; Vockley, J.; Kim, J.-J.P.
Deposited on : 2001-08-07
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	% 77% 20% ..
1	B	388	% 81% 16% ..

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called short chain acyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	0	0
			2927	1844	505	560	18			
1	B	384	Total	C	N	O	S	0	0	0
			2927	1844	505	560	18			

- Molecule 2 is ACETOACETYL-COENZYME A (CCD ID: CAA) (formula: $C_{25}H_{40}N_7O_{18}P_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P S	0	0
			54	25	7	18	3 1		
2	B	1	Total	C	N	O	P S	0	0
			54	25	7	18	3 1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	105	Total O 105 105	0	0
4	B	155	Total O 155 155	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: short chain acyl-CoA dehydrogenase



- Molecule 1: short chain acyl-CoA dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.61Å 143.61Å 77.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.89 – 2.25 29.89 – 2.25	Depositor EDS
% Data completeness (in resolution range)	83.2 (29.89-2.25) 83.1 (29.89-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 2.10Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.168 , 0.206 0.160 , 0.205	Depositor DCC
R_{free} test set	3234 reflections (7.70%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6328	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CAA, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/2978	0.84	5/4023 (0.1%)
1	B	0.40	0/2978	0.88	8/4023 (0.2%)
All	All	0.39	0/5956	0.86	13/8046 (0.2%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	366	ILE	N-CA-C	6.95	118.02	111.48
1	B	606	LYS	N-CA-C	6.06	119.08	109.81
1	B	582	GLN	CB-CA-C	-5.97	109.68	116.54
1	A	58	MET	N-CA-C	5.86	117.67	111.28
1	A	367	TYR	N-CA-C	5.70	118.05	110.53
1	B	767	TYR	N-CA-C	5.69	118.23	110.55
1	B	458	MET	N-CA-C	5.67	117.54	111.36
1	B	766	ILE	N-CA-C	5.65	116.42	111.56
1	B	677	GLY	N-CA-C	5.54	121.67	115.08
1	B	636	GLY	N-CA-C	5.38	119.19	112.73
1	B	497	SER	N-CA-C	5.22	117.77	111.40
1	A	97	SER	N-CA-C	5.17	118.05	111.69
1	A	206	LYS	N-CA-C	5.14	117.67	109.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2927	0	2946	67	0
1	B	2927	0	2946	54	0
2	A	54	0	36	2	0
2	B	54	0	36	2	0
3	A	53	0	31	2	0
3	B	53	0	31	2	0
4	A	105	0	0	3	0
4	B	155	0	0	2	0
All	All	6328	0	6026	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:VAL:HG13	1:A:9:GLU:H	1.23	1.02
1:B:408:VAL:HG13	1:B:409:GLU:H	1.29	0.95
1:A:289:LYS:NZ	1:A:338:GLN:HE22	1.76	0.82
1:A:103:ILE:HB	1:A:116:ILE:HD11	1.64	0.79
1:B:463:GLU:HG3	4:B:1246:HOH:O	1.84	0.78
1:B:417:LEU:HD11	1:B:477:ALA:HB2	1.67	0.76
1:B:638:LYS:HE2	1:B:642:GLN:NE2	2.00	0.75
1:A:289:LYS:HZ2	1:A:338:GLN:HE22	1.30	0.75
1:A:129:ALA:HB1	1:A:159:LYS:HG2	1.68	0.75
1:B:510:GLN:HE21	1:B:514:GLN:HG3	1.52	0.74
1:A:8:VAL:HG13	1:A:9:GLU:N	2.01	0.71
1:A:46:GLN:H	1:A:46:GLN:NE2	1.90	0.69
1:B:446:GLN:NE2	1:B:446:GLN:H	1.92	0.67
1:A:11:PRO:HB2	1:A:14:HIS:HD2	1.60	0.67
1:B:404:VAL:HG12	1:B:405:TYR:H	1.60	0.67
1:B:408:VAL:HG13	1:B:409:GLU:N	2.07	0.67
1:B:498:LEU:HB3	1:B:528:PHE:HB2	1.76	0.66
1:A:17:LEU:HD11	1:A:77:ALA:HB2	1.75	0.66
1:B:638:LYS:HE2	1:B:642:GLN:HE22	1.59	0.66
1:A:154:VAL:HG22	1:A:223:ARG:HG2	1.79	0.65
1:A:225:PRO:HG2	1:A:228:ASN:OD1	1.97	0.65
1:B:689:LYS:HE3	1:B:738:GLN:NE2	2.12	0.64
1:B:548:GLU:HG2	4:B:1115:HOH:O	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:GLU:HG2	2:A:400:CAA:H2'2	1.80	0.62
1:A:218:ILE:HD12	1:A:218:ILE:N	2.14	0.62
1:A:220:GLU:O	1:A:220:GLU:HG3	1.99	0.62
1:A:220:GLU:HG2	4:A:1108:HOH:O	2.01	0.60
1:A:346:MET:HE2	1:B:561:TRP:CZ2	2.38	0.59
1:A:202:LYS:HD3	1:A:203:LYS:N	2.19	0.57
1:A:202:LYS:HD3	1:A:203:LYS:H	1.68	0.57
1:A:161:TRP:O	3:A:399:FAD:C4X	2.54	0.56
1:A:162:ILE:HG13	1:A:217:LEU:HG	1.88	0.56
1:B:682:LYS:NZ	1:B:682:LYS:HA	2.21	0.56
1:B:768:GLU:HG2	2:B:800:CAA:H2'2	1.87	0.56
1:A:40:HIS:HB2	4:A:1258:HOH:O	2.05	0.56
1:A:163:THR:O	1:A:164:ASN:HB2	2.05	0.55
1:A:348:TYR:CZ	1:B:763:ILE:HB	2.42	0.55
1:B:563:THR:O	1:B:564:ASN:HB2	2.05	0.55
1:B:561:TRP:O	3:B:799:FAD:C4X	2.54	0.55
1:B:671:GLU:HG2	1:B:681:THR:HG21	1.88	0.55
1:B:695:LEU:C	1:B:695:LEU:HD23	2.32	0.55
1:A:87:SER:CB	1:A:211:ALA:HB3	2.37	0.55
1:A:25:ALA:O	1:A:30:VAL:HG23	2.07	0.54
1:A:63:GLU:H	1:A:63:GLU:CD	2.15	0.54
1:B:626:LYS:HB3	1:B:626:LYS:NZ	2.22	0.54
1:B:682:LYS:HA	1:B:682:LYS:HZ2	1.72	0.54
1:A:37:ASP:OD2	1:A:210:ARG:HD3	2.08	0.53
1:B:714:LYS:HD2	1:B:714:LYS:N	2.23	0.53
1:B:554:VAL:HG22	1:B:623:ARG:HG2	1.90	0.52
1:A:98:LEU:HB3	1:A:128:PHE:HB2	1.91	0.52
1:A:112:LYS:O	1:A:116:ILE:HB	2.09	0.52
1:A:24:PHE:CE1	1:A:28:GLU:HG3	2.43	0.52
1:A:232:GLU:O	1:A:235:MET:HB2	2.09	0.52
1:A:46:GLN:H	1:A:46:GLN:HE21	1.57	0.52
1:A:64:LEU:O	1:A:65:SER:HB2	2.09	0.52
1:B:517:THR:HB	1:B:518:PRO:HD3	1.92	0.52
1:A:155:LEU:HD12	1:A:155:LEU:N	2.26	0.50
1:B:512:LYS:O	1:B:516:ILE:HB	2.10	0.50
1:A:383:LEU:O	1:A:387:ARG:HG2	2.10	0.50
1:B:549:GLU:HG3	1:B:554:VAL:CG2	2.41	0.50
1:A:238:LYS:O	1:A:242:GLN:HG3	2.12	0.50
1:A:106:PHE:HZ	1:A:242:GLN:NE2	2.10	0.49
1:B:529:ALA:HA	1:B:562:ILE:HD12	1.93	0.49
1:A:162:ILE:HB	1:A:165:SER:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:581:ARG:HH11	1:B:581:ARG:HG2	1.79	0.48
1:B:760:ASP:O	1:B:763:ILE:HG22	2.14	0.48
1:B:464:LEU:O	1:B:465:SER:HB2	2.15	0.47
1:A:58:MET:HA	1:A:67:ALA:HB3	1.96	0.47
1:A:106:PHE:HZ	1:A:242:GLN:HE21	1.62	0.47
1:A:267:VAL:O	1:A:271:GLU:HG3	2.15	0.47
1:B:408:VAL:CG1	1:B:409:GLU:H	2.13	0.47
1:B:638:LYS:HG2	1:B:642:GLN:HE21	1.80	0.47
1:B:487:SER:CB	1:B:611:ALA:HB3	2.45	0.46
1:B:768:GLU:HG2	2:B:800:CAA:C2	2.46	0.46
1:A:129:ALA:HB1	1:A:159:LYS:CG	2.42	0.46
1:B:774:GLN:O	1:B:778:ILE:HG13	2.16	0.46
1:A:382:LEU:C	1:A:382:LEU:HD13	2.41	0.45
1:A:363:ILE:HB	1:B:748:TYR:CZ	2.50	0.45
1:B:635:MET:HE2	1:B:639:ILE:HD11	1.96	0.45
1:B:678:ALA:HB1	1:B:679:PRO:CD	2.47	0.45
1:A:184:LYS:HB2	1:A:184:LYS:HE3	1.85	0.44
1:A:289:LYS:NZ	1:A:338:GLN:NE2	2.55	0.44
1:A:368:GLU:HG2	2:A:400:CAA:C2	2.45	0.44
1:A:54:GLY:HA2	4:A:1136:HOH:O	2.17	0.44
1:A:61:PRO:HG2	1:A:64:LEU:HD23	1.99	0.44
1:A:363:ILE:HD11	3:A:399:FAD:HM83	1.99	0.44
1:B:608:GLY:O	1:B:609:ILE:C	2.60	0.44
1:A:271:GLU:HG2	1:A:281:THR:HG21	2.01	0.43
1:B:510:GLN:NE2	1:B:514:GLN:HG3	2.27	0.43
1:B:763:ILE:HD11	3:B:799:FAD:HM83	2.00	0.43
1:A:227:GLU:CD	1:A:227:GLU:H	2.26	0.43
1:A:289:LYS:HZ3	1:A:338:GLN:HE22	1.64	0.43
1:A:208:GLY:HA3	1:B:748:TYR:OH	2.18	0.43
1:A:208:GLY:O	1:A:209:ILE:C	2.61	0.43
1:A:346:MET:HE2	1:B:561:TRP:HZ2	1.84	0.42
1:B:470:ASP:HB2	1:B:712:ASP:CG	2.43	0.42
1:A:153:TRP:CD1	1:A:226:LYS:HA	2.54	0.42
1:A:310:LEU:CD1	1:A:320:GLU:HG2	2.50	0.42
1:B:469:LEU:HB3	1:B:470:ASP:H	1.61	0.42
1:A:46:GLN:NE2	1:A:46:GLN:N	2.64	0.42
1:A:289:LYS:HD3	1:A:338:GLN:NE2	2.35	0.42
1:B:427:LYS:HD2	1:B:428:GLU:HG2	2.01	0.42
1:B:549:GLU:HG3	1:B:554:VAL:HG21	2.00	0.42
1:A:114:GLN:HG3	1:A:115:TRP:CD1	2.54	0.41
1:B:681:THR:C	1:B:682:LYS:HZ3	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:HIS:CD2	1:A:40:HIS:N	2.87	0.41
1:A:114:GLN:HE21	1:A:114:GLN:HB2	1.66	0.41
1:A:387:ARG:HH11	1:A:387:ARG:HG3	1.85	0.41
1:B:446:GLN:NE2	1:B:446:GLN:N	2.66	0.41
1:B:417:LEU:C	1:B:417:LEU:HD13	2.46	0.41
1:B:578:ASP:HB3	1:B:581:ARG:HD3	2.02	0.41
1:B:404:VAL:HG12	1:B:405:TYR:N	2.32	0.40
1:A:69:LEU:HB3	1:A:70:ASP:H	1.76	0.40
1:A:155:LEU:N	1:A:155:LEU:CD1	2.85	0.40
1:A:32:ILE:O	1:A:35:GLN:HG2	2.20	0.40
1:B:549:GLU:HG3	1:B:554:VAL:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/388 (98%)	365 (96%)	15 (4%)	2 (0%)	24	24
1	B	382/388 (98%)	368 (96%)	13 (3%)	1 (0%)	36	40
All	All	764/776 (98%)	733 (96%)	28 (4%)	3 (0%)	30	31

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	B	408	VAL
1	A	136	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/311 (99%)	295 (96%)	12 (4%)	28	35
1	B	307/311 (99%)	295 (96%)	12 (4%)	28	35
All	All	614/622 (99%)	590 (96%)	24 (4%)	28	35

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLU
1	A	19	GLN
1	A	46	GLN
1	A	72	LEU
1	A	114	GLN
1	A	181	ARG
1	A	198	LEU
1	A	202	LYS
1	A	221	ASP
1	A	227	GLU
1	A	235	MET
1	A	367	TYR
1	B	404	VAL
1	B	415	GLN
1	B	427	LYS
1	B	441	LEU
1	B	469	LEU
1	B	472	LEU
1	B	498	LEU
1	B	626	LYS
1	B	682	LYS
1	B	767	TYR
1	B	773	ILE
1	B	782	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	46	GLN
1	A	114	GLN
1	A	242	GLN
1	A	254	GLN
1	A	274	HIS
1	A	313	ASN
1	A	338	GLN
1	A	381	HIS
1	B	414	HIS
1	B	415	GLN
1	B	446	GLN
1	B	510	GLN
1	B	513	GLN
1	B	616	ASN
1	B	642	GLN
1	B	713	ASN
1	B	738	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	399	-	58,58,58	1.32	6 (10%)	85,89,89	1.16	7 (8%)
2	CAA	B	800	-	53,56,56	1.20	4 (7%)	77,83,83	1.60	9 (11%)
3	FAD	B	799	-	58,58,58	1.34	7 (12%)	85,89,89	1.16	6 (7%)
2	CAA	A	400	-	53,56,56	1.23	6 (11%)	77,83,83	1.66	10 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	399	-	-	0/34/50/50	0/6/6/6
2	CAA	B	800	-	-	6/55/71/71	0/3/3/3
3	FAD	B	799	-	-	0/34/50/50	0/6/6/6
2	CAA	A	400	-	-	5/55/71/71	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	399	FAD	C10-N10	3.92	1.45	1.37
3	B	799	FAD	C10-N10	3.84	1.45	1.37
3	A	399	FAD	C4X-N5	3.63	1.38	1.30
3	A	399	FAD	C9A-N10	3.39	1.47	1.41
3	B	799	FAD	C4X-N5	3.25	1.37	1.30
3	B	799	FAD	C9A-N10	3.17	1.46	1.41
2	B	800	CAA	C4A-N3A	3.17	1.40	1.34
2	A	400	CAA	C4A-N3A	3.13	1.40	1.34
2	B	800	CAA	OAP-CAP	3.10	1.47	1.42
2	A	400	CAA	OAP-CAP	3.06	1.47	1.42
3	B	799	FAD	P-O3P	-2.92	1.56	1.59
3	A	399	FAD	C10-N1	2.74	1.38	1.33
3	B	799	FAD	C10-N1	2.71	1.38	1.33
3	B	799	FAD	C6-C5X	2.71	1.44	1.40
2	A	400	CAA	C9P-N8P	2.59	1.39	1.33
3	B	799	FAD	C9-C9A	2.52	1.43	1.39
2	A	400	CAA	P2A-O3A	2.50	1.62	1.59
3	A	399	FAD	C9-C9A	2.45	1.43	1.39
2	B	800	CAA	C9P-N8P	2.42	1.39	1.33
3	A	399	FAD	C6-C5X	2.39	1.43	1.40
2	A	400	CAA	C5P-N4P	2.38	1.39	1.33
2	B	800	CAA	C5P-N4P	2.22	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	CAA	O4B-C1B	2.04	1.46	1.42

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	CAA	O1-C1-S1P	-7.47	113.18	122.68
2	B	800	CAA	O1-C1-S1P	-7.13	113.61	122.68
2	A	400	CAA	C2-C1-S1P	-6.56	105.29	113.63
2	B	800	CAA	C2-C1-S1P	-6.31	105.61	113.63
2	A	400	CAA	O4B-C1B-N9A	4.22	116.20	108.09
3	A	399	FAD	C9A-C5X-N5	4.06	126.76	122.45
3	B	799	FAD	C9A-C5X-N5	3.99	126.69	122.45
2	A	400	CAA	CEP-CBP-CAP	3.69	115.06	108.77
2	B	800	CAA	CEP-CBP-CAP	3.60	114.90	108.77
2	B	800	CAA	O4B-C1B-N9A	3.49	114.79	108.09
3	B	799	FAD	O4B-C1B-N9A	3.33	114.49	108.09
3	A	399	FAD	O4B-C1B-N9A	3.18	114.19	108.09
2	B	800	CAA	C6P-C7P-N8P	-3.00	105.61	112.00
3	B	799	FAD	C9-C9A-N10	2.99	125.87	121.85
3	B	799	FAD	C5X-C9A-N10	-2.98	115.27	117.97
3	A	399	FAD	C9-C9A-N10	2.90	125.75	121.85
3	A	399	FAD	C5X-C9A-N10	-2.84	115.40	117.97
2	A	400	CAA	C6P-C7P-N8P	-2.76	106.13	112.00
2	A	400	CAA	C2P-S1P-C1	2.58	109.48	101.84
2	A	400	CAA	O1-C1-C2	-2.58	119.11	123.40
3	A	399	FAD	O3'-C3'-C2'	-2.56	103.12	108.93
2	B	800	CAA	O3B-P3B-O7A	-2.46	100.58	109.33
2	A	400	CAA	O3B-P3B-O7A	-2.38	100.86	109.33
3	B	799	FAD	O3'-C3'-C2'	-2.36	103.57	108.93
2	B	800	CAA	O1-C1-C2	-2.34	119.50	123.40
2	B	800	CAA	C2P-S1P-C1	2.33	108.73	101.84
2	A	400	CAA	O9A-P3B-O8A	2.16	115.88	107.80
2	B	800	CAA	O9A-P3B-O8A	2.12	115.77	107.80
2	A	400	CAA	C3P-N4P-C5P	-2.12	118.88	122.82
3	A	399	FAD	C5X-N5-C4X	-2.12	114.66	118.09
3	A	399	FAD	O4-C4-N3	-2.10	116.16	120.11
3	B	799	FAD	O4-C4-N3	-2.04	116.28	120.11

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	CAA	C5P-C6P-C7P-N8P
2	A	400	CAA	O1-C1-S1P-C2P
2	A	400	CAA	S1P-C1-C2-C3
2	B	800	CAA	C5P-C6P-C7P-N8P
2	B	800	CAA	O1-C1-S1P-C2P
2	B	800	CAA	S1P-C1-C2-C3
2	A	400	CAA	O1-C1-C2-C3
2	B	800	CAA	O1-C1-C2-C3
2	A	400	CAA	P1A-O3A-P2A-O4A
2	B	800	CAA	P1A-O3A-P2A-O4A
2	B	800	CAA	P1A-O3A-P2A-O5A


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	399	FAD	2	0
2	B	800	CAA	2	0
3	B	799	FAD	2	0
2	A	400	CAA	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand FAD A 399



Ligand CAA B 800





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/388 (98%)	-0.40	3 (0%) 82 84	14, 26, 49, 64	0
1	B	384/388 (98%)	-0.56	2 (0%) 87 88	13, 22, 44, 64	0
All	All	768/776 (98%)	-0.48	5 (0%) 84 85	13, 24, 46, 64	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	408	VAL	4.0
1	B	404	VAL	3.9
1	A	7	SER	3.8
1	A	4	VAL	2.9
1	A	8	VAL	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CAA	A	400	54/54	0.91	0.10	31,62,86,90	0
2	CAA	B	800	54/54	0.93	0.08	25,38,74,75	0
3	FAD	A	399	53/53	0.97	0.06	14,22,31,33	0
3	FAD	B	799	53/53	0.97	0.05	9,17,23,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around CAA B 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 399:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.