



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 03:31 AM EDT

PDB ID : 7JQG / pdb_00007jqg
Title : Crystal structure of human PPARgamma ligand binding domain Y473E mutant in complex with GW1929
Authors : Shang, J.; Kojetin, D.J.
Deposited on : 2020-08-10
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	9% 59% 29% 9%
1	B	276	12% 69% 20% 10%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4163 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1999	1289	326	374	10			
1	B	249	Total	C	N	O	S	0	0	0
			2000	1294	327	370	9			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	202	GLY	-	expression tag	UNP P37231
A	473	GLU	TYR	engineered mutation	UNP P37231
B	202	GLY	-	expression tag	UNP P37231
B	473	GLU	TYR	engineered mutation	UNP P37231

- Molecule 2 is (2 {S})-3-[4-[2-[methyl(pyridin-2-yl)amino]ethoxy]phenyl]-2-[[2-(phenylcarbonyl)phenyl]amino]propanoic acid (CCD ID: EDK) (formula: C₃₀H₂₉N₃O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			37	30	3	4		
2	B	1	Total	C	N	O	0	0
			37	30	3	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	42	Total	O	0	0
			42	42		
3	B	48	Total	O	0	0
			48	48		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.70Å 61.62Å 118.66Å 90.00° 102.44° 90.00°	Depositor
Resolution (Å)	39.38 – 2.15 39.38 – 2.15	Depositor EDS
% Data completeness (in resolution range)	98.2 (39.38-2.15) 98.2 (39.38-2.15)	Depositor EDS
R_{merge}	0.01	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.24 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.225 , 0.270 0.232 , 0.264	Depositor DCC
R_{free} test set	2000 reflections (5.59%)	wwPDB-VP
Wilson B-factor (Å ²)	49.1	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4163	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.31	16/2030 (0.8%)	0.91	9/2733 (0.3%)
1	B	0.55	0/2031	0.70	1/2730 (0.0%)
All	All	1.00	16/4061 (0.4%)	0.81	10/5463 (0.2%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	326	ILE	C-O	-6.34	1.17	1.24
1	A	328	THR	C-O	-6.10	1.17	1.24
1	A	323	HIS	C-O	-6.09	1.16	1.24
1	A	318	LEU	C-O	-6.04	1.17	1.24
1	A	347	PHE	C-O	-5.95	1.16	1.24
1	A	339	VAL	C-O	-5.90	1.18	1.24
1	A	298	GLU	C-O	-5.87	1.17	1.24
1	A	307	VAL	C-O	-5.72	1.16	1.24
1	A	299	TYR	C-O	-5.54	1.17	1.24
1	A	332	SER	C-O	-5.45	1.17	1.24
1	A	324	GLU	C-O	-5.41	1.17	1.24
1	A	322	VAL	C-O	-5.22	1.18	1.24
1	A	302	SER	C-O	-5.13	1.17	1.24
1	A	289	SER	C-O	-5.12	1.18	1.24
1	A	300	ALA	C-O	-5.05	1.18	1.24
1	A	303	ILE	C-O	-5.01	1.18	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	GLU	N-CA-C	-9.97	100.37	111.14
1	A	473	GLU	N-CA-C	7.74	121.24	109.62
1	A	351	GLU	N-CA-C	7.16	119.99	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	322	VAL	N-CA-C	6.91	117.66	110.62
1	A	357	ARG	N-CA-C	5.93	123.43	110.80
1	A	256	MET	N-CA-C	-5.67	103.92	111.24
1	A	338	GLY	N-CA-C	5.44	117.92	110.69
1	A	311	LEU	N-CA-C	5.31	117.06	111.28
1	A	427	GLU	CA-CB-CG	-5.19	103.73	114.10
1	A	472	ILE	CB-CA-C	-5.03	105.45	111.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1999	0	2056	77	0
1	B	2000	0	2062	47	0
2	A	37	0	0	12	0
2	B	37	0	0	12	0
3	A	42	0	0	5	0
3	B	48	0	0	0	0
All	All	4163	0	4118	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:ARG:HG2	3:A:601:HOH:O	1.52	1.10
1:A:286:GLN:NE2	1:A:465:LEU:HD12	1.74	1.02
1:A:342:SER:H	2:A:501:EDK:C13	1.71	1.02
1:A:286:GLN:HE22	1:A:465:LEU:CD1	1.73	1.01
1:A:465:LEU:HD23	1:A:470:GLN:HG3	1.42	1.00
1:A:318:LEU:O	1:A:322:VAL:HG23	1.65	0.96
1:A:358:LYS:HB2	1:A:359:PRO:HD3	1.50	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:GLN:NE2	1:A:465:LEU:CD1	2.30	0.94
1:A:358:LYS:HB2	1:A:359:PRO:CD	1.99	0.93
1:A:358:LYS:CB	1:A:359:PRO:CD	2.49	0.91
1:A:358:LYS:CB	1:A:359:PRO:HD3	2.01	0.90
1:B:258:GLY:O	1:B:262:ILE:HG22	1.76	0.84
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.58	0.83
1:A:212:ARG:O	1:A:216:LYS:HD3	1.79	0.82
1:A:293:VAL:HG22	1:A:322:VAL:CG1	2.14	0.76
1:A:285:CYS:SG	2:A:501:EDK:O2	2.43	0.76
1:A:468:LEU:O	1:A:472:ILE:HG12	1.84	0.76
1:B:284:GLY:C	2:B:501:EDK:C24	2.60	0.74
1:B:284:GLY:O	2:B:501:EDK:C24	2.34	0.74
1:A:327:TYR:CE1	1:A:367:LYS:HE3	2.23	0.73
1:A:288:ARG:HG3	2:A:501:EDK:C18	2.20	0.72
1:A:342:SER:N	2:A:501:EDK:C13	2.50	0.71
1:A:357:ARG:NH2	1:A:460:GLU:OE2	2.23	0.71
1:A:286:GLN:HE22	1:A:465:LEU:HD13	1.54	0.70
1:B:284:GLY:C	2:B:501:EDK:C23	2.66	0.69
1:A:249:ILE:HD12	1:A:255:LEU:HA	1.74	0.69
1:A:250:TYR:HA	1:A:349:THR:HG22	1.77	0.67
1:A:327:TYR:CE2	1:A:445:ILE:HG22	2.30	0.67
1:A:363:PHE:CZ	1:A:452:LEU:HB3	2.29	0.67
1:B:325:ILE:HD12	1:B:388:ILE:HG23	1.76	0.67
1:B:262:ILE:HD11	1:B:345:GLN:HB3	1.75	0.66
1:B:342:SER:H	2:B:501:EDK:C13	2.09	0.66
1:A:465:LEU:CD2	1:A:470:GLN:HG3	2.22	0.65
1:A:325:ILE:HD13	1:A:388:ILE:HG23	1.78	0.65
1:A:394:SER:HB2	3:A:601:HOH:O	1.97	0.64
1:A:358:LYS:HB3	1:A:359:PRO:HD3	1.81	0.63
1:A:286:GLN:HE22	1:A:465:LEU:HD12	1.40	0.63
1:B:363:PHE:HE1	1:B:449:HIS:CE1	2.18	0.62
1:A:437:GLN:O	1:A:440:THR:HG22	2.00	0.62
1:B:258:GLY:HA2	1:B:261:LYS:HB3	1.82	0.61
1:A:212:ARG:NH2	1:A:216:LYS:NZ	2.49	0.60
1:A:212:ARG:CZ	1:A:216:LYS:NZ	2.65	0.60
1:B:342:SER:H	2:B:501:EDK:C12	2.15	0.60
1:A:433:ALA:O	1:A:437:GLN:HG3	2.03	0.58
1:A:252:MET:SD	1:A:277:VAL:HG21	2.43	0.58
1:B:363:PHE:HE1	1:B:449:HIS:HE1	1.52	0.58
1:B:342:SER:N	2:B:501:EDK:C12	2.68	0.57
1:A:288:ARG:CG	2:A:501:EDK:C17	2.82	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:LYS:HZ1	1:A:474:LYS:CB	2.19	0.55
1:B:220:ASP:O	1:B:224:LYS:HD3	2.05	0.55
1:A:364:MET:O	1:A:367:LYS:HB2	2.06	0.55
1:A:276:GLU:HG3	3:A:621:HOH:O	2.07	0.55
1:A:290:VAL:HG12	1:A:469:LEU:HG	1.88	0.55
1:A:288:ARG:HG3	2:A:501:EDK:C17	2.37	0.54
1:A:318:LEU:O	1:A:322:VAL:CG2	2.49	0.54
1:A:284:GLY:C	2:A:501:EDK:C23	2.80	0.54
1:A:317:LEU:HD22	1:A:392:ILE:O	2.07	0.54
1:A:212:ARG:NH2	1:A:216:LYS:HZ2	2.05	0.54
1:A:370:PHE:HB2	1:A:445:ILE:HD11	1.90	0.54
2:B:501:EDK:C6	2:B:501:EDK:C14	2.86	0.54
1:B:293:VAL:HG22	1:B:322:VAL:HG21	1.89	0.53
1:A:250:TYR:HA	1:A:349:THR:CG2	2.38	0.53
1:B:387:PHE:HE1	1:B:439:MET:HE3	1.75	0.52
1:A:288:ARG:HG2	2:A:501:EDK:C17	2.40	0.52
1:B:284:GLY:CA	2:B:501:EDK:C24	2.87	0.51
1:A:358:LYS:HB2	1:A:359:PRO:HD2	1.90	0.51
1:B:450:VAL:O	1:B:454:GLN:HG2	2.11	0.51
1:A:216:LYS:N	1:A:216:LYS:HD2	2.25	0.51
2:A:501:EDK:C23	2:A:501:EDK:C14	2.89	0.50
1:B:262:ILE:HG13	1:B:263:LYS:H	1.76	0.50
1:B:288:ARG:HG2	2:B:501:EDK:C10	2.42	0.50
1:B:276:GLU:OE1	1:B:276:GLU:N	2.42	0.50
1:B:226:PHE:CG	1:B:329:MET:HE1	2.47	0.49
1:B:324:GLU:OE2	1:B:443:ARG:HD3	2.12	0.49
1:B:466:HIS:N	1:B:467:PRO:CD	2.75	0.49
1:A:363:PHE:CE1	1:A:452:LEU:HB3	2.48	0.49
1:B:259:GLU:OE1	1:B:280:ARG:NH1	2.46	0.49
1:B:247:PHE:CZ	1:B:257:MET:O	2.67	0.48
1:A:257:MET:HA	1:A:257:MET:HE2	1.96	0.48
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.95	0.48
1:B:330:LEU:HD21	1:B:364:MET:HE1	1.97	0.47
1:B:320:TYR:CZ	1:B:398:PRO:HG2	2.50	0.47
1:B:236:ILE:O	1:B:236:ILE:HG22	2.14	0.47
1:B:226:PHE:CD1	1:B:329:MET:HE1	2.50	0.46
1:B:456:ILE:HD12	1:B:456:ILE:HA	1.53	0.46
1:A:342:SER:N	2:A:501:EDK:C12	2.78	0.46
1:B:430:GLN:HG3	1:B:433:ALA:HB3	1.97	0.46
1:B:358:LYS:CG	1:B:359:PRO:HD3	2.46	0.46
1:A:224:LYS:NZ	3:A:609:HOH:O	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:HIS:CB	1:B:467:PRO:HD3	2.46	0.46
1:A:319:LYS:HZ1	1:A:474:LYS:H	1.63	0.46
1:A:394:SER:HA	1:A:410:GLN:NE2	2.31	0.46
1:A:395:GLY:N	3:A:601:HOH:O	2.22	0.46
1:A:349:THR:HG23	1:A:352:PHE:H	1.80	0.45
1:A:320:TYR:CE1	1:A:398:PRO:HD2	2.51	0.45
1:B:257:MET:O	1:B:257:MET:HG2	2.15	0.45
2:B:501:EDK:C23	2:B:501:EDK:N1	2.80	0.45
1:A:286:GLN:CD	1:A:465:LEU:HD12	2.40	0.45
1:B:224:LYS:N	1:B:224:LYS:HD2	2.31	0.45
1:A:356:LEU:HB2	1:A:361:GLY:HA2	1.99	0.45
1:A:358:LYS:HB3	1:A:359:PRO:CD	2.40	0.45
1:B:325:ILE:HD11	1:B:391:ILE:HB	1.99	0.45
1:A:275:LYS:HE2	1:A:283:GLN:NE2	2.31	0.44
1:A:384:LEU:O	1:A:388:ILE:HG12	2.18	0.44
1:B:282:PHE:HZ	1:B:453:LEU:HD21	1.82	0.44
1:B:319:LYS:NZ	1:B:320:TYR:CZ	2.86	0.44
1:B:380:ASP:OD1	1:B:382:SER:OG	2.30	0.44
1:B:457:LYS:HA	1:B:457:LYS:HD2	1.31	0.43
2:B:501:EDK:C14	2:B:501:EDK:C5	2.97	0.43
1:A:418:GLU:O	1:A:422:LYS:HG2	2.18	0.43
1:A:216:LYS:N	1:A:216:LYS:CD	2.81	0.43
1:A:456:ILE:HD13	1:A:456:ILE:HA	1.87	0.43
1:A:251:ASP:CG	1:A:253:ASN:H	2.26	0.42
1:A:333:LEU:N	1:A:333:LEU:HD23	2.34	0.42
1:A:351:GLU:HA	1:A:351:GLU:OE1	2.19	0.42
1:B:288:ARG:HG3	2:B:501:EDK:C18	2.49	0.42
1:A:288:ARG:HH11	1:A:291:GLU:HG3	1.84	0.42
1:A:285:CYS:CB	2:A:501:EDK:O2	2.68	0.42
1:A:319:LYS:HZ1	1:A:474:LYS:HB3	1.83	0.42
1:B:264:PHE:HE1	1:B:342:SER:HB2	1.85	0.42
1:A:325:ILE:HD13	1:A:388:ILE:CG2	2.48	0.41
1:A:363:PHE:CG	1:A:452:LEU:HD13	2.55	0.41
1:B:456:ILE:O	1:B:456:ILE:HG23	2.19	0.41
1:B:455:VAL:O	1:B:455:VAL:HG12	2.21	0.41
1:A:400:LEU:HD13	1:A:406:ILE:HD12	2.03	0.41
1:B:262:ILE:HD12	1:B:262:ILE:HA	1.95	0.41
1:B:245:SER:HA	1:B:246:PRO:HD3	1.94	0.40
1:B:354:LYS:HA	1:B:361:GLY:O	2.21	0.40
2:A:501:EDK:C23	2:A:501:EDK:N1	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/276 (88%)	239 (98%)	3 (1%)	2 (1%)	16	10
1	B	241/276 (87%)	231 (96%)	8 (3%)	2 (1%)	16	10
All	All	485/552 (88%)	470 (97%)	11 (2%)	4 (1%)	16	10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	357	ARG
1	B	244	LYS
1	A	358	LYS
1	B	357	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/248 (90%)	221 (99%)	3 (1%)	61	68
1	B	223/248 (90%)	215 (96%)	8 (4%)	31	31
All	All	447/496 (90%)	436 (98%)	11 (2%)	42	45

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	279	ILE
1	A	286	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	290	VAL
1	B	243	ASP
1	B	244	LYS
1	B	259	GLU
1	B	456	ILE
1	B	457	LYS
1	B	459	THR
1	B	461	THR
1	B	466	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	283	GLN
1	A	286	GLN
1	A	402	ASN
1	A	410	GLN
1	B	283	GLN
1	B	345	GLN
1	B	437	GLN
1	B	444	GLN
1	B	451	GLN
1	B	454	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDK	B	501	-	40,40,40	2.28	6 (15%)	52,53,53	1.74	5 (9%)
2	EDK	A	501	-	40,40,40	2.28	6 (15%)	52,53,53	1.78	5 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDK	B	501	-	-	18/30/30/30	0/4/4/4
2	EDK	A	501	-	-	19/30/30/30	0/4/4/4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	EDK	O1-C15	10.71	1.42	1.22
2	B	501	EDK	O1-C15	10.69	1.42	1.22
2	A	501	EDK	C9-N1	5.84	1.50	1.37
2	B	501	EDK	C9-N1	5.82	1.50	1.37
2	B	501	EDK	C7-C6	3.61	1.59	1.51
2	A	501	EDK	C7-C6	3.60	1.59	1.51
2	B	501	EDK	C16-C15	3.55	1.55	1.49
2	A	501	EDK	C16-C15	3.55	1.55	1.49
2	B	501	EDK	C25-N	2.76	1.44	1.37
2	A	501	EDK	C25-N	2.74	1.44	1.37
2	A	501	EDK	O2-C22	2.14	1.28	1.22
2	B	501	EDK	O2-C22	2.11	1.28	1.22

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	EDK	O1-C15-C16	-6.50	109.74	120.15
2	B	501	EDK	O1-C15-C16	-6.45	109.83	120.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	EDK	C10-C15-C16	-6.03	109.92	119.56
2	A	501	EDK	O1-C15-C10	-5.95	109.76	119.86
2	B	501	EDK	C10-C15-C16	-5.89	110.14	119.56
2	B	501	EDK	O1-C15-C10	-5.77	110.08	119.86
2	A	501	EDK	C9-C10-C15	-2.91	120.06	121.96
2	B	501	EDK	C9-C10-C15	-2.45	120.36	121.96
2	B	501	EDK	C26-N2-C25	2.26	120.09	116.81
2	A	501	EDK	C26-N2-C25	2.23	120.06	116.81

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	EDK	C7-C8-N1-C9
2	A	501	EDK	C22-C8-N1-C9
2	A	501	EDK	C10-C9-N1-C8
2	A	501	EDK	C14-C9-N1-C8
2	A	501	EDK	N2-C25-N-C1
2	A	501	EDK	C29-C25-N-C1
2	A	501	EDK	N2-C25-N-C
2	A	501	EDK	C29-C25-N-C
2	B	501	EDK	C10-C9-N1-C8
2	B	501	EDK	C14-C9-N1-C8
2	B	501	EDK	C6-C7-C8-N1
2	B	501	EDK	N2-C25-N-C1
2	B	501	EDK	C29-C25-N-C1
2	B	501	EDK	N2-C25-N-C
2	B	501	EDK	C29-C25-N-C
2	B	501	EDK	C6-C7-C8-C22
2	B	501	EDK	C10-C15-C16-C17
2	B	501	EDK	C10-C15-C16-C21
2	A	501	EDK	C10-C15-C16-C21
2	A	501	EDK	C10-C15-C16-C17
2	A	501	EDK	C24-C3-O-C2
2	A	501	EDK	C4-C3-O-C2
2	A	501	EDK	N-C1-C2-O
2	B	501	EDK	C24-C3-O-C2
2	B	501	EDK	C4-C3-O-C2
2	A	501	EDK	C6-C7-C8-N1
2	B	501	EDK	N-C1-C2-O
2	A	501	EDK	C1-C2-O-C3
2	A	501	EDK	C2-C1-N-C

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	501	EDK	C1-C2-O-C3
2	A	501	EDK	O3-C22-C8-N1
2	B	501	EDK	O2-C22-C8-C7
2	B	501	EDK	O3-C22-C8-C7
2	A	501	EDK	C9-C10-C15-C16
2	B	501	EDK	C9-C10-C15-C16
2	B	501	EDK	C2-C1-N-C
2	A	501	EDK	O2-C22-C8-N1

There are no ring outliers.

2 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	EDK	12	0
2	A	501	EDK	12	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/276 (90%)	0.84	26 (10%) 11 13	36, 55, 82, 100	0
1	B	249/276 (90%)	0.89	32 (12%) 7 8	39, 55, 92, 103	0
All	All	499/552 (90%)	0.87	58 (11%) 9 10	36, 55, 86, 103	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	327	TYR	6.1
1	A	242	THR	5.4
1	B	363	PHE	4.7
1	B	264	PHE	4.4
1	B	459	THR	4.3
1	A	363	PHE	4.1
1	A	256	MET	4.1
1	A	249	ILE	4.1
1	A	243	ASP	3.9
1	A	474	LYS	3.7
1	A	252	MET	3.5
1	A	465	LEU	3.4
1	B	461	THR	3.4
1	A	359	PRO	3.4
1	B	452	LEU	3.1
1	B	474	LYS	3.0
1	B	257	MET	3.0
1	B	228	LEU	3.0
1	A	255	LEU	3.0
1	A	247	PHE	2.9
1	B	275	LYS	2.9
1	B	237	LEU	2.8
1	A	257	MET	2.7
1	A	244	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	275	LYS	2.7
1	B	287	PHE	2.7
1	B	360	PHE	2.7
1	A	468	LEU	2.7
1	B	212	ARG	2.5
1	A	469	LEU	2.5
1	B	469	LEU	2.5
1	B	473	GLU	2.4
1	A	250	TYR	2.4
1	A	439	MET	2.4
1	B	466	HIS	2.4
1	B	341	ILE	2.3
1	B	359	PRO	2.3
1	B	440	THR	2.3
1	B	235	ALA	2.3
1	A	452	LEU	2.3
1	A	402	ASN	2.2
1	A	358	LYS	2.2
1	B	395	GLY	2.2
1	A	259	GLU	2.1
1	B	472	ILE	2.1
1	B	455	VAL	2.1
1	B	454	GLN	2.1
1	B	361	GLY	2.1
1	A	401	LEU	2.1
1	B	458	LYS	2.1
1	B	251	ASP	2.1
1	B	262	ILE	2.1
1	B	263	LYS	2.1
1	B	456	ILE	2.1
1	A	473	GLU	2.0
1	B	252	MET	2.0
1	A	287	PHE	2.0
1	B	411	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDK	B	501	37/37	0.48	0.26	59,77,89,91	0
2	EDK	A	501	37/37	0.53	0.28	68,79,105,108	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around EDK A 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.