



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:22 PM UTC

PDB ID : 1JRB / pdb_00001jrb
Title : The P56A mutant of Lactococcus lactis dihydroorotate dehydrogenase A
Authors : Norager, S.; Arent, S.; Bjornberg, O.; Ottosen, M.; Lo Leggio, L.; Jensen, K.F.; Larsen, S.
Deposited on : 2001-08-13
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	6% 70% 25% 5%
1	B	311	7% 75% 20% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ORO	A	1313	-	X	-	-
3	ORO	B	2313	-	X	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called dihydroorotate dehydrogenase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	1	0
			2397	1541	385	459	12			
1	B	311	Total	C	N	O	S	0	0	0
			2387	1534	385	457	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	56	ALA	PRO	engineered mutation	UNP P54321
B	56	ALA	PRO	engineered mutation	UNP P54321


- Molecule 2 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: C₁₇H₂₁N₄O₉P).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is OROTIC ACID (CCD ID: ORO) (formula: $C_5H_4N_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			11	5	2	4		
3	B	1	Total	C	N	O	0	0
			11	5	2	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	180	Total	O	0	0
			180	180		
4	B	178	Total	O	0	0
			178	178		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: dihydroorotate dehydrogenase A



• Molecule 1: dihydroorotate dehydrogenase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.07Å 108.82Å 66.45Å 90.00° 103.92° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.93	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.90) 98.6 (20.00-1.93)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 1.93Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.196 , 0.236 0.174 , 0.210	Depositor DCC
R_{free} test set	5431 reflections (10.08%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtriage
Anisotropy	0.527	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5226	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ORO, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.44	14/2451 (0.6%)	2.12	88/3309 (2.7%)
1	B	1.35	6/2436 (0.2%)	2.10	82/3287 (2.5%)
All	All	1.39	20/4887 (0.4%)	2.11	170/6596 (2.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8
1	B	0	6
All	All	0	14

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	271	GLY	CA-C	7.42	1.56	1.51
1	A	192	VAL	CA-C	7.14	1.61	1.52
1	A	65	SER	C-O	6.69	1.31	1.23
1	B	229	LEU	N-CA	6.34	1.54	1.46
1	A	26	ILE	CA-C	-5.98	1.45	1.52
1	B	97	PHE	CA-C	5.75	1.59	1.52
1	A	261	LEU	N-CA	5.63	1.53	1.46
1	B	18	ALA	CA-C	5.45	1.60	1.52
1	A	65	SER	CA-C	-5.38	1.46	1.52
1	A	215	GLY	CA-C	5.35	1.59	1.51
1	A	199	LEU	N-CA	5.34	1.52	1.46
1	B	191	SER	C-O	5.33	1.29	1.23
1	A	67	ASN	CA-C	-5.26	1.46	1.52
1	A	244	GLN	CA-C	5.26	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	57	ARG	C-N	-5.22	1.26	1.33
1	B	219	ILE	CA-C	5.16	1.58	1.52
1	B	215	GLY	CA-C	5.08	1.58	1.51
1	A	39	ALA	N-CA	-5.06	1.40	1.46
1	A	15	PHE	N-CA	5.02	1.52	1.46
1	A	194	SER	CB-OG	-5.01	1.32	1.42

All (170) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	127	ASN	OD1-CG-ND2	-20.63	101.97	122.60
1	B	17	ASN	OD1-CG-ND2	-19.81	102.79	122.60
1	A	127	ASN	OD1-CG-ND2	-18.43	104.17	122.60
1	A	17	ASN	OD1-CG-ND2	-18.30	104.30	122.60
1	B	55	LEU	O-C-N	-14.14	107.09	123.22
1	B	229	LEU	CA-C-O	13.17	134.51	120.55
1	A	191	SER	O-C-N	-10.50	107.00	122.96
1	B	191	SER	O-C-N	-10.18	107.51	122.99
1	B	238	ARG	NE-CZ-NH1	10.06	131.56	121.50
1	B	258	PHE	CA-C-O	9.92	131.35	120.63
1	B	55	LEU	CA-C-O	-9.63	109.66	120.54
1	B	229	LEU	O-C-N	-9.59	111.96	122.12
1	B	219	ILE	CA-C-N	-9.58	113.64	122.17
1	B	219	ILE	C-N-CA	-9.58	113.64	122.17
1	A	26	ILE	O-C-N	-9.42	112.66	121.89
1	B	190	ASN	OD1-CG-ND2	-9.27	113.33	122.60
1	A	127	ASN	CB-CG-ND2	9.24	130.27	116.40
1	A	17	ASN	CB-CG-OD1	8.99	138.78	120.80
1	B	40	TYR	CD1-CG-CD2	-8.94	104.68	118.10
1	A	40	TYR	CD1-CG-CD2	-8.94	104.69	118.10
1	B	55	LEU	CB-CA-C	-8.67	95.58	109.80
1	B	191	SER	CA-C-O	-8.54	108.65	120.52
1	B	17	ASN	CB-CG-ND2	8.47	129.11	116.40
1	A	55	LEU	O-C-N	-8.47	112.23	122.65
1	A	13	ASN	O-C-N	-8.31	114.15	121.71
1	B	225	LYS	CA-C-O	8.30	126.39	118.34
1	B	233	ARG	CA-C-O	8.14	129.18	120.55
1	A	23	CYS	CA-C-O	8.04	132.01	120.51
1	A	67	ASN	CA-C-O	7.93	130.29	120.54
1	A	67	ASN	O-C-N	-7.76	114.33	123.41
1	A	192	VAL	N-CA-CB	7.72	124.02	111.36
1	A	43	LYS	O-C-N	-7.66	113.62	122.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	LYS	N-CA-C	7.64	122.59	112.35
1	A	23	CYS	O-C-N	-7.54	112.57	122.59
1	A	18	ALA	CA-C-O	-7.48	112.87	121.47
1	A	26	ILE	CA-C-O	7.38	128.73	121.05
1	A	185	PRO	N-CA-CB	7.38	107.42	102.25
1	A	195	ILE	CA-C-N	7.28	127.73	120.31
1	A	195	ILE	C-N-CA	7.28	127.73	120.31
1	A	238	ARG	NE-CZ-NH1	7.13	128.63	121.50
1	A	192	VAL	O-C-N	7.07	131.29	123.09
1	A	272	THR	O-C-N	-7.05	114.00	122.11
1	B	215	GLY	CA-C-O	-6.79	111.48	119.01
1	A	197	ASN	CA-C-N	6.75	129.80	121.83
1	A	197	ASN	C-N-CA	6.75	129.80	121.83
1	B	246	ILE	CA-C-N	-6.75	115.78	122.20
1	B	246	ILE	C-N-CA	-6.75	115.78	122.20
1	A	200	PHE	O-C-N	6.72	131.47	123.27
1	A	258	PHE	CA-C-O	6.67	128.04	120.90
1	A	55	LEU	CA-C-O	-6.67	114.28	121.94
1	B	228	ALA	CA-C-N	-6.63	111.40	120.28
1	B	228	ALA	C-N-CA	-6.63	111.40	120.28
1	A	29	LEU	O-C-N	-6.58	115.15	122.12
1	A	269	GLN	OE1-CD-NE2	-6.57	116.03	122.60
1	B	40	TYR	CE1-CZ-CE2	-6.57	107.16	120.30
1	A	13	ASN	CA-C-O	6.57	126.50	120.26
1	A	40	TYR	CB-CG-CD1	6.49	130.54	120.80
1	A	55	LEU	N-CA-CB	6.43	119.63	110.44
1	B	18	ALA	CA-C-O	-6.40	113.68	121.36
1	A	22	HIS	CA-C-O	-6.36	113.72	121.28
1	B	3	ASN	O-C-N	-6.33	115.52	123.12
1	A	269	GLN	O-C-N	6.33	131.42	123.19
1	A	40	TYR	CE1-CZ-CE2	-6.33	107.64	120.30
1	B	191	SER	N-CA-CB	6.32	121.17	110.87
1	A	241	PRO	N-CA-CB	6.30	109.56	103.51
1	A	240	LYS	CA-C-N	6.29	125.92	119.56
1	A	240	LYS	C-N-CA	6.29	125.92	119.56
1	A	39	ALA	CA-C-O	-6.28	114.72	121.38
1	A	73	ASN	OD1-CG-ND2	-6.25	116.34	122.60
1	B	87	GLN	OE1-CD-NE2	6.24	128.84	122.60
1	B	247	GLY	CA-C-O	6.22	126.32	120.91
1	B	219	ILE	O-C-N	6.21	129.47	123.14
1	B	254	GLY	CA-C-O	6.21	127.10	120.40
1	A	49	LYS	CA-CB-CG	6.18	126.45	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	167	PRO	N-CA-CB	6.18	108.81	103.31
1	B	233	ARG	O-C-N	-6.17	115.58	122.12
1	B	167	PRO	N-CA-CB	6.17	109.08	103.34
1	A	14	PRO	CA-C-N	-6.17	112.60	121.42
1	A	14	PRO	C-N-CA	-6.17	112.60	121.42
1	A	268	LEU	CA-C-N	-6.14	113.17	122.81
1	A	268	LEU	C-N-CA	-6.14	113.17	122.81
1	A	184	PHE	O-C-N	-6.12	115.69	121.20
1	B	64	GLY	O-C-N	6.08	130.60	122.70
1	B	127	ASN	CB-CG-OD1	6.08	132.96	120.80
1	A	17	ASN	N-CA-C	-6.06	101.55	110.52
1	B	307	LYS	O-C-N	-6.04	114.92	122.35
1	A	269	GLN	CA-C-O	-5.99	114.34	121.11
1	B	194	SER	CA-C-N	-5.95	112.25	121.18
1	B	194	SER	C-N-CA	-5.95	112.25	121.18
1	B	191	SER	CB-CA-C	-5.93	102.04	111.17
1	A	200	PHE	CA-C-N	-5.91	114.72	122.94
1	A	200	PHE	C-N-CA	-5.91	114.72	122.94
1	B	308	LEU	CB-CA-C	-5.87	101.04	109.84
1	A	258	PHE	O-C-N	-5.86	116.00	122.09
1	B	225	LYS	O-C-N	-5.85	115.22	120.71
1	B	127	ASN	CB-CG-ND2	5.77	125.06	116.40
1	B	189	VAL	CA-C-O	5.77	127.42	120.67
1	A	184	PHE	CA-C-O	5.73	127.23	120.87
1	B	53	ASN	OD1-CG-ND2	-5.72	116.88	122.60
1	A	120	PHE	CA-C-O	-5.70	114.42	120.92
1	B	192	VAL	N-CA-CB	5.69	121.17	111.50
1	A	13	ASN	CA-CB-CG	-5.68	106.92	112.60
1	A	8	ASN	CA-CB-CG	-5.64	106.96	112.60
1	B	55	LEU	N-CA-CB	5.64	119.47	110.16
1	A	189	VAL	N-CA-CB	5.64	121.20	111.39
1	B	44	SER	CA-C-N	-5.64	113.00	122.92
1	B	44	SER	C-N-CA	-5.64	113.00	122.92
1	A	231	ASN	CA-C-O	-5.61	114.48	120.42
1	B	267	MET	CA-C-O	-5.59	114.80	121.56
1	B	194	SER	CB-CA-C	-5.58	99.76	109.64
1	A	244	GLN	O-C-N	5.58	129.11	122.20
1	A	194	SER	CB-CA-C	-5.56	99.35	110.42
1	B	137	PRO	N-CA-CB	5.53	109.06	103.25
1	B	299	GLN	OE1-CD-NE2	5.53	128.13	122.60
1	A	45	SER	CA-C-O	5.51	128.23	121.56
1	B	211	LYS	CA-C-N	5.47	125.42	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	211	LYS	C-N-CA	5.47	125.42	119.78
1	B	194	SER	CA-C-O	-5.47	115.53	121.44
1	B	73	ASN	OD1-CG-ND2	-5.47	117.13	122.60
1	A	71	LEU	CB-CA-C	-5.45	105.59	110.71
1	B	245	ILE	O-C-N	-5.45	117.30	123.18
1	A	200	PHE	CA-C-O	-5.40	114.45	120.66
1	B	240	LYS	CA-C-N	5.40	125.02	119.56
1	B	240	LYS	C-N-CA	5.40	125.02	119.56
1	B	185	PRO	N-CA-CB	5.39	106.42	102.81
1	B	256	ASP	CA-C-O	5.39	126.26	120.55
1	B	278	GLY	CA-C-N	5.38	125.47	119.87
1	B	278	GLY	C-N-CA	5.38	125.47	119.87
1	A	169	PHE	CA-CB-CG	-5.37	108.43	113.80
1	A	260	HIS	O-C-N	5.35	127.80	122.12
1	A	87	GLN	OE1-CD-NE2	5.34	127.94	122.60
1	B	186	LEU	CA-C-O	-5.34	115.18	121.16
1	B	37	ALA	N-CA-C	5.32	117.75	110.24
1	B	13	ASN	OD1-CG-ND2	-5.30	117.30	122.60
1	B	212	PRO	N-CA-CB	5.29	107.96	103.35
1	A	123	ILE	N-CA-CB	-5.29	104.11	111.41
1	A	133	VAL	CA-C-O	5.28	122.26	119.15
1	B	72	PRO	N-CA-CB	5.27	108.02	103.27
1	A	252	GLU	O-C-N	-5.27	115.58	122.59
1	A	224	ILE	CA-C-O	-5.26	114.70	119.91
1	B	298	TYR	CA-C-O	-5.26	114.96	120.80
1	A	11	PHE	O-C-N	-5.25	116.78	123.24
1	A	56	ALA	N-CA-C	5.24	118.40	110.64
1	B	268	LEU	CA-C-N	-5.24	114.58	122.81
1	B	268	LEU	C-N-CA	-5.24	114.58	122.81
1	A	246	ILE	O-C-N	5.23	128.67	123.18
1	A	99	SER	O-C-N	-5.21	117.11	123.16
1	A	137	PRO	N-CA-CB	5.21	108.72	103.25
1	B	40	TYR	CB-CG-CD2	5.21	128.61	120.80
1	A	272	THR	CA-C-N	5.19	127.76	120.28
1	A	272	THR	C-N-CA	5.19	127.76	120.28
1	A	308	LEU	CB-CA-C	-5.19	102.05	109.84
1	B	241	PRO	N-CA-CB	5.19	108.49	103.51
1	A	215	GLY	O-C-N	5.19	128.62	122.50
1	B	185	PRO	CA-C-O	5.18	125.37	121.38
1	A	194	SER	CA-C-N	-5.15	113.46	121.18
1	A	194	SER	C-N-CA	-5.15	113.46	121.18
1	B	259	GLU	CA-C-N	-5.15	113.38	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	GLU	C-N-CA	-5.15	113.38	120.28
1	A	67	ASN	CA-CB-CG	-5.15	107.45	112.60
1	A	195	ILE	CA-C-O	-5.13	114.75	120.95
1	A	209	VAL	N-CA-C	-5.12	108.30	113.47
1	B	249	GLY	O-C-N	5.12	129.35	122.70
1	A	205	ALA	CA-C-O	5.11	125.65	119.11
1	B	66	ILE	CA-C-O	-5.08	114.98	120.67
1	B	6	PHE	N-CA-CB	-5.06	102.31	110.71
1	B	8	ASN	CA-CB-CG	-5.06	107.54	112.60
1	A	189	VAL	CA-CB-CG1	5.04	118.97	110.40
1	B	67	ASN	CA-C-O	5.03	126.62	120.99
1	B	260	HIS	N-CA-C	5.03	116.76	111.28

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	122	GLY	Mainchain
1	A	130	CYS	Peptide
1	A	191	SER	Mainchain,Peptide
1	A	37	ALA	Mainchain
1	A	55	LEU	Mainchain,Peptide
1	A	93	GLU	Peptide
1	B	130	CYS	Peptide
1	B	191	SER	Mainchain,Peptide
1	B	55	LEU	Mainchain,Peptide
1	B	93	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2397	0	2375	26	0
1	B	2387	0	2362	16	0
2	A	31	0	19	0	0
2	B	31	0	19	0	0
3	A	11	0	3	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	11	0	3	0	0
4	A	180	0	0	2	0
4	B	178	0	0	2	0
All	All	5226	0	4781	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:ASN:HD21	1:A:41:ILE:H	1.26	0.81
1:B:7:ALA:H	1:B:244:GLN:HE22	1.36	0.73
1:A:131:PRO:HD2	3:A:1313:ORO:C4	2.20	0.70
1:A:7:ALA:H	1:A:244:GLN:HE22	1.37	0.69
1:A:129:SER:HB3	1:A:166:PRO:HD3	1.81	0.63
1:A:129:SER:O	1:A:131:PRO:HD3	2.01	0.61
1:B:53:ASN:HB3	1:B:212:PRO:HG3	1.83	0.60
1:A:210:ILE:HG13	1:A:215:GLY:HA2	1.85	0.57
1:B:180:ILE:O	1:B:183:GLN:HG2	2.03	0.57
1:B:210:ILE:HG13	1:B:215:GLY:HA2	1.86	0.56
1:A:195:ILE:HD12	1:A:224:ILE:HG22	1.86	0.56
1:A:24:MET:HE1	1:A:72:PRO:HB2	1.91	0.53
1:A:137:PRO:O	1:A:138:GLN:C	2.54	0.50
1:A:53:ASN:HB3	1:A:212:PRO:HG3	1.94	0.50
1:B:51:GLU:HG3	4:B:2370:HOH:O	2.11	0.50
1:A:180:ILE:O	1:A:183:GLN:HG2	2.12	0.49
1:B:195:ILE:HD12	1:B:224:ILE:HG22	1.95	0.49
1:A:101:ALA:HB2	1:A:127:ASN:HB3	1.95	0.49
1:B:7:ALA:H	1:B:244:GLN:NE2	2.09	0.48
1:B:137:PRO:O	1:B:138:GLN:C	2.56	0.48
1:A:93:GLU:HG2	4:A:1482:HOH:O	2.13	0.47
1:A:190:ASN:HD21	1:A:269:GLN:NE2	2.12	0.47
1:A:94:GLY:HA2	1:A:95:PRO:HD2	1.74	0.47
1:A:129:SER:HB3	1:A:166:PRO:CD	2.45	0.47
1:B:94:GLY:HA2	1:B:95:PRO:HD2	1.66	0.46
1:B:1:MET:HG2	4:B:2465:HOH:O	2.15	0.46
1:A:131:PRO:HD2	3:A:1313:ORO:N3	2.32	0.45
1:A:17:ASN:H	1:A:17:ASN:HD22	1.65	0.45
1:A:16:MET:HB2	1:A:269:GLN:HG2	1.99	0.45
1:A:51:GLU:HG3	4:A:1401:HOH:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:LYS:HA	1:A:190:ASN:HB3	2.01	0.42
1:B:2:LEU:O	1:B:3:ASN:C	2.61	0.42
1:A:43:LYS:O	1:A:44:SER:C	2.61	0.42
1:B:103:MET:N	1:B:107:GLU:OE1	2.45	0.42
1:B:24:MET:HE1	1:B:72:PRO:HB2	2.01	0.42
1:A:1:MET:HG3	1:A:290:GLU:HG2	2.01	0.42
1:A:211:LYS:HB3	1:A:212:PRO:HD3	2.02	0.41
1:B:190:ASN:HD21	1:B:269:GLN:NE2	2.18	0.41
1:A:84:LEU:O	1:A:88:LYS:HG3	2.20	0.41
1:B:92:GLN:O	1:B:93:GLU:C	2.63	0.41
1:A:93:GLU:O	1:A:93:GLU:HG3	2.20	0.41
1:B:13:ASN:HB2	1:B:14:PRO:HD2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	310/311 (100%)	290 (94%)	17 (6%)	3 (1%)	12	5
1	B	309/311 (99%)	290 (94%)	16 (5%)	3 (1%)	12	5
All	All	619/622 (100%)	580 (94%)	33 (5%)	6 (1%)	12	5

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	B	92	GLN
1	A	93	GLU
1	B	93	GLU
1	B	136	LYS
1	A	136	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/258 (99%)	253 (99%)	2 (1%)	73	75
1	B	252/258 (98%)	250 (99%)	2 (1%)	73	75
All	All	507/516 (98%)	503 (99%)	4 (1%)	73	75

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	130	CYS
1	A	189	VAL
1	B	1	MET
1	B	189	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	86	ASN
1	A	244	GLN
1	A	255	GLN
1	A	269	GLN
1	A	305	HIS
1	B	244	GLN
1	B	269	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ORO	A	1313	-	11,11,11	2.00	4 (36%)	14,15,15	2.25	6 (42%)
2	FMN	B	2312	-	33,33,33	2.54	14 (42%)	48,50,50	2.31	15 (31%)
3	ORO	B	2313	-	11,11,11	1.86	5 (45%)	14,15,15	2.39	6 (42%)
2	FMN	A	1312	-	33,33,33	2.45	12 (36%)	48,50,50	2.73	18 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ORO	A	1313	-	-	4/4/4/4	0/1/1/1
2	FMN	B	2312	-	-	1/18/18/18	0/3/3/3
3	ORO	B	2313	-	-	4/4/4/4	0/1/1/1
2	FMN	A	1312	-	-	2/18/18/18	0/3/3/3

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1312	FMN	C4'-C3'	7.50	1.66	1.53
2	B	2312	FMN	C1'-C2'	6.55	1.61	1.52
2	B	2312	FMN	C5'-C4'	6.47	1.60	1.51
2	A	1312	FMN	C7M-C7	5.75	1.61	1.51
2	A	1312	FMN	C4A-N5	5.14	1.41	1.30
2	B	2312	FMN	C9-C8	-4.41	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2312	FMN	C4A-N5	3.97	1.39	1.30
2	B	2312	FMN	O4-C4	3.66	1.30	1.23
3	A	1313	ORO	C6-C7	3.47	1.57	1.48
2	A	1312	FMN	C1'-N10	-3.45	1.39	1.47
2	B	2312	FMN	C6-C5A	-3.38	1.34	1.40
2	B	2312	FMN	C7M-C7	3.21	1.57	1.51
3	B	2313	ORO	C6-C7	3.20	1.56	1.48
3	A	1313	ORO	C2-N1	3.16	1.42	1.37
2	A	1312	FMN	O4-C4	2.99	1.29	1.23
3	B	2313	ORO	C2-N1	2.98	1.42	1.37
3	A	1313	ORO	C5-C4	2.74	1.48	1.42
2	B	2312	FMN	C1'-N10	-2.73	1.41	1.47
2	A	1312	FMN	P-O3P	-2.72	1.44	1.54
2	A	1312	FMN	C2-N3	2.63	1.44	1.39
3	B	2313	ORO	C5-C4	2.60	1.48	1.42
2	B	2312	FMN	C9A-C5A	2.60	1.45	1.41
2	B	2312	FMN	C4'-C3'	2.54	1.57	1.53
3	A	1313	ORO	C2-N3	2.44	1.41	1.37
3	B	2313	ORO	O2-C2	2.37	1.28	1.23
2	B	2312	FMN	P-O5'	-2.37	1.52	1.60
2	A	1312	FMN	O4'-C4'	2.25	1.48	1.43
2	A	1312	FMN	C9-C9A	-2.24	1.36	1.39
2	B	2312	FMN	C2'-C3'	2.19	1.57	1.53
2	A	1312	FMN	C5'-C4'	2.17	1.54	1.51
2	A	1312	FMN	C8M-C8	2.14	1.55	1.51
2	B	2312	FMN	C2-N3	2.12	1.43	1.39
2	A	1312	FMN	C2'-C3'	2.03	1.57	1.53
3	B	2313	ORO	O71-C7	2.02	1.27	1.22
2	B	2312	FMN	O2-C2	-2.00	1.20	1.24

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1312	FMN	C4'-C3'-C2'	-6.98	101.96	113.57
2	B	2312	FMN	C5'-C4'-C3'	-6.53	99.91	112.22
2	A	1312	FMN	C5'-C4'-C3'	-6.48	99.99	112.22
2	B	2312	FMN	C10-N1-C2	6.03	129.92	116.85
2	A	1312	FMN	C10-N1-C2	5.14	127.97	116.85
2	B	2312	FMN	C4A-C10-N1	-5.02	112.27	124.59
2	A	1312	FMN	C4A-C10-N10	4.71	123.22	116.48
3	B	2313	ORO	C4-N3-C2	4.70	130.10	125.55
2	A	1312	FMN	C5A-C6-C7	-4.56	112.38	120.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1312	FMN	C4A-C10-N1	-4.48	113.59	124.59
2	B	2312	FMN	O2-C2-N1	4.47	129.23	121.80
3	A	1313	ORO	O71-C7-C6	-4.46	111.95	121.01
2	A	1312	FMN	C6-C5A-N5	-4.32	111.28	118.44
2	A	1312	FMN	C4-C4A-C10	4.13	124.02	116.93
2	A	1312	FMN	C4-C4A-N5	-4.00	112.68	118.21
3	B	2313	ORO	O71-C7-C6	-3.94	113.01	121.01
2	A	1312	FMN	C9A-N10-C10	-3.90	114.81	120.75
2	B	2312	FMN	C4-C4A-C10	3.87	123.56	116.93
2	B	2312	FMN	C7M-C7-C8	-3.68	113.24	120.76
3	B	2313	ORO	O4-C4-N3	3.67	124.59	119.27
3	A	1313	ORO	C5-C6-N1	3.62	125.11	120.87
2	B	2312	FMN	C7M-C7-C6	3.41	125.58	119.57
2	A	1312	FMN	N3-C2-N1	-3.37	112.34	119.50
2	A	1312	FMN	C7M-C7-C8	-3.27	114.08	120.76
2	A	1312	FMN	O2P-P-O5'	-3.24	98.21	106.67
2	B	2312	FMN	C4-C4A-N5	-3.05	113.99	118.21
2	B	2312	FMN	C4'-C3'-C2'	-3.05	108.50	113.57
2	A	1312	FMN	O3'-C3'-C2'	-3.01	102.10	108.93
2	B	2312	FMN	N10-C10-N1	2.90	127.06	118.51
2	A	1312	FMN	O3P-P-O2P	2.87	118.57	107.80
2	B	2312	FMN	N3-C2-N1	-2.87	113.41	119.50
2	B	2312	FMN	C1'-N10-C9A	2.78	126.04	120.63
2	A	1312	FMN	O3P-P-O5'	2.73	113.79	106.67
3	B	2313	ORO	C5-C6-N1	2.65	123.97	120.87
3	B	2313	ORO	C6-N1-C2	-2.59	119.88	122.65
3	A	1313	ORO	O4-C4-C5	-2.59	121.89	125.46
3	A	1313	ORO	O72-C7-O71	2.57	130.02	123.90
2	B	2312	FMN	C4A-C10-N10	2.51	120.08	116.48
3	A	1313	ORO	C6-C5-C4	-2.46	115.99	120.34
3	A	1313	ORO	C4-N3-C2	2.34	127.81	125.55
2	B	2312	FMN	C8M-C8-C7	-2.30	116.06	120.76
2	A	1312	FMN	C1'-C2'-C3'	2.30	115.89	109.66
3	B	2313	ORO	O4-C4-C5	-2.22	122.39	125.46
2	B	2312	FMN	C5A-C9A-N10	2.09	119.86	117.97
2	A	1312	FMN	C7M-C7-C6	-2.00	116.05	119.57

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1313	ORO	N1-C6-C7-O71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1313	ORO	N1-C6-C7-O72
3	A	1313	ORO	C5-C6-C7-O71
3	A	1313	ORO	C5-C6-C7-O72
3	B	2313	ORO	N1-C6-C7-O71
3	B	2313	ORO	N1-C6-C7-O72
3	B	2313	ORO	C5-C6-C7-O71
2	A	1312	FMN	O3'-C3'-C4'-C5'
2	B	2312	FMN	C4'-C5'-O5'-P
2	A	1312	FMN	C4'-C5'-O5'-P
3	B	2313	ORO	C5-C6-C7-O72


There are no ring outliers.


1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1313	ORO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand FMN B 2312





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	311/311 (100%)	0.11	20 (6%)	25 27	10, 19, 38, 74	11 (3%)
1	B	311/311 (100%)	0.17	21 (6%)	23 24	10, 19, 38, 74	13 (4%)
All	All	622/622 (100%)	0.14	41 (6%)	24 26	10, 19, 38, 74	24 (3%)

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	91	ALA	12.7
1	B	133	VAL	10.8
1	B	93	GLU	10.6
1	A	90	ASN	10.2
1	B	88	LYS	9.7
1	A	85	LYS	9.2
1	A	132	ASN	8.9
1	A	89	GLU	8.8
1	B	89	GLU	8.7
1	B	132	ASN	8.3
1	B	91	ALA	8.1
1	A	133	VAL	7.8
1	B	130	CYS	7.7
1	B	85	LYS	7.5
1	B	90	ASN	7.4
1	A	92	GLN	6.5
1	B	92	GLN	6.3
1	A	131	PRO	6.1
1	A	137	PRO	5.8
1	A	130	CYS	5.6
1	B	137	PRO	5.4
1	B	131	PRO	4.6
1	B	135	GLY	4.3
1	B	136	LYS	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	136	LYS	4.0
1	A	93	GLU	3.9
1	B	295	GLN	3.6
1	A	135	GLY	3.6
1	A	10	LYS	3.6
1	A	134	PRO	3.6
1	A	86	ASN	3.4
1	B	204	GLU	3.4
1	B	134	PRO	3.2
1	B	94	GLY	3.1
1	A	94	GLY	2.9
1	A	88	LYS	2.5
1	B	129	SER	2.4
1	B	86	ASN	2.3
1	A	117	GLU	2.2
1	A	129	SER	2.2
1	B	10	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ORO	A	1313	11/11	0.95	0.09	13,17,19,20	0
3	ORO	B	2313	11/11	0.97	0.07	13,17,19,19	0
2	FMN	A	1312	31/31	0.98	0.05	8,12,14,15	0
2	FMN	B	2312	31/31	0.98	0.05	8,12,14,15	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN A 1312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN B 2312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.