



Full wwPDB NMR Structure Validation Report ⓘ

Mar 1, 2026 – 05:50 AM UTC

PDB ID : 2JRI / pdb_00002jri
Title : Solution structure of the Josephin domain of Ataxin-3 in complex with ubiquitin molecule.
Authors : Nicastro, G.; Masino, L.; Esposito, V.; Menon, R.; Pastore, A.
Deposited on : 2007-06-27

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	182	
2	B	76	
2	C	76	

2 Ensemble composition and analysis

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:9-A:41, A:59-A:182, B:183-B:258, C:259-C:334 (309)	0.87	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	2, 3, 4, 5, 7, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
2	6, 8
Single-model clusters	1

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5377 atoms, of which 2694 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Ataxin-3.

Mol	Chain	Residues	Atoms						Trace
1	A	182	Total	C	H	N	O	S	0
			2915	941	1436	246	283	9	

- Molecule 2 is a protein called UBC protein.


Mol	Chain	Residues	Atoms						Trace
2	B	76	Total	C	H	N	O	S	0
			1230	378	628	105	118	1	
2	C	76	Total	C	H	N	O	S	0
			1232	378	630	105	118	1	

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


• Molecule 1: Ataxin-3



• Molecule 2: UBC protein



• Molecule 2: UBC protein




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

• Molecule 1: Ataxin-3






- Molecule 2: UBC protein




- Molecule 2: UBC protein




4.2.2 Score per residue for model 2



- Molecule 1: Ataxin-3



- Molecule 2: UBC protein




- Molecule 2: UBC protein




4.2.3 Score per residue for model 3


- Molecule 1: Ataxin-3



• Molecule 2: UBC protein




• Molecule 2: UBC protein




4.2.4 Score per residue for model 4


• Molecule 1: Ataxin-3



• Molecule 2: UBC protein



• Molecule 2: UBC protein






4.2.7 Score per residue for model 7

- Molecule 1: Ataxin-3

Chain A: 62% 23% 14%



- Molecule 2: UBC protein

Chain B: 86% 13%



- Molecule 2: UBC protein


Chain C: 80% 16%



4.2.8 Score per residue for model 8

- Molecule 1: Ataxin-3

Chain A: 65% 20% 14%




- Molecule 2: UBC protein

Chain B: 83% 17%



- Molecule 2: UBC protein


Chain C:  87% 12% .



4.2.9 Score per residue for model 9


- Molecule 1: Ataxin-3

Chain A:  62% 21% 14%



- Molecule 2: UBC protein

Chain B:  86% 14%



- Molecule 2: UBC protein


Chain C:  76% 22% .



4.2.10 Score per residue for model 10

- Molecule 1: Ataxin-3

Chain A:  58% 28% 14%



- Molecule 2: UBC protein

Chain B:  83% 17%





• Molecule 2: UBC protein


Chain C: 78% 22%



4.2.11 Score per residue for model 11


• Molecule 1: Ataxin-3

Chain A: 63% 22% 14%



• Molecule 2: UBC protein

Chain B: 82% 16%



• Molecule 2: UBC protein


Chain C: 75% 21%



4.2.12 Score per residue for model 12

• Molecule 1: Ataxin-3

Chain A: 61% 23% 14%



• Molecule 2: UBC protein

Chain B:  84% 16%



- Molecule 2: UBC protein


Chain C:  80% 18%



4.2.13 Score per residue for model 13

- Molecule 1: Ataxin-3

Chain A:  69% 15% 14%



- Molecule 2: UBC protein

Chain B:  78% 22%



- Molecule 2: UBC protein


Chain C:  82% 17%



4.2.14 Score per residue for model 14


- Molecule 1: Ataxin-3

Chain A:  64% 22% 14%






- Molecule 2: UBC protein




- Molecule 2: UBC protein




4.2.15 Score per residue for model 15 (medoid)


- Molecule 1: Ataxin-3



- Molecule 2: UBC protein




- Molecule 2: UBC protein



4.2.16 Score per residue for model 16


- Molecule 1: Ataxin-3






- Molecule 2: UBC protein

Chain B: 83% 16%



- Molecule 2: UBC protein


Chain C: 82% 17%



4.2.17 Score per residue for model 17

- Molecule 1: Ataxin-3

Chain A: 60% 24% 14%



- Molecule 2: UBC protein

Chain B: 79% 21%




- Molecule 2: UBC protein

Chain C: 78% 20%




4.2.18 Score per residue for model 18


- Molecule 1: Ataxin-3



- Molecule 2: UBC protein




- Molecule 2: UBC protein




4.2.19 Score per residue for model 19


- Molecule 1: Ataxin-3



- Molecule 2: UBC protein




- Molecule 2: UBC protein




4.2.20 Score per residue for model 20


• Molecule 1: Ataxin-3



• Molecule 2: UBC protein



• Molecule 2: UBC protein



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure solution	2.1
HADDOCK	structure solution	2.0
HADDOCK	refinement	2.0

No chemical shift data was provided.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1273	1248	1245	14±3
2	B	602	628	626	4±1
2	C	602	630	626	4±2
All	All	49540	50120	49940	367

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:C:263:VAL:HA	2:C:325:LEU:O	0.67	1.90	13	11
1:A:19:LEU:HD21	1:A:83:ALA:HB1	0.65	1.69	16	1
1:A:120:TRP:CD1	2:B:256:ARG:HB3	0.64	2.28	9	19
1:A:27:TYR:HA	2:C:304:ALA:O	0.60	1.96	4	1
1:A:76:SER:HA	2:B:190:LEU:HD13	0.60	1.71	14	6
1:A:99:TYR:O	1:A:102:LEU:HG	0.59	1.98	1	1
1:A:126:LEU:HD22	1:A:131:PHE:CD1	0.58	2.33	20	1
1:A:151:PHE:O	1:A:155:LEU:HG	0.58	1.98	6	18
1:A:74:PHE:CE1	2:B:256:ARG:HB2	0.57	2.34	1	1
1:A:15:ALA:HA	1:A:18:CYS:SG	0.57	2.40	10	11
1:A:19:LEU:HD21	1:A:28:PHE:HB3	0.57	1.77	3	2
2:C:260:GLN:HA	2:C:273:LEU:O	0.57	1.99	15	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:C:303:PHE:HB3	2:C:308:LEU:HD21	0.57	1.75	6	7
2:C:301:LEU:HB3	2:C:308:LEU:HD12	0.57	1.74	3	1
1:A:174:ALA:O	1:A:178:LEU:HB2	0.55	2.01	11	10
1:A:120:TRP:CD1	2:B:256:ARG:HG3	0.55	2.36	1	1
1:A:118:GLU:O	2:B:256:ARG:HA	0.54	2.02	2	15
1:A:75:PHE:O	2:B:255:LEU:HB2	0.54	2.02	6	8
1:A:122:THR:O	1:A:132:ASN:HA	0.53	2.04	9	5
2:C:314:LEU:O	2:C:319:ILE:HB	0.52	2.04	17	1
2:C:313:THR:O	2:C:316:ASP:HB2	0.52	2.05	9	11
2:C:276:GLU:O	2:C:279:ASP:HB2	0.52	2.05	18	6
1:A:178:LEU:HD13	1:A:181:ILE:HB	0.52	1.81	18	4
1:A:116:TYR:HB2	1:A:160:TYR:CE2	0.52	2.40	5	11
1:A:173:GLU:O	1:A:177:LEU:HG	0.52	2.05	15	7
1:A:71:ASP:OD2	2:B:224:ARG:HD3	0.52	2.04	16	1
1:A:111:SER:O	1:A:112:PHE:HB3	0.51	2.05	20	1
1:A:38:HIS:HA	1:A:67:GLY:O	0.50	2.05	8	3
2:C:263:VAL:O	2:C:270:THR:HA	0.50	2.07	14	2
1:A:29:SER:HB3	2:C:302:ILE:HG21	0.49	1.83	1	1
2:C:329:LEU:O	2:C:330:ARG:HD2	0.49	2.07	7	2
1:A:116:TYR:HB2	1:A:160:TYR:CE1	0.49	2.42	1	1
1:A:109:GLU:OE1	1:A:110:ARG:HD2	0.49	2.07	2	3
2:C:261:ILE:O	2:C:272:THR:HA	0.49	2.07	6	4
1:A:104:ILE:HG22	1:A:105:ASP:H	0.49	1.66	17	2
1:A:115:ASN:ND2	1:A:161:SER:HB2	0.49	2.22	15	9
1:A:86:VAL:HG12	2:C:266:LEU:O	0.49	2.07	17	4
1:A:127:GLY:HA2	1:A:179:GLN:NE2	0.48	2.23	14	8
1:A:114:CYS:SG	1:A:155:LEU:HD13	0.48	2.48	3	3
1:A:70:ASP:OD2	1:A:74:PHE:HB2	0.48	2.09	7	1
1:A:61:PHE:O	1:A:64:GLN:HB2	0.48	2.08	6	1
1:A:141:GLU:O	1:A:143:ILE:HG13	0.48	2.09	2	3
1:A:115:ASN:HB3	1:A:120:TRP:CD2	0.48	2.44	8	1
1:A:91:LEU:HD11	1:A:163:PHE:HB3	0.48	1.86	9	1
1:A:128:LYS:HD2	1:A:128:LYS:O	0.48	2.09	13	2
1:A:12:SER:HB3	1:A:73:GLY:O	0.47	2.09	4	13
1:A:35:SER:OG	2:C:328:VAL:HG13	0.47	2.09	1	1
1:A:81:SER:O	1:A:85:LYS:HB2	0.47	2.09	1	1
2:C:276:GLU:O	2:C:314:LEU:HD12	0.47	2.10	9	3
1:A:35:SER:HA	2:C:331:LEU:HD11	0.47	1.86	16	1
1:A:143:ILE:HG21	1:A:148:LEU:HD13	0.47	1.87	15	1
1:A:76:SER:O	1:A:79:VAL:HG22	0.47	2.10	7	14
1:A:18:CYS:SG	2:B:256:ARG:HD2	0.47	2.50	13	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:C:321:LYS:O	2:C:322:GLU:HB2	0.46	2.11	20	3
1:A:127:GLY:O	1:A:128:LYS:HB2	0.46	2.10	2	2
1:A:64:GLN:OE1	1:A:65:PRO:HD2	0.46	2.09	19	4
1:A:110:ARG:HD2	1:A:110:ARG:N	0.46	2.25	11	1
1:A:79:VAL:O	1:A:83:ALA:HB2	0.46	2.10	18	4
1:A:178:LEU:HD22	1:A:181:ILE:HG13	0.46	1.88	9	1
2:B:237:THR:O	2:B:240:ASP:HB2	0.46	2.11	11	2
1:A:120:TRP:HB2	2:B:256:ARG:NE	0.46	2.26	19	7
1:A:116:TYR:HB2	1:A:160:TYR:CZ	0.45	2.46	1	1
1:A:150:LEU:O	1:A:154:GLN:HG2	0.45	2.12	8	2
1:A:71:ASP:OD1	2:B:224:ARG:HD3	0.45	2.11	20	1
1:A:38:HIS:CE1	1:A:68:ASN:HA	0.45	2.46	8	1
1:A:177:LEU:O	1:A:180:MET:HG2	0.45	2.12	1	1
2:B:184:GLN:OE1	2:B:196:THR:HB	0.45	2.11	7	2
1:A:18:CYS:O	1:A:22:LEU:HB2	0.45	2.12	18	5
1:A:22:LEU:O	1:A:124:ARG:HD3	0.45	2.12	17	1
1:A:98:GLU:HA	1:A:101:ARG:CZ	0.45	2.42	2	2
1:A:143:ILE:HG23	1:A:147:TYR:CD2	0.45	2.47	14	1
2:C:280:THR:O	2:C:284:VAL:HG23	0.44	2.12	7	1
2:C:264:LYS:HB2	2:C:326:HIS:CD2	0.44	2.47	16	1
1:A:126:LEU:HD23	1:A:178:LEU:HG	0.44	1.89	20	1
1:A:131:PHE:O	1:A:133:LEU:HG	0.44	2.12	10	1
2:B:184:GLN:HA	2:B:197:LEU:O	0.44	2.13	15	4
1:A:41:ASP:CG	2:C:332:ARG:HE	0.44	2.21	7	1
1:A:143:ILE:HG23	1:A:147:TYR:HD2	0.44	1.72	1	1
1:A:32:GLU:OE2	2:C:302:ILE:HG21	0.44	2.12	11	1
1:A:32:GLU:O	1:A:36:ILE:HG12	0.43	2.13	1	1
1:A:104:ILE:HG22	1:A:105:ASP:N	0.43	2.27	17	5
2:C:259:MET:SD	2:C:321:LYS:HA	0.43	2.53	18	1
1:A:71:ASP:OD1	2:B:224:ARG:HD2	0.43	2.13	8	1
1:A:34:SER:HB3	1:A:69:MET:SD	0.43	2.52	9	2
1:A:17:HIS:O	1:A:21:ASN:HB2	0.43	2.13	8	4
1:A:82:ASN:OD1	1:A:85:LYS:HE2	0.43	2.13	10	2
1:A:129:GLN:HG3	1:A:143:ILE:O	0.43	2.13	19	4
1:A:38:HIS:O	1:A:41:ASP:HB3	0.43	2.13	13	2
2:C:264:LYS:HA	2:C:269:LYS:O	0.43	2.13	2	2
1:A:113:ILE:HA	1:A:121:PHE:O	0.43	2.14	7	1
2:B:186:PHE:O	2:B:248:THR:HA	0.43	2.14	5	1
1:A:112:PHE:CB	1:A:164:VAL:HA	0.43	2.43	12	2
1:A:102:LEU:HD12	1:A:103:ARG:N	0.43	2.29	1	1
1:A:123:VAL:HG12	1:A:130:TRP:HE3	0.43	1.74	9	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:112:PHE:CZ	1:A:123:VAL:HB	0.43	2.49	20	1
1:A:123:VAL:HG12	1:A:130:TRP:HB3	0.43	1.91	5	1
1:A:24:GLN:O	1:A:172:CYS:HB3	0.43	2.14	18	1
2:B:185:ILE:O	2:B:196:THR:HA	0.43	2.13	18	1
1:A:68:ASN:HA	2:C:332:ARG:CD	0.43	2.44	7	1
1:A:110:ARG:HD3	1:A:165:VAL:O	0.43	2.14	7	2
1:A:60:THR:HG23	2:B:228:ALA:HB2	0.42	1.91	18	1
1:A:29:SER:OG	2:C:302:ILE:HG12	0.42	2.15	15	1
1:A:112:PHE:CE1	1:A:123:VAL:HB	0.42	2.49	20	1
1:A:24:GLN:HB3	1:A:172:CYS:SG	0.41	2.55	4	1
2:B:189:THR:HG22	2:B:251:LEU:HD23	0.41	1.90	6	2
1:A:114:CYS:HA	1:A:161:SER:O	0.41	2.16	7	2
2:B:208:VAL:O	2:B:212:ILE:HG13	0.41	2.15	2	2
1:A:68:ASN:HA	2:C:332:ARG:HD2	0.41	1.92	7	1
2:C:266:LEU:HD11	2:C:328:VAL:HG13	0.41	1.91	4	1
1:A:39:GLN:HG3	2:C:266:LEU:O	0.41	2.16	14	1
1:A:68:ASN:O	1:A:69:MET:HB3	0.41	2.15	1	1
1:A:93:LEU:O	1:A:99:TYR:HB3	0.41	2.16	1	1
2:B:256:ARG:C	2:B:258:GLY:H	0.41	2.23	5	1
2:C:317:TYR:O	2:C:319:ILE:HG13	0.41	2.16	14	1
1:A:93:LEU:HD12	1:A:162:ILE:O	0.41	2.16	20	1
1:A:129:GLN:NE2	1:A:129:GLN:HA	0.41	2.30	3	1
2:B:184:GLN:NE2	2:B:198:GLU:HB2	0.41	2.30	6	1
2:C:281:ILE:HG12	2:C:312:ARG:O	0.40	2.16	9	1
1:A:131:PHE:HA	1:A:141:GLU:O	0.40	2.16	14	1
1:A:66:SER:OG	2:B:190:LEU:HD21	0.40	2.16	7	2
2:C:322:GLU:O	2:C:323:SER:C	0.40	2.63	14	1
2:C:264:LYS:O	2:C:265:THR:HG23	0.40	2.16	12	1
1:A:114:CYS:SG	1:A:121:PHE:HB2	0.40	2.56	20	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/182 (86%)	131±4 (84±2%)	21±4 (14±2%)	4±2 (3±1%)	6	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	74/76 (97%)	68±2 (92±2%)	5±2 (7±2%)	0±0 (1±1%)	23	72
2	C	74/76 (97%)	67±3 (91±5%)	6±3 (8±4%)	1±1 (1±2%)	15	65
All	All	6080/6680 (91%)	5324 (88%)	649 (11%)	107 (2%)	9	52

All 31 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	69	MET	20
1	A	70	ASP	18
1	A	71	ASP	13
2	B	192	GLY	8
1	A	128	LYS	7
1	A	136	LEU	6
1	A	79	VAL	3
1	A	127	GLY	2
2	C	261	ILE	2
2	C	319	ILE	2
2	C	293	GLY	2
1	A	123	VAL	2
1	A	118	GLU	2
1	A	112	PHE	2
2	C	267	THR	2
1	A	27	TYR	1
2	B	191	THR	1
1	A	17	HIS	1
1	A	104	ILE	1
1	A	142	LEU	1
2	C	271	ILE	1
2	C	305	GLY	1
2	C	318	ASN	1
2	C	316	ASP	1
2	C	333	GLY	1
1	A	145	ASP	1
2	C	323	SER	1
1	A	113	ILE	1
1	A	174	ALA	1
1	A	175	ASP	1
2	C	266	LEU	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/164 (87%)	122±2 (86±2%)	20±2 (14±2%)	5	44
2	B	68/68 (100%)	58±2 (85±3%)	10±2 (15±3%)	5	42
2	C	68/68 (100%)	60±2 (88±4%)	8±2 (12±4%)	7	49
All	All	5560/6000 (93%)	4790 (86%)	770 (14%)	6	45

All 121 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	22	LEU	20
1	A	102	LEU	20
1	A	178	LEU	20
2	B	183	MET	20
2	C	267	THR	20
1	A	81	SER	19
1	A	122	THR	19
1	A	129	GLN	19
2	B	196	THR	19
2	C	280	THR	18
1	A	137	LEU	18
2	B	204	THR	16
1	A	16	GLN	16
2	B	195	ILE	16
2	B	239	SER	16
2	B	253	LEU	15
2	B	191	THR	15
1	A	146	THR	14
2	C	278	SER	13
2	B	202	SER	13
2	B	252	VAL	13
1	A	40	LEU	13
1	A	41	ASP	13
1	A	14	CYS	12
2	C	302	ILE	11
2	B	193	LYS	11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	29	SER	10
1	A	110	ARG	10
2	B	189	THR	10
2	B	230	LYS	10
1	A	126	LEU	9
2	C	326	HIS	9
1	A	113	ILE	9
1	A	117	LYS	9
1	A	89	LEU	9
1	A	118	GLU	8
1	A	144	SER	8
1	A	13	LEU	8
2	C	273	LEU	8
2	C	316	ASP	8
2	C	324	THR	7
1	A	19	LEU	7
1	A	168	ASP	7
1	A	115	ASN	6
2	B	248	THR	6
1	A	34	SER	6
1	A	64	GLN	6
1	A	123	VAL	6
2	C	297	ASP	6
2	B	231	GLN	6
1	A	26	GLU	6
1	A	28	PHE	6
1	A	95	ASN	6
2	C	279	ASP	6
2	C	313	THR	5
2	C	315	SER	5
2	C	331	LEU	5
1	A	114	CYS	4
2	C	270	THR	4
2	C	272	THR	4
1	A	18	CYS	4
1	A	61	PHE	4
2	C	265	THR	4
1	A	84	LEU	4
1	A	59	ARG	3
2	B	224	ARG	3
1	A	173	GLU	3
1	A	177	LEU	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	237	THR	3
1	A	38	HIS	3
1	A	119	HIS	3
2	C	266	LEU	3
2	B	194	THR	3
1	A	39	GLN	3
2	C	261	ILE	3
1	A	21	ASN	2
1	A	27	TYR	2
2	C	318	ASN	2
2	C	329	LEU	2
1	A	87	TRP	2
1	A	125	LYS	2
2	C	282	GLU	2
1	A	145	ASP	2
2	C	328	VAL	2
2	C	332	ARG	2
1	A	72	SER	2
2	C	330	ARG	2
1	A	152	LEU	2
2	B	234	ASP	2
2	C	274	GLU	2
2	C	298	GLN	2
1	A	35	SER	2
1	A	20	ASN	1
1	A	62	LEU	1
1	A	99	TYR	1
1	A	135	SER	1
1	A	161	SER	1
2	B	221	ASP	1
2	C	325	LEU	1
2	C	299	GLN	1
2	C	307	GLN	1
2	B	188	LYS	1
1	A	96	SER	1
1	A	68	ASN	1
1	A	75	PHE	1
2	C	271	ILE	1
2	C	301	LEU	1
2	B	240	ASP	1
2	B	200	GLU	1
2	C	310	ASP	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	C	317	TYR	1
1	A	33	LEU	1
1	A	60	THR	1
1	A	171	ASP	1
2	C	319	ILE	1
1	A	9	GLN	1
1	A	103	ARG	1
1	A	107	ILE	1
2	B	225	LEU	1
1	A	157	GLN	1
2	C	323	SER	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided