



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:37 PM UTC

PDB ID : 3JRX / pdb_00003jrx
Title : Crystal structure of the BC domain of ACC2 in complex with soraphen A
Authors : Cho, Y.S.; Lee, J.I.; Shin, D.; Kim, H.T.; Lee, T.G.; Heo, Y.S.
Deposited on : 2009-09-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA carboxylase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3881	2473	673	717	18			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	205	MET	-	expression tag	UNP O00763
A	206	ARG	-	expression tag	UNP O00763
A	207	GLY	-	expression tag	UNP O00763
A	208	SER	-	expression tag	UNP O00763
A	209	GLY	-	expression tag	UNP O00763
A	210	SER	-	expression tag	UNP O00763
A	211	MET	-	expression tag	UNP O00763
A	212	ARG	-	expression tag	UNP O00763
A	213	GLY	-	expression tag	UNP O00763
A	214	SER	-	expression tag	UNP O00763
A	215	GLY	-	expression tag	UNP O00763
A	216	SER	-	expression tag	UNP O00763
A	776	LEU	-	expression tag	UNP O00763
A	777	GLU	-	expression tag	UNP O00763
A	778	HIS	-	expression tag	UNP O00763
A	779	HIS	-	expression tag	UNP O00763
A	780	HIS	-	expression tag	UNP O00763
A	781	HIS	-	expression tag	UNP O00763
A	782	HIS	-	expression tag	UNP O00763
A	783	HIS	-	expression tag	UNP O00763
A	784	LEU	-	expression tag	UNP O00763
A	785	GLU	-	expression tag	UNP O00763
A	786	HIS	-	expression tag	UNP O00763
A	787	HIS	-	expression tag	UNP O00763
A	788	HIS	-	expression tag	UNP O00763
A	789	HIS	-	expression tag	UNP O00763
A	790	HIS	-	expression tag	UNP O00763

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	791	HIS	-	expression tag	UNP O00763

- Molecule 2 is SORAPHEN A (CCD ID: S1A) (formula: $C_{29}H_{44}O_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			37	29	8		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	93	Total	O	0	0
			93	93		

- Molecule 1: Acetyl-CoA carboxylase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	74.74Å 74.74Å 179.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.90 – 2.50 29.90 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.7 (29.90-2.50) 95.6 (29.90-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.221 , 0.266 0.221 , 0.267	Depositor DCC
R_{free} test set	961 reflections (3.67%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.037 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4011	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: S1A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3971	0.87	3/5390 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	700	PHE	N-CA-C	7.86	121.27	109.95
1	A	288	ARG	N-CA-C	-5.68	105.92	112.86
1	A	536	ALA	N-CA-C	-5.22	102.01	110.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	683	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3881	0	3834	106	0
2	A	37	0	44	0	0
3	A	93	0	0	1	0
All	All	4011	0	3878	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:MET:HE1	1:A:314:ALA:HA	1.33	1.05
1:A:267:ASN:HD22	1:A:268:ASN:H	1.20	0.85
1:A:276:MET:HE1	1:A:314:ALA:CA	2.06	0.85
1:A:237:ASP:OD2	1:A:239:HIS:HD2	1.65	0.79
1:A:276:MET:CE	1:A:314:ALA:HA	2.13	0.78
1:A:475:ILE:H	1:A:475:ILE:HD12	1.57	0.70
1:A:267:ASN:HD22	1:A:268:ASN:N	1.90	0.68
1:A:529:LYS:NZ	1:A:586:GLN:HE22	1.92	0.67
1:A:280:ARG:HB3	1:A:290:GLU:HG2	1.77	0.65
1:A:262:LYS:HG2	1:A:344:VAL:HG12	1.78	0.64
1:A:678:LYS:HD3	1:A:678:LYS:H	1.63	0.64
1:A:336:VAL:HG11	1:A:363:LEU:HD22	1.81	0.63
1:A:309:GLU:H	1:A:309:GLU:CD	2.07	0.62
1:A:237:ASP:OD2	1:A:239:HIS:CD2	2.51	0.62
1:A:709:ASN:HD21	1:A:712:GLU:HG2	1.65	0.61
1:A:473:PHE:HB3	1:A:474:PRO:HD3	1.81	0.61
1:A:457:GLU:OE1	1:A:487:SER:HB2	2.02	0.60
1:A:273:VAL:HG22	1:A:313:MET:HE1	1.83	0.59
1:A:441:LEU:O	1:A:445:GLU:HG2	2.03	0.59
1:A:529:LYS:HZ1	1:A:586:GLN:HE22	1.47	0.59
1:A:262:LYS:CG	1:A:344:VAL:HG12	2.33	0.58
1:A:541:LEU:O	1:A:545:GLU:HG3	2.03	0.58
1:A:621:LEU:HD21	1:A:627:PRO:HG3	1.85	0.58
1:A:377:GLU:HB2	1:A:421:ARG:NH1	2.19	0.57
1:A:237:ASP:CG	1:A:239:HIS:HD2	2.12	0.57
1:A:676:SER:HB3	1:A:719:VAL:CG1	2.35	0.56
1:A:318:VAL:O	1:A:318:VAL:HG23	2.06	0.56
1:A:435:LYS:N	1:A:435:LYS:HD2	2.22	0.55
1:A:514:VAL:HG13	1:A:613:LEU:HD23	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:475:ILE:O	1:A:479:GLN:HG3	2.08	0.54
1:A:718:VAL:HG12	1:A:722:LYS:HE2	1.90	0.53
1:A:451:LEU:HD12	1:A:451:LEU:C	2.33	0.53
1:A:670:GLN:O	1:A:683:TYR:HA	2.08	0.53
1:A:382:LEU:HD11	1:A:581:LEU:HD13	1.91	0.53
1:A:581:LEU:C	1:A:581:LEU:HD23	2.34	0.53
1:A:678:LYS:H	1:A:678:LYS:CD	2.22	0.52
1:A:676:SER:HB3	1:A:719:VAL:HG12	1.92	0.52
1:A:240:ARG:HH11	1:A:240:ARG:HG3	1.74	0.52
1:A:678:LYS:HD3	1:A:678:LYS:N	2.25	0.51
1:A:544:PHE:HA	1:A:547:MET:HE3	1.92	0.51
1:A:630:VAL:O	1:A:630:VAL:HG12	2.10	0.51
1:A:740:LEU:C	1:A:740:LEU:HD23	2.36	0.51
1:A:301:PRO:HD3	1:A:320:VAL:O	2.12	0.50
1:A:452:MET:HB2	1:A:454:LYS:HE3	1.92	0.50
1:A:549:GLN:O	1:A:553:ARG:HG3	2.12	0.50
1:A:273:VAL:HG22	1:A:313:MET:CE	2.41	0.50
1:A:360:LEU:HB3	1:A:361:PRO:CD	2.42	0.50
1:A:464:ILE:O	1:A:465:ARG:HD3	2.12	0.49
1:A:586:GLN:HG3	3:A:5:HOH:O	2.12	0.49
1:A:356:GLU:CD	1:A:584:ARG:HE	2.21	0.49
1:A:325:ASN:HD22	1:A:325:ASN:N	2.09	0.49
1:A:276:MET:HE2	1:A:280:ARG:NH2	2.28	0.49
1:A:589:HIS:N	1:A:590:PRO:CD	2.76	0.48
1:A:589:HIS:ND1	1:A:590:PRO:HD3	2.28	0.48
1:A:377:GLU:HB2	1:A:421:ARG:HH11	1.79	0.48
1:A:237:ASP:OD1	1:A:237:ASP:C	2.57	0.48
1:A:709:ASN:C	1:A:709:ASN:HD22	2.22	0.48
1:A:276:MET:HE3	1:A:295:PHE:HB2	1.95	0.48
1:A:600:LEU:HB2	1:A:601:PRO:HD3	1.97	0.47
1:A:718:VAL:HG13	1:A:738:ILE:HG23	1.97	0.47
1:A:504:GLN:HG2	1:A:592:THR:HG21	1.97	0.47
1:A:569:LEU:O	1:A:576:PHE:HA	2.15	0.47
1:A:730:PHE:HB3	1:A:734:VAL:HG13	1.96	0.47
1:A:375:PRO:HD3	1:A:561:VAL:HB	1.98	0.46
1:A:654:THR:HG22	1:A:700:PHE:HB3	1.96	0.46
1:A:336:VAL:HG21	1:A:363:LEU:HB3	1.96	0.46
1:A:375:PRO:HG2	1:A:378:ALA:HB2	1.98	0.46
1:A:714:ILE:O	1:A:718:VAL:HG23	2.16	0.46
1:A:676:SER:CB	1:A:719:VAL:HG12	2.45	0.46
1:A:402:TRP:HB2	1:A:491:LEU:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:PRO:HB2	1:A:428:VAL:HG23	1.97	0.45
1:A:589:HIS:CG	1:A:590:PRO:HD3	2.52	0.45
1:A:240:ARG:H	1:A:240:ARG:HG2	1.63	0.45
1:A:302:GLU:H	1:A:302:GLU:CD	2.25	0.44
1:A:276:MET:HE2	1:A:280:ARG:CZ	2.47	0.44
1:A:558:VAL:HG12	1:A:558:VAL:O	2.17	0.44
1:A:731:ARG:HH11	1:A:731:ARG:HG3	1.82	0.44
1:A:382:LEU:CD1	1:A:581:LEU:HD13	2.47	0.44
1:A:617:LYS:HG3	1:A:628:TRP:CZ3	2.52	0.44
1:A:538:ILE:CG1	1:A:751:ILE:HD12	2.48	0.43
1:A:676:SER:HB3	1:A:719:VAL:HG11	2.01	0.43
1:A:276:MET:HE1	1:A:314:ALA:N	2.32	0.43
1:A:381:ALA:HB3	1:A:558:VAL:HG13	2.00	0.43
1:A:502:GLU:HB3	1:A:565:THR:HG23	2.01	0.43
1:A:698:SER:OG	1:A:699:GLN:N	2.51	0.42
1:A:751:ILE:HG23	1:A:752:ASP:N	2.34	0.42
1:A:452:MET:SD	1:A:494:LEU:HD13	2.59	0.42
1:A:724:LEU:HD22	1:A:730:PHE:CD1	2.55	0.42
1:A:438:ASP:O	1:A:442:GLU:HG3	2.18	0.42
1:A:238:LEU:HB3	1:A:241:ASP:OD2	2.19	0.42
1:A:357:ASN:HA	1:A:358:PRO:HD2	1.95	0.42
1:A:296:VAL:HA	1:A:316:HIS:O	2.19	0.41
1:A:377:GLU:H	1:A:377:GLU:HG2	1.43	0.41
1:A:247:PRO:O	1:A:251:VAL:HG23	2.20	0.41
1:A:674:PHE:HE1	1:A:724:LEU:HG	1.84	0.41
1:A:725:SER:HA	1:A:730:PHE:O	2.20	0.41
1:A:700:PHE:HD1	1:A:700:PHE:H	1.68	0.41
1:A:273:VAL:CG2	1:A:313:MET:HE1	2.50	0.41
1:A:276:MET:HE3	1:A:295:PHE:CB	2.51	0.41
1:A:612:PRO:HG2	1:A:615:ARG:HB2	2.03	0.41
1:A:275:CYS:HB2	1:A:348:TRP:CH2	2.56	0.41
1:A:361:PRO:HB3	1:A:371:PHE:CD2	2.55	0.41
1:A:281:ARG:HD3	1:A:285:GLU:OE2	2.21	0.40
1:A:454:LYS:NZ	1:A:492:MET:HE2	2.36	0.40
1:A:572:GLN:HE21	1:A:572:GLN:HB3	1.61	0.40
1:A:723:GLU:HA	1:A:726:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	488/587 (83%)	465 (95%)	16 (3%)	7 (1%)	9	17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	496	GLN
1	A	562	SER
1	A	732	THR
1	A	574	GLY
1	A	676	SER
1	A	328	ASN
1	A	420	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	413/490 (84%)	386 (94%)	27 (6%)	15	32

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	240	ARG
1	A	267	ASN
1	A	277	ARG
1	A	281	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	MET
1	A	288	ARG
1	A	325	ASN
1	A	363	LEU
1	A	377	GLU
1	A	382	LEU
1	A	426	GLU
1	A	465	ARG
1	A	496	GLN
1	A	562	SER
1	A	572	GLN
1	A	573	ASP
1	A	613	LEU
1	A	617	LYS
1	A	670	GLN
1	A	671	GLU
1	A	678	LYS
1	A	708	GLU
1	A	709	ASN
1	A	711	GLU
1	A	729	ASP
1	A	732	THR
1	A	751	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	HIS
1	A	267	ASN
1	A	289	ASN
1	A	307	ASN
1	A	316	HIS
1	A	325	ASN
1	A	327	ASN
1	A	353	HIS
1	A	367	ASN
1	A	481	GLN
1	A	496	GLN
1	A	572	GLN
1	A	582	ASN
1	A	586	GLN
1	A	614	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	673	ASN
1	A	699	GLN
1	A	709	ASN
1	A	716	ASN
1	A	739	ASN
1	A	747	GLN
1	A	749	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	S1A	A	1000	-	39,39,39	1.99	11 (28%)	46,55,55	1.11	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	S1A	A	1000	-	-	6/44/67/67	0/2/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1000	S1A	C3-C4	5.15	1.60	1.53
2	A	1000	S1A	C26-C25	3.86	1.45	1.39
2	A	1000	S1A	C8-C9	3.36	1.58	1.51
2	A	1000	S1A	C5-C4	3.24	1.59	1.53
2	A	1000	S1A	C10-C9	2.78	1.40	1.32
2	A	1000	S1A	C25-C17	2.76	1.55	1.51
2	A	1000	S1A	O3-C3	2.64	1.45	1.40
2	A	1000	S1A	C29-C30	2.51	1.43	1.38
2	A	1000	S1A	C6-C7	2.47	1.58	1.53
2	A	1000	S1A	C29-C28	2.35	1.43	1.38
2	A	1000	S1A	C12-C11	2.26	1.57	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1000	S1A	O18-C1-O1	-3.26	118.06	123.95
2	A	1000	S1A	C8-C7-C6	-2.49	111.54	115.56
2	A	1000	S1A	C16-C17-C25	-2.28	104.66	112.69

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1000	S1A	C10-C11-O11-C23
2	A	1000	S1A	C12-C11-O11-C23
2	A	1000	S1A	C22-C8-C9-C10
2	A	1000	S1A	C9-C10-C11-O11
2	A	1000	S1A	C7-C8-C9-C10
2	A	1000	S1A	C9-C10-C11-C12

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/587 (84%)	0.29	24 (4%) 35 31	22, 39, 65, 79	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	758	TYR	5.5
1	A	380	TRP	4.0
1	A	396	GLN	3.4
1	A	382	LEU	3.1
1	A	240	ARG	3.0
1	A	634	SER	3.0
1	A	686	VAL	3.0
1	A	527	HIS	2.8
1	A	381	ALA	2.8
1	A	678	LYS	2.7
1	A	496	GLN	2.7
1	A	666	SER	2.7
1	A	378	ALA	2.7
1	A	672	LEU	2.5
1	A	318	VAL	2.4
1	A	427	ASP	2.4
1	A	384	ASP	2.3
1	A	446	ARG	2.2
1	A	525	ARG	2.1
1	A	464	ILE	2.1
1	A	379	MET	2.0
1	A	410	GLU	2.0
1	A	411	TRP	2.0
1	A	736	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	S1A	A	1000	37/37	0.91	0.11	29,34,40,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around S1A A 1000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.