



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 07:01 PM UTC

PDB ID : 1JS2 / pdb\_00001js2  
Title : Crystal structure of C77S HiPIP: a serine ligated [4Fe-4S] cluster  
Authors : Mansy, S.S.; Xiong, Y.; Hemann, C.; Hille, R.; Sundaralingam, M.; Cowan, J.A.  
Deposited on : 2001-08-16  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	89	82% 15% ..
1	B	89	75% 24% .
1	C	89	79% 19% .
1	D	89	83% 17%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2860 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called high-potential iron protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	89	660	410	115	129	6	0	0	0
1	B	89	660	410	115	129	6	0	0	0
1	C	89	660	410	115	129	6	0	0	0
1	D	89	660	410	115	129	6	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	cloning artifact	UNP P00260
A	2	GLU	-	cloning artifact	UNP P00260
A	3	PHE	-	cloning artifact	UNP P00260
A	4	MET	-	cloning artifact	UNP P00260
A	81	SER	CYS	engineered mutation	UNP P00260
B	101	MET	-	cloning artifact	UNP P00260
B	102	GLU	-	cloning artifact	UNP P00260
B	103	PHE	-	cloning artifact	UNP P00260
B	104	MET	-	cloning artifact	UNP P00260
B	181	SER	CYS	engineered mutation	UNP P00260
C	201	MET	-	cloning artifact	UNP P00260
C	202	GLU	-	cloning artifact	UNP P00260
C	203	PHE	-	cloning artifact	UNP P00260
C	204	MET	-	cloning artifact	UNP P00260
C	281	SER	CYS	engineered mutation	UNP P00260
D	301	MET	-	cloning artifact	UNP P00260
D	302	GLU	-	cloning artifact	UNP P00260
D	303	PHE	-	cloning artifact	UNP P00260
D	304	MET	-	cloning artifact	UNP P00260
D	381	SER	CYS	engineered mutation	UNP P00260

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe S	0	0
			8	4 4		
2	B	1	Total	Fe S	0	0
			8	4 4		
2	C	1	Total	Fe S	0	0
			8	4 4		
2	D	1	Total	Fe S	0	0
			8	4 4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	49	Total	O	0	0
			49	49		
3	B	57	Total	O	0	0
			57	57		
3	C	48	Total	O	0	0
			48	48		
3	D	34	Total	O	0	0
			34	34		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: high-potential iron protein

Chain A:  82% 15%




- Molecule 1: high-potential iron protein

Chain B:  75% 24%




- Molecule 1: high-potential iron protein

Chain C:  79% 19%



- Molecule 1: high-potential iron protein

Chain D:  83% 17%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	67.06Å 30.18Å 68.74Å 90.00° 111.27° 90.00°	Depositor
Resolution (Å)	15.00 – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) (15.00-1.90)	Depositor
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.193 , 0.234	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2860	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/675	0.93	3/916 (0.3%)
1	B	0.58	0/675	0.92	2/916 (0.2%)
1	C	0.59	0/675	0.99	3/916 (0.3%)
1	D	0.56	0/675	0.90	0/916
All	All	0.57	0/2700	0.94	8/3664 (0.2%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	241	PRO	N-CA-C	-6.72	104.02	110.47
1	A	41	PRO	N-CA-C	-6.14	104.58	110.47
1	A	40	LEU	CA-C-N	-5.76	115.46	119.66
1	A	40	LEU	C-N-CA	-5.76	115.46	119.66
1	C	261	THR	CA-C-N	5.33	127.42	120.28
1	C	261	THR	C-N-CA	5.33	127.42	120.28
1	B	115	ASP	N-CA-C	-5.25	100.69	109.24
1	B	141	PRO	N-CA-C	-5.08	104.50	110.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	660	0	624	11	0
1	B	660	0	621	14	0
1	C	660	0	621	13	0
1	D	660	0	621	9	0
2	A	8	0	0	0	0
2	B	8	0	0	0	0
2	C	8	0	0	0	0
2	D	8	0	0	0	0
3	A	49	0	0	1	0
3	B	57	0	0	0	0
3	C	48	0	0	1	0
3	D	34	0	0	0	0
All	All	2860	0	2487	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:PRO:HG2	1:A:10:ALA:HB2	1.43	1.00
1:B:109:ASN:H	1:B:109:ASN:HD22	1.18	0.89
1:C:276:ASN:HD22	1:C:278:ASN:H	1.26	0.84
1:D:376:ASN:HD22	1:D:378:ASN:H	1.26	0.83
1:B:107:PRO:HG2	1:B:110:ALA:HB2	1.67	0.76
1:D:332:ARG:HD2	1:D:342:PRO:O	1.91	0.71
1:C:268:GLN:HG2	3:C:577:HOH:O	1.94	0.67
1:C:276:ASN:ND2	1:C:278:ASN:H	1.99	0.59
1:B:155:ALA:HA	1:B:165:LYS:HD2	1.84	0.58
1:B:109:ASN:HD22	1:B:109:ASN:N	1.90	0.57
1:B:109:ASN:H	1:B:109:ASN:ND2	1.97	0.56
1:C:251:GLN:NE2	1:C:288:ALA:H	2.04	0.56
1:A:22:LYS:HD3	1:A:31:GLU:OE1	2.05	0.56
1:C:275:ILE:C	1:C:275:ILE:HD12	2.32	0.54
1:A:38:PRO:HD2	1:B:171:PRO:HB3	1.90	0.54
1:C:232:ARG:HD2	1:C:242:PRO:O	2.07	0.54
1:C:251:GLN:HE22	1:C:288:ALA:H	1.57	0.53
1:D:345:GLN:HE21	1:D:380:TRP:HE1	1.57	0.53
1:B:122:LYS:HD3	1:B:131:GLU:OE2	2.09	0.52
1:D:375:ILE:C	1:D:375:ILE:HD12	2.35	0.51
1:C:207:PRO:HG2	1:C:210:ALA:HB2	1.93	0.50
1:D:346:HIS:HD2	1:D:377:VAL:O	1.96	0.49

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:351:GLN:HB2	1:D:386:LEU:O	2.11	0.48
1:C:249:ASN:ND2	1:C:284:TRP:HE1	2.11	0.48
1:D:376:ASN:ND2	1:D:378:ASN:H	2.02	0.48
1:B:170:PHE:HB3	1:B:173:LYS:HB2	1.96	0.47
1:C:249:ASN:HD22	1:C:249:ASN:C	2.22	0.47
1:B:151:GLN:NE2	1:B:188:ALA:H	2.11	0.47
1:B:151:GLN:HE22	1:B:188:ALA:H	1.61	0.47
1:A:32:ARG:HD2	1:A:42:PRO:O	2.15	0.46
1:B:104:MET:HE1	1:B:162:ASP:OD2	2.15	0.46
1:D:346:HIS:NE2	1:D:348:ALA:HB3	2.31	0.46
1:A:32:ARG:HA	1:A:80:TRP:CZ2	2.53	0.44
1:A:75:ILE:C	1:A:75:ILE:HD12	2.43	0.44
1:C:275:ILE:HD12	1:C:275:ILE:O	2.17	0.43
1:A:40:LEU:HD13	1:A:86:LEU:HD22	2.00	0.43
1:A:49:ASN:HD22	1:D:301:MET:HE1	1.84	0.42
1:A:4:MET:HA	1:A:4:MET:HE2	2.02	0.42
1:A:40:LEU:O	1:A:41:PRO:C	2.63	0.42
1:C:270:PHE:HB3	1:C:273:LYS:HB2	2.01	0.42
1:C:286:LEU:HD23	1:C:286:LEU:HA	1.89	0.41
1:B:160:ALA:HB1	1:B:165:LYS:HD3	2.02	0.41
1:A:37:ARG:HG2	3:A:501:HOH:O	2.21	0.41
1:B:140:LEU:HG	1:B:186:LEU:HD13	2.03	0.41
1:B:175:ILE:HD12	1:B:175:ILE:C	2.46	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	87/89 (98%)	85 (98%)	2 (2%)	0	100	100
1	B	87/89 (98%)	85 (98%)	2 (2%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	87/89 (98%)	82 (94%)	5 (6%)	0	100	100
1	D	87/89 (98%)	84 (97%)	3 (3%)	0	100	100
All	All	348/356 (98%)	336 (97%)	12 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	64/64 (100%)	61 (95%)	3 (5%)	23	15
1	B	64/64 (100%)	61 (95%)	3 (5%)	23	15
1	C	64/64 (100%)	60 (94%)	4 (6%)	16	8
1	D	64/64 (100%)	62 (97%)	2 (3%)	35	29
All	All	256/256 (100%)	244 (95%)	12 (5%)	23	15

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	4	MET
1	A	40	LEU
1	B	109	ASN
1	B	121	LEU
1	B	174	LEU
1	C	221	LEU
1	C	244	GLU
1	C	249	ASN
1	C	286	LEU
1	D	304	MET
1	D	356	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	78	ASN
1	B	109	ASN
1	B	151	GLN
1	B	178	ASN
1	C	249	ASN
1	C	251	GLN
1	C	254	GLN
1	C	268	GLN
1	C	276	ASN
1	C	278	ASN
1	D	345	GLN
1	D	376	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SF4	A	90	1	0,12,12	-	-	-		
2	SF4	B	190	1	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SF4	D	390	1	0,12,12	-	-	-		
2	SF4	C	290	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	A	90	1	-	-	0/6/5/5
2	SF4	B	190	1	-	-	0/6/5/5
2	SF4	D	390	1	-	-	0/6/5/5
2	SF4	C	290	1	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.