



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 02:18 PM UTC

PDB ID : 1JS6 / pdb_00001js6
Title : Crystal Structure of DOPA decarboxylase
Authors : Burkhard, P.; Dominici, P.; Borri-Voltattorni, C.; Jansonius, J.N.; Malashkevich, V.N.
Deposited on : 2001-08-16
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	486	65% 28% • 5% 2%
1	B	486	66% 27% • 5% 2%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7375 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DOPA decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	464	Total	C	N	O	S	0	0	0
			3625	2327	630	643	25			
1	B	464	Total	C	N	O	S	0	0	0
			3625	2327	630	643	25			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	49	Total 49	O 49	0	0
3	B	46	Total 46	O 46	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DOPA decarboxylase



• Molecule 1: DOPA decarboxylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, α , β , γ	152.86Å 152.86Å 86.60Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.87 – 2.60 19.87 – 2.60	Depositor EDS
% Data completeness (in resolution range)	88.1 (19.87-2.60) 88.0 (19.87-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.61Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.206 , 0.258 0.216 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	36.2	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.043 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7375	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3714	1.00	19/5028 (0.4%)
1	B	0.56	0/3714	1.00	18/5028 (0.4%)
All	All	0.56	0/7428	1.00	37/10056 (0.4%)

There are no bond length outliers.

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	431	ARG	NE-CZ-NH2	8.63	126.97	119.20
1	A	38	LEU	N-CA-C	8.28	120.38	111.36
1	A	63	ILE	N-CA-C	8.15	118.50	111.90
1	B	38	LEU	N-CA-C	7.95	120.03	111.36
1	A	401	CYS	N-CA-C	7.80	122.62	113.18
1	B	63	ILE	N-CA-C	7.75	118.18	111.90
1	A	431	ARG	NE-CZ-NH1	-7.54	113.95	121.50
1	B	401	CYS	N-CA-C	7.37	122.09	113.18
1	B	306	LEU	N-CA-C	7.00	121.40	112.86
1	A	306	LEU	N-CA-C	6.80	121.15	112.86
1	B	431	ARG	CD-NE-CZ	6.62	133.67	124.40
1	B	29	VAL	N-CA-C	6.58	117.07	110.23
1	A	73	SER	N-CA-C	-6.29	102.13	109.93
1	A	70	HIS	N-CA-C	6.27	119.77	108.17
1	B	70	HIS	N-CA-C	6.23	119.69	108.17
1	B	73	SER	N-CA-C	-6.07	102.41	109.93
1	B	431	ARG	NE-CZ-NH2	-6.00	113.80	119.20
1	A	29	VAL	N-CA-C	5.91	116.38	110.23
1	A	431	ARG	CD-NE-CZ	5.86	132.61	124.40
1	A	310	ASP	N-CA-C	-5.80	98.45	110.80
1	B	189	ASP	N-CA-C	-5.78	106.32	113.19
1	B	300	ASN	N-CA-C	5.66	118.87	108.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	310	ASP	N-CA-C	-5.60	98.88	110.80
1	A	82	THR	N-CA-C	-5.57	100.62	109.59
1	A	174	LEU	N-CA-C	5.56	118.54	110.42
1	A	309	PHE	N-CA-C	5.43	117.95	110.35
1	B	280	ILE	N-CA-C	-5.41	106.21	112.98
1	B	82	THR	N-CA-C	-5.41	100.89	109.59
1	A	454	LYS	N-CA-C	5.36	118.62	112.57
1	A	345	ASP	N-CA-C	5.32	116.03	108.54
1	A	280	ILE	N-CA-C	-5.31	106.34	112.98
1	A	300	ASN	N-CA-C	5.30	118.23	108.69
1	B	431	ARG	NE-CZ-NH1	5.28	126.78	121.50
1	A	301	PRO	N-CA-C	-5.21	107.34	113.86
1	B	309	PHE	N-CA-C	5.19	117.61	110.35
1	B	301	PRO	N-CA-C	-5.11	107.48	113.86
1	B	251	PHE	N-CA-C	5.06	116.66	108.26

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3625	0	3604	100	0
1	B	3625	0	3604	100	0
2	A	15	0	7	0	0
2	B	15	0	7	0	0
3	A	49	0	0	0	0
3	B	46	0	0	1	0
All	All	7375	0	7222	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:LYS:HD3	1:A:228:ARG:HH12	1.36	0.88
1:B:207:LYS:HD3	1:B:228:ARG:HH12	1.39	0.88
1:A:219:ALA:HB2	1:A:256:GLU:HB3	1.62	0.82
1:B:219:ALA:HB2	1:B:256:GLU:HB3	1.65	0.79
1:A:11:LYS:HG2	1:B:11:LYS:HG2	1.66	0.76
1:A:192:HIS:CD2	1:A:194:SER:H	2.05	0.73
1:B:45:THR:HG22	1:B:46:ALA:O	1.91	0.71
1:A:456:GLU:H	1:A:459:HIS:HD2	1.39	0.71
1:B:170:ALA:O	1:B:172:PRO:HD3	1.90	0.70
1:B:192:HIS:CD2	1:B:194:SER:H	2.09	0.69
1:B:81:PRO:HB3	1:B:451:CYS:HA	1.74	0.69
1:B:456:GLU:H	1:B:459:HIS:HD2	1.41	0.69
1:B:288:LEU:O	1:B:291:VAL:HG22	1.93	0.69
1:A:288:LEU:O	1:A:291:VAL:HG22	1.94	0.68
1:A:45:THR:HG22	1:A:46:ALA:O	1.94	0.68
1:B:278:ALA:HA	1:B:378:ILE:HD13	1.76	0.67
1:A:323:THR:HG23	1:A:327:LYS:HD2	1.75	0.67
1:A:81:PRO:HB3	1:A:451:CYS:HA	1.75	0.67
1:A:278:ALA:HA	1:A:378:ILE:HD13	1.77	0.66
1:A:207:LYS:HE3	1:A:229:ASP:OD1	1.95	0.66
1:B:52:THR:HG22	1:B:54:GLU:H	1.60	0.66
1:A:192:HIS:HD2	1:A:194:SER:H	1.41	0.66
1:B:207:LYS:HE3	1:B:229:ASP:OD1	1.97	0.64
1:B:175:THR:HG23	1:B:178:ALA:HB2	1.80	0.64
1:B:323:THR:HG23	1:B:327:LYS:HD2	1.79	0.64
1:B:192:HIS:HD2	1:B:194:SER:H	1.45	0.63
1:A:52:THR:HG22	1:A:54:GLU:H	1.64	0.63
1:B:52:THR:HG22	1:B:54:GLU:N	2.14	0.63
1:B:302:HIS:HB2	1:B:309:PHE:HA	1.81	0.63
1:B:170:ALA:C	1:B:172:PRO:HD3	2.25	0.62
1:A:302:HIS:HB2	1:A:309:PHE:HA	1.80	0.61
1:B:158:ALA:HA	1:B:325:ALA:HB2	1.83	0.61
1:A:218:ARG:HD2	1:A:256:GLU:OE1	2.02	0.60
1:A:158:ALA:HA	1:A:325:ALA:HB2	1.84	0.60
1:A:207:LYS:HD3	1:A:228:ARG:NH1	2.13	0.59
1:B:288:LEU:HG	1:B:291:VAL:CG2	2.34	0.58
1:A:52:THR:HG22	1:A:54:GLU:N	2.18	0.58
1:A:175:THR:HG23	1:A:178:ALA:HB2	1.86	0.58
1:A:309:PHE:HD1	1:B:356:ARG:HG2	1.69	0.58
1:B:18:ALA:O	1:B:22:GLU:HB2	2.04	0.58
1:B:288:LEU:HG	1:B:291:VAL:HG22	1.86	0.58
1:A:126:LEU:HD11	1:A:299:PHE:CE2	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:ARG:HG2	1:B:309:PHE:HD1	1.70	0.57
1:A:184:VAL:HG21	1:A:234:LEU:HD13	1.86	0.57
1:B:218:ARG:HD2	1:B:256:GLU:OE1	2.03	0.57
1:B:126:LEU:HD11	1:B:299:PHE:CE2	2.40	0.56
1:A:421:GLU:O	1:A:425:GLU:HG3	2.06	0.56
1:B:207:LYS:HD3	1:B:228:ARG:NH1	2.15	0.56
1:B:421:GLU:O	1:B:425:GLU:HG3	2.06	0.55
1:A:119:MET:HE1	1:A:313:ALA:HB1	1.87	0.55
1:A:130:GLU:N	1:A:130:GLU:CD	2.65	0.55
1:B:398:PHE:O	1:B:414:LYS:HE3	2.07	0.55
1:A:288:LEU:HG	1:A:291:VAL:CG2	2.36	0.55
1:A:323:THR:CG2	1:A:327:LYS:HD2	2.36	0.55
1:B:28:GLN:NE2	1:B:431:ARG:HD2	2.22	0.55
1:A:18:ALA:O	1:A:22:GLU:HB2	2.06	0.55
1:A:288:LEU:HG	1:A:291:VAL:HG22	1.88	0.54
1:B:130:GLU:N	1:B:130:GLU:CD	2.66	0.54
1:B:184:VAL:HG21	1:B:234:LEU:HD13	1.88	0.54
1:B:452:SER:O	1:B:455:VAL:HG23	2.07	0.54
1:A:378:ILE:O	1:A:382:VAL:HG23	2.07	0.53
1:A:424:LEU:HD21	1:A:437:PRO:HD3	1.90	0.53
1:B:302:HIS:HA	1:B:307:VAL:O	2.09	0.53
1:A:130:GLU:CD	1:A:130:GLU:H	2.17	0.53
1:B:290:GLY:N	1:B:292:GLU:OE1	2.41	0.53
1:B:130:GLU:CD	1:B:130:GLU:H	2.17	0.52
1:B:119:MET:HE1	1:B:313:ALA:HB1	1.92	0.52
1:A:452:SER:O	1:A:455:VAL:HG23	2.10	0.52
1:B:219:ALA:HB1	1:B:260:ILE:HD11	1.92	0.51
1:A:290:GLY:N	1:A:292:GLU:OE1	2.43	0.51
1:B:54:GLU:O	1:B:58:GLN:HG2	2.11	0.51
1:A:456:GLU:N	1:A:459:HIS:HD2	2.08	0.50
1:B:318:ARG:O	1:B:321:ASP:HB2	2.11	0.50
1:B:413:LEU:HD23	1:B:419:LEU:HD13	1.94	0.50
1:A:302:HIS:HA	1:A:307:VAL:O	2.10	0.50
1:B:175:THR:HG23	1:B:178:ALA:CB	2.41	0.50
1:B:391:PHE:HB3	1:B:464:TRP:CD1	2.47	0.50
1:A:398:PHE:O	1:A:414:LYS:HE3	2.12	0.49
1:A:391:PHE:HB3	1:A:464:TRP:CD1	2.48	0.49
1:B:423:LEU:O	1:B:427:ILE:HG13	2.13	0.49
1:A:54:GLU:O	1:A:58:GLN:HG2	2.12	0.49
1:A:144:ILE:HD11	1:A:362:MET:SD	2.53	0.48
1:B:42:ILE:HG22	1:B:43:PRO:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LEU:HD23	1:B:351:LEU:HD11	1.95	0.48
1:A:153:LEU:HD23	1:A:351:LEU:HD11	1.95	0.48
1:A:318:ARG:O	1:A:321:ASP:HB2	2.14	0.47
1:A:130:GLU:HA	1:A:133:LEU:HD22	1.96	0.47
1:A:175:THR:HG23	1:A:178:ALA:CB	2.44	0.47
1:B:39:ARG:N	1:B:40:PRO:HD2	2.30	0.47
1:A:440:LEU:O	1:A:441:ARG:HB2	2.15	0.47
1:B:32:ASP:OD1	1:B:431:ARG:NH1	2.41	0.47
1:B:424:LEU:HD21	1:B:437:PRO:HD3	1.97	0.47
1:A:192:HIS:HD2	1:A:194:SER:CB	2.28	0.46
1:A:22:GLU:OE2	1:B:3:ALA:HB3	2.16	0.46
1:B:440:LEU:O	1:B:441:ARG:HB2	2.16	0.46
1:B:456:GLU:N	1:B:459:HIS:HD2	2.11	0.46
1:B:92:ASP:OD1	1:B:361:LYS:HD3	2.15	0.46
1:A:42:ILE:HG23	1:A:43:PRO:HD2	1.98	0.46
1:A:219:ALA:HB1	1:A:260:ILE:HD11	1.97	0.46
1:B:215:PHE:HE2	1:B:441:ARG:HG2	1.81	0.46
1:A:137:ALA:HA	1:A:340:SER:OG	2.16	0.45
1:B:323:THR:CG2	1:B:327:LYS:HD2	2.46	0.45
1:A:413:LEU:HD23	1:A:419:LEU:HD13	1.98	0.45
1:B:291:VAL:O	1:B:292:GLU:C	2.59	0.45
1:A:291:VAL:O	1:A:292:GLU:C	2.59	0.45
1:B:259:PRO:HG3	1:B:293:PHE:CZ	2.52	0.45
1:A:419:LEU:HD22	1:A:474:LEU:HD21	1.99	0.45
1:B:130:GLU:HA	1:B:133:LEU:HD22	1.98	0.45
1:B:347:ARG:HH11	1:B:347:ARG:HG2	1.82	0.45
1:A:309:PHE:CD1	1:B:356:ARG:HG2	2.52	0.44
1:A:147:SER:OG	1:A:150:GLU:HG3	2.17	0.44
1:B:217:MET:HA	3:B:648:HOH:O	2.17	0.44
1:A:42:ILE:HG22	1:A:43:PRO:O	2.17	0.44
1:A:395:ASP:OD1	1:A:397:ARG:HB2	2.18	0.44
1:B:167:LEU:HB3	1:B:174:LEU:HD23	1.99	0.44
1:B:299:PHE:O	1:B:301:PRO:HD3	2.17	0.44
1:A:10:GLY:O	1:A:14:VAL:HG23	2.17	0.44
1:A:120:ASP:OD2	1:B:39:ARG:NH2	2.46	0.44
1:A:215:PHE:HE2	1:A:441:ARG:HG2	1.82	0.44
1:A:254:LEU:HD12	1:A:254:LEU:HA	1.87	0.44
1:B:254:LEU:HD12	1:B:254:LEU:HA	1.82	0.44
1:B:424:LEU:HD22	1:B:437:PRO:HB3	1.99	0.44
1:B:271:ASP:OD1	1:B:271:ASP:C	2.61	0.44
1:B:378:ILE:O	1:B:382:VAL:HG23	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:LEU:CD1	1:A:368:MET:HE1	2.47	0.44
1:B:440:LEU:HD12	1:B:440:LEU:HA	1.87	0.44
1:B:33:VAL:HG22	1:B:37:TYR:CG	2.52	0.43
1:A:440:LEU:HD12	1:A:440:LEU:HA	1.86	0.43
1:B:239:VAL:HG23	1:B:266:ILE:HG21	2.00	0.43
1:A:466:HIS:CE1	1:A:470:LEU:HD11	2.52	0.43
1:B:175:THR:CG2	1:B:178:ALA:HB2	2.47	0.43
1:A:56:ILE:HG12	1:B:367:ARG:CZ	2.49	0.43
1:A:424:LEU:HD22	1:A:437:PRO:HB3	2.00	0.43
1:A:92:ASP:OD1	1:A:361:LYS:HD3	2.18	0.43
1:A:326:PHE:HE2	1:A:351:LEU:HD23	1.83	0.43
1:B:369:TYR:HB3	1:B:374:LEU:HD13	2.00	0.43
1:B:10:GLY:O	1:B:14:VAL:HG23	2.19	0.43
1:B:144:ILE:HD11	1:B:362:MET:SD	2.59	0.43
1:A:369:TYR:HB3	1:A:374:LEU:HD13	2.01	0.43
1:A:428:ASN:O	1:A:431:ARG:HD3	2.18	0.43
1:A:456:GLU:H	1:A:459:HIS:CD2	2.27	0.43
1:B:215:PHE:CE2	1:B:441:ARG:HG2	2.54	0.43
1:A:156:LEU:C	1:A:156:LEU:HD23	2.44	0.43
1:A:347:ARG:HG2	1:A:347:ARG:HH11	1.83	0.42
1:B:162:LYS:HD2	1:B:321:ASP:OD1	2.19	0.42
1:A:78:ALA:O	1:A:79:TYR:C	2.62	0.42
1:A:162:LYS:HD2	1:A:321:ASP:OD1	2.19	0.42
1:A:273:ALA:HA	1:A:299:PHE:HA	2.01	0.42
1:A:175:THR:HG21	1:B:181:GLU:OE2	2.19	0.42
1:B:192:HIS:HD2	1:B:194:SER:CB	2.31	0.42
1:A:410:CYS:HB3	1:A:445:VAL:HG11	2.01	0.42
1:A:423:LEU:O	1:A:427:ILE:HG13	2.20	0.42
1:B:326:PHE:HE2	1:B:351:LEU:HD23	1.83	0.42
1:B:410:CYS:HB3	1:B:445:VAL:HG11	2.00	0.42
1:A:33:VAL:HG22	1:A:37:TYR:CG	2.55	0.42
1:A:356:ARG:CG	1:B:309:PHE:HD1	2.32	0.42
1:B:90:LEU:CD1	1:B:368:MET:HE1	2.49	0.42
1:A:356:ARG:HG2	1:B:309:PHE:CD1	2.52	0.42
1:B:245:THR:O	1:B:249:CYS:HA	2.20	0.42
1:A:90:LEU:HD12	1:A:368:MET:HE1	2.01	0.42
1:A:126:LEU:HD11	1:A:299:PHE:HE2	1.85	0.42
1:A:39:ARG:N	1:A:40:PRO:HD2	2.35	0.42
1:B:209:ILE:HG13	1:B:217:MET:HE2	2.00	0.42
1:A:125:MET:HE2	1:B:46:ALA:HB2	2.01	0.42
1:B:309:PHE:O	1:B:310:ASP:CB	2.68	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:419:LEU:HD22	1:B:474:LEU:HD21	2.01	0.42
1:A:34:GLN:O	1:A:37:TYR:HB3	2.20	0.42
1:A:245:THR:O	1:A:249:CYS:HA	2.20	0.41
1:B:9:ARG:HD2	1:B:53:PHE:CD2	2.55	0.41
1:B:413:LEU:HD23	1:B:419:LEU:CD1	2.50	0.41
1:A:119:MET:HE3	1:A:315:TRP:CE2	2.55	0.41
1:A:281:CYS:HB3	1:A:283:GLU:OE2	2.19	0.41
1:B:309:PHE:CG	1:B:310:ASP:N	2.88	0.41
1:A:209:ILE:HG13	1:A:217:MET:HE2	2.02	0.41
1:A:239:VAL:HG23	1:A:266:ILE:HG21	2.03	0.41
1:A:463:ALA:O	1:A:467:ILE:HG13	2.21	0.41
1:B:107:ALA:O	1:B:108:SER:CB	2.69	0.41
1:B:273:ALA:HA	1:B:299:PHE:HA	2.03	0.41
1:A:24:ILE:HD13	1:A:72:HIS:C	2.46	0.41
1:A:83:ALA:HB1	1:A:306:LEU:HA	2.02	0.40
1:A:267:TRP:CD1	1:A:267:TRP:C	2.98	0.40
1:A:398:PHE:CE2	1:A:413:LEU:HD13	2.56	0.40
1:A:215:PHE:CE2	1:A:441:ARG:HG2	2.56	0.40
1:B:74:PRO:HA	1:B:452:SER:HB3	2.03	0.40
1:B:345:ASP:CG	1:B:345:ASP:O	2.65	0.40
1:A:309:PHE:O	1:A:310:ASP:CB	2.70	0.40
1:B:395:ASP:OD1	1:B:397:ARG:HB2	2.21	0.40
1:B:83:ALA:HB1	1:B:306:LEU:HA	2.03	0.40
1:B:147:SER:OG	1:B:150:GLU:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	460/486 (95%)	431 (94%)	24 (5%)	5 (1%)	11 25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	460/486 (95%)	429 (93%)	27 (6%)	4 (1%)	14	30
All	All	920/972 (95%)	860 (94%)	51 (6%)	9 (1%)	12	28

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	108	SER
1	A	310	ASP
1	B	108	SER
1	B	310	ASP
1	A	311	CYS
1	B	311	CYS
1	B	437	PRO
1	A	172	PRO
1	A	437	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/393 (95%)	356 (95%)	19 (5%)	21	45
1	B	375/393 (95%)	356 (95%)	19 (5%)	21	45
All	All	750/786 (95%)	712 (95%)	38 (5%)	21	45

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LEU
1	A	33	VAL
1	A	92	ASP
1	A	130	GLU
1	A	133	LEU
1	A	167	LEU
1	A	183	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	220	SER
1	A	283	GLU
1	A	291	VAL
1	A	305	LEU
1	A	322	LEU
1	A	323	THR
1	A	353	LEU
1	A	360	LEU
1	A	374	LEU
1	A	419	LEU
1	A	436	VAL
1	A	437	PRO
1	B	21	LEU
1	B	33	VAL
1	B	92	ASP
1	B	130	GLU
1	B	133	LEU
1	B	167	LEU
1	B	183	LEU
1	B	220	SER
1	B	283	GLU
1	B	291	VAL
1	B	305	LEU
1	B	322	LEU
1	B	323	THR
1	B	353	LEU
1	B	360	LEU
1	B	374	LEU
1	B	419	LEU
1	B	436	VAL
1	B	437	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	GLN
1	A	192	HIS
1	A	386	HIS
1	A	394	GLN
1	A	443	GLN
1	A	459	HIS
1	A	466	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	28	GLN
1	B	127	GLN
1	B	192	HIS
1	B	386	HIS
1	B	394	GLN
1	B	443	GLN
1	B	459	HIS
1	B	466	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLP	B	602	1	15,15,16	1.57	3 (20%)	21,22,23	1.07	2 (9%)
2	PLP	A	601	1	15,15,16	1.29	1 (6%)	21,22,23	1.09	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	B	602	1	-	1/6/6/8	0/1/1/1
2	PLP	A	601	1	-	0/6/6/8	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	PLP	C3-C2	-3.40	1.37	1.41
2	A	601	PLP	C3-C2	-2.33	1.38	1.41
2	B	602	PLP	P-O2P	2.27	1.63	1.54
2	B	602	PLP	C2-N1	2.04	1.37	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	PLP	O3P-P-O1P	2.27	119.69	110.83
2	B	602	PLP	O3P-P-O1P	2.17	119.30	110.83
2	A	601	PLP	C5-C6-N1	-2.09	120.44	123.83
2	B	602	PLP	C5-C6-N1	-2.08	120.45	123.83
2	A	601	PLP	C6-C5-C4	2.01	119.75	118.10

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	602	PLP	C5A-O4P-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	464/486 (95%)	-0.32	4 (0%) 81 78	13, 30, 57, 83	0
1	B	464/486 (95%)	-0.26	10 (2%) 62 57	13, 30, 59, 83	0
All	All	928/972 (95%)	-0.29	14 (1%) 72 68	13, 30, 58, 83	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	326	PHE	3.1
1	B	3	ALA	3.0
1	A	476	ALA	2.9
1	B	476	ALA	2.6
1	A	340	SER	2.2
1	B	130	GLU	2.1
1	B	327	LYS	2.1
1	B	1	MET	2.1
1	A	2	ASN	2.1
1	A	326	PHE	2.1
1	B	345	ASP	2.0
1	B	4	SER	2.0
1	B	394	GLN	2.0
1	B	175	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PLP	A	601	15/16	0.96	0.07	20,23,33,33	0
2	PLP	B	602	15/16	0.97	0.06	19,29,38,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.