



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:04 AM UTC

PDB ID : 5JTB / pdb_00005jtb
Title : Crystal structure of the chimeric protein of A2aAR-BRIL with bound iodide ions
Authors : Melnikov, I.; Polovinkin, V.; Shevtsov, M.; Borshchevskiy, V.; Cherezov, V.; Popov, A.; Gordeliy, V.
Deposited on : 2016-05-09
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	13% 84% 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	OLA	A	1213	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 3436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine receptor A2a,Soluble cytochrome b562,Adenosine receptor A2a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	3	0
			3043	1984	517	521	21			

There are 39 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	initiating methionine	UNP P29274
A	-23	LYS	-	expression tag	UNP P29274
A	-22	THR	-	expression tag	UNP P29274
A	-21	ILE	-	expression tag	UNP P29274
A	-20	ILE	-	expression tag	UNP P29274
A	-19	ALA	-	expression tag	UNP P29274
A	-18	LEU	-	expression tag	UNP P29274
A	-17	SER	-	expression tag	UNP P29274
A	-16	TYR	-	expression tag	UNP P29274
A	-15	ILE	-	expression tag	UNP P29274
A	-14	PHE	-	expression tag	UNP P29274
A	-13	CYS	-	expression tag	UNP P29274
A	-12	LEU	-	expression tag	UNP P29274
A	-11	VAL	-	expression tag	UNP P29274
A	-10	PHE	-	expression tag	UNP P29274
A	-9	ALA	-	expression tag	UNP P29274
A	-8	ASP	-	expression tag	UNP P29274
A	-7	TYR	-	expression tag	UNP P29274
A	-6	LYS	-	expression tag	UNP P29274
A	-5	ASP	-	expression tag	UNP P29274
A	-4	ASP	-	expression tag	UNP P29274
A	-3	ASP	-	expression tag	UNP P29274
A	-2	ASP	-	expression tag	UNP P29274
A	-1	GLY	-	expression tag	UNP P29274
A	0	ALA	-	expression tag	UNP P29274
A	1	PRO	-	expression tag	UNP P29274

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	engineered mutation	UNP P0ABE7
A	1106	LEU	Arg	engineered mutation	UNP P0ABE7
A	317	HIS	-	expression tag	UNP P29274
A	318	HIS	-	expression tag	UNP P29274
A	319	HIS	-	expression tag	UNP P29274
A	320	HIS	-	expression tag	UNP P29274
A	321	HIS	-	expression tag	UNP P29274
A	322	HIS	-	expression tag	UNP P29274
A	323	HIS	-	expression tag	UNP P29274
A	324	HIS	-	expression tag	UNP P29274
A	325	HIS	-	expression tag	UNP P29274
A	326	HIS	-	expression tag	UNP P29274

- Molecule 2 is 4-{2-[(7-amino-2-furan-2-yl)[1,2,4]triazolo[1,5-a][1,3,5]triazin-5-yl)amino]ethyl} phenol (CCD ID: ZMA) (formula: C₁₆H₁₅N₇O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			25	16	7	2		

- Molecule 3 is CHOLESTEROL (CCD ID: CLR) (formula: C₂₇H₄₆O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		
3	A	1	Total	C	O	0	0
			28	27	1		
3	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 4 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	I	0	0
			6	6		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			20	18	2		
6	A	1	Total	C	O	0	0
			20	18	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			20	18	2		
6	A	1	Total	C	O	0	0
			20	18	2		

- Molecule 7 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: $C_{21}H_{40}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			17	13	4		

- Molecule 8 is (2S)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLB) (formula: $C_{21}H_{40}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			18	14	4		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	64	Total	O	0	0
			64	64		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosine receptor A2a,Soluble cytochrome b562,Adenosine receptor A2a



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	39.65Å 179.79Å 139.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	89.90 – 2.80 89.90 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.7 (89.90-2.80) 99.7 (89.90-2.80)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.84 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.234 , 0.294 0.234 , 0.294	Depositor DCC
R_{free} test set	661 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.413	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3436	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IOD, OLC, PEG, CLR, OLA, OLB, ZMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3119	1.05	1/4242 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	283	VAL	N-CA-C	5.82	116.60	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3043	0	3120	8	0
2	A	25	0	15	0	0
3	A	84	0	138	0	0
4	A	6	0	0	1	0
5	A	14	0	20	0	0
6	A	80	0	132	1	0
7	A	102	0	132	0	0
8	A	18	0	23	0	0
9	A	64	0	0	0	0
All	All	3436	0	3580	8	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (8) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:VAL:HG11	1:A:116:VAL:HG12	1.76	0.68
1:A:110:LEU:HB2	4:A:1209:IOD:I	2.80	0.51
1:A:1023:ALA:HB2	1:A:1084:VAL:HG22	1.95	0.48
1:A:55:VAL:HA	1:A:59:ALA:HB3	1.95	0.48
1:A:40:VAL:HG13	1:A:121:ALA:HB2	1.98	0.46
1:A:12:VAL:HG21	6:A:1215:OLA:H112	1.99	0.45
1:A:174:MET:HG3	1:A:257:PHE:HB2	2.01	0.42
1:A:10:ILE:HG12	1:A:64:ILE:HG23	2.01	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	387/447 (87%)	379 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/374 (86%)	322 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	42	ASN
1	A	75	HIS
1	A	145	ASN
1	A	1013	ASN
1	A	226	GLN
1	A	230	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 6 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	OLC	A	1222	-	16,16,24	1.16	1 (6%)	17,17,25	0.80	0
6	OLA	A	1214	-	19,19,19	1.21	1 (5%)	19,19,19	0.95	0
3	CLR	A	1202	-	31,31,31	2.00	8 (25%)	48,48,48	1.30	5 (10%)
6	OLA	A	1216	-	19,19,19	1.17	1 (5%)	19,19,19	0.98	1 (5%)
5	PEG	A	1211	-	6,6,6	0.62	0	5,5,5	0.51	0
2	ZMA	A	1201	-	26,28,28	2.16	5 (19%)	30,39,39	2.16	7 (23%)
6	OLA	A	1213	-	19,19,19	1.15	1 (5%)	19,19,19	1.02	0
3	CLR	A	1204	-	31,31,31	2.00	7 (22%)	48,48,48	1.33	5 (10%)
7	OLC	A	1217	-	16,16,24	1.14	1 (6%)	17,17,25	0.86	0
3	CLR	A	1203	-	31,31,31	2.01	8 (25%)	48,48,48	1.35	5 (10%)
7	OLC	A	1218	-	16,16,24	1.15	1 (6%)	17,17,25	0.83	0
5	PEG	A	1212	-	6,6,6	0.50	0	5,5,5	0.48	0
7	OLC	A	1221	-	16,16,24	1.13	1 (6%)	17,17,25	0.83	0
8	OLB	A	1223	-	17,17,24	1.11	1 (5%)	18,18,25	0.83	0
7	OLC	A	1219	-	16,16,24	1.17	1 (6%)	17,17,25	0.93	0
7	OLC	A	1220	-	16,16,24	1.19	1 (6%)	17,17,25	0.77	0
6	OLA	A	1215	-	19,19,19	1.21	1 (5%)	19,19,19	0.90	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OLC	A	1222	-	-	11/16/16/24	-
6	OLA	A	1214	-	-	12/17/17/17	-
3	CLR	A	1202	-	-	4/10/68/68	0/4/4/4
6	OLA	A	1216	-	-	10/17/17/17	-
5	PEG	A	1211	-	-	3/4/4/4	-
2	ZMA	A	1201	-	-	0/10/10/10	0/4/4/4
6	OLA	A	1213	-	-	11/17/17/17	-
3	CLR	A	1204	-	-	6/10/68/68	0/4/4/4
7	OLC	A	1217	-	-	8/16/16/24	-
3	CLR	A	1203	-	-	6/10/68/68	0/4/4/4
7	OLC	A	1218	-	-	9/16/16/24	-
5	PEG	A	1212	-	-	1/4/4/4	-
7	OLC	A	1221	-	-	5/16/16/24	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLB	A	1223	-	-	4/17/17/24	-
7	OLC	A	1219	-	-	8/16/16/24	-
7	OLC	A	1220	-	-	7/16/16/24	-
6	OLA	A	1215	-	-	11/17/17/17	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	ZMA	N16-N17	-8.39	1.23	1.38
3	A	1203	CLR	C4-C5	-4.89	1.41	1.51
3	A	1202	CLR	C4-C5	-4.80	1.42	1.51
3	A	1204	CLR	C4-C5	-4.65	1.42	1.51
3	A	1203	CLR	C7-C6	-4.51	1.41	1.50
3	A	1202	CLR	C7-C6	-4.50	1.41	1.50
3	A	1204	CLR	C7-C6	-4.34	1.41	1.50
6	A	1214	OLA	C10-C9	4.15	1.55	1.31
6	A	1216	OLA	C10-C9	4.12	1.55	1.31
6	A	1213	OLA	C10-C9	4.11	1.55	1.31
6	A	1215	OLA	C10-C9	4.10	1.55	1.31
2	A	1201	ZMA	C8-C7	-3.94	1.40	1.51
3	A	1204	CLR	C6-C5	3.94	1.41	1.33
3	A	1204	CLR	C10-C5	-3.91	1.45	1.52
3	A	1202	CLR	C6-C5	3.91	1.41	1.33
3	A	1203	CLR	C6-C5	3.89	1.41	1.33
3	A	1203	CLR	C10-C5	-3.83	1.45	1.52
7	A	1217	OLC	C10-C9	3.81	1.53	1.29
7	A	1220	OLC	C10-C9	3.80	1.53	1.29
7	A	1219	OLC	C10-C9	3.80	1.53	1.29
7	A	1218	OLC	C10-C9	3.79	1.53	1.29
3	A	1202	CLR	C10-C5	-3.78	1.45	1.52
7	A	1221	OLC	C10-C9	3.77	1.53	1.29
7	A	1222	OLC	C10-C9	3.76	1.53	1.29
3	A	1204	CLR	C11-C9	3.62	1.59	1.53
8	A	1223	OLB	C9-C10	3.53	1.55	1.29
3	A	1203	CLR	C11-C9	3.07	1.58	1.53
3	A	1202	CLR	C11-C9	2.94	1.58	1.53
2	A	1201	ZMA	C14-N16	-2.94	1.33	1.37
2	A	1201	ZMA	C18-N16	-2.88	1.34	1.38
3	A	1203	CLR	C8-C9	2.55	1.58	1.53
3	A	1204	CLR	C8-C9	2.55	1.58	1.53
2	A	1201	ZMA	C20-N19	-2.39	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1203	CLR	C13-C17	2.34	1.59	1.55
3	A	1202	CLR	C8-C9	2.31	1.58	1.53
3	A	1202	CLR	C8-C14	2.19	1.57	1.53
3	A	1202	CLR	C16-C17	2.09	1.58	1.54
3	A	1204	CLR	C18-C13	2.07	1.57	1.54
3	A	1203	CLR	C10-C9	2.02	1.59	1.56

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	ZMA	C20-N17-N16	6.26	107.86	101.39
2	A	1201	ZMA	N17-C20-N19	-5.17	109.53	115.38
3	A	1203	CLR	C4-C5-C6	-4.30	114.74	120.57
3	A	1202	CLR	C4-C5-C6	-4.30	114.75	120.57
3	A	1203	CLR	C4-C5-C10	4.22	121.82	116.42
3	A	1202	CLR	C4-C5-C10	4.19	121.79	116.42
2	A	1201	ZMA	N13-C11-N12	-4.08	119.71	126.79
3	A	1204	CLR	C4-C5-C10	3.97	121.50	116.42
3	A	1203	CLR	C17-C13-C14	-3.94	95.58	100.10
3	A	1204	CLR	C4-C5-C6	-3.72	115.52	120.57
2	A	1201	ZMA	N16-C18-N12	-3.62	119.46	122.61
2	A	1201	ZMA	N10-C11-N13	3.39	121.79	116.54
2	A	1201	ZMA	N12-C18-N19	3.10	132.64	127.73
3	A	1202	CLR	C17-C13-C14	-2.96	96.71	100.10
3	A	1204	CLR	C21-C20-C22	-2.92	105.81	110.34
3	A	1204	CLR	C12-C13-C17	-2.84	112.41	116.60
2	A	1201	ZMA	N15-C14-N16	2.61	121.59	118.32
3	A	1204	CLR	C17-C13-C14	-2.42	97.32	100.10
3	A	1203	CLR	C12-C13-C17	-2.27	113.26	116.60
6	A	1215	OLA	O1-C1-C2	-2.21	116.08	123.09
3	A	1202	CLR	C12-C13-C17	-2.20	113.36	116.60
3	A	1203	CLR	C21-C20-C22	-2.20	106.94	110.34
3	A	1202	CLR	C16-C15-C14	-2.06	101.11	105.14
6	A	1216	OLA	O1-C1-C2	-2.05	116.60	123.09

There are no chirality outliers.

All (116) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1219	OLC	O20-C21-C22-O23
7	A	1217	OLC	C2-C1-O20-C21
7	A	1219	OLC	O19-C1-O20-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1217	OLC	O19-C1-O20-C21
3	A	1204	CLR	C17-C20-C22-C23
7	A	1219	OLC	C2-C1-O20-C21
3	A	1204	CLR	C21-C20-C22-C23
7	A	1222	OLC	C2-C1-O20-C21
8	A	1223	OLB	C2-C1-O20-C21
7	A	1222	OLC	O20-C21-C22-C24
6	A	1213	OLA	C1-C2-C3-C4
8	A	1223	OLB	O19-C1-O20-C21
6	A	1216	OLA	C1-C2-C3-C4
7	A	1222	OLC	O19-C1-O20-C21
7	A	1222	OLC	O20-C21-C22-O23
7	A	1217	OLC	C1-C2-C3-C4
5	A	1211	PEG	O2-C3-C4-O4
5	A	1212	PEG	O2-C3-C4-O4
3	A	1203	CLR	C20-C22-C23-C24
7	A	1219	OLC	O20-C21-C22-C24
7	A	1218	OLC	O20-C21-C22-O23
3	A	1202	CLR	C23-C24-C25-C26
3	A	1204	CLR	C23-C24-C25-C26
3	A	1202	CLR	C23-C24-C25-C27
3	A	1204	CLR	C23-C24-C25-C27
6	A	1213	OLA	C4-C5-C6-C7
6	A	1214	OLA	C12-C13-C14-C15
7	A	1222	OLC	C1-C2-C3-C4
6	A	1214	OLA	C14-C15-C16-C17
7	A	1219	OLC	C2-C3-C4-C5
6	A	1216	OLA	C3-C4-C5-C6
6	A	1215	OLA	C2-C3-C4-C5
6	A	1213	OLA	C14-C15-C16-C17
6	A	1215	OLA	C11-C12-C13-C14
6	A	1215	OLA	C1-C2-C3-C4
6	A	1213	OLA	C13-C14-C15-C16
7	A	1222	OLC	C6-C7-C8-C9
7	A	1217	OLC	C3-C4-C5-C6
7	A	1219	OLC	C5-C6-C7-C8
3	A	1202	CLR	C20-C22-C23-C24
7	A	1221	OLC	C1-C2-C3-C4
3	A	1203	CLR	C16-C17-C20-C22
6	A	1216	OLA	C10-C11-C12-C13
7	A	1221	OLC	C6-C7-C8-C9
5	A	1211	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	1220	OLC	C4-C5-C6-C7
7	A	1221	OLC	C3-C4-C5-C6
3	A	1204	CLR	C20-C22-C23-C24
6	A	1215	OLA	C14-C15-C16-C17
6	A	1213	OLA	C3-C4-C5-C6
6	A	1213	OLA	C10-C11-C12-C13
6	A	1215	OLA	C10-C11-C12-C13
7	A	1220	OLC	C6-C7-C8-C9
6	A	1216	OLA	C13-C14-C15-C16
7	A	1218	OLC	O20-C21-C22-C24
7	A	1217	OLC	C6-C7-C8-C9
8	A	1223	OLB	C6-C7-C8-C9
3	A	1203	CLR	C17-C20-C22-C23
6	A	1214	OLA	C2-C3-C4-C5
6	A	1216	OLA	C11-C12-C13-C14
7	A	1222	OLC	C3-C4-C5-C6
6	A	1214	OLA	C6-C7-C8-C9
7	A	1218	OLC	C3-C4-C5-C6
6	A	1215	OLA	C15-C16-C17-C18
6	A	1214	OLA	C15-C16-C17-C18
3	A	1203	CLR	C21-C20-C22-C23
6	A	1213	OLA	C2-C3-C4-C5
7	A	1218	OLC	C1-C2-C3-C4
6	A	1216	OLA	C15-C16-C17-C18
7	A	1222	OLC	C2-C3-C4-C5
7	A	1220	OLC	C2-C1-O20-C21
6	A	1213	OLA	C12-C13-C14-C15
7	A	1221	OLC	C5-C6-C7-C8
6	A	1214	OLA	C4-C5-C6-C7
6	A	1215	OLA	C12-C13-C14-C15
3	A	1204	CLR	C22-C23-C24-C25
7	A	1217	OLC	C5-C6-C7-C8
6	A	1214	OLA	C10-C11-C12-C13
6	A	1216	OLA	C4-C5-C6-C7
7	A	1218	OLC	C4-C5-C6-C7
7	A	1220	OLC	O19-C1-O20-C21
7	A	1220	OLC	O20-C21-C22-O23
5	A	1211	PEG	C4-C3-O2-C2
6	A	1216	OLA	C2-C3-C4-C5
7	A	1220	OLC	C3-C4-C5-C6
6	A	1215	OLA	C4-C5-C6-C7
7	A	1220	OLC	O20-C21-C22-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1202	CLR	C22-C23-C24-C25
7	A	1222	OLC	C7-C8-C9-C10
8	A	1223	OLB	O20-C21-C22-O23
7	A	1218	OLC	O19-C1-O20-C21
7	A	1218	OLC	C2-C1-O20-C21
6	A	1213	OLA	C7-C8-C9-C10
7	A	1222	OLC	C4-C5-C6-C7
3	A	1203	CLR	C23-C24-C25-C27
3	A	1203	CLR	C23-C24-C25-C26
7	A	1222	OLC	O23-C22-C24-O25
6	A	1214	OLA	C3-C4-C5-C6
7	A	1217	OLC	C7-C8-C9-C10
6	A	1214	OLA	O1-C1-C2-C3
6	A	1214	OLA	C9-C10-C11-C12
7	A	1219	OLC	C7-C8-C9-C10
7	A	1219	OLC	C4-C5-C6-C7
6	A	1214	OLA	O2-C1-C2-C3
6	A	1213	OLA	O1-C1-C2-C3
6	A	1213	OLA	O2-C1-C2-C3
6	A	1216	OLA	O1-C1-C2-C3
6	A	1215	OLA	C7-C8-C9-C10
7	A	1221	OLC	C7-C8-C9-C10
6	A	1216	OLA	O2-C1-C2-C3
7	A	1218	OLC	C2-C3-C4-C5
7	A	1218	OLC	C7-C8-C9-C10
6	A	1215	OLA	C6-C7-C8-C9
7	A	1217	OLC	O20-C21-C22-C24
6	A	1215	OLA	C3-C4-C5-C6
6	A	1214	OLA	C13-C14-C15-C16


There are no ring outliers.




1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1215	OLA	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/447 (86%)	0.81	60 (15%) 5 4	15, 31, 74, 96	29 (7%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	306	HIS	10.5
1	A	1062	ARG	8.5
1	A	1060	ASP	8.0
1	A	1039	ASP	7.4
1	A	148	GLN	7.0
1	A	1004	GLU	6.3
1	A	219	GLU	5.8
1	A	1077	LYS	5.7
1	A	1021	ASP	5.5
1	A	1012	ASP	4.8
1	A	1019	LYS	4.7
1	A	1042	LYS	4.7
1	A	1066	ASP	4.5
1	A	1032	LYS	4.3
1	A	139	PRO	4.3
1	A	307	VAL	4.1
1	A	1101	TYR	4.0
1	A	1106	LEU	3.9
1	A	143	TRP	3.9
1	A	1104	LYS	3.8
1	A	1028	ASP	3.7
1	A	150	LYS	3.5
1	A	1015	LYS	3.5
1	A	154[A]	ASN	3.3
1	A	1093	GLN	3.1
1	A	1064	GLY	3.1
1	A	1063	HIS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1013	ASN	3.1
1	A	1102	ILE	3.1
1	A	1033	MET	3.0
1	A	1007	TRP	3.0
1	A	141	LEU	2.9
1	A	1038	LEU	2.9
1	A	1005	ASP	2.9
1	A	1105	TYR	2.9
1	A	144	ASN	2.9
1	A	-1	GLY	2.9
1	A	1061	PHE	2.9
1	A	157	GLN	2.8
1	A	1068	LEU	2.7
1	A	1095	LYS	2.7
1	A	1009	THR	2.7
1	A	1074	ASP	2.7
1	A	138	THR	2.6
1	A	1024	ALA	2.5
1	A	301	LYS	2.5
1	A	222	ARG	2.4
1	A	142	GLY	2.4
1	A	122	LYS	2.3
1	A	29[A]	TRP	2.2
1	A	1006	ASN	2.2
1	A	1040	ALA	2.2
1	A	1082	GLY	2.2
1	A	1026	VAL	2.1
1	A	1094	LEU	2.1
1	A	155	HIS	2.1
1	A	151	GLU	2.1
1	A	1008	GLU	2.1
1	A	1100	ALA	2.0
1	A	1003	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	OLC	A	1219	17/25	0.73	0.22	62,63,66,66	0
6	OLA	A	1213	20/20	0.75	0.44	59,61,65,66	9
5	PEG	A	1211	7/7	0.76	0.23	79,79,79,79	0
7	OLC	A	1221	17/25	0.77	0.28	79,80,81,81	2
7	OLC	A	1220	17/25	0.79	0.19	45,52,61,62	0
7	OLC	A	1217	17/25	0.82	0.20	59,60,63,64	0
5	PEG	A	1212	7/7	0.82	0.17	58,59,61,61	0
6	OLA	A	1214	20/20	0.83	0.21	53,57,60,60	0
7	OLC	A	1222	17/25	0.83	0.19	66,68,71,72	0
8	OLB	A	1223	18/25	0.85	0.20	58,61,65,65	0
7	OLC	A	1218	17/25	0.87	0.16	49,50,56,56	0
6	OLA	A	1215	20/20	0.87	0.18	60,61,65,65	0
4	IOD	A	1205	1/1	0.87	0.11	44,44,44,44	1
6	OLA	A	1216	20/20	0.89	0.15	51,52,54,54	0
4	IOD	A	1210	1/1	0.89	0.15	61,61,61,61	1
3	CLR	A	1202	28/28	0.90	0.11	31,32,35,35	0
3	CLR	A	1203	28/28	0.92	0.12	32,33,35,35	0
4	IOD	A	1209	1/1	0.92	0.07	39,39,39,39	1
2	ZMA	A	1201	25/25	0.93	0.09	15,15,20,21	0
3	CLR	A	1204	28/28	0.93	0.10	27,28,32,32	0
4	IOD	A	1207	1/1	0.96	0.07	36,36,36,36	1
4	IOD	A	1206	1/1	0.96	0.05	40,40,40,40	1
4	IOD	A	1208	1/1	0.97	0.04	44,44,44,44	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLC A 1219:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1213:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1221:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1220:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1217:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1214:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1222:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLB A 1223:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1218:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1215:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 1216:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 1202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLR A 1203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ZMA A 1201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.