



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 08:05 AM UTC

PDB ID : 4JUF / pdb_00004juf
Title : Crystal Structure of His281Ala mutant of Benzoylformate Decarboxylase from *Pseudomonas putida*
Authors : McLeish, M.J.; Brodtkin, H.R.
Deposited on : 2013-03-24
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	533	% 88% 10% .
1	B	533	87% 11% .
1	C	533	% 88% 10% .
1	D	533	88% 10% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Benzoylformate decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	524	Total	C	N	O	S	1	3	0
			3944	2494	683	747	20			
1	B	524	Total	C	N	O	S	0	4	0
			3943	2493	681	749	20			
1	C	524	Total	C	N	O	S	0	5	0
			3948	2496	683	749	20			
1	D	524	Total	C	N	O	S	0	2	0
			3936	2489	680	747	20			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	281	ALA	HIS	engineered mutation	UNP P20906
A	529	HIS	-	expression tag	UNP P20906
A	530	HIS	-	expression tag	UNP P20906
A	531	HIS	-	expression tag	UNP P20906
A	532	HIS	-	expression tag	UNP P20906
A	533	HIS	-	expression tag	UNP P20906
A	534	HIS	-	expression tag	UNP P20906
B	281	ALA	HIS	engineered mutation	UNP P20906
B	529	HIS	-	expression tag	UNP P20906
B	530	HIS	-	expression tag	UNP P20906
B	531	HIS	-	expression tag	UNP P20906
B	532	HIS	-	expression tag	UNP P20906
B	533	HIS	-	expression tag	UNP P20906
B	534	HIS	-	expression tag	UNP P20906
C	281	ALA	HIS	engineered mutation	UNP P20906
C	529	HIS	-	expression tag	UNP P20906
C	530	HIS	-	expression tag	UNP P20906
C	531	HIS	-	expression tag	UNP P20906
C	532	HIS	-	expression tag	UNP P20906
C	533	HIS	-	expression tag	UNP P20906
C	534	HIS	-	expression tag	UNP P20906

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	281	ALA	HIS	engineered mutation	UNP P20906
D	529	HIS	-	expression tag	UNP P20906
D	530	HIS	-	expression tag	UNP P20906
D	531	HIS	-	expression tag	UNP P20906
D	532	HIS	-	expression tag	UNP P20906
D	533	HIS	-	expression tag	UNP P20906
D	534	HIS	-	expression tag	UNP P20906


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	2	Total	Ca	0	0
			2	2		
3	C	1	Total	Ca	0	0
			1	1		
3	D	1	Total	Ca	0	0
			1	1		

- Molecule 4 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: C₁₂H₁₉N₄O₇P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
4	B	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
4	C	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
4	D	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	280	Total	O	0	0
			280	280		
6	B	283	Total	O	0	0
			283	283		
6	C	259	Total	O	0	0
			259	259		
6	D	207	Total	O	0	0
			207	207		

- Molecule 1: Benzoylformate decarboxylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.50Å 161.47Å 175.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.43 – 2.15 47.43 – 2.15	Depositor EDS
% Data completeness (in resolution range)	93.5 (47.43-2.15) 93.4 (47.43-2.15)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.14Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.167 , 0.211 0.167 , 0.210	Depositor DCC
R_{free} test set	1994 reflections (1.81%)	wwPDB-VP
Wilson B-factor (Å ²)	24.2	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16923	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TPP, CA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/4049	0.78	0/5534
1	B	0.50	0/4052	0.79	0/5538
1	C	0.49	0/4061	0.79	4/5550 (0.1%)
1	D	0.49	1/4038 (0.0%)	0.80	0/5520
All	All	0.49	1/16200 (0.0%)	0.79	4/22142 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	135	VAL	CA-CB	5.84	1.57	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	208	GLY	CA-C-N	5.08	124.58	119.19
1	C	208	GLY	C-N-CA	5.08	124.58	119.19
1	C	354	HIS	CA-C-N	5.06	125.09	119.32
1	C	354	HIS	C-N-CA	5.06	125.09	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3944	0	3882	41	1
1	B	3943	0	3876	43	1
1	C	3948	0	3884	37	0
1	D	3936	0	3869	40	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	26	0	16	1	0
4	B	26	0	16	1	0
4	C	26	0	16	0	0
4	D	26	0	16	0	0
5	A	6	0	8	0	0
5	C	6	0	8	0	0
6	A	280	0	0	3	0
6	B	283	0	0	3	0
6	C	259	0	0	1	0
6	D	207	0	0	0	0
All	All	16923	0	15591	144	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79[A]:MET:HE3	1:A:122:LEU:HD12	1.58	0.84
1:B:439:TRP:CZ2	1:B:443:GLN:HG3	2.16	0.81
1:B:208:GLY:HA3	1:B:275:ALA:HB2	1.67	0.76
1:A:265:GLU:OE2	6:A:859:HOH:O	2.10	0.70
1:A:439:TRP:CZ2	1:A:443:GLN:HG3	2.28	0.68
1:C:439:TRP:CZ2	1:C:443:GLN:HG3	2.29	0.67
1:B:29:LEU:HD12	1:D:464:PHE:HD1	1.59	0.67
1:C:79[A]:MET:HE3	1:C:122:LEU:HD12	1.77	0.66
1:A:208:GLY:HA3	1:A:275:ALA:HB2	1.78	0.65
1:D:439:TRP:CZ2	1:D:443:GLN:HG3	2.33	0.64
1:D:335:GLN:H	1:D:335:GLN:CD	2.05	0.64
1:D:79[A]:MET:HE3	1:D:122:LEU:HD12	1.80	0.62
1:D:208:GLY:HA3	1:D:275:ALA:HB2	1.80	0.62
1:A:79[A]:MET:CE	1:A:122:LEU:HD12	2.29	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79[A]:MET:HE3	1:B:122:LEU:HD12	1.82	0.61
1:C:439:TRP:CE2	1:C:443:GLN:HG3	2.36	0.60
1:C:208:GLY:HA3	1:C:275:ALA:HB2	1.82	0.60
1:A:377:THR:OG1	4:A:603:TPP:H71	2.03	0.58
1:C:499:ASN:OD1	1:C:502:GLN:HG3	2.05	0.57
1:D:353:LEU:HD13	1:D:503:LEU:HD22	1.86	0.57
1:A:484:ARG:HD2	1:A:496:LYS:HD2	1.86	0.57
1:C:51:VAL:HG21	1:C:78:ALA:HB1	1.87	0.55
1:A:106:VAL:HG12	1:C:309:PRO:HG3	1.88	0.55
1:C:342:GLU:HG3	1:C:343:PRO:HD2	1.89	0.55
1:B:208:GLY:CA	1:B:275:ALA:HB2	2.37	0.55
1:B:439:TRP:CH2	1:B:443:GLN:HG3	2.42	0.54
1:D:518:LEU:C	1:D:518:LEU:HD23	2.32	0.54
1:B:462:ARG:HH21	1:B:477:ASP:CG	2.16	0.54
1:C:462:ARG:HG2	1:C:462:ARG:HH11	1.74	0.53
1:A:51:VAL:HG21	1:A:78:ALA:HB1	1.89	0.53
1:D:484:ARG:HH11	1:D:496:LYS:HD2	1.72	0.53
1:B:98:GLN:HG3	1:B:99:GLN:N	2.24	0.53
1:A:234:ALA:HB1	1:A:235:PRO:HD2	1.90	0.53
1:D:335:GLN:CD	1:D:335:GLN:N	2.65	0.52
1:A:119:PRO:HG3	1:A:155:TYR:CG	2.45	0.52
1:C:462:ARG:HG2	1:C:462:ARG:NH1	2.24	0.52
1:B:79[B]:MET:SD	1:D:79[B]:MET:SD	3.09	0.51
1:D:233:VAL:HG23	1:D:249:PHE:HE1	1.75	0.51
1:A:249:PHE:CE2	1:A:251:GLY:HA2	2.46	0.51
1:B:342:GLU:HG3	1:B:343:PRO:HD2	1.93	0.50
1:C:222:MET:HE2	1:C:326:ALA:O	2.11	0.50
1:B:232:TRP:HB3	1:B:253:MET:HG3	1.94	0.50
1:D:80:GLY:O	1:D:83:SER:HB3	2.12	0.50
1:A:119:PRO:HG3	1:A:155:TYR:CD2	2.47	0.49
1:D:439:TRP:CH2	1:D:443:GLN:HG3	2.47	0.48
1:D:69:LEU:O	1:D:96:ALA:HA	2.13	0.48
1:D:233:VAL:HG23	1:D:249:PHE:CE1	2.48	0.48
1:B:80:GLY:HA3	1:D:77:ASN:OD1	2.13	0.48
1:C:27:ASN:HB2	1:C:28:GLU:OE2	2.13	0.48
1:A:177:ARG:NH2	1:B:308:ALA:HB3	2.29	0.47
1:A:79[B]:MET:SD	1:C:79[B]:MET:SD	3.12	0.47
1:D:79[B]:MET:HE3	1:D:119:PRO:HA	1.96	0.47
1:A:249:PHE:C	1:A:250:ARG:HD2	2.40	0.47
1:A:118:LEU:HB3	1:A:119:PRO:HD3	1.95	0.47
1:A:226[A]:ARG:NH1	1:A:326:ALA:O	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79[A]:MET:SD	1:B:82:LEU:HD12	2.54	0.47
1:D:119:PRO:HG3	1:D:155:TYR:CG	2.50	0.47
1:B:79[B]:MET:HE3	1:B:119:PRO:HA	1.97	0.47
1:B:246:HIS:CG	1:B:247:PRO:HD2	2.50	0.47
1:B:299:THR:O	1:B:315:VAL:HA	2.14	0.46
1:A:407:LEU:HD22	1:A:437:ALA:HB3	1.98	0.46
1:B:439:TRP:CE2	1:B:443:GLN:HG3	2.49	0.46
1:B:464:PHE:HZ	6:B:883:HOH:O	1.99	0.46
1:C:119:PRO:HG3	1:C:155:TYR:CG	2.51	0.45
1:D:464:PHE:CE1	1:D:468:LEU:HD11	2.51	0.45
1:A:250:ARG:HD2	1:A:250:ARG:N	2.31	0.45
1:C:28:GLU:OE2	1:C:97:GLY:HA3	2.16	0.45
1:C:79[B]:MET:HE3	1:C:119:PRO:HA	1.98	0.45
1:A:307:ARG:HA	1:B:141:ARG:HG2	1.99	0.45
1:B:44:ALA:HB3	1:B:50:VAL:HG22	1.99	0.45
1:A:101:ARG:HA	1:A:104:ILE:HD12	1.99	0.45
1:A:134:GLU:O	1:A:134:GLU:HG2	2.17	0.45
1:A:439:TRP:CH2	1:A:443:GLN:HG3	2.51	0.45
1:A:439:TRP:CE2	1:A:443:GLN:HG3	2.51	0.44
1:B:28:GLU:OE2	1:B:97:GLY:HA3	2.18	0.44
1:A:77:ASN:OD1	1:C:80:GLY:HA3	2.17	0.44
1:C:446:ILE:HA	1:C:447:PRO:HD3	1.84	0.44
1:D:484:ARG:NH1	1:D:496:LYS:HD2	2.32	0.44
1:C:372:TYR:O	1:C:395:TYR:HA	2.17	0.44
1:A:160:TYR:CD1	1:A:160:TYR:C	2.96	0.44
1:D:243:PRO:HG2	1:D:246:HIS:HB2	1.99	0.44
1:B:106:VAL:HG12	1:D:309:PRO:HG3	1.99	0.44
1:A:121:PRO:HG3	1:C:114:ASP:HB3	1.99	0.43
1:A:226[B]:ARG:HD3	1:A:331:GLU:OE1	2.17	0.43
1:C:79[A]:MET:CE	1:C:119:PRO:HA	2.47	0.43
1:A:31:PHE:HB2	1:A:163:TRP:CE2	2.53	0.43
1:A:248:CYS:HA	1:A:337:PRO:HG2	2.00	0.43
1:B:118:LEU:HB3	1:B:119:PRO:HD3	1.99	0.43
1:B:349:ASP:OD1	1:B:349:ASP:C	2.61	0.43
1:B:390:ARG:HG3	6:B:921:HOH:O	2.17	0.43
1:C:482:ASP:OD1	1:C:482:ASP:C	2.62	0.43
1:C:233:VAL:O	1:C:253:MET:HG3	2.18	0.43
1:D:407:LEU:HB3	1:D:408:PRO:CD	2.48	0.43
1:A:473:VAL:HG11	1:C:29:LEU:HD22	2.01	0.43
1:D:246:HIS:CG	1:D:247:PRO:HD2	2.53	0.43
1:C:119:PRO:HG3	1:C:155:TYR:CD2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79[A]:MET:SD	1:C:82:LEU:HD12	2.58	0.43
1:C:360:ASP:OD1	1:C:386:ARG:HD3	2.19	0.43
1:D:208:GLY:CA	1:D:275:ALA:HB2	2.48	0.43
1:B:44:ALA:HB3	1:B:50:VAL:CG2	2.50	0.42
1:B:374:ASN:HB2	1:B:383:MET:SD	2.59	0.42
1:A:35:PHE:HA	1:A:36:PRO:HD3	1.90	0.42
1:B:29:LEU:N	1:B:30:PRO:CD	2.82	0.42
1:A:148:MET:HE1	1:B:302:PRO:O	2.18	0.42
1:D:407:LEU:HD22	1:D:437:ALA:HB3	2.00	0.42
1:A:433:TYR:HA	1:C:46:GLN:HG3	2.02	0.42
1:B:372:TYR:O	1:B:395:TYR:HA	2.19	0.42
1:A:382:GLN:HG2	6:A:979:HOH:O	2.20	0.42
1:B:377:THR:OG1	4:B:603:TPP:H71	2.20	0.42
1:D:135:VAL:HB	1:D:136:PRO:HD3	2.02	0.42
1:B:121:PRO:HG3	1:D:114:ASP:HB3	2.02	0.42
1:D:446:ILE:HA	1:D:447:PRO:HD3	1.69	0.42
1:B:106:VAL:HG13	6:B:781:HOH:O	2.20	0.41
1:B:500:LEU:HG	1:B:504:LYS:HE2	2.02	0.41
1:D:250:ARG:HD3	1:D:250:ARG:HA	1.89	0.41
1:A:464:PHE:O	1:A:468:LEU:HB2	2.20	0.41
1:A:390:ARG:HG3	6:A:707:HOH:O	2.20	0.41
1:B:29:LEU:HB2	1:B:30:PRO:HD3	2.03	0.41
1:C:237:ALA:HA	1:C:238:PRO:HD3	1.90	0.41
1:D:31:PHE:HB2	1:D:163:TRP:CE2	2.56	0.41
1:B:130:ALA:HB3	6:C:724:HOH:O	2.20	0.41
1:D:44:ALA:HB3	1:D:50:VAL:HG22	2.01	0.41
1:A:208:GLY:CA	1:A:275:ALA:HB2	2.47	0.41
1:C:302:PRO:O	1:D:148:MET:HE1	2.21	0.41
1:C:371:ILE:HG21	1:C:413:VAL:HG11	2.01	0.41
1:A:158:VAL:HA	1:A:159:PRO:HD3	1.98	0.41
1:B:407:LEU:HB3	1:B:408:PRO:HD3	2.02	0.41
1:B:160:TYR:CD1	1:B:160:TYR:C	2.98	0.41
1:C:249:PHE:CE2	1:C:251:GLY:HA2	2.55	0.41
1:B:128:GLU:HA	1:B:129:PRO:HD3	1.87	0.41
1:D:299:THR:O	1:D:315:VAL:HA	2.21	0.41
1:A:233:VAL:HG23	1:A:249:PHE:HE1	1.86	0.41
1:C:148:MET:HE1	1:D:306:ALA:HB2	2.02	0.41
1:C:257:ILE:HA	1:C:280:TYR:CE1	2.56	0.41
1:B:433:TYR:HA	1:D:46:GLN:HG3	2.02	0.41
1:B:119:PRO:HG3	1:B:155:TYR:CG	2.56	0.40
1:C:79[B]:MET:CE	1:C:119:PRO:HA	2.52	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:35:PHE:HA	1:D:36:PRO:HD3	1.91	0.40
1:D:484:ARG:HD2	1:D:496:LYS:HB2	2.01	0.40
1:C:101:ARG:HA	1:C:104:ILE:HD12	2.02	0.40
1:C:507:LEU:HD23	1:C:507:LEU:HA	1.95	0.40
1:D:244:THR:HA	1:D:249:PHE:CD2	2.57	0.40
1:B:353:LEU:HD21	1:B:500:LEU:HA	2.04	0.40
1:D:217:ASN:OD1	1:D:217:ASN:N	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:ARG:NH2	1:B:268:ASP:OD2[4_477]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	525/533 (98%)	518 (99%)	7 (1%)	0	100	100
1	B	526/533 (99%)	518 (98%)	8 (2%)	0	100	100
1	C	527/533 (99%)	519 (98%)	7 (1%)	1 (0%)	43	42
1	D	524/533 (98%)	515 (98%)	9 (2%)	0	100	100
All	All	2102/2132 (99%)	2070 (98%)	31 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	71	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	412/418 (99%)	406 (98%)	6 (2%)	57	63
1	B	413/418 (99%)	408 (99%)	5 (1%)	63	69
1	C	414/418 (99%)	411 (99%)	3 (1%)	76	81
1	D	411/418 (98%)	406 (99%)	5 (1%)	63	69
All	All	1650/1672 (99%)	1631 (99%)	19 (1%)	65	69

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	263	LEU
1	A	336	LEU
1	A	338[A]	THR
1	A	338[B]	THR
1	A	467	VAL
1	A	468	LEU
1	B	103	MET
1	B	294	ARG
1	B	467	VAL
1	B	469	GLU
1	B	525	SER
1	C	419	GLU
1	C	467	VAL
1	C	501	GLU
1	D	226	ARG
1	D	294	ARG
1	D	335	GLN
1	D	377	THR
1	D	467	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	87	ASN
1	A	443	GLN
1	A	445	ASN
1	B	59	GLN
1	C	151	GLN
1	C	172	HIS
1	C	391	ASN
1	D	59	GLN
1	D	391	ASN
1	D	443	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 7 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	TPP	A	603	3	26,27,27	1.83	9 (34%)	38,40,40	1.84	12 (31%)
4	TPP	B	603	3	26,27,27	1.73	10 (38%)	38,40,40	1.84	10 (26%)
4	TPP	D	602	3	26,27,27	1.79	8 (30%)	38,40,40	1.77	11 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	604	-	5,5,5	0.35	0	5,5,5	0.36	0
4	TPP	C	602	3	26,27,27	1.80	7 (26%)	38,40,40	1.80	13 (34%)
5	GOL	C	603	-	5,5,5	0.24	0	5,5,5	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TPP	A	603	3	-	0/17/17/17	0/2/2/2
4	TPP	B	603	3	-	0/17/17/17	0/2/2/2
4	TPP	D	602	3	-	0/17/17/17	0/2/2/2
5	GOL	A	604	-	-	3/4/4/4	-
4	TPP	C	602	3	-	0/17/17/17	0/2/2/2
5	GOL	C	603	-	-	2/4/4/4	-

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	602	TPP	C5-S1	-4.70	1.60	1.72
4	C	602	TPP	C5-S1	-4.65	1.60	1.72
4	A	603	TPP	C5-S1	-4.33	1.61	1.72
4	B	603	TPP	C5-S1	-4.18	1.61	1.72
4	B	603	TPP	C2-N3	3.19	1.40	1.32
4	A	603	TPP	C2-N3	3.17	1.40	1.32
4	C	602	TPP	C4'-N3'	3.12	1.39	1.35
4	C	602	TPP	C2'-N1'	3.03	1.39	1.34
4	A	603	TPP	C2'-N1'	3.01	1.38	1.34
4	C	602	TPP	C2-N3	2.96	1.39	1.32
4	D	602	TPP	C2-N3	2.93	1.39	1.32
4	D	602	TPP	C2'-N1'	2.89	1.38	1.34
4	B	603	TPP	C2'-N1'	2.77	1.38	1.34
4	C	602	TPP	C2'-N3'	2.70	1.38	1.34
4	A	603	TPP	C2'-N3'	2.68	1.38	1.34
4	A	603	TPP	C4'-N3'	2.68	1.38	1.35
4	D	602	TPP	C4'-N3'	2.66	1.38	1.35
4	A	603	TPP	C5'-C4'	-2.43	1.38	1.42
4	D	602	TPP	C5-C4	2.40	1.40	1.35
4	B	603	TPP	C5'-C4'	-2.37	1.39	1.42
4	D	602	TPP	C6'-N1'	2.34	1.39	1.34
4	C	602	TPP	C2-S1	-2.31	1.62	1.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	603	TPP	PA-O3A	2.30	1.62	1.59
4	D	602	TPP	C2'-N3'	2.30	1.38	1.34
4	B	603	TPP	C4'-N3'	2.29	1.38	1.35
4	A	603	TPP	C6'-N1'	2.26	1.39	1.34
4	B	603	TPP	C2'-N3'	2.24	1.37	1.34
4	C	602	TPP	C5-C4	2.24	1.39	1.35
4	A	603	TPP	C5-C4	2.21	1.39	1.35
4	D	602	TPP	C2-S1	-2.21	1.62	1.69
4	B	603	TPP	C5-C4	2.11	1.39	1.35
4	B	603	TPP	C6'-N1'	2.11	1.38	1.34
4	B	603	TPP	C2-S1	-2.11	1.62	1.69
4	A	603	TPP	C2-S1	-2.06	1.62	1.69

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	TPP	CM2-C2'-N1'	3.92	121.38	117.20
4	B	603	TPP	CM2-C2'-N1'	3.65	121.08	117.20
4	A	603	TPP	C2-N3-C4	-3.61	109.18	114.06
4	A	603	TPP	N1'-C2'-N3'	-3.53	119.66	125.53
4	D	602	TPP	C2-N3-C4	-3.52	109.31	114.06
4	C	602	TPP	O2A-PA-O3A	3.48	116.68	107.27
4	D	602	TPP	CM2-C2'-N1'	3.46	120.89	117.20
4	C	602	TPP	N1'-C2'-N3'	-3.44	119.80	125.53
4	B	603	TPP	N1'-C2'-N3'	-3.43	119.82	125.53
4	D	602	TPP	N1'-C2'-N3'	-3.42	119.85	125.53
4	B	603	TPP	C6'-C5'-C4'	3.41	119.75	115.55
4	B	603	TPP	C2-N3-C4	-3.38	109.49	114.06
4	C	602	TPP	C2-N3-C4	-3.38	109.49	114.06
4	D	602	TPP	O2A-PA-O3A	3.23	116.00	107.27
4	A	603	TPP	N4'-C4'-N3'	3.08	121.18	117.03
4	B	603	TPP	O2A-PA-O3A	3.06	115.54	107.27
4	C	602	TPP	C4-C5-S1	3.02	115.27	110.56
4	D	602	TPP	C6-C5-S1	-2.97	113.95	120.90
4	D	602	TPP	C4-C5-S1	2.96	115.18	110.56
4	A	603	TPP	C6'-C5'-C4'	2.89	119.10	115.55
4	C	602	TPP	C6'-C5'-C4'	2.87	119.08	115.55
4	C	602	TPP	C6-C5-S1	-2.85	114.23	120.90
4	B	603	TPP	C4-C5-S1	2.84	114.99	110.56
4	A	603	TPP	C4-C5-S1	2.83	114.98	110.56
4	C	602	TPP	C6'-N1'-C2'	2.74	120.57	116.07
4	B	603	TPP	CM4-C4-N3	2.72	126.84	120.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	602	TPP	C6'-C5'-C4'	2.69	118.86	115.55
4	B	603	TPP	N4'-C4'-N3'	2.58	120.51	117.03
4	B	603	TPP	C5'-C6'-N1'	-2.58	119.64	123.83
4	B	603	TPP	C6'-N1'-C2'	2.55	120.26	116.07
4	A	603	TPP	C5'-C4'-N4'	-2.50	118.77	122.14
4	D	602	TPP	C6'-N1'-C2'	2.49	120.16	116.07
4	A	603	TPP	O2A-PA-O3A	2.47	113.96	107.27
4	C	602	TPP	CM4-C4-N3	2.46	126.25	120.57
4	C	602	TPP	CM2-C2'-N3'	2.42	120.75	117.13
4	A	603	TPP	CM4-C4-N3	2.35	126.00	120.57
4	D	602	TPP	S1-C2-N3	2.26	115.16	112.30
4	A	603	TPP	C5'-C7'-N3	2.26	117.83	112.97
4	A	603	TPP	C6'-N1'-C2'	2.22	119.72	116.07
4	C	602	TPP	C5'-C7'-N3	2.20	117.71	112.97
4	D	602	TPP	C5'-C6'-N1'	-2.18	120.28	123.83
4	A	603	TPP	S1-C2-N3	2.17	115.05	112.30
4	C	602	TPP	C5'-C6'-N1'	-2.17	120.31	123.83
4	C	602	TPP	CM2-C2'-N1'	2.11	119.45	117.20
4	C	602	TPP	S1-C2-N3	2.06	114.91	112.30
4	D	602	TPP	CM4-C4-N3	2.01	125.21	120.57

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	604	GOL	O1-C1-C2-C3
5	C	603	GOL	O1-C1-C2-C3
5	A	604	GOL	O1-C1-C2-O2
5	C	603	GOL	O1-C1-C2-O2
5	A	604	GOL	O2-C2-C3-O3


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	TPP	1	0
4	B	603	TPP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand TPP B 603



Ligand TPP D 602





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	524/533 (98%)	-0.56	4 (0%) 82 85	12, 22, 37, 61	6 (1%)
1	B	524/533 (98%)	-0.55	2 (0%) 88 91	12, 23, 38, 64	4 (0%)
1	C	524/533 (98%)	-0.51	3 (0%) 85 88	12, 23, 38, 62	7 (1%)
1	D	524/533 (98%)	-0.41	2 (0%) 88 91	13, 26, 42, 60	7 (1%)
All	All	2096/2132 (98%)	-0.51	11 (0%) 87 89	12, 23, 39, 64	24 (1%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	463	TRP	3.1
1	C	335	GLN	3.1
1	A	525	SER	3.0
1	B	464	PHE	2.9
1	D	335	GLN	2.7
1	C	525	SER	2.7
1	A	464	PHE	2.6
1	C	463	TRP	2.5
1	B	525	SER	2.5
1	D	463	TRP	2.2
1	A	467	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	A	604	6/6	0.87	0.10	34,39,41,51	0
5	GOL	C	603	6/6	0.88	0.12	32,38,40,46	0
4	TPP	B	603	26/26	0.97	0.06	23,27,32,34	1
4	TPP	C	602	26/26	0.97	0.06	20,24,30,31	1
4	TPP	D	602	26/26	0.97	0.06	22,27,33,36	1
3	CA	B	604	1/1	0.97	0.10	42,42,42,42	0
4	TPP	A	603	26/26	0.97	0.06	18,24,28,31	1
2	MG	B	601	1/1	0.98	0.07	23,23,23,23	0
3	CA	B	602	1/1	0.99	0.06	34,34,34,34	0
2	MG	A	601	1/1	0.99	0.05	19,19,19,19	0
3	CA	C	601	1/1	0.99	0.03	30,30,30,30	0
3	CA	D	601	1/1	0.99	0.04	34,34,34,34	0
3	CA	A	602	1/1	0.99	0.03	29,29,29,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TPP B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TPP C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TPP D 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TPP A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.