



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:50 PM UTC

PDB ID : 7JUR / pdb_00007jur
Title : Crystal Structure of KSR2:MEK1 in complex with AMP-PNP, and allosteric MEK inhibitor Trametinib
Authors : Khan, Z.M.; Dar, A.C.
Deposited on : 2020-08-20
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	342	5% 66% 15% 19%
2	C	384	14% 52% 27% • 21%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kinase suppressor of Ras 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	277	Total	C	N	O	S	0	0	0
			2249	1448	386	402	13			

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	609	MET	-	initiating methionine	UNP Q6VAB6
B	610	SER	-	expression tag	UNP Q6VAB6
B	611	TYR	-	expression tag	UNP Q6VAB6
B	612	TYR	-	expression tag	UNP Q6VAB6
B	613	HIS	-	expression tag	UNP Q6VAB6
B	614	HIS	-	expression tag	UNP Q6VAB6
B	615	HIS	-	expression tag	UNP Q6VAB6
B	616	HIS	-	expression tag	UNP Q6VAB6
B	617	HIS	-	expression tag	UNP Q6VAB6
B	618	HIS	-	expression tag	UNP Q6VAB6
B	619	ASP	-	expression tag	UNP Q6VAB6
B	620	TYR	-	expression tag	UNP Q6VAB6
B	621	ASP	-	expression tag	UNP Q6VAB6
B	622	ILE	-	expression tag	UNP Q6VAB6
B	623	PRO	-	expression tag	UNP Q6VAB6
B	624	THR	-	expression tag	UNP Q6VAB6
B	625	THR	-	expression tag	UNP Q6VAB6
B	626	GLU	-	expression tag	UNP Q6VAB6
B	627	ASN	-	expression tag	UNP Q6VAB6
B	628	LEU	-	expression tag	UNP Q6VAB6
B	629	TYR	-	expression tag	UNP Q6VAB6
B	630	PHE	-	expression tag	UNP Q6VAB6
B	631	GLN	-	expression tag	UNP Q6VAB6
B	632	GLY	-	expression tag	UNP Q6VAB6
B	633	ALA	-	expression tag	UNP Q6VAB6

- Molecule 2 is a protein called Dual specificity mitogen-activated protein kinase kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	304	Total	C	N	O	S	0	0	0
			2413	1546	408	443	16			

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	10	MET	-	initiating methionine	UNP P29678
C	11	SER	-	expression tag	UNP P29678
C	12	TYR	-	expression tag	UNP P29678
C	13	TYR	-	expression tag	UNP P29678
C	14	HIS	-	expression tag	UNP P29678
C	15	HIS	-	expression tag	UNP P29678
C	16	HIS	-	expression tag	UNP P29678
C	17	HIS	-	expression tag	UNP P29678
C	18	HIS	-	expression tag	UNP P29678
C	19	HIS	-	expression tag	UNP P29678
C	20	ASP	-	expression tag	UNP P29678
C	21	TYR	-	expression tag	UNP P29678
C	22	ASP	-	expression tag	UNP P29678
C	23	ILE	-	expression tag	UNP P29678
C	24	PRO	-	expression tag	UNP P29678
C	25	THR	-	expression tag	UNP P29678
C	26	THR	-	expression tag	UNP P29678
C	27	GLU	-	expression tag	UNP P29678
C	28	ASN	-	expression tag	UNP P29678
C	29	LEU	-	expression tag	UNP P29678
C	30	TYR	-	expression tag	UNP P29678
C	31	PHE	-	expression tag	UNP P29678
C	32	GLN	-	expression tag	UNP P29678
C	33	GLY	-	expression tag	UNP P29678
C	34	ALA	-	expression tag	UNP P29678

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total 31	C 10	N 6	O 12	P 3	0	0
3	C	1	Total 31	C 10	N 6	O 12	P 3	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0

- Molecule 5 is Trametinib (CCD ID: QOM) (formula: $C_{26}H_{23}FIN_5O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	C	1	Total	C	F	I	N	O	0	0
			37	26	1	1	5	4		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	5	Total O 5 5	0	0
6	C	2	Total O 2 2	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	140.00Å 140.00Å 222.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.90 – 2.82 46.90 – 2.82	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.90-2.82) 99.0 (46.90-2.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.26 (at 2.81Å)	Xtriage
Refinement program	PHENIX (1.14rc1_3177)	Depositor
R, R_{free}	0.237 , 0.277 0.240 , 0.283	Depositor DCC
R_{free} test set	1493 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	81.2	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4770	wwPDB-VP
Average B, all atoms (Å ²)	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, MG, QOM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.28	0/2299	0.50	0/3098
2	C	0.32	0/2460	0.60	2/3311 (0.1%)
All	All	0.30	0/4759	0.55	2/6409 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	C	103	ILE	CA-C-N	5.67	135.63	121.80
2	C	103	ILE	C-N-CA	5.67	135.63	121.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	102	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2249	0	2263	46	0
2	C	2413	0	2453	100	0
3	B	31	0	13	0	0
3	C	31	0	13	3	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	C	37	0	0	3	0
6	B	5	0	0	0	0
6	C	2	0	0	0	0
All	All	4770	0	4742	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:82:VAL:HG12	2:C:97:LYS:HA	1.55	0.85
2:C:87:HIS:HD1	2:C:90:SER:HG	1.21	0.85
1:B:663:PHE:HE2	1:B:666:LEU:HB2	1.44	0.83
1:B:730:MET:HG3	1:B:735:LEU:HD22	1.61	0.82
1:B:708:LYS:HE3	1:B:712:MET:CE	2.09	0.82
2:C:104:LYS:HB2	2:C:107:ILE:HG12	1.63	0.81
2:C:84:LYS:HE2	2:C:145:HIS:CD2	2.21	0.76
2:C:308:MET:HE3	2:C:313:LEU:HB2	1.68	0.74
1:B:697:GLU:CD	1:B:703:GLN:HE22	1.97	0.72
2:C:162:PRO:HD2	2:C:165:ILE:HD12	1.71	0.71
1:B:708:LYS:HD2	1:B:712:MET:HE1	1.73	0.70
2:C:94:MET:HE2	2:C:142:CYS:HB2	1.73	0.69
1:B:708:LYS:CD	1:B:712:MET:HE1	2.23	0.69
2:C:198:VAL:HG12	2:C:204:ILE:HD12	1.75	0.68
2:C:150:SER:H	2:C:153:GLN:HG3	1.60	0.66
2:C:155:LEU:HD12	2:C:256:MET:HG2	1.79	0.65
1:B:708:LYS:CE	1:B:712:MET:HE1	2.28	0.64
2:C:48:LYS:NZ	2:C:49:ARG:HB2	2.14	0.63
2:C:45:GLN:O	2:C:48:LYS:HG3	1.99	0.63
1:B:708:LYS:HD2	1:B:712:MET:CE	2.29	0.63
2:C:105:PRO:HA	2:C:108:ARG:NH2	2.14	0.62
1:B:708:LYS:HE3	1:B:712:MET:HE1	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:168:LYS:HA	2:C:171:ILE:HD12	1.82	0.62
1:B:663:PHE:CE2	1:B:666:LEU:HB2	2.32	0.62
2:C:214:GLN:O	2:C:217:ASP:N	2.32	0.62
2:C:54:LEU:O	2:C:57:LYS:HE3	2.00	0.61
2:C:126:ILE:HG12	2:C:180:LEU:HD11	1.82	0.61
2:C:356:MET:O	2:C:361:ILE:HD11	2.00	0.61
2:C:179:TYR:HD2	2:C:180:LEU:HD12	1.65	0.61
2:C:57:LYS:HD2	2:C:58:GLN:HG3	1.83	0.60
1:B:702:ASP:HA	1:B:705:LYS:HE3	1.84	0.60
2:C:121:CYS:O	2:C:122:ASN:ND2	2.35	0.60
1:B:706:ALA:O	1:B:709:ARG:HB3	2.03	0.59
2:C:151:LEU:HA	2:C:154:VAL:HG22	1.84	0.59
2:C:111:ILE:HG12	2:C:214:GLN:HG3	1.86	0.58
2:C:376:CYS:HA	2:C:381:LEU:HD23	1.84	0.58
2:C:63:LEU:O	2:C:64:LYS:HG2	2.04	0.57
1:B:708:LYS:CE	1:B:712:MET:CE	2.83	0.57
1:B:683:GLY:C	1:B:689:VAL:HG12	2.30	0.56
2:C:94:MET:HE3	2:C:130:TYR:CD2	2.39	0.56
2:C:199:ASN:ND2	2:C:203:GLU:OE1	2.38	0.56
2:C:100:HIS:O	2:C:101:LEU:HD23	2.06	0.55
2:C:108:ARG:O	2:C:112:ILE:HD12	2.07	0.55
2:C:204:ILE:HD11	2:C:371:PHE:CZ	2.41	0.55
2:C:181:ARG:HH21	2:C:185:LYS:HG2	1.72	0.54
2:C:103:ILE:HG12	2:C:107:ILE:HD13	1.90	0.54
1:B:663:PHE:HB2	1:B:685:TRP:CZ2	2.43	0.54
2:C:204:ILE:HD11	2:C:371:PHE:CE2	2.43	0.54
2:C:50:LEU:O	2:C:54:LEU:HD12	2.07	0.53
2:C:49:ARG:HD2	2:C:52:ALA:HB3	1.90	0.53
2:C:155:LEU:HD21	2:C:259:GLY:HA2	1.90	0.53
2:C:49:ARG:HH11	2:C:53:PHE:HA	1.73	0.53
2:C:171:ILE:HA	2:C:174:ILE:HG22	1.90	0.53
2:C:53:PHE:CZ	2:C:128:GLY:HA3	2.44	0.52
2:C:173:VAL:HG22	2:C:206:LEU:HD21	1.92	0.52
1:B:698:ARG:HB2	1:B:698:ARG:HH11	1.75	0.52
2:C:108:ARG:HD2	2:C:134:TYR:CE2	2.44	0.52
1:B:656:LEU:HG	1:B:729:CYS:HB3	1.91	0.52
1:B:825:GLN:HA	2:C:221:ASN:HB3	1.92	0.52
2:C:264:PRO:HD3	2:C:308:MET:HE1	1.91	0.52
1:B:707:PHE:CE1	1:B:711:VAL:HG11	2.44	0.52
2:C:63:LEU:HD23	2:C:68:PHE:HZ	1.75	0.52
2:C:48:LYS:HZ3	2:C:49:ARG:HB2	1.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:87:HIS:HB3	2:C:90:SER:O	2.11	0.51
2:C:155:LEU:HD11	2:C:256:MET:HA	1.94	0.50
2:C:67:ASP:HB3	2:C:87:HIS:CD2	2.46	0.50
2:C:47:ARG:O	2:C:47:ARG:HG3	2.12	0.50
2:C:57:LYS:HD2	2:C:58:GLN:N	2.27	0.50
2:C:59:LYS:HG2	2:C:90:SER:CB	2.41	0.50
1:B:912:ALA:HB3	1:B:918:ARG:HG2	1.94	0.49
5:C:402:QOM:O20	5:C:402:QOM:N10	2.44	0.49
2:C:105:PRO:HA	2:C:108:ARG:CZ	2.42	0.49
2:C:99:ILE:HG22	2:C:101:LEU:HD21	1.95	0.49
2:C:150:SER:HB3	3:C:401:ANP:O2'	2.13	0.49
1:B:677:PHE:CZ	1:B:694:ILE:HD13	2.48	0.48
1:B:846:GLU:H	1:B:846:GLU:CD	2.16	0.48
1:B:704:LEU:HD11	1:B:732:PRO:HG3	1.95	0.48
2:C:150:SER:N	2:C:153:GLN:HG3	2.25	0.48
2:C:94:MET:HE3	2:C:130:TYR:HD2	1.77	0.48
2:C:146:MET:CE	2:C:205:LYS:HE3	2.43	0.48
2:C:103:ILE:HG12	2:C:104:LYS:HE2	1.96	0.48
2:C:125:TYR:C	2:C:205:LYS:HB3	2.38	0.47
2:C:260:ARG:NH2	2:C:264:PRO:O	2.47	0.47
1:B:696:ILE:HD11	1:B:703:GLN:HB3	1.96	0.47
2:C:43:ASP:OD1	2:C:44:GLU:N	2.48	0.47
2:C:84:LYS:HE2	2:C:145:HIS:NE2	2.29	0.47
2:C:56:GLN:HB3	2:C:92:LEU:HD11	1.96	0.47
2:C:84:LYS:HB2	2:C:84:LYS:HE3	1.57	0.47
2:C:112:ILE:O	2:C:116:GLN:HG2	2.14	0.47
2:C:247:TRP:C	2:C:247:TRP:CD1	2.93	0.47
2:C:84:LYS:HE2	2:C:145:HIS:CG	2.49	0.47
1:B:807:PHE:HA	1:B:810:SER:HB2	1.96	0.46
2:C:108:ARG:HD2	2:C:134:TYR:CD2	2.50	0.46
1:B:696:ILE:HG22	1:B:733:PRO:O	2.15	0.46
2:C:134:TYR:HE1	2:C:137:GLY:N	2.13	0.46
2:C:101:LEU:HD13	2:C:218:SER:OG	2.16	0.46
2:C:104:LYS:CB	2:C:107:ILE:HG12	2.39	0.46
2:C:107:ILE:HG13	2:C:108:ARG:H	1.81	0.46
2:C:88:LYS:HA	2:C:88:LYS:HD2	1.49	0.46
2:C:107:ILE:HG13	2:C:108:ARG:N	2.31	0.46
2:C:127:VAL:HG22	5:C:402:QOM:I17	2.86	0.46
2:C:161:ILE:HB	2:C:166:LEU:HD11	1.98	0.46
2:C:203:GLU:C	2:C:204:ILE:HD13	2.41	0.46
1:B:697:GLU:OE2	1:B:703:GLN:NE2	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:145:HIS:CD2	2:C:146:MET:H	2.34	0.45
2:C:308:MET:HG3	2:C:312:GLU:OE1	2.16	0.45
1:B:884:TRP:O	1:B:888:THR:HG23	2.15	0.45
2:C:100:HIS:HA	2:C:138:GLU:HG2	1.97	0.45
2:C:145:HIS:CD2	2:C:146:MET:N	2.84	0.45
1:B:696:ILE:HD11	1:B:703:GLN:CD	2.41	0.45
1:B:654:ILE:HB	1:B:730:MET:HB3	1.97	0.45
1:B:746:THR:HG22	1:B:793:PHE:CE1	2.52	0.45
2:C:267:ASP:O	2:C:271:LEU:HD12	2.17	0.45
2:C:85:VAL:HG11	2:C:96:ARG:HB2	1.99	0.45
2:C:81:VAL:O	2:C:98:LEU:HG	2.17	0.44
2:C:230:MET:HE3	2:C:230:MET:HB2	1.87	0.44
1:B:672:ILE:HG12	1:B:682:HIS:CE1	2.51	0.44
2:C:203:GLU:O	2:C:204:ILE:HD13	2.17	0.44
2:C:337:PHE:CE1	2:C:355:LEU:HD22	2.53	0.43
2:C:146:MET:HE1	2:C:205:LYS:HE3	1.99	0.43
1:B:708:LYS:CD	1:B:712:MET:CE	2.93	0.43
2:C:143:MET:CE	3:C:401:ANP:HN61	2.31	0.43
1:B:734:HIS:C	1:B:735:LEU:HD23	2.44	0.43
2:C:43:ASP:OD1	2:C:45:GLN:N	2.52	0.43
1:B:701:GLU:O	1:B:705:LYS:HG3	2.18	0.43
2:C:59:LYS:HG2	2:C:90:SER:HB3	2.01	0.43
1:B:846:GLU:OE1	1:B:846:GLU:N	2.39	0.42
2:C:118:LEU:HD23	2:C:121:CYS:SG	2.59	0.42
1:B:814:GLN:HB3	1:B:823:ARG:HH12	1.84	0.42
2:C:269:LYS:HD3	2:C:269:LYS:HA	1.62	0.42
1:B:923:LYS:O	1:B:927:MET:HG3	2.19	0.42
2:C:54:LEU:O	2:C:57:LYS:HB3	2.18	0.42
2:C:82:VAL:HG21	3:C:401:ANP:C8	2.49	0.42
1:B:825:GLN:HG3	1:B:826:ASN:N	2.35	0.42
2:C:115:LEU:O	2:C:115:LEU:HD23	2.19	0.42
2:C:166:LEU:HA	2:C:169:VAL:HB	2.03	0.41
5:C:402:QOM:C09	5:C:402:QOM:C16	2.99	0.41
1:B:745:ARG:HH12	1:B:756:ILE:HD11	1.85	0.41
2:C:63:LEU:HD23	2:C:68:PHE:CZ	2.55	0.41
1:B:696:ILE:HG13	1:B:697:GLU:N	2.35	0.41
1:B:707:PHE:O	1:B:711:VAL:HG13	2.21	0.41
1:B:793:PHE:O	1:B:799:VAL:HA	2.20	0.41
2:C:59:LYS:HG2	2:C:90:SER:HB2	2.03	0.41
1:B:656:LEU:HD23	1:B:659:TRP:CD1	2.56	0.40
1:B:705:LYS:HA	1:B:708:LYS:HB3	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:864:TRP:O	1:B:868:HIS:HD2	2.02	0.40
2:C:100:HIS:C	2:C:101:LEU:HD23	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	271/342 (79%)	265 (98%)	6 (2%)	0	100	100
2	C	298/384 (78%)	278 (93%)	18 (6%)	2 (1%)	18	45
All	All	569/726 (78%)	543 (95%)	24 (4%)	2 (0%)	30	58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	104	LYS
2	C	105	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	243/300 (81%)	243 (100%)	0	100	100
2	C	269/333 (81%)	269 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	512/633 (81%)	512 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	682	HIS
1	B	700	ASN
1	B	703	GLN
1	B	825	GLN
2	C	56	GLN
2	C	122	ASN
2	C	145	HIS
2	C	221	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ANP	C	401	4	33,33,33	0.98	4 (12%)	45,52,52	0.67	2 (4%)
3	ANP	B	1001	4	33,33,33	1.03	4 (12%)	45,52,52	0.70	1 (2%)
5	QOM	C	402	-	40,41,41	2.64	15 (37%)	47,62,62	4.31	23 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	C	401	4	-	4/18/38/38	0/3/3/3
3	ANP	B	1001	4	-	1/18/38/38	0/3/3/3
5	QOM	C	402	-	-	0/16/18/18	0/5/5/5

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	402	QOM	C32-N31	6.81	1.48	1.36
5	C	402	QOM	C25-N24	-6.75	1.34	1.44
5	C	402	QOM	C11-N10	6.67	1.54	1.41
5	C	402	QOM	C05-N10	5.62	1.50	1.37
5	C	402	QOM	C36-C35	3.27	1.56	1.48
5	C	402	QOM	C22-N24	-3.15	1.34	1.40
5	C	402	QOM	C29-N31	3.13	1.48	1.41
3	B	1001	ANP	PB-O1B	3.07	1.50	1.46
3	B	1001	ANP	PG-O1G	2.98	1.50	1.46
3	C	401	ANP	PG-O1G	2.93	1.50	1.46
5	C	402	QOM	C19-N21	-2.77	1.34	1.40
5	C	402	QOM	C13-C12	2.76	1.42	1.37
5	C	402	QOM	C07-N06	-2.73	1.34	1.40
5	C	402	QOM	C37-C35	2.67	1.54	1.48
5	C	402	QOM	C22-N21	-2.55	1.34	1.40
3	C	401	ANP	PG-N3B	2.46	1.69	1.63
3	C	401	ANP	PA-O3A	2.31	1.62	1.59
3	B	1001	ANP	PG-N3B	2.30	1.69	1.63
3	C	401	ANP	PB-O1B	2.22	1.49	1.46
5	C	402	QOM	C01-C02	2.17	1.55	1.50
3	B	1001	ANP	PA-O3A	2.16	1.61	1.59
5	C	402	QOM	C30-C29	2.08	1.42	1.39
5	C	402	QOM	C04-C05	2.05	1.44	1.40

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	402	QOM	C30-C25-N24	15.12	138.49	119.22
5	C	402	QOM	C26-C25-N24	-14.47	102.34	119.65
5	C	402	QOM	C37-C35-N21	12.17	133.17	118.56
5	C	402	QOM	C35-N21-C19	5.00	124.26	117.45
5	C	402	QOM	C36-C35-N21	4.93	124.48	118.56
5	C	402	QOM	C02-C07-N06	4.90	121.26	117.22
5	C	402	QOM	C16-C11-C12	-4.90	111.87	117.23
5	C	402	QOM	C15-C14-C13	-4.70	115.00	121.08
5	C	402	QOM	C27-C26-C25	4.34	124.83	119.68
5	C	402	QOM	C04-C19-N21	3.89	119.64	115.56
5	C	402	QOM	C15-C16-C11	3.85	127.00	119.57
5	C	402	QOM	C28-C27-C26	-3.63	115.58	120.24
5	C	402	QOM	C13-C14-I17	3.47	124.29	119.38
5	C	402	QOM	C12-C11-N10	3.24	124.53	118.51
5	C	402	QOM	C34-C32-N31	3.13	119.66	114.95
5	C	402	QOM	O33-C32-C34	-2.96	116.79	122.05
5	C	402	QOM	O20-C19-C04	-2.79	119.20	125.16
5	C	402	QOM	C29-N31-C32	-2.44	123.43	127.98
5	C	402	QOM	O08-C07-C02	-2.44	118.86	124.27
3	B	1001	ANP	O1G-PG-N3B	-2.35	108.31	111.77
3	C	401	ANP	O1B-PB-N3B	-2.34	108.32	111.77
5	C	402	QOM	C27-C28-C29	2.25	122.32	119.73
5	C	402	QOM	C25-N24-C22	-2.20	114.35	117.13
5	C	402	QOM	C19-C04-C05	-2.19	119.24	122.21
3	C	401	ANP	O2G-PG-O1G	-2.09	108.20	113.45
5	C	402	QOM	O23-C22-N24	-2.03	117.60	121.66

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	1001	ANP	PB-N3B-PG-O1G
3	C	401	ANP	PG-N3B-PB-O1B
3	C	401	ANP	PA-O3A-PB-O2B
3	C	401	ANP	PB-O3A-PA-O5'
3	C	401	ANP	PA-O3A-PB-O1B


There are no ring outliers.


2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	401	ANP	3	0
5	C	402	QOM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	277/342 (80%)	0.20	16 (5%) 29 21	42, 64, 116, 154	0
2	C	304/384 (79%)	1.07	52 (17%) 4 3	57, 103, 145, 158	0
All	All	581/726 (80%)	0.65	68 (11%) 9 7	42, 82, 139, 158	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	81	VAL	7.5
2	C	42	LEU	4.7
1	B	685	TRP	4.2
2	C	307	PRO	4.1
2	C	92	LEU	3.9
2	C	142	CYS	3.8
2	C	74	LEU	3.8
2	C	93	VAL	3.6
2	C	102	GLU	3.5
2	C	381	LEU	3.4
1	B	730	MET	3.4
1	B	932	PRO	3.4
2	C	143	MET	3.4
1	B	687	GLY	3.2
2	C	96	ARG	3.2
1	B	652	THR	3.2
2	C	98	LEU	3.1
1	B	712	MET	3.0
2	C	100	HIS	3.0
2	C	63	LEU	2.9
1	B	655	PHE	2.9
2	C	50	LEU	2.8
2	C	206	LEU	2.8
2	C	271	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	53	PHE	2.8
2	C	101	LEU	2.7
1	B	707	PHE	2.7
2	C	147	ASP	2.7
2	C	83	PHE	2.7
2	C	369	VAL	2.7
2	C	82	VAL	2.6
2	C	124	PRO	2.6
1	B	818	ARG	2.5
2	C	328	ALA	2.5
2	C	175	LYS	2.5
2	C	141	ILE	2.5
1	B	704	LEU	2.4
2	C	159	GLY	2.4
2	C	268	ALA	2.4
1	B	731	SER	2.4
2	C	48	LYS	2.4
2	C	61	GLY	2.4
2	C	54	LEU	2.4
2	C	132	ALA	2.4
2	C	166	LEU	2.4
2	C	273	LEU	2.4
2	C	97	LYS	2.3
2	C	60	VAL	2.3
2	C	130	TYR	2.3
2	C	46	GLN	2.3
2	C	70	LYS	2.3
1	B	729	CYS	2.2
2	C	55	THR	2.2
1	B	819	GLU	2.2
2	C	353	LYS	2.2
2	C	356	MET	2.2
2	C	371	PHE	2.2
1	B	798	LYS	2.2
2	C	197	LEU	2.2
2	C	374	TRP	2.2
1	B	814	GLN	2.2
2	C	85	VAL	2.2
2	C	103	ILE	2.1
2	C	164	GLN	2.1
1	B	663	PHE	2.1
2	C	239	HIS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	68	PHE	2.0
2	C	117	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ANP	C	401	31/31	0.88	0.14	96,107,119,127	0
4	MG	C	403	1/1	0.93	0.14	93,93,93,93	0
5	QOM	C	402	37/37	0.93	0.16	78,88,105,120	0
3	ANP	B	1001	31/31	0.98	0.06	33,50,57,60	0
4	MG	B	1002	1/1	0.99	0.06	47,47,47,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ANP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around QOM C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP B 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.