



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:05 PM UTC

PDB ID : 4JVS / pdb_00004jvs
Title : Crystal structure of LepB GAP domain from Legionella drancourtii in complex with Rab1-GDP and AIF3
Authors : Yu, Q.; Yao, Q.; Wang, D.-C.; Shao, F.
Deposited on : 2013-03-26
Resolution : 2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5248 (2.80-2.76)
Clashscore	190562	5693 (2.80-2.76)
Ramachandran outliers	187476	5590 (2.80-2.76)
Sidechain outliers	187428	5592 (2.80-2.76)
RSRZ outliers	180081	5251 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	5% 55% 27% 7% 10%
2	B	181	% 71% 20% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACY	A	701	-	-	X	-
5	AF3	B	401	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3655 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	279	2252	1422	391	425	14	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	311	SER	-	expression tag	UNP G9EPL4
A	312	GLY	-	expression tag	UNP G9EPL4
A	313	ARG	-	expression tag	UNP G9EPL4
A	314	PRO	-	expression tag	UNP G9EPL4
A	315	MET	-	expression tag	UNP G9EPL4

- Molecule 2 is a protein called Ras-related protein Rab-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	170	1362	868	222	267	5	0	0	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	SER	-	expression tag	UNP P62820
B	-2	GLY	-	expression tag	UNP P62820
B	-1	ARG	-	expression tag	UNP P62820
B	0	PRO	-	expression tag	UNP P62820

- Molecule 3 is ACETIC ACID (CCD ID: ACY) (formula: C₂H₄O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O		0	0
			4	2	2			

- Molecule 4 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 5 is ALUMINUM FLUORIDE (CCD ID: AF3) (formula: AlF_3).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	Al	F	0	0
			4	1	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	O	0	0
			1	1		
7	B	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Putative uncharacterized protein



• Molecule 2: Ras-related protein Rab-1A



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	95.56Å 95.56Å 197.72Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.96 – 2.78 19.96 – 2.78	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.96-2.78) 99.2 (19.96-2.78)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.39 (at 2.79Å)	Xtriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.224 , 0.265 0.225 , 0.268	Depositor DCC
R_{free} test set	703 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 22.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3655	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ACY, GDP, AF3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	4/2304 (0.2%)	1.06	15/3122 (0.5%)
2	B	0.78	3/1384 (0.2%)	0.97	2/1868 (0.1%)
All	All	1.02	7/3688 (0.2%)	1.03	17/4990 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	420	HIS	CG-ND1	-6.85	1.30	1.38
1	A	420	HIS	CD2-NE2	-5.74	1.31	1.37
2	B	70	GLN	C-O	-5.54	1.16	1.23
1	A	539	HIS	C-O	-5.53	1.17	1.24
2	B	70	GLN	CD-NE2	-5.52	1.21	1.33
1	A	524	ALA	CA-CB	-5.32	1.44	1.53
2	B	41	ILE	C-O	-5.21	1.18	1.24

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	70	GLN	OE1-CD-NE2	-17.97	104.63	122.60
2	B	70	GLN	CG-CD-NE2	11.75	134.03	116.40
1	A	583	SER	N-CA-C	7.10	122.11	113.17
1	A	542	SER	N-CA-C	6.96	118.94	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	491	GLN	N-CA-C	6.33	120.10	108.58
1	A	409	LYS	C-N-CD	-6.26	99.34	125.00
1	A	449	ALA	CA-C-N	-6.06	113.57	119.87
1	A	449	ALA	C-N-CA	-6.06	113.57	119.87
1	A	534	THR	CA-C-N	-5.81	112.58	119.84
1	A	534	THR	C-N-CA	-5.81	112.58	119.84
1	A	489	ASN	N-CA-C	5.63	118.78	107.41
1	A	541	SER	N-CA-C	5.27	116.86	108.79
1	A	342	GLN	CA-C-N	5.21	125.19	120.03
1	A	342	GLN	C-N-CA	5.21	125.19	120.03
1	A	419	GLY	N-CA-C	5.10	122.36	115.32
1	A	490	GLY	CA-C-N	5.07	130.59	122.32
1	A	490	GLY	C-N-CA	5.07	130.59	122.32

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	409	LYS	Peptide
1	A	489	ASN	Peptide
1	A	540	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2252	0	2168	104	2
2	B	1362	0	1357	20	0
3	A	4	0	3	11	0
4	B	28	0	12	4	0
5	B	4	0	0	3	0
6	B	1	0	0	0	0
7	A	1	0	0	0	0
7	B	3	0	0	0	0
All	All	3655	0	3540	126	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 18.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:547:ILE:O	1:A:579:ARG:NH1	1.59	1.35
1:A:579:ARG:NH2	3:A:701:ACY:O	1.60	1.34
1:A:547:ILE:H	3:A:701:ACY:CH3	1.64	1.10
1:A:616:TRP:O	1:A:620:VAL:HG22	1.50	1.09
1:A:346:GLU:OE2	1:A:349:ARG:NH1	1.92	1.02
1:A:494:GLU:HA	1:A:495:ASP:HB3	1.42	1.00
1:A:493:LEU:C	1:A:494:GLU:OE1	2.09	0.96
1:A:494:GLU:HG3	1:A:495:ASP:O	1.67	0.95
1:A:427:LYS:NZ	1:A:539:HIS:ND1	2.19	0.91
1:A:493:LEU:O	1:A:494:GLU:OE1	1.89	0.91
1:A:494:GLU:HA	1:A:495:ASP:CB	1.98	0.90
1:A:539:HIS:NE2	1:A:544:PHE:O	2.07	0.87
2:B:38:GLU:OE2	4:B:400:GDP:O2'	1.92	0.87
1:A:341:GLU:O	1:A:341:GLU:HG3	1.76	0.84
1:A:616:TRP:O	1:A:620:VAL:CG2	2.25	0.83
1:A:547:ILE:H	3:A:701:ACY:H1	1.43	0.82
1:A:546:ASP:HA	3:A:701:ACY:H1	1.61	0.82
1:A:547:ILE:N	3:A:701:ACY:CH3	2.41	0.81
1:A:495:ASP:N	1:A:496:ASP:HB2	1.95	0.81
1:A:494:GLU:CB	1:A:495:ASP:O	2.30	0.80
1:A:494:GLU:CG	1:A:495:ASP:O	2.30	0.79
2:B:160:ASN:HA	2:B:163:GLN:OE1	1.82	0.79
1:A:594:LEU:HD22	1:A:610:ARG:HG3	1.68	0.75
1:A:340:GLN:HG3	1:A:341:GLU:N	2.00	0.74
1:A:548:ASP:OD1	1:A:548:ASP:C	2.30	0.72
1:A:488:GLN:O	1:A:488:GLN:HG3	1.90	0.71
1:A:493:LEU:O	1:A:494:GLU:CD	2.35	0.70
1:A:502:LEU:HG	1:A:502:LEU:O	1.92	0.69
1:A:494:GLU:CA	1:A:495:ASP:O	2.41	0.68
4:B:400:GDP:H5''	4:B:400:GDP:H8	1.57	0.68
1:A:427:LYS:NZ	1:A:539:HIS:CE1	2.62	0.67
1:A:502:LEU:N	1:A:503:PRO:HD2	2.09	0.67
1:A:583:SER:HB3	1:A:586:LEU:HB2	1.76	0.67
1:A:539:HIS:CD2	1:A:541:SER:H	2.12	0.66
1:A:547:ILE:H	3:A:701:ACY:H3	1.59	0.65
1:A:495:ASP:H	1:A:496:ASP:HB2	1.58	0.65
1:A:583:SER:O	1:A:585:SER:N	2.29	0.65
1:A:493:LEU:HD22	1:A:493:LEU:H	1.63	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:495:ASP:CA	1:A:496:ASP:HB2	2.28	0.64
1:A:502:LEU:O	1:A:506:GLN:HG3	1.97	0.64
1:A:339:GLU:HB2	1:A:342:GLN:HG3	1.79	0.64
1:A:339:GLU:CB	1:A:342:GLN:HG3	2.27	0.63
1:A:339:GLU:HB2	1:A:342:GLN:CG	2.28	0.63
2:B:15:LEU:HD22	2:B:65:TRP:HB2	1.79	0.63
1:A:427:LYS:HZ1	1:A:539:HIS:CE1	2.13	0.62
1:A:525:HIS:C	1:A:525:HIS:ND1	2.56	0.62
1:A:539:HIS:C	1:A:540:ASP:OD1	2.43	0.62
1:A:539:HIS:CE1	1:A:544:PHE:O	2.53	0.62
2:B:53:ILE:HG21	2:B:166:MET:HE1	1.82	0.62
1:A:491:GLN:O	1:A:492:MET:HG3	1.99	0.62
2:B:42:SER:OG	5:B:401:AF3:F3	2.07	0.60
2:B:113:ALA:HB1	2:B:117:VAL:HG21	1.84	0.60
1:A:540:ASP:OD1	1:A:540:ASP:N	2.30	0.59
4:B:400:GDP:PB	5:B:401:AF3:F2	2.50	0.59
1:A:340:GLN:HG3	1:A:341:GLU:H	1.66	0.59
4:B:400:GDP:H5"	4:B:400:GDP:C8	2.37	0.59
1:A:540:ASP:O	1:A:541:SER:OG	2.22	0.57
1:A:502:LEU:N	1:A:503:PRO:CD	2.65	0.57
1:A:578:MET:O	1:A:582:LYS:HB2	2.06	0.55
1:A:335:LEU:HB2	1:A:364:ARG:NH2	2.21	0.55
1:A:493:LEU:H	1:A:493:LEU:CD2	2.18	0.54
1:A:427:LYS:HE3	1:A:539:HIS:CE1	2.43	0.54
1:A:547:ILE:N	3:A:701:ACY:H1	2.16	0.54
1:A:615:GLN:O	1:A:618:GLN:HG2	2.08	0.54
1:A:539:HIS:HD2	1:A:546:ASP:OD1	1.92	0.52
2:B:159:THR:O	2:B:160:ASN:HB2	2.07	0.52
2:B:116:ASN:OD1	2:B:116:ASN:N	2.42	0.52
1:A:604:ASP:OD1	1:A:604:ASP:N	2.30	0.51
1:A:469:LYS:HD2	1:A:522:LEU:HD11	1.91	0.51
1:A:617:ARG:O	1:A:620:VAL:HG23	2.10	0.51
1:A:348:ILE:HG23	1:A:509:LEU:HD22	1.92	0.51
1:A:617:ARG:O	1:A:621:GLN:HG2	2.11	0.51
2:B:154:SER:HB3	2:B:159:THR:HB	1.93	0.51
1:A:525:HIS:ND1	1:A:526:ASP:N	2.58	0.51
1:A:546:ASP:HA	3:A:701:ACY:CH3	2.37	0.51
1:A:473:LEU:HD22	1:A:519:VAL:HG21	1.92	0.50
1:A:540:ASP:O	3:A:701:ACY:OXT	2.28	0.50
1:A:373:LEU:HD13	1:A:481:ILE:HG12	1.93	0.50
1:A:548:ASP:OD1	1:A:548:ASP:O	2.29	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:PRO:HA	1:A:412:ALA:N	2.26	0.50
1:A:507:LYS:NZ	1:A:511:ASP:OD2	2.44	0.50
2:B:92:ASP:HB3	2:B:95:ASP:HB3	1.92	0.50
1:A:445:MET:HE3	2:B:42:SER:HB3	1.94	0.50
1:A:492:MET:O	1:A:493:LEU:O	2.30	0.49
1:A:436:SER:HB3	1:A:474:ALA:HB1	1.95	0.49
1:A:618:GLN:HG3	1:A:619:LEU:N	2.28	0.48
2:B:11:LEU:HD23	2:B:61:LYS:HB3	1.95	0.48
1:A:494:GLU:CA	1:A:495:ASP:CB	2.76	0.48
2:B:57:GLY:C	2:B:58:LYS:HD2	2.39	0.48
1:A:427:LYS:CE	1:A:539:HIS:CE1	2.97	0.48
2:B:20:SER:HA	5:B:401:AF3:F1	2.04	0.47
1:A:494:GLU:HB3	1:A:495:ASP:O	2.12	0.47
1:A:494:GLU:HA	1:A:495:ASP:O	2.14	0.47
2:B:70:GLN:HG2	2:B:73:PHE:HD2	1.79	0.46
1:A:468:ALA:O	1:A:472:ARG:HB2	2.16	0.46
1:A:409:LYS:HD3	1:A:422:TYR:CD2	2.51	0.46
2:B:132:LYS:NZ	2:B:152:GLU:OE2	2.49	0.45
1:A:536:VAL:H	1:A:536:VAL:HG13	1.37	0.45
1:A:539:HIS:NE2	1:A:541:SER:N	2.63	0.44
1:A:621:GLN:H	1:A:621:GLN:HG3	1.39	0.44
1:A:606:ILE:HD12	1:A:606:ILE:HA	1.74	0.44
1:A:341:GLU:O	1:A:341:GLU:CG	2.56	0.44
1:A:522:LEU:HA	1:A:522:LEU:HD23	1.63	0.44
1:A:547:ILE:N	3:A:701:ACY:H2	2.30	0.44
1:A:536:VAL:O	1:A:536:VAL:CG2	2.63	0.43
2:B:58:LYS:HD2	2:B:58:LYS:N	2.33	0.43
1:A:423:ILE:HG21	1:A:544:PHE:CE1	2.53	0.43
1:A:539:HIS:CD2	1:A:540:ASP:N	2.87	0.43
1:A:494:GLU:OE1	1:A:494:GLU:N	2.50	0.43
1:A:339:GLU:HG3	1:A:342:GLN:HB2	2.01	0.43
1:A:342:GLN:HA	1:A:343:PRO:HD3	1.65	0.43
1:A:339:GLU:HG2	1:A:347:LEU:HD13	2.01	0.42
1:A:491:GLN:C	1:A:492:MET:HG3	2.44	0.42
1:A:618:GLN:CG	1:A:619:LEU:N	2.83	0.42
1:A:493:LEU:CD2	1:A:493:LEU:N	2.82	0.42
1:A:579:ARG:NH2	3:A:701:ACY:C	2.64	0.42
2:B:12:PHE:HA	2:B:85:HIS:ND1	2.35	0.41
1:A:539:HIS:CG	1:A:540:ASP:N	2.86	0.41
1:A:600:MET:HE2	1:A:600:MET:HB2	1.99	0.41
1:A:466:PRO:O	1:A:470:MET:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:LEU:HB3	1:A:503:PRO:HD3	2.02	0.41
1:A:608:GLU:OE1	1:A:608:GLU:N	2.48	0.41
2:B:13:LYS:HD2	2:B:83:GLY:O	2.21	0.41
1:A:423:ILE:O	1:A:451:TYR:OH	2.31	0.41
2:B:67:THR:HB	2:B:77:THR:HG21	2.02	0.40
1:A:410:PRO:HA	1:A:411:ASP:C	2.46	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:607:CYS:SG	1:A:607:CYS:SG[10_555]	1.35	0.85
1:A:398:ARG:NH2	1:A:592:ASP:OD2[6_554]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/310 (88%)	260 (95%)	10 (4%)	3 (1%)	11	32
2	B	168/181 (93%)	163 (97%)	5 (3%)	0	100	100
All	All	441/491 (90%)	423 (96%)	15 (3%)	3 (1%)	18	44

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	410	PRO
1	A	493	LEU
1	A	495	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/274 (89%)	204 (83%)	41 (17%)	2	7
2	B	150/159 (94%)	134 (89%)	16 (11%)	6	19
All	All	395/433 (91%)	338 (86%)	57 (14%)	3	10

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	339	GLU
1	A	340	GLN
1	A	358	ILE
1	A	360	VAL
1	A	366	GLU
1	A	373	LEU
1	A	381	LEU
1	A	393	ILE
1	A	400	GLU
1	A	406	THR
1	A	409	LYS
1	A	423	ILE
1	A	482	LEU
1	A	485	ARG
1	A	487	ILE
1	A	493	LEU
1	A	504	VAL
1	A	505	LEU
1	A	513	MET
1	A	523	LEU
1	A	525	HIS
1	A	535	PRO
1	A	536	VAL
1	A	539	HIS
1	A	550	GLN
1	A	568	LEU
1	A	574	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	577	ILE
1	A	578	MET
1	A	579	ARG
1	A	581	LEU
1	A	584	ASP
1	A	585	SER
1	A	589	GLU
1	A	593	SER
1	A	604	ASP
1	A	606	ILE
1	A	612	LYS
1	A	619	LEU
1	A	620	VAL
1	A	621	GLN
2	B	15	LEU
2	B	16	LEU
2	B	39	SER
2	B	41	ILE
2	B	43	THR
2	B	51	ARG
2	B	54	GLU
2	B	59	THR
2	B	70	GLN
2	B	82	ARG
2	B	103	LYS
2	B	115	GLU
2	B	116	ASN
2	B	117	VAL
2	B	138	THR
2	B	168	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	390	GLN
1	A	488	GLN
1	A	595	ASN
1	A	621	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	AF3	B	401	-	0,3,3	-	-	-		
4	GDP	B	400	6	29,30,30	1.88	4 (13%)	45,47,47	1.84	7 (15%)
3	ACY	A	701	-	3,3,3	1.02	0	3,3,3	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GDP	B	400	6	-	4/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	400	GDP	C4-N3	6.40	1.48	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	400	GDP	C2-N2	4.29	1.44	1.34
4	B	400	GDP	C5-N7	-2.39	1.34	1.39
4	B	400	GDP	C2-N1	2.18	1.42	1.37

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	400	GDP	C5-C4-N3	-5.57	119.53	128.39
4	B	400	GDP	C2-N3-C4	5.11	121.10	112.30
4	B	400	GDP	C5'-C4'-C3'	-4.03	100.70	115.21
4	B	400	GDP	N9-C4-N3	3.81	133.58	125.95
4	B	400	GDP	N1-C2-N3	-2.87	118.06	123.32
4	B	400	GDP	C8-N7-C5	2.44	108.61	104.26
4	B	400	GDP	N2-C2-N1	2.29	121.60	116.76

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	400	GDP	C5'-O5'-PA-O3A
4	B	400	GDP	C5'-O5'-PA-O2A
4	B	400	GDP	PB-O3A-PA-O2A
4	B	400	GDP	PB-O3A-PA-O1A


There are no ring outliers.

3 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	401	AF3	3	0
4	B	400	GDP	4	0
3	A	701	ACY	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/310 (90%)	0.19	15 (5%) 31 26	24, 45, 65, 85	0
2	B	170/181 (93%)	0.08	1 (0%) 85 81	32, 46, 63, 76	0
All	All	449/491 (91%)	0.15	16 (3%) 46 39	24, 45, 64, 85	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	495	ASP	5.4
1	A	539	HIS	5.0
1	A	541	SER	3.7
1	A	496	ASP	3.3
1	A	490	GLY	3.1
1	A	493	LEU	3.1
1	A	410	PRO	3.0
1	A	494	GLU	2.8
1	A	535	PRO	2.8
1	A	340	GLN	2.6
1	A	534	THR	2.6
1	A	526	ASP	2.5
1	A	411	ASP	2.5
1	A	331	ALA	2.2
2	B	176	MET	2.2
1	A	536	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MG	B	402	1/1	0.77	0.21	36,36,36,36	0
3	ACY	A	701	4/4	0.89	0.09	48,49,52,53	0
5	AF3	B	401	4/4	0.91	0.15	34,34,35,35	0
4	GDP	B	400	28/28	0.94	0.10	29,38,43,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.