



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 19, 2026 – 08:29 PM UTC

PDB ID : 1JWO / pdb_00001jwo
Title : Crystal Structure Analysis of the SH2 Domain of the Csk Homologous Kinase CHK
Authors : Murthy, T.V.S.; Webster, G.D.
Deposited on : 2001-09-04
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	97	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 833 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Csk Homologous Kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	97	Total	C	N	O	S	21	0	0
			785	501	142	136	6			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	48	Total	O	0	0
			48	48		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Csk Homologous Kinase

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	64.15Å 58.70Å 28.82Å 90.00° 115.36° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 20.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	94.9 (20.00-2.50) 94.7 (20.00-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 2.51Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.191 , 0.257 0.204 , 0.268	Depositor DCC
R_{free} test set	142 reflections (4.39%)	wwPDB-VP
Wilson B-factor (Å ²)	39.5	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 88.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for k+l,h+l,-l 0.031 for -k+l,-h-l,-l 0.056 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	833	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	3.65	57/805 (7.1%)	3.39	82/1085 (7.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	202	ALA	CA-CB	57.61	2.50	1.53
1	A	181	ASP	C-N	-33.78	0.86	1.33
1	A	180	ILE	CA-C	15.98	1.66	1.52
1	A	212	ARG	CG-CD	15.46	1.98	1.52
1	A	164	ARG	CD-NE	11.43	1.62	1.46
1	A	184	VAL	CA-CB	-11.31	1.41	1.54
1	A	150	ALA	CA-CB	-10.68	1.37	1.53
1	A	168	HIS	CA-C	-10.17	1.40	1.52
1	A	146	VAL	CB-CG1	10.10	1.85	1.52
1	A	132	ALA	CA-C	-9.61	1.40	1.52
1	A	130	GLN	CA-C	-9.45	1.41	1.52
1	A	177	HIS	CA-C	-9.24	1.41	1.52
1	A	146	VAL	CA-CB	-9.05	1.42	1.54
1	A	168	HIS	C-O	-8.63	1.13	1.23
1	A	195	HIS	CA-C	8.34	1.64	1.52
1	A	177	HIS	C-O	-8.26	1.13	1.23
1	A	146	VAL	N-CA	-7.99	1.36	1.46
1	A	168	HIS	CB-CG	-7.91	1.39	1.50
1	A	138	PRO	CA-C	7.79	1.59	1.52
1	A	183	ALA	CA-C	-7.66	1.42	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	120	MET	SD-CE	7.49	1.98	1.79
1	A	192	MET	SD-CE	-7.24	1.61	1.79
1	A	159	CYS	C-O	-7.21	1.15	1.24
1	A	126	LYS	CA-C	-7.11	1.44	1.53
1	A	130	GLN	C-N	-7.04	1.24	1.34
1	A	144	PHE	N-CA	7.03	1.55	1.45
1	A	130	GLN	N-CA	-6.88	1.38	1.46
1	A	175	ASP	CA-C	6.74	1.61	1.52
1	A	191	ASP	C-O	-6.69	1.15	1.24
1	A	124	HIS	CA-CB	-6.52	1.43	1.53
1	A	160	VAL	CA-CB	6.47	1.62	1.54
1	A	179	THR	CA-C	6.47	1.60	1.52
1	A	188	ASN	CA-C	6.44	1.60	1.52
1	A	189	LEU	N-CA	-6.39	1.38	1.46
1	A	130	GLN	C-O	-6.38	1.16	1.24
1	A	169	TYR	CA-C	6.36	1.59	1.52
1	A	135	GLN	CA-C	-6.23	1.44	1.52
1	A	178	LEU	C-N	6.04	1.41	1.33
1	A	166	VAL	C-O	5.98	1.30	1.24
1	A	179	THR	N-CA	5.75	1.53	1.46
1	A	126	LYS	C-O	-5.72	1.16	1.23
1	A	120	MET	CB-CG	5.71	1.69	1.52
1	A	166	VAL	CA-CB	-5.68	1.47	1.54
1	A	146	VAL	CA-C	5.68	1.59	1.52
1	A	135	GLN	N-CA	-5.56	1.39	1.46
1	A	169	TYR	CB-CG	5.51	1.63	1.51
1	A	149	SER	CA-C	5.47	1.60	1.52
1	A	159	CYS	CA-C	-5.34	1.46	1.52
1	A	169	TYR	N-CA	-5.31	1.40	1.46
1	A	130	GLN	CB-CG	-5.25	1.36	1.52
1	A	175	ASP	C-O	5.13	1.30	1.24
1	A	119	LEU	N-CA	-5.12	1.39	1.46
1	A	144	PHE	CE1-CZ	-5.10	1.23	1.38
1	A	144	PHE	CA-C	5.02	1.59	1.52
1	A	160	VAL	C-O	-5.02	1.18	1.24
1	A	127	ILE	CA-CB	-5.01	1.47	1.54
1	A	169	TYR	CE1-CZ	-5.00	1.26	1.38

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	181	ASP	O-C-N	-64.94	36.22	122.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	119	LEU	CB-CG-CD1	-15.38	64.56	110.70
1	A	182	GLU	O-C-N	15.21	142.82	122.59
1	A	182	GLU	CA-C-N	-15.12	92.67	121.54
1	A	182	GLU	C-N-CA	-15.12	92.67	121.54
1	A	202	ALA	N-CA-CB	-13.98	86.86	110.49
1	A	192	MET	N-CA-C	-11.26	99.02	111.07
1	A	206	LYS	CA-CB-CG	11.19	136.47	114.10
1	A	212	ARG	CG-CD-NE	10.82	135.81	112.00
1	A	210	PRO	CA-C-O	-10.13	109.12	120.97
1	A	134	GLN	N-CA-C	9.81	121.74	111.14
1	A	181	ASP	CA-C-N	-9.13	104.09	121.54
1	A	181	ASP	C-N-CA	-9.13	104.09	121.54
1	A	213	LYS	N-CA-C	-8.69	86.67	111.00
1	A	160	VAL	N-CA-C	8.56	120.10	108.11
1	A	137	GLN	N-CA-C	8.46	128.52	109.81
1	A	177	HIS	N-CA-CB	-8.42	96.04	111.37
1	A	183	ALA	N-CA-C	8.16	128.19	110.80
1	A	179	THR	CA-C-N	7.73	128.91	121.65
1	A	179	THR	C-N-CA	7.73	128.91	121.65
1	A	194	GLU	CB-CG-CD	-7.68	99.54	112.60
1	A	179	THR	N-CA-C	7.63	123.16	113.55
1	A	192	MET	CB-CG-SD	-7.58	89.97	112.70
1	A	150	ALA	CB-CA-C	7.53	124.20	110.88
1	A	180	ILE	O-C-N	-7.38	115.76	121.96
1	A	194	GLU	CB-CA-C	-7.32	95.85	110.42
1	A	129	GLY	CA-C-O	7.08	128.05	120.40
1	A	203	ILE	N-CA-C	-7.03	98.97	108.96
1	A	131	GLU	N-CA-C	7.00	120.70	111.75
1	A	205	THR	N-CA-CB	-6.83	100.97	111.56
1	A	178	LEU	N-CA-CB	-6.76	99.07	110.49
1	A	212	ARG	CA-C-N	6.73	133.82	121.70
1	A	212	ARG	C-N-CA	6.73	133.82	121.70
1	A	213	LYS	N-CA-CB	6.73	121.94	110.50
1	A	156	TYR	N-CA-C	6.72	120.55	110.14
1	A	206	LYS	CG-CD-CE	6.67	126.63	111.30
1	A	205	THR	N-CA-C	6.64	118.95	108.79
1	A	169	TYR	CB-CA-C	6.55	120.18	110.62
1	A	120	MET	CA-C-N	6.51	126.27	119.05
1	A	120	MET	C-N-CA	6.51	126.27	119.05
1	A	212	ARG	N-CA-C	6.45	119.77	108.75
1	A	130	GLN	CA-C-N	-6.26	111.24	120.38
1	A	130	GLN	C-N-CA	-6.26	111.24	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207	LEU	CA-C-O	-6.24	114.33	121.19
1	A	180	ILE	CB-CA-C	-6.16	106.32	113.22
1	A	198	LYS	N-CA-C	6.02	121.55	113.72
1	A	179	THR	CB-CA-C	-6.00	100.04	109.34
1	A	187	CYS	CA-CB-SG	-5.95	100.72	114.40
1	A	150	ALA	N-CA-CB	5.89	120.82	110.27
1	A	191	ASP	OD1-CG-OD2	-5.86	108.84	122.90
1	A	180	ILE	CB-CG1-CD1	-5.83	101.56	113.80
1	A	170	ARG	CA-C-N	-5.82	115.45	122.90
1	A	170	ARG	C-N-CA	-5.82	115.45	122.90
1	A	121	PRO	O-C-N	5.72	129.09	122.23
1	A	179	THR	CA-CB-CG2	5.59	120.00	110.50
1	A	146	VAL	N-CA-CB	-5.54	102.35	111.44
1	A	164	ARG	NE-CZ-NH1	-5.52	115.98	121.50
1	A	145	LEU	O-C-N	-5.49	117.50	123.26
1	A	144	PHE	CA-C-O	-5.48	115.37	121.51
1	A	129	GLY	O-C-N	5.48	128.04	122.24
1	A	131	GLU	CB-CA-C	-5.46	99.86	110.46
1	A	145	LEU	N-CA-C	-5.37	100.76	108.60
1	A	194	GLU	CA-CB-CG	-5.36	103.39	114.10
1	A	141	ASP	N-CA-C	5.29	118.47	110.64
1	A	164	ARG	CB-CA-C	5.29	120.94	110.42
1	A	133	VAL	N-CA-C	-5.20	105.32	110.62
1	A	169	TYR	CB-CG-CD1	5.20	128.59	120.80
1	A	124	HIS	CA-CB-CG	-5.18	108.62	113.80
1	A	177	HIS	N-CA-C	5.18	117.68	109.50
1	A	179	THR	N-CA-CB	-5.16	102.92	110.40
1	A	178	LEU	CA-C-O	-5.14	113.15	120.51
1	A	119	LEU	CD1-CG-CD2	5.13	122.09	110.80
1	A	151	ARG	CA-C-N	-5.12	115.34	122.66
1	A	151	ARG	C-N-CA	-5.12	115.34	122.66
1	A	167	ILE	CB-CA-C	-5.10	103.89	111.19
1	A	118	SER	CA-C-N	-5.09	112.13	122.31
1	A	118	SER	C-N-CA	-5.09	112.13	122.31
1	A	121	PRO	CA-C-O	-5.07	111.95	119.86
1	A	137	GLN	CA-C-N	-5.06	115.17	120.38
1	A	137	GLN	C-N-CA	-5.06	115.17	120.38
1	A	128	SER	N-CA-C	-5.03	100.08	110.80
1	A	169	TYR	O-C-N	-5.03	116.60	123.14

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	183	ALA	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	181	ASP	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	785	0	779	145	10
2	A	48	0	0	31	3
All	All	833	0	779	145	12

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 96.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:TYR:CE2	1:A:203:ILE:HG22	1.41	1.54
1:A:146:VAL:CG1	1:A:146:VAL:CB	1.85	1.52
1:A:152:HIS:CG	1:A:170:ARG:NH2	1.86	1.41
1:A:176:GLY:HA2	2:A:322:HOH:O	1.22	1.38
1:A:169:TYR:CE2	1:A:203:ILE:CG2	2.09	1.33
1:A:173:HIS:CD2	2:A:348:HOH:O	1.89	1.24
1:A:130:GLN:O	2:A:317:HOH:O	1.54	1.21
1:A:181:ASP:C	1:A:183:ALA:N	1.97	1.21
1:A:200:LYS:C	2:A:335:HOH:O	1.81	1.20
1:A:176:GLY:HA3	2:A:327:HOH:O	1.43	1.17
1:A:152:HIS:CG	1:A:170:ARG:HH21	1.56	1.16
1:A:152:HIS:ND1	1:A:170:ARG:NH2	1.87	1.15
1:A:201:GLY:N	2:A:335:HOH:O	1.76	1.13
1:A:180:ILE:HD11	1:A:184:VAL:HG23	1.08	1.08
1:A:205:THR:HG23	2:A:310:HOH:O	0.92	1.08
1:A:180:ILE:O	1:A:181:ASP:C	1.95	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ARG:HH11	1:A:151:ARG:HG2	1.23	1.03
1:A:169:TYR:CZ	1:A:203:ILE:HG22	1.98	0.98
1:A:169:TYR:CD1	2:A:309:HOH:O	2.17	0.97
1:A:174:ARG:HG2	1:A:174:ARG:HH11	1.27	0.96
1:A:180:ILE:HD11	1:A:184:VAL:CG2	1.98	0.93
1:A:173:HIS:NE2	2:A:348:HOH:O	1.94	0.92
1:A:169:TYR:HE2	1:A:203:ILE:HG22	1.24	0.91
1:A:181:ASP:C	1:A:183:ALA:H	1.50	0.90
1:A:152:HIS:CB	1:A:170:ARG:HH21	1.84	0.90
1:A:180:ILE:CD1	1:A:184:VAL:HG23	2.00	0.89
1:A:152:HIS:CB	1:A:170:ARG:NH2	2.36	0.89
1:A:169:TYR:CD2	1:A:203:ILE:CG2	2.56	0.88
1:A:137:GLN:OE1	1:A:139:PRO:HD3	1.74	0.87
1:A:137:GLN:O	1:A:139:PRO:HD3	1.73	0.87
1:A:169:TYR:CE1	2:A:309:HOH:O	2.26	0.87
1:A:200:LYS:CG	1:A:201:GLY:N	2.38	0.87
1:A:137:GLN:O	1:A:139:PRO:CD	2.24	0.86
1:A:212:ARG:O	1:A:213:LYS:HD2	1.77	0.84
1:A:167:ILE:HG21	1:A:169:TYR:CZ	2.13	0.84
1:A:178:LEU:HD11	1:A:180:ILE:C	2.02	0.84
1:A:162:PHE:CD2	1:A:205:THR:OG1	2.30	0.83
1:A:155:ASP:HA	2:A:348:HOH:O	1.78	0.83
1:A:180:ILE:O	1:A:183:ALA:N	2.14	0.80
1:A:140:GLU:OE2	1:A:209:ARG:NE	2.13	0.80
1:A:194:GLU:HA	1:A:194:GLU:OE1	1.80	0.80
1:A:196:TYR:CD1	1:A:203:ILE:HD11	2.17	0.79
1:A:200:LYS:HG3	1:A:201:GLY:N	1.96	0.79
1:A:146:VAL:CG1	1:A:146:VAL:CA	2.60	0.79
1:A:146:VAL:CG1	1:A:146:VAL:CG2	2.64	0.75
1:A:180:ILE:O	1:A:180:ILE:HG13	1.87	0.74
1:A:152:HIS:HB2	1:A:170:ARG:HH21	1.50	0.74
1:A:152:HIS:HB2	1:A:170:ARG:NH2	2.02	0.72
1:A:154:GLY:O	2:A:348:HOH:O	2.10	0.70
1:A:201:GLY:CA	2:A:335:HOH:O	2.30	0.70
1:A:137:GLN:OE1	1:A:137:GLN:O	2.10	0.69
1:A:167:ILE:HG22	1:A:168:HIS:N	2.06	0.69
1:A:140:GLU:O	1:A:143:LEU:HB2	1.93	0.69
1:A:174:ARG:HH11	1:A:174:ARG:CG	2.05	0.68
1:A:212:ARG:HG3	2:A:343:HOH:O	1.93	0.67
1:A:152:HIS:CG	1:A:170:ARG:HH22	1.80	0.67
1:A:152:HIS:CE1	1:A:170:ARG:NH2	2.62	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:ILE:CG2	1:A:168:HIS:N	2.58	0.66
1:A:167:ILE:C	1:A:168:HIS:CD2	2.73	0.66
1:A:151:ARG:HG2	1:A:151:ARG:NH1	2.01	0.66
1:A:188:ASN:HB3	1:A:190:MET:HE3	1.78	0.66
1:A:169:TYR:CE2	1:A:203:ILE:HG21	2.27	0.65
1:A:212:ARG:O	1:A:212:ARG:HG3	1.97	0.64
1:A:124:HIS:N	1:A:124:HIS:CD2	2.63	0.64
1:A:178:LEU:HG	1:A:179:THR:N	2.06	0.64
1:A:167:ILE:C	1:A:168:HIS:HD2	2.06	0.62
1:A:162:PHE:CE2	1:A:205:THR:OG1	2.55	0.60
1:A:152:HIS:CD2	1:A:170:ARG:NH2	2.62	0.60
1:A:170:ARG:HG3	1:A:170:ARG:HH11	1.65	0.60
1:A:174:ARG:HG2	1:A:174:ARG:NH1	2.07	0.59
1:A:170:ARG:HG3	1:A:170:ARG:NH1	2.17	0.59
1:A:180:ILE:CG1	1:A:184:VAL:H	2.14	0.59
1:A:130:GLN:HB2	2:A:326:HOH:O	2.04	0.58
1:A:188:ASN:CB	1:A:190:MET:HE3	2.33	0.58
1:A:181:ASP:OD1	1:A:181:ASP:N	2.37	0.57
1:A:180:ILE:O	1:A:180:ILE:CG1	2.52	0.57
1:A:152:HIS:O	1:A:155:ASP:HB2	2.03	0.57
1:A:211:LYS:NZ	2:A:311:HOH:O	2.34	0.57
1:A:178:LEU:HD11	1:A:180:ILE:O	2.04	0.56
1:A:117:LEU:O	1:A:120:MET:N	2.30	0.56
1:A:169:TYR:CD2	1:A:203:ILE:HG21	2.38	0.56
1:A:117:LEU:HD23	1:A:117:LEU:N	2.22	0.55
1:A:173:HIS:HD2	2:A:348:HOH:O	1.56	0.55
1:A:169:TYR:HD1	2:A:313:HOH:O	1.90	0.55
1:A:213:LYS:NZ	2:A:343:HOH:O	2.28	0.55
1:A:167:ILE:HD12	1:A:167:ILE:N	2.21	0.55
1:A:151:ARG:NH2	2:A:319:HOH:O	2.40	0.55
1:A:174:ARG:O	1:A:175:ASP:OD2	2.24	0.55
1:A:200:LYS:HG2	1:A:201:GLY:N	2.22	0.54
1:A:200:LYS:HG2	1:A:201:GLY:H	1.73	0.54
1:A:180:ILE:HG13	1:A:184:VAL:H	1.71	0.53
1:A:189:LEU:O	1:A:191:ASP:N	2.42	0.53
1:A:117:LEU:CB	2:A:318:HOH:O	2.57	0.53
1:A:137:GLN:O	1:A:137:GLN:CD	2.51	0.53
1:A:213:LYS:HE2	2:A:311:HOH:O	2.08	0.53
1:A:168:HIS:N	1:A:168:HIS:CD2	2.75	0.53
1:A:188:ASN:HB3	1:A:190:MET:CE	2.39	0.52
1:A:137:GLN:O	1:A:139:PRO:HD2	2.07	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:PHE:CD1	1:A:207:LEU:HD22	2.46	0.51
1:A:146:VAL:CG1	1:A:146:VAL:C	2.83	0.51
1:A:200:LYS:O	1:A:201:GLY:C	2.54	0.51
1:A:194:GLU:HG2	2:A:315:HOH:O	2.10	0.50
1:A:174:ARG:C	1:A:176:GLY:H	2.19	0.50
1:A:174:ARG:C	1:A:175:ASP:OD2	2.54	0.49
1:A:201:GLY:C	2:A:335:HOH:O	2.53	0.49
1:A:144:PHE:CG	1:A:207:LEU:HD22	2.48	0.49
1:A:174:ARG:N	1:A:176:GLY:O	2.43	0.49
1:A:178:LEU:HD11	1:A:181:ASP:N	2.28	0.49
1:A:212:ARG:O	1:A:213:LYS:CD	2.56	0.49
1:A:188:ASN:N	1:A:188:ASN:ND2	2.62	0.48
1:A:134:GLN:O	1:A:137:GLN:HB2	2.14	0.48
1:A:117:LEU:CA	2:A:318:HOH:O	2.62	0.48
1:A:212:ARG:CG	2:A:343:HOH:O	2.58	0.47
1:A:145:LEU:HD12	1:A:145:LEU:C	2.40	0.47
1:A:129:GLY:O	1:A:132:ALA:N	2.45	0.47
1:A:178:LEU:HD22	1:A:185:PHE:CE2	2.49	0.47
1:A:167:ILE:HG21	1:A:169:TYR:CE1	2.48	0.46
1:A:169:TYR:CE2	1:A:203:ILE:HG23	2.33	0.46
1:A:180:ILE:HD11	1:A:184:VAL:H	1.80	0.46
1:A:127:ILE:C	1:A:128:SER:O	2.56	0.46
1:A:123:PHE:C	1:A:124:HIS:HD2	2.24	0.46
1:A:137:GLN:O	1:A:137:GLN:CG	2.64	0.45
1:A:152:HIS:ND1	1:A:152:HIS:N	2.65	0.45
1:A:117:LEU:HD22	1:A:117:LEU:HA	1.59	0.45
1:A:173:HIS:HA	1:A:176:GLY:O	2.17	0.45
1:A:206:LYS:N	2:A:310:HOH:O	2.46	0.45
1:A:180:ILE:CD1	1:A:184:VAL:H	2.30	0.45
1:A:213:LYS:HD3	2:A:316:HOH:O	2.18	0.44
1:A:169:TYR:CD2	1:A:203:ILE:HG23	2.48	0.44
1:A:178:LEU:HD11	1:A:181:ASP:CA	2.48	0.44
1:A:117:LEU:C	2:A:318:HOH:O	2.60	0.44
1:A:208:VAL:HG12	1:A:209:ARG:N	2.34	0.42
1:A:170:ARG:HH11	1:A:170:ARG:CG	2.32	0.42
1:A:143:LEU:HD23	1:A:143:LEU:HA	1.94	0.42
1:A:205:THR:CG2	2:A:310:HOH:O	1.82	0.42
1:A:194:GLU:O	1:A:195:HIS:C	2.62	0.42
1:A:125:GLY:O	1:A:147:ARG:HB2	2.20	0.42
1:A:122:TRP:HB3	1:A:210:PRO:HB3	2.02	0.41
1:A:180:ILE:HD13	2:A:304:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:HIS:N	1:A:124:HIS:HD2	2.12	0.41
1:A:120:MET:HA	1:A:121:PRO:HD3	1.68	0.41
1:A:195:HIS:C	1:A:195:HIS:ND1	2.79	0.41
1:A:123:PHE:C	1:A:124:HIS:CD2	2.98	0.41
1:A:178:LEU:CD2	1:A:181:ASP:HA	2.50	0.41
1:A:171:VAL:HG21	1:A:192:MET:HE1	2.02	0.40

All (12) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:ARG:CZ	1:A:182:GLU:CG[4_546]	0.80	1.40
1:A:164:ARG:NH2	1:A:182:GLU:CG[4_546]	1.00	1.20
1:A:164:ARG:NH1	1:A:182:GLU:CD[4_546]	1.04	1.16
1:A:164:ARG:NH1	1:A:182:GLU:OE1[4_546]	1.18	1.02
1:A:164:ARG:NH1	1:A:182:GLU:CG[4_546]	1.36	0.84
1:A:164:ARG:CZ	1:A:182:GLU:CD[4_546]	1.54	0.66
1:A:211:LYS:NZ	2:A:340:HOH:O[1_554]	1.58	0.62
1:A:164:ARG:NH2	1:A:182:GLU:CB[4_546]	1.64	0.56
2:A:311:HOH:O	2:A:340:HOH:O[1_554]	1.72	0.48
1:A:182:GLU:O	1:A:187:CYS:SG[2_656]	2.06	0.14
2:A:326:HOH:O	2:A:326:HOH:O[2_555]	2.07	0.13
1:A:164:ARG:NE	1:A:182:GLU:CG[4_546]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	95/97 (98%)	69 (73%)	16 (17%)	10 (10%)	0 0

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	181	ASP
1	A	191	ASP
1	A	140	GLU
1	A	182	GLU
1	A	201	GLY
1	A	202	ALA
1	A	139	PRO
1	A	190	MET
1	A	183	ALA
1	A	193	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	86/86 (100%)	64 (74%)	22 (26%)	0 1

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	117	LEU
1	A	119	LEU
1	A	126	LYS
1	A	131	GLU
1	A	136	LEU
1	A	137	GLN
1	A	143	LEU
1	A	149	SER
1	A	151	ARG
1	A	152	HIS
1	A	155	ASP
1	A	174	ARG
1	A	175	ASP
1	A	177	HIS
1	A	178	LEU
1	A	184	VAL
1	A	188	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	191	ASP
1	A	195	HIS
1	A	203	ILE
1	A	205	THR
1	A	211	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	130	GLN
1	A	168	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	181:ASP	C	182:GLU	N	0.86

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	96/97 (98%)	0.03	0 100 100	15, 32, 42, 59	5 (5%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.