



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:28 AM UTC

PDB ID : 3JWH / pdb_00003jwh
Title : Crystal structure analysis of the methyltransferase domain of bacterial-AvHen1-C
Authors : Huang, R.H.; Chan, C.M.; Zhou, C.; Brunzelle, J.S.
Deposited on : 2009-09-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	9% 58% 28% • 12%
1	B	217	14% 52% 33% • 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3188 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hen1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	191	Total	C	N	O	S	0	0	0
			1540	978	279	280	3			
1	B	188	Total	C	N	O	S	0	0	0
			1521	964	277	277	3			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	252	MET	-	expression tag	UNP Q3MCR9
A	462	GLY	-	expression tag	UNP Q3MCR9
A	463	HIS	-	expression tag	UNP Q3MCR9
A	464	HIS	-	expression tag	UNP Q3MCR9
A	465	HIS	-	expression tag	UNP Q3MCR9
A	466	HIS	-	expression tag	UNP Q3MCR9
A	467	HIS	-	expression tag	UNP Q3MCR9
A	468	HIS	-	expression tag	UNP Q3MCR9
B	252	MET	-	expression tag	UNP Q3MCR9
B	462	GLY	-	expression tag	UNP Q3MCR9
B	463	HIS	-	expression tag	UNP Q3MCR9
B	464	HIS	-	expression tag	UNP Q3MCR9
B	465	HIS	-	expression tag	UNP Q3MCR9
B	466	HIS	-	expression tag	UNP Q3MCR9
B	467	HIS	-	expression tag	UNP Q3MCR9
B	468	HIS	-	expression tag	UNP Q3MCR9

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total	O	0	0
			46	46		
3	B	29	Total	O	0	0
			29	29		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Hen1



• Molecule 1: Hen1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.52Å 49.77Å 90.43Å 90.00° 101.36° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 50.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	88.6 (50.00-2.20) 93.0 (50.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.12 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.236 , 0.291 0.243 , 0.298	Depositor DCC
R_{free} test set	1908 reflections (7.90%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.899	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3188	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1570	0.90	4/2124 (0.2%)
1	B	0.38	0/1550	0.83	5/2095 (0.2%)
All	All	0.45	0/3120	0.87	9/4219 (0.2%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	284	VAL	N-CA-C	6.84	117.69	108.11
1	A	363	ILE	N-CA-C	6.28	117.78	110.62
1	A	284	VAL	N-CA-C	6.22	117.44	108.48
1	B	335	GLU	N-CA-C	-5.61	106.27	113.01
1	B	436	ASN	N-CA-C	-5.54	101.09	109.85
1	A	462	GLY	N-CA-C	-5.47	105.27	112.82
1	B	462	GLY	N-CA-C	-5.47	105.09	112.14
1	A	360	ILE	N-CA-C	5.34	115.46	107.51
1	B	378	LEU	N-CA-C	5.19	116.75	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1540	0	1512	55	0
1	B	1521	0	1500	53	0
2	A	26	0	19	2	0
2	B	26	0	19	1	0
3	A	46	0	0	5	0
3	B	29	0	0	6	0
All	All	3188	0	3050	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:446:ASP:HB3	1:A:448:GLU:H	1.01	1.15
1:A:443:GLY:HA3	1:A:452:PRO:HD2	1.46	0.95
1:B:363:ILE:HB	3:B:68:HOH:O	1.69	0.91
1:A:446:ASP:HB3	1:A:448:GLU:N	1.85	0.90
1:A:269:MET:HG2	1:A:297:ILE:HD12	1.57	0.86
1:A:266:GLN:HE21	1:A:270:ASN:ND2	1.79	0.81
1:B:314:TYR:O	1:B:318:GLU:HG2	1.82	0.78
1:B:350:ARG:HB2	3:B:65:HOH:O	1.82	0.78
1:A:333:GLN:HG3	1:A:336:ARG:NH1	2.01	0.75
1:B:283:ARG:HH11	1:B:306:GLN:HB2	1.53	0.74
1:A:344:LEU:HG	2:A:1:SAH:C2	2.17	0.73
1:A:266:GLN:HE21	1:A:270:ASN:HD21	1.35	0.72
1:A:442:ILE:HG13	1:A:453:THR:HB	1.74	0.68
1:B:424:ASN:O	1:B:428:LYS:HG2	1.94	0.68
1:A:269:MET:HG2	1:A:297:ILE:CD1	2.26	0.64
1:B:360:ILE:HG22	1:B:361:GLU:HG2	1.79	0.64
1:B:283:ARG:HD3	1:B:306:GLN:HB3	1.80	0.64
1:B:327:LEU:HB2	3:B:63:HOH:O	1.97	0.64
1:A:368:LEU:HD12	1:A:369:SER:H	1.63	0.63
1:B:268:ARG:O	1:B:272:VAL:HG23	2.01	0.61
1:A:283:ARG:HD3	1:A:306:GLN:HB3	1.82	0.60
1:B:419:ARG:HA	1:B:454:GLN:OE1	2.03	0.59
1:A:443:GLY:HA3	1:A:452:PRO:CD	2.26	0.58
1:B:321:GLN:HE21	1:B:339:LEU:HD22	1.68	0.58
1:B:338:GLN:HE21	1:B:340:ILE:HD11	1.67	0.58
1:A:287:LEU:HB3	1:A:344:LEU:HD22	1.85	0.58
1:B:269:MET:O	1:B:273:VAL:HG23	2.04	0.57
1:A:333:GLN:HG3	1:A:336:ARG:HH11	1.70	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:436:ASN:ND2	1:B:461:ARG:HE	2.02	0.57
1:B:319:ILE:HG22	1:B:323:ARG:HD2	1.87	0.57
1:B:283:ARG:NH1	1:B:306:GLN:HB2	2.19	0.56
1:A:446:ASP:N	1:A:447:PRO:HA	2.21	0.56
1:A:442:ILE:CG1	1:A:453:THR:HB	2.35	0.56
1:A:442:ILE:C	1:A:442:ILE:HD12	2.30	0.56
1:B:419:ARG:O	1:B:423:GLN:HG3	2.06	0.56
1:B:396:TYR:CD2	1:B:452:PRO:HB3	2.41	0.55
1:A:394:ILE:HB	1:A:416:GLU:HB2	1.88	0.55
1:B:319:ILE:O	1:B:322:GLU:HG2	2.06	0.55
1:A:446:ASP:CB	1:A:448:GLU:H	1.95	0.55
1:B:287:LEU:HB3	1:B:344:LEU:HD22	1.88	0.54
1:A:359:VAL:HG12	1:A:362:VAL:HB	1.89	0.54
1:B:418:THR:OG1	1:B:421:GLN:HG2	2.08	0.54
1:B:443:GLY:HA3	1:B:452:PRO:HD2	1.89	0.54
1:B:327:LEU:HA	3:B:62:HOH:O	2.07	0.54
1:B:273:VAL:O	1:B:277:LYS:HG2	2.08	0.53
1:B:331:ARG:O	1:B:332:ASN:ND2	2.41	0.53
1:A:282:ARG:HD2	1:A:303:PHE:O	2.09	0.53
1:B:298:LEU:HB3	1:B:307:ILE:HG12	1.91	0.52
1:A:349:LYS:HD2	1:A:381:PHE:HZ	1.75	0.52
1:A:274:ALA:O	1:A:278:GLN:HG3	2.10	0.51
1:B:344:LEU:HG	2:B:1:SAH:C2	2.41	0.51
1:B:443:GLY:HA3	1:B:452:PRO:CG	2.41	0.51
1:B:440:GLN:NE2	1:B:457:VAL:HG21	2.26	0.51
1:A:266:GLN:O	1:A:270:ASN:ND2	2.43	0.50
1:B:337:LEU:HD12	1:B:338:GLN:H	1.75	0.50
1:A:451:SER:HB3	1:A:452:PRO:HD2	1.92	0.50
1:A:373:ALA:O	1:A:377:VAL:HG23	2.12	0.49
1:B:332:ASN:C	1:B:332:ASN:HD22	2.21	0.49
1:A:431:GLU:HG2	1:B:461:ARG:CZ	2.42	0.49
1:B:338:GLN:NE2	1:B:340:ILE:HD11	2.28	0.49
1:A:394:ILE:HG12	1:A:394:ILE:O	2.13	0.49
1:B:363:ILE:HG12	3:B:50:HOH:O	2.12	0.49
1:A:291:GLN:HG3	3:A:8:HOH:O	2.12	0.48
1:B:329:LEU:HD12	3:B:63:HOH:O	2.14	0.48
1:A:423:GLN:HG2	1:A:439:PHE:CZ	2.48	0.47
1:A:360:ILE:HG22	1:A:361:GLU:HG2	1.96	0.47
1:A:344:LEU:HG	2:A:1:SAH:N1	2.29	0.47
1:B:368:LEU:HD12	1:B:369:SER:N	2.30	0.47
1:A:442:ILE:HD12	1:A:443:GLY:N	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:443:GLY:HA3	1:B:452:PRO:CD	2.45	0.46
1:B:315:ARG:HA	1:B:315:ARG:HD2	1.76	0.46
1:B:423:GLN:O	1:B:427:ASN:ND2	2.48	0.46
1:A:444:GLU:H	1:A:452:PRO:HD2	1.81	0.46
1:B:387:VAL:HB	1:B:458:PHE:HB2	1.97	0.46
1:A:446:ASP:CB	1:A:449:VAL:H	2.29	0.45
1:A:361:GLU:OE1	1:A:392:PRO:HG3	2.16	0.45
1:B:364:GLU:OE2	1:B:392:PRO:HD3	2.17	0.45
1:A:393:ASN:OD1	1:A:395:GLU:HB2	2.17	0.45
1:A:269:MET:HE3	1:A:293:ASN:HB3	1.99	0.44
1:A:419:ARG:HA	1:A:454:GLN:OE1	2.17	0.44
1:A:394:ILE:O	1:A:398:VAL:HG23	2.17	0.44
1:A:363:ILE:HD11	1:A:391:THR:HB	1.99	0.44
1:B:376:ARG:O	1:B:380:GLU:HB3	2.18	0.43
1:B:396:TYR:CE2	1:B:452:PRO:HB3	2.54	0.43
1:A:392:PRO:HD2	3:A:39:HOH:O	2.17	0.43
1:B:425:TRP:O	1:B:429:ILE:HG12	2.18	0.43
1:A:291:GLN:O	1:A:320:ALA:HA	2.19	0.43
1:A:283:ARG:HD3	1:A:306:GLN:CB	2.49	0.43
1:A:446:ASP:OD1	1:A:449:VAL:HG22	2.19	0.43
1:B:390:THR:HA	1:B:454:GLN:O	2.19	0.43
1:A:307:ILE:N	1:A:307:ILE:HD12	2.34	0.42
1:A:338:GLN:NE2	1:A:340:ILE:HD11	2.34	0.42
1:A:436:ASN:ND2	1:A:461:ARG:HE	2.17	0.42
1:A:377:VAL:O	1:A:381:PHE:HB3	2.20	0.42
1:B:360:ILE:O	1:B:362:VAL:HG23	2.20	0.42
1:B:263:SER:HB3	1:B:266:GLN:HB2	2.01	0.42
1:A:446:ASP:HB3	1:A:449:VAL:H	1.85	0.42
1:A:262:ILE:N	3:A:3:HOH:O	2.52	0.42
1:B:283:ARG:CZ	1:B:305:GLU:HB3	2.50	0.42
1:B:364:GLU:HG2	1:B:365:HIS:ND1	2.36	0.41
1:B:390:THR:HG22	1:B:455:MET:HG3	2.03	0.41
1:B:333:GLN:NE2	1:B:333:GLN:HA	2.35	0.41
1:A:366:LEU:HD23	3:A:31:HOH:O	2.21	0.41
1:B:386:ILE:CD1	1:B:459:ILE:HG12	2.51	0.41
1:A:326:ARG:C	3:A:18:HOH:O	2.63	0.40
1:B:298:LEU:CB	1:B:307:ILE:HG12	2.51	0.40
1:A:296:LYS:O	1:A:300:LYS:HE2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	187/217 (86%)	175 (94%)	11 (6%)	1 (0%)	24	27
1	B	184/217 (85%)	168 (91%)	14 (8%)	2 (1%)	11	10
All	All	371/434 (86%)	343 (92%)	25 (7%)	3 (1%)	16	16

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	443	GLY
1	B	399	LYS
1	B	446	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	161/188 (86%)	156 (97%)	5 (3%)	35	48
1	B	160/188 (85%)	154 (96%)	6 (4%)	29	40
All	All	321/376 (85%)	310 (97%)	11 (3%)	32	44

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	299	LEU
1	A	317	LEU
1	A	333	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	339	LEU
1	A	368	LEU
1	B	291	GLN
1	B	299	LEU
1	B	317	LEU
1	B	332	ASN
1	B	341	GLN
1	B	368	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	267	GLN
1	A	270	ASN
1	A	333	GLN
1	A	338	GLN
1	A	341	GLN
1	A	421	GLN
1	A	436	ASN
1	B	267	GLN
1	B	321	GLN
1	B	332	ASN
1	B	333	GLN
1	B	338	GLN
1	B	383	GLN
1	B	427	ASN
1	B	436	ASN
1	B	440	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAH	A	1	-	27,28,28	1.04	3 (11%)	36,40,40	1.94	8 (22%)
2	SAH	B	1	-	27,28,28	1.03	3 (11%)	36,40,40	1.87	9 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	A	1	-	-	5/15/31/31	0/3/3/3
2	SAH	B	1	-	-	4/15/31/31	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	SAH	C5-N7	-3.14	1.33	1.39
2	B	1	SAH	C5-N7	-3.05	1.33	1.39
2	A	1	SAH	C8-N9	-2.37	1.33	1.37
2	B	1	SAH	C8-N9	-2.28	1.33	1.37
2	B	1	SAH	C4-N9	-2.16	1.33	1.37
2	A	1	SAH	C4-N9	-2.15	1.33	1.37

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	SAH	C5-C4-N3	-5.37	119.33	126.72
2	B	1	SAH	C5-C4-N3	-5.24	119.51	126.72
2	A	1	SAH	N3-C2-N1	-4.65	121.55	128.58
2	B	1	SAH	N3-C2-N1	-4.35	122.00	128.58
2	A	1	SAH	N3-C4-N9	3.80	133.63	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	SAH	C2-N3-C4	3.62	120.67	111.83
2	B	1	SAH	N3-C4-N9	3.57	133.24	127.17
2	B	1	SAH	C2-N3-C4	3.41	120.17	111.83
2	A	1	SAH	N9-C8-N7	-3.08	109.57	113.94
2	B	1	SAH	N9-C8-N7	-3.01	109.66	113.94
2	A	1	SAH	C4-C5-N7	-2.84	107.33	110.58
2	A	1	SAH	C5-N7-C8	2.84	107.91	103.45
2	B	1	SAH	C4-C5-N7	-2.66	107.53	110.58
2	B	1	SAH	C5-N7-C8	2.66	107.63	103.45
2	A	1	SAH	C4-N9-C8	2.29	108.15	105.74
2	B	1	SAH	C4-N9-C8	2.08	107.92	105.74
2	B	1	SAH	C3'-C2'-C1'	-2.08	97.53	101.46

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	SAH	O-C-CA-N
2	B	1	SAH	O-C-CA-N
2	A	1	SAH	OXT-C-CA-N
2	B	1	SAH	OXT-C-CA-N
2	A	1	SAH	OXT-C-CA-CB
2	B	1	SAH	OXT-C-CA-CB
2	B	1	SAH	O-C-CA-CB
2	A	1	SAH	O-C-CA-CB
2	A	1	SAH	C4'-C5'-SD-CG


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	SAH	2	0
2	B	1	SAH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	191/217 (88%)	0.52	19 (9%) 13 10	12, 29, 58, 75	0
1	B	188/217 (86%)	1.15	31 (16%) 4 3	30, 44, 69, 89	0
All	All	379/434 (87%)	0.83	50 (13%) 7 5	12, 38, 69, 89	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	400	PHE	4.2
1	B	415	PHE	4.1
1	A	413	HIS	3.8
1	B	463	HIS	3.8
1	B	445	ALA	3.8
1	A	414	ARG	3.6
1	B	368	LEU	3.4
1	B	447	PRO	3.4
1	A	447	PRO	3.3
1	A	415	PHE	3.3
1	A	445	ALA	3.3
1	B	363	ILE	3.2
1	B	369	SER	3.2
1	A	262	ILE	3.2
1	B	443	GLY	3.1
1	A	463	HIS	3.0
1	B	441	PRO	3.0
1	B	448	GLU	3.0
1	A	399	LYS	2.9
1	B	334	TRP	2.8
1	B	332	ASN	2.7
1	B	346	TYR	2.7
1	B	449	VAL	2.7
1	B	394	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	263	SER	2.6
1	B	322	GLU	2.6
1	B	395	GLU	2.6
1	A	398	VAL	2.5
1	A	396	TYR	2.5
1	A	444	GLU	2.4
1	B	444	GLU	2.4
1	A	367	ASP	2.3
1	A	400	PHE	2.3
1	B	398	VAL	2.3
1	B	317	LEU	2.3
1	B	366	LEU	2.3
1	A	448	GLU	2.3
1	B	440	GLN	2.3
1	B	442	ILE	2.3
1	B	414	ARG	2.2
1	B	349	LYS	2.2
1	A	446	ASP	2.2
1	B	396	TYR	2.1
1	A	450	GLY	2.1
1	B	326	ARG	2.1
1	A	395	GLU	2.1
1	A	442	ILE	2.1
1	B	353	GLY	2.1
1	B	265	ASN	2.0
1	A	401	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SAH	B	1	26/26	0.79	0.16	51,58,69,70	0
2	SAH	A	1	26/26	0.85	0.13	30,35,52,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.