



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:37 AM UTC

PDB ID : 6JWX / pdb_00006jwx
Title : Crystal structure of Plasmodium falciparum HPPK-DHPS wild type with SDX-DHP
Authors : Chitnumsub, P.; Jaruwat, A.; Yuthavong, Y.
Deposited on : 2019-04-21
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	
1	B	728	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 9288 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase-dihydropteroate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	544	Total	C	N	O	S	0	0	0
			4504	2904	744	833	23			
1	B	526	Total	C	N	O	S	0	0	0
			4341	2796	720	804	21			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	707	LYS	-	expression tag	UNP Q25704
A	708	ASP	-	expression tag	UNP Q25704
A	709	PRO	-	expression tag	UNP Q25704
A	710	ASN	-	expression tag	UNP Q25704
A	711	SER	-	expression tag	UNP Q25704
A	712	SER	-	expression tag	UNP Q25704
A	713	SER	-	expression tag	UNP Q25704
A	714	VAL	-	expression tag	UNP Q25704
A	715	ASP	-	expression tag	UNP Q25704
A	716	LYS	-	expression tag	UNP Q25704
A	717	LEU	-	expression tag	UNP Q25704
A	718	ALA	-	expression tag	UNP Q25704
A	719	ALA	-	expression tag	UNP Q25704
A	720	ALA	-	expression tag	UNP Q25704
A	721	LEU	-	expression tag	UNP Q25704
A	722	GLU	-	expression tag	UNP Q25704
A	723	HIS	-	expression tag	UNP Q25704
A	724	HIS	-	expression tag	UNP Q25704
A	725	HIS	-	expression tag	UNP Q25704
A	726	HIS	-	expression tag	UNP Q25704
A	727	HIS	-	expression tag	UNP Q25704
A	728	HIS	-	expression tag	UNP Q25704
B	707	LYS	-	expression tag	UNP Q25704
B	708	ASP	-	expression tag	UNP Q25704

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	709	PRO	-	expression tag	UNP Q25704
B	710	ASN	-	expression tag	UNP Q25704
B	711	SER	-	expression tag	UNP Q25704
B	712	SER	-	expression tag	UNP Q25704
B	713	SER	-	expression tag	UNP Q25704
B	714	VAL	-	expression tag	UNP Q25704
B	715	ASP	-	expression tag	UNP Q25704
B	716	LYS	-	expression tag	UNP Q25704
B	717	LEU	-	expression tag	UNP Q25704
B	718	ALA	-	expression tag	UNP Q25704
B	719	ALA	-	expression tag	UNP Q25704
B	720	ALA	-	expression tag	UNP Q25704
B	721	LEU	-	expression tag	UNP Q25704
B	722	GLU	-	expression tag	UNP Q25704
B	723	HIS	-	expression tag	UNP Q25704
B	724	HIS	-	expression tag	UNP Q25704
B	725	HIS	-	expression tag	UNP Q25704
B	726	HIS	-	expression tag	UNP Q25704
B	727	HIS	-	expression tag	UNP Q25704
B	728	HIS	-	expression tag	UNP Q25704

- Molecule 2 is 4-[(2-azanyl-4-oxidanylidene-7,8-dihydro-3 {H}-pteridin-6-yl)methylamino]- {N}-(5,6-dimethoxypyrimidin-4-yl)benzenesulfonamide (CCD ID: CKL) (formula: C₁₉H₂₁N₉O₅S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			34	19	9	5	1		
2	B	1	Total	C	N	O	S	0	0
			34	19	9	5	1		

- Molecule 3 is 2-AMINO-6-HYDROXYMETHYL-7,8-DIHYDRO-3H-PTERIDIN-4-ONE (CCD ID: PH2) (formula: C₇H₉N₅O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	7	5	2		

- Molecule 4 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		

- Molecule 6 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0


- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	1	Total Ca 1 1	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	185	Total O 185 185	0	0
8	B	106	Total O 106 106	0	0

- Molecule 1: 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase-dihydropteroate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	99.11Å 137.17Å 137.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.50 30.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	87.7 (30.00-2.50) 87.8 (30.00-2.50)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.26 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.206 , 0.231 0.201 , 0.226	Depositor DCC
R_{free} test set	5594 reflections (8.54%)	wwPDB-VP
Wilson B-factor (Å ²)	27.3	Xtriage
Anisotropy	0.320	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.007 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9288	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, MG, PH2, ACT, CA, CKL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	1/4572 (0.0%)	1.00	3/6164 (0.0%)
1	B	0.63	0/4408	1.00	3/5945 (0.1%)
All	All	0.65	1/8980 (0.0%)	1.00	6/12109 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	6	GLU	CD-OE2	6.77	1.38	1.25

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	115	LYS	N-CA-C	9.51	121.72	111.36
1	B	452	VAL	N-CA-C	8.43	118.73	111.90
1	B	115	LYS	N-CA-C	8.06	119.70	111.07
1	A	452	VAL	N-CA-C	5.96	116.99	111.45
1	A	519	LYS	N-CA-C	-5.55	101.98	110.14
1	B	538	MET	N-CA-C	5.39	117.85	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4504	0	4622	47	0
1	B	4341	0	4435	42	0
2	A	34	0	0	1	0
2	B	34	0	0	0	0
3	A	14	0	9	4	0
4	A	23	0	12	0	0
4	B	23	0	12	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	8	0	6	0	0
6	B	12	0	9	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
8	A	185	0	0	1	0
8	B	106	0	0	0	0
All	All	9288	0	9105	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:THR:CG2	3:A:802:PH2:HN62	1.87	0.87
1:A:18:ALA:HB1	1:A:180:MET:HE1	1.59	0.85
1:A:18:ALA:CB	1:A:180:MET:HE1	2.16	0.76
1:A:519:LYS:NZ	1:A:524:TYR:OH	2.21	0.74
1:A:39:HIS:CD2	1:A:89:MET:HE1	2.23	0.73
1:B:658:LYS:HD2	1:B:658:LYS:H	1.57	0.70
1:B:534:ASN:HB2	1:B:535:PRO:CD	2.22	0.68
1:A:39:HIS:HD2	1:A:89:MET:HE1	1.60	0.67
1:B:708:ASP:HB3	1:B:711:SER:HB3	1.78	0.65
1:B:608:ARG:HA	1:B:666:ASN:OD1	1.98	0.63
1:A:538:MET:HG2	1:A:581:ALA:H	1.64	0.62
1:A:29:ASN:O	1:A:33:ILE:HG12	2.00	0.62
1:A:51:THR:HG22	1:A:168:VAL:HG12	1.82	0.61
1:A:27:ARG:HG3	1:A:164:TYR:OH	1.99	0.61
1:A:608:ARG:HA	1:A:666:ASN:ND2	2.16	0.61
1:B:55:TYR:OH	1:B:374:ARG:NH1	2.33	0.61
1:B:552:LYS:HD2	1:B:596:VAL:HG13	1.83	0.60
1:B:54:LEU:HB3	1:B:375:ILE:HB	1.86	0.57
1:A:53:TYR:CD2	1:A:374:ARG:HD3	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:534:ASN:HB2	1:B:535:PRO:HD2	1.86	0.57
1:A:107:CYS:SG	1:A:171:LYS:NZ	2.76	0.56
1:A:191:MET:HE3	1:A:207:ILE:HG21	1.86	0.56
1:B:417:ARG:HH11	1:B:421:MET:HG3	1.71	0.56
1:A:53:TYR:CG	1:A:374:ARG:HD3	2.41	0.56
1:A:82:VAL:HG13	1:A:83:ASN:H	1.71	0.55
1:A:342:HIS:HD2	1:A:344:VAL:H	1.54	0.55
1:B:394:ILE:O	1:B:421:MET:HE1	2.08	0.52
1:A:39:HIS:HB2	8:A:914:HOH:O	2.09	0.52
1:A:57:THR:HG23	3:A:802:PH2:HN62	1.72	0.52
1:A:37:ALA:HB2	1:A:191:MET:HE1	1.92	0.51
1:A:55:TYR:OH	1:A:374:ARG:NH1	2.42	0.51
1:B:113:PHE:O	1:B:116:ASN:HB3	2.09	0.51
1:A:57:THR:HG22	1:A:163:PHE:HB2	1.93	0.51
1:B:519:LYS:HB2	1:B:522:LYS:HB2	1.93	0.51
1:A:38:LEU:CD2	1:A:168:VAL:HG11	2.41	0.50
1:B:53:TYR:CG	1:B:374:ARG:HD3	2.46	0.50
1:A:552:LYS:HD2	1:A:596:VAL:HG13	1.94	0.50
1:A:394:ILE:O	1:A:421:MET:HE1	2.11	0.50
1:A:57:THR:CG2	3:A:802:PH2:N6	2.68	0.49
1:A:5:GLN:HG2	1:A:9:LEU:HD12	1.95	0.49
1:A:445:LYS:HG3	1:A:446:ILE:H	1.77	0.49
1:A:206:ILE:HG23	1:A:207:ILE:HG22	1.95	0.48
1:B:228:LYS:HE2	1:B:306:ILE:HB	1.95	0.48
1:B:165:ASN:HD22	1:B:328:SER:HB2	1.79	0.48
1:B:552:LYS:HE2	1:B:556:GLU:OE2	2.13	0.48
1:A:609:LYS:NZ	2:A:801:CKL:O12	2.47	0.47
1:B:25:ASN:HD21	1:B:205:ARG:HB2	1.78	0.47
1:B:419:PHE:HA	1:B:422:ILE:HD12	1.97	0.47
1:B:701:THR:O	1:B:705:GLN:HG2	2.14	0.47
1:B:178:LEU:O	1:B:182:VAL:HG23	2.14	0.47
1:A:103:LEU:CD1	1:A:511:PRO:HB2	2.45	0.47
1:A:61:TYR:HB3	1:A:147:MET:HG2	1.97	0.46
1:B:96:LYS:HG2	1:B:240:HIS:CE1	2.49	0.46
1:A:342:HIS:HB3	1:A:345:LEU:HG	1.99	0.45
1:B:116:ASN:OD1	1:B:116:ASN:N	2.48	0.45
1:B:18:ALA:HB1	1:B:180:MET:HE1	1.99	0.45
1:A:592:GLN:HG2	1:B:703:ILE:O	2.16	0.45
1:B:449:ARG:HH11	1:B:449:ARG:HG3	1.82	0.45
1:A:534:ASN:HB2	1:A:535:PRO:CD	2.46	0.45
1:B:219:ILE:HB	1:B:318:ILE:HB	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:THR:HG21	3:A:802:PH2:HN62	1.76	0.45
1:B:431:ILE:HG21	1:B:456:LEU:HD21	1.99	0.45
1:B:42:GLU:HG2	1:B:48:ILE:HD12	1.99	0.45
1:A:340:TYR:HD2	1:A:349:ILE:CD1	2.30	0.44
1:B:327:TYR:HB2	1:B:356:TYR:CZ	2.52	0.44
1:B:558:ARG:HA	1:B:558:ARG:HD2	1.66	0.44
1:A:34:LEU:CD1	1:A:54:LEU:HD11	2.48	0.43
1:A:107:CYS:SG	1:A:171:LYS:HE3	2.58	0.43
1:B:538:MET:O	1:B:581:ALA:HA	2.18	0.43
1:B:30:ALA:HB3	1:B:382:ILE:HD11	2.01	0.43
1:B:385:LEU:HG	1:B:386:LYS:HG2	2.01	0.43
1:B:144:ASP:C	1:B:145:GLU:HG2	2.45	0.42
1:B:422:ILE:HD11	1:B:477:PRO:HG3	2.02	0.42
1:A:103:LEU:HD13	1:A:511:PRO:HB2	2.01	0.42
1:B:680:LYS:HD3	1:B:680:LYS:HA	1.88	0.42
1:B:180:MET:HE3	1:B:211:ILE:HG12	2.01	0.41
1:B:107:CYS:SG	1:B:171:LYS:HE2	2.60	0.41
1:A:107:CYS:SG	1:A:171:LYS:CE	3.09	0.41
1:B:359:ARG:O	1:B:363:GLN:HB2	2.20	0.41
1:A:490:LYS:HD3	1:A:516:LEU:HD22	2.03	0.41
1:A:342:HIS:CD2	1:A:344:VAL:H	2.36	0.41
1:B:55:TYR:CE1	1:B:374:ARG:HG3	2.55	0.41
1:B:206:ILE:HG23	1:B:207:ILE:HG22	2.01	0.41
1:A:385:LEU:HG	1:A:386:LYS:HG2	2.04	0.40
1:A:577:GLY:O	1:A:582:LYS:HE2	2.21	0.40
1:B:449:ARG:HH11	1:B:449:ARG:CG	2.34	0.40
1:A:20:LEU:HB2	1:A:168:VAL:HG22	2.03	0.40
1:A:177:PRO:HD3	1:A:214:PHE:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	528/728 (72%)	510 (97%)	17 (3%)	1 (0%)	43	63
1	B	508/728 (70%)	488 (96%)	20 (4%)	0	100	100
All	All	1036/1456 (71%)	998 (96%)	37 (4%)	1 (0%)	48	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	118	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	519/696 (75%)	487 (94%)	32 (6%)	16	34
1	B	498/696 (72%)	469 (94%)	29 (6%)	18	38
All	All	1017/1392 (73%)	956 (94%)	61 (6%)	17	36

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ILE
1	A	27	ARG
1	A	54	LEU
1	A	57	THR
1	A	85	ILE
1	A	87	GLU
1	A	102	GLU
1	A	119	VAL
1	A	123	ILE
1	A	142	LYS
1	A	205	ARG
1	A	206	ILE
1	A	305	ILE
1	A	349	ILE
1	A	362	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	381	ARG
1	A	417	ARG
1	A	427	SER
1	A	434	GLU
1	A	466	ILE
1	A	480	SER
1	A	493	VAL
1	A	518	LYS
1	A	519	LYS
1	A	522	LYS
1	A	542	THR
1	A	562	LEU
1	A	576	ILE
1	A	596	VAL
1	A	616	MET
1	A	664	GLN
1	A	665	LYS
1	B	84	TYR
1	B	87	GLU
1	B	98	GLU
1	B	116	ASN
1	B	119	VAL
1	B	123	ILE
1	B	130	GLU
1	B	145	GLU
1	B	170	VAL
1	B	206	ILE
1	B	220	PHE
1	B	225	LYS
1	B	241	LEU
1	B	349	ILE
1	B	363	GLN
1	B	381	ARG
1	B	410	GLU
1	B	427	SER
1	B	449	ARG
1	B	493	VAL
1	B	519	LYS
1	B	520	LYS
1	B	589	LYS
1	B	596	VAL
1	B	657	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	658	LYS
1	B	664	GLN
1	B	705	GLN
1	B	723	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	25	ASN
1	A	39	HIS
1	A	137	ASN
1	A	229	ASN
1	A	342	HIS
1	A	363	GLN
1	A	396	ASN
1	A	666	ASN
1	B	29	ASN
1	B	39	HIS
1	B	128	ASN
1	B	137	ASN
1	B	165	ASN
1	B	240	HIS
1	B	307	ASN
1	B	308	ASN
1	B	343	ASN
1	B	557	GLN
1	B	705	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CKL	A	801	-	34,37,37	2.12	5 (14%)	38,53,53	2.57	11 (28%)
6	ACT	B	805	-	3,3,3	0.82	0	3,3,3	1.01	0
3	PH2	A	802	-	12,15,15	1.59	2 (16%)	11,21,21	2.07	4 (36%)
6	ACT	A	805	-	3,3,3	0.78	0	3,3,3	1.14	0
4	AMP	B	802	5	25,25,25	1.69	3 (12%)	37,38,38	2.15	7 (18%)
6	ACT	B	806	-	3,3,3	0.82	0	3,3,3	0.81	0
4	AMP	A	803	5	25,25,25	1.45	5 (20%)	37,38,38	1.95	9 (24%)
6	ACT	A	806	-	3,3,3	0.78	0	3,3,3	1.00	0
2	CKL	B	801	-	34,37,37	2.16	6 (17%)	38,53,53	3.15	21 (55%)
6	ACT	B	804	-	3,3,3	0.71	0	3,3,3	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CKL	A	801	-	-	13/18/29/29	0/4/4/4
3	PH2	A	802	-	-	0/0/11/11	0/2/2/2
4	AMP	B	802	5	-	3/10/26/26	0/3/3/3
4	AMP	A	803	5	-	2/10/26/26	0/3/3/3
2	CKL	B	801	-	-	4/18/29/29	0/4/4/4

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	CKL	C18-S21	-10.20	1.60	1.76
2	A	801	CKL	C18-S21	-10.02	1.61	1.76
4	B	802	AMP	C5-C4	5.74	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	803	AMP	C5-C4	4.40	1.46	1.39
2	B	801	CKL	C5-C6	3.75	1.49	1.40
3	A	802	PH2	C9-C10	3.63	1.49	1.40
4	B	802	AMP	C5-C6	3.28	1.50	1.41
2	A	801	CKL	C5-C6	3.26	1.48	1.40
4	A	803	AMP	C5-N7	-2.58	1.34	1.39
4	B	802	AMP	C8-N7	2.49	1.36	1.31
2	B	801	CKL	O33-C29	2.33	1.38	1.35
4	A	803	AMP	C4-N9	-2.31	1.32	1.37
2	A	801	CKL	C29-N28	2.30	1.37	1.32
2	A	801	CKL	O33-C29	2.25	1.38	1.35
2	A	801	CKL	C4-N3	-2.23	1.34	1.38
2	B	801	CKL	C4-N3	-2.20	1.34	1.38
4	A	803	AMP	C8-N7	2.19	1.35	1.31
4	A	803	AMP	C5-C6	2.15	1.47	1.41
3	A	802	PH2	C8-N7	-2.13	1.34	1.38
2	B	801	CKL	C29-N28	2.09	1.36	1.32
2	B	801	CKL	C9-C8	2.01	1.52	1.49

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	CKL	O23-S21-O24	-10.81	106.39	119.52
2	B	801	CKL	O23-S21-O24	-10.29	107.03	119.52
2	B	801	CKL	C25-N22-S21	6.76	136.48	124.44
4	B	802	AMP	C5-C4-N3	-6.65	117.56	126.72
2	B	801	CKL	N26-C27-N28	-5.99	119.52	128.58
4	A	803	AMP	C5-C4-N3	-5.81	118.72	126.72
4	B	802	AMP	N3-C4-N9	5.60	136.69	127.17
2	A	801	CKL	N26-C27-N28	-5.53	120.21	128.58
2	B	801	CKL	C2-N1-C6	4.83	121.88	113.36
4	A	803	AMP	N3-C4-N9	4.76	135.26	127.17
3	A	802	PH2	C6-N5-C10	4.60	121.48	113.36
2	B	801	CKL	C34-O33-C29	4.48	121.39	117.20
2	A	801	CKL	C2-N1-C6	4.22	120.81	113.36
2	A	801	CKL	C34-O33-C29	4.18	121.11	117.20
4	B	802	AMP	C2-N3-C4	4.08	121.80	111.83
2	B	801	CKL	O24-S21-C18	4.07	113.12	107.98
2	B	801	CKL	O24-S21-N22	4.01	116.50	106.74
4	A	803	AMP	N3-C2-N1	-3.91	122.66	128.58
4	A	803	AMP	C2-N3-C4	3.83	121.17	111.83
2	B	801	CKL	C17-C18-S21	3.78	123.92	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	802	AMP	N3-C2-N1	-3.52	123.25	128.58
4	B	802	AMP	O4'-C1'-N9	3.46	114.74	108.09
2	B	801	CKL	O23-S21-C18	3.39	112.26	107.98
2	B	801	CKL	C19-C18-S21	-3.38	116.04	119.76
3	A	802	PH2	C9-N1-C2	3.34	122.86	116.24
2	B	801	CKL	C32-O31-C30	3.15	123.30	114.74
4	B	802	AMP	C4-C5-N7	-3.04	107.10	110.58
2	A	801	CKL	O23-S21-N22	2.83	113.64	106.74
2	A	801	CKL	C27-N28-C29	2.83	121.45	115.63
2	A	801	CKL	C30-C29-N28	-2.77	119.54	122.75
2	A	801	CKL	O24-S21-C18	2.72	111.41	107.98
2	B	801	CKL	C27-N28-C29	2.66	121.10	115.63
2	A	801	CKL	C32-O31-C30	2.63	121.88	114.74
2	B	801	CKL	C27-N26-C25	2.54	123.66	115.24
4	A	803	AMP	O5'-P-O1P	-2.46	99.79	106.44
2	B	801	CKL	O12-C4-C5	-2.40	120.18	126.53
2	A	801	CKL	C5-N7-C8	2.40	121.01	116.24
4	A	803	AMP	C4-C5-N7	-2.39	107.84	110.58
4	A	803	AMP	O3P-P-O1P	2.38	120.09	110.83
2	B	801	CKL	C5-C4-N3	2.36	119.26	113.25
2	B	801	CKL	O33-C29-C30	2.31	121.06	116.94
3	A	802	PH2	C6-N7-C8	-2.25	121.03	125.11
2	B	801	CKL	N22-C25-N26	-2.23	114.15	118.40
2	B	801	CKL	C5-N7-C8	2.20	120.61	116.24
4	A	803	AMP	C4-N9-C8	2.20	108.05	105.74
4	B	802	AMP	C5-N7-C8	2.18	106.88	103.45
4	A	803	AMP	C2-N1-C6	2.18	122.30	118.73
2	B	801	CKL	C18-S21-N22	-2.14	104.23	106.88
2	A	801	CKL	O23-S21-C18	2.07	110.59	107.98
3	A	802	PH2	C9-C8-N7	2.06	118.49	113.25
2	B	801	CKL	C30-C29-N28	-2.01	120.42	122.75
2	B	801	CKL	C20-C19-C18	2.00	121.39	119.44

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	CKL	C25-N22-S21-O24
2	A	801	CKL	C25-N22-S21-C18
2	A	801	CKL	N26-C25-N22-S21
2	A	801	CKL	C30-C29-O33-C34
2	A	801	CKL	N28-C29-O33-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	801	CKL	C30-C29-O33-C34
2	B	801	CKL	N28-C29-O33-C34
4	B	802	AMP	C5'-O5'-P-O1P
4	B	802	AMP	C5'-O5'-P-O2P
4	B	802	AMP	C5'-O5'-P-O3P
4	A	803	AMP	C3'-C4'-C5'-O5'
4	A	803	AMP	O4'-C4'-C5'-O5'
2	A	801	CKL	C25-N22-S21-O23
2	A	801	CKL	C20-C15-N14-C13
2	A	801	CKL	C19-C18-S21-O24
2	A	801	CKL	C17-C18-S21-O24
2	A	801	CKL	C16-C15-N14-C13
2	B	801	CKL	C8-C13-N14-C15
2	B	801	CKL	N26-C25-N22-S21
2	A	801	CKL	C19-C18-S21-N22
2	A	801	CKL	C30-C25-N22-S21
2	A	801	CKL	C8-C13-N14-C15


There are no ring outliers.

2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	CKL	1	0
3	A	802	PH2	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand CKL A 801




Bond lengths



Bond angles




Torsions




Rings


Ligand AMP B 802




Bond lengths





Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	544/728 (74%)	0.14	51 (9%) 14 12	8, 24, 85, 120	0
1	B	526/728 (72%)	0.82	103 (19%) 3 2	11, 47, 102, 120	0
All	All	1070/1456 (73%)	0.47	154 (14%) 6 5	8, 33, 95, 120	0

All (154) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	305	ILE	7.6
1	B	305	ILE	7.3
1	A	82	VAL	6.7
1	B	226	LEU	6.1
1	A	4	ILE	5.9
1	A	470	ILE	5.7
1	A	119	VAL	5.3
1	A	471	VAL	5.3
1	A	63	VAL	5.1
1	B	146	ILE	4.8
1	B	306	ILE	4.8
1	B	119	VAL	4.8
1	A	62	ILE	4.7
1	B	123	ILE	4.7
1	B	231	ILE	4.6
1	B	162	TYR	4.5
1	B	134	LEU	4.4
1	A	466	ILE	4.4
1	B	88	LEU	4.3
1	B	58	VAL	4.2
1	B	364	TYR	4.0
1	A	409	VAL	4.0
1	B	129	VAL	3.9
1	A	467	LYS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	321	VAL	3.7
1	B	310	VAL	3.7
1	B	141	VAL	3.7
1	B	125	LYS	3.7
1	B	163	PHE	3.7
1	B	59	PRO	3.6
1	B	206	ILE	3.6
1	B	27	ARG	3.6
1	B	222	LYS	3.5
1	B	322	TYR	3.5
1	B	446	ILE	3.5
1	A	468	ASN	3.4
1	B	366	ILE	3.4
1	A	61	TYR	3.4
1	A	399	TYR	3.3
1	B	84	TYR	3.3
1	B	344	VAL	3.3
1	B	117	GLY	3.3
1	A	118	LYS	3.3
1	B	307	ASN	3.3
1	A	434	GLU	3.3
1	B	118	LYS	3.3
1	B	521	ASN	3.2
1	B	224	ILE	3.2
1	B	221	MET	3.2
1	B	124	LEU	3.1
1	A	7	LEU	3.1
1	B	33	ILE	3.1
1	A	147	MET	3.1
1	B	398	ASN	3.0
1	A	472	LYS	3.0
1	A	364	TYR	3.0
1	B	120	ASP	3.0
1	A	306	ILE	2.9
1	B	309	MET	2.9
1	B	359	ARG	2.9
1	B	142	LYS	2.9
1	B	241	LEU	2.9
1	B	225	LYS	2.9
1	A	146	ILE	2.9
1	A	469	LYS	2.9
1	B	192	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	661	LEU	2.9
1	B	419	PHE	2.8
1	A	137	ASN	2.8
1	B	143	ASN	2.8
1	B	138	ASN	2.7
1	B	232	TYR	2.7
1	B	315	PHE	2.7
1	A	84	TYR	2.7
1	B	127	VAL	2.7
1	B	658	LYS	2.7
1	A	6	GLU	2.7
1	A	473	CYS	2.7
1	B	234	ILE	2.7
1	B	223	ASN	2.7
1	B	229	ASN	2.7
1	B	176	ASP	2.6
1	B	326	ARG	2.6
1	B	93	GLU	2.6
1	B	465	ASP	2.6
1	A	25	ASN	2.6
1	A	83	ASN	2.6
1	B	144	ASP	2.6
1	A	14	LYS	2.6
1	A	5	GLN	2.5
1	A	363	GLN	2.5
1	B	205	ARG	2.5
1	B	139	ILE	2.5
1	A	362	GLU	2.5
1	B	227	GLU	2.5
1	B	85	ILE	2.5
1	B	91	ASN	2.5
1	B	434	GLU	2.5
1	B	520	LYS	2.5
1	B	312	ASN	2.5
1	B	617	ASN	2.5
1	A	117	GLY	2.4
1	B	23	GLY	2.4
1	B	220	PHE	2.4
1	B	228	LYS	2.4
1	B	230	MET	2.4
1	B	367	ASN	2.4
1	B	475	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	87	GLU	2.4
1	B	92	LEU	2.4
1	A	160	THR	2.4
1	B	140	ILE	2.4
1	B	313	ILE	2.4
1	A	660	GLN	2.3
1	B	416	GLN	2.3
1	B	657	ASP	2.3
1	A	398	ASN	2.3
1	B	346	ASN	2.3
1	A	120	ASP	2.3
1	B	356	TYR	2.3
1	A	521	ASN	2.3
1	B	536	HIS	2.3
1	B	216	ASP	2.3
1	A	367	ASN	2.2
1	B	122	SER	2.2
1	B	317	SER	2.2
1	B	240	HIS	2.2
1	B	363	GLN	2.2
1	B	237	LYS	2.2
1	B	316	LEU	2.2
1	A	617	ASN	2.2
1	B	235	LEU	2.2
1	B	458	LEU	2.2
1	A	416	GLN	2.2
1	B	136	CYS	2.2
1	B	311	ASP	2.2
1	B	519	LYS	2.2
1	A	307	ASN	2.1
1	B	165	ASN	2.1
1	B	187	ILE	2.1
1	A	205	ARG	2.1
1	B	101	LYS	2.1
1	B	115	LYS	2.1
1	B	25	ASN	2.1
1	B	100	ASN	2.1
1	A	12	GLU	2.1
1	A	585	ASP	2.1
1	A	707	LYS	2.1
1	B	166	LEU	2.1
1	A	150	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	239	ILE	2.0
1	A	536	HIS	2.0
1	A	445	LYS	2.0
1	B	361	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	AMP	B	802	23/23	0.72	0.14	43,46,51,53	0
5	MG	B	803	1/1	0.75	0.10	43,43,43,43	0
6	ACT	B	806	4/4	0.83	0.15	42,42,45,46	0
3	PH2	A	802	14/14	0.87	0.12	47,51,58,59	0
4	AMP	A	803	23/23	0.88	0.10	25,29,39,41	0
6	ACT	A	806	4/4	0.91	0.14	32,35,36,36	0
2	CKL	B	801	34/34	0.91	0.14	14,31,85,87	0
2	CKL	A	801	34/34	0.92	0.15	13,32,97,104	0
7	CA	B	807	1/1	0.92	0.06	54,54,54,54	0
6	ACT	B	805	4/4	0.93	0.14	31,32,33,34	0
6	ACT	A	805	4/4	0.95	0.09	22,23,23,25	0
6	ACT	B	804	4/4	0.97	0.07	13,13,13,13	0
7	CA	A	807	1/1	0.98	0.03	23,23,23,23	0
5	MG	A	804	1/1	0.98	0.08	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMP B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CKL B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CKL A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.