



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:31 PM UTC

PDB ID : 9JWJ / pdb_00009jwj
Title : Structure of Human HDAC2 in complex with inhibitor N-(2-amino-5-(furan-2-yl)phenyl)-4-(1-((phenylsulfonyl)methyl)-1H-1,2,3-triazol-4-yl)benzamid
Authors : Tojo, T.; Itoh, Y.; Kurohara, T.; Li, Y.; Singh, R.; Narozny, R.; Wiel, A.; Miyake, Y.; Yamashita, Y.; Kusakabe, K.; Uchida, S.; Suzuki, T.
Deposited on : 2024-10-10
Resolution : 1.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1365 (1.78-1.78)
Clashscore	190562	1395 (1.78-1.78)
Ramachandran outliers	187476	1382 (1.78-1.78)
Sidechain outliers	187428	1382 (1.78-1.78)
RSRZ outliers	180081	1365 (1.78-1.78)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	 79% 11% 9%
1	B	404	 78% 12% 9%
1	C	404	 82% 9% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	GOL	C	506	-	-	X	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 10195 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone deacetylase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	0	16	0
			3089	1971	524	567	27			
1	B	367	Total	C	N	O	S	0	17	0
			3100	1978	524	569	29			
1	C	367	Total	C	N	O	S	0	14	0
			3072	1961	520	562	29			


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		
3	B	2	Total	Ca	0	0
			2	2		
3	C	2	Total	Ca	0	0
			2	2		

- Molecule 4 is N-(2-amino-5-(furan-2-yl)phenyl)-4-(1-((phenylsulfonyl)methyl)-1H-1,2,3-triazol-4-yl)benzamid (CCD ID: A1L4X) (formula: C₂₆H₂₁N₅O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			26	19	5	2		
4	B	1	Total	C	N	O	0	0
			26	19	5	2		
4	C	1	Total	C	N	O	0	0
			26	19	5	2		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			7	4	3		
6	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 8 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			13	8	5		
8	C	1	Total	C	O	0	0
			13	8	5		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	252	Total 252	O 252	0	0
10	B	280	Total 280	O 280	0	0
10	C	202	Total 202	O 202	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone deacetylase 2



- Molecule 1: Histone deacetylase 2



- Molecule 1: Histone deacetylase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	92.28Å 98.56Å 139.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.78 50.00 – 1.78	Depositor EDS
% Data completeness (in resolution range)	90.2 (50.00-1.78) 90.2 (50.00-1.78)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.70 (at 1.78Å)	Xtriage
Refinement program	REFMAC 5.8.0218	Depositor
R, R_{free}	0.160 , 0.202 0.159 , 0.201	Depositor DCC
R_{free} test set	5595 reflections (4.58%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10195	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, ZN, CA, EDO, PGE, GOL, PG4, A1L4X

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.26	5/3178 (0.2%)	1.19	9/4286 (0.2%)
1	B	1.34	7/3181 (0.2%)	1.20	4/4290 (0.1%)
1	C	1.13	3/3156 (0.1%)	1.08	1/4253 (0.0%)
All	All	1.25	15/9515 (0.2%)	1.16	14/12829 (0.1%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	313	VAL	N-CA	6.83	1.54	1.46
1	B	140	TRP	N-CA	6.31	1.54	1.46
1	A	219	ILE	C-O	-5.87	1.17	1.24
1	A	215	ASP	N-CA	5.81	1.53	1.45
1	B	152	ALA	N-CA	5.75	1.53	1.45
1	B	24	ILE	N-CA	5.61	1.53	1.46
1	B	206	TYR	CA-C	5.58	1.59	1.52
1	B	36	LYS	N-CA	5.37	1.52	1.46
1	B	347	LYS	N-CA	5.24	1.52	1.45
1	A	212	GLY	N-CA	5.22	1.52	1.45
1	C	36	LYS	C-O	-5.22	1.20	1.24
1	C	142	GLY	N-CA	5.12	1.49	1.44
1	B	359	ASN	N-CA	-5.08	1.40	1.46
1	A	166	LEU	C-O	5.07	1.30	1.24
1	A	362	GLU	N-CA	5.01	1.52	1.46

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	294	LYS	N-CA-C	7.46	119.41	111.28
1	B	320	GLU	CA-CB-CG	-7.08	99.93	114.10
1	A	320	GLU	CA-CB-CG	-6.86	100.39	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	GLU	N-CA-C	-6.24	104.55	111.36
1	A	56	MET	CG-SD-CE	-5.65	88.47	100.90
1	A	286	HIS	N-CA-C	-5.58	104.83	111.69
1	A	294	LYS	CB-CA-C	-5.55	101.57	110.79
1	A	39	ARG	CG-CD-NE	-5.49	99.93	112.00
1	A	235	ASP	N-CA-C	5.44	117.31	110.24
1	B	120	GLY	N-CA-C	-5.36	106.30	112.73
1	C	145	HIS	N-CA-C	5.35	119.43	113.01
1	B	41	ARG	N-CA-C	-5.29	105.59	111.36
1	A	308	TYR	CA-CB-CG	-5.13	104.66	113.90
1	B	305	GLY	N-CA-C	-5.11	103.68	110.58

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3089	0	3008	42	0
1	B	3100	0	3004	43	0
1	C	3072	0	2976	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
4	A	26	0	0	1	0
4	B	26	0	0	1	0
4	C	26	0	0	0	0
5	A	16	0	24	3	0
5	B	16	0	24	0	0
5	C	4	0	6	0	0
6	A	21	0	30	0	0
6	B	7	0	10	0	0
6	C	7	0	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	10	0	14	0	0
8	B	13	0	18	0	0
8	C	13	0	18	0	0
9	C	6	0	8	5	0
10	A	252	0	0	12	0
10	B	280	0	0	4	0
10	C	202	0	0	5	0
All	All	10195	0	9150	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148[A]:LYS:NZ	10:C:601:HOH:O	1.86	1.06
1:A:205[B]:LYS:HD2	1:A:278[B]:CYS:SG	1.94	1.06
1:C:136[B]:MET:CE	1:C:302[B]:MET:HE2	1.85	1.05
1:C:136[B]:MET:HE1	1:C:302[B]:MET:CE	1.86	1.04
1:A:205[B]:LYS:CD	1:A:278[B]:CYS:SG	2.46	1.02
1:B:82[B]:ARG:O	1:B:82[B]:ARG:HG3	1.55	1.02
1:B:17[B]:CYS:SG	10:B:793:HOH:O	2.14	1.01
1:B:284:LYS:NZ	9:C:506:GOL:H12	1.83	0.93
1:C:136[B]:MET:CE	1:C:302[B]:MET:CE	2.47	0.90
1:A:205[B]:LYS:NZ	1:A:278[B]:CYS:SG	2.43	0.89
1:B:47[B]:LEU:HD23	1:B:52:LEU:HD12	1.52	0.88
1:C:136[B]:MET:HE1	1:C:302[B]:MET:HE1	1.58	0.85
1:C:95:GLN:HG3	10:C:749:HOH:O	1.78	0.83
1:A:205[B]:LYS:NZ	1:A:235:ASP:OD1	2.15	0.80
1:A:148:LYS:NZ	10:A:604:HOH:O	2.14	0.80
1:A:366[A]:LYS:NZ	1:C:149[A]:LYS:HE2	1.97	0.80
1:C:136[B]:MET:HE3	1:C:302[B]:MET:HE2	1.62	0.79
1:B:47[B]:LEU:CD2	1:B:52:LEU:HD12	2.12	0.78
1:B:82[B]:ARG:O	1:B:82[B]:ARG:CG	2.30	0.78
10:A:674:HOH:O	1:C:149[A]:LYS:HD2	1.86	0.76
1:C:149[A]:LYS:NZ	10:C:603:HOH:O	2.15	0.75
1:B:284:LYS:HZ2	9:C:506:GOL:H12	1.52	0.74
1:A:103:GLU:CD	1:A:104:ASP:H	1.95	0.74
1:B:245:ILE:HG22	1:B:368:LYS:HE2	1.69	0.73
5:A:505:EDO:O2	10:A:601:HOH:O	2.07	0.72
1:A:366[A]:LYS:HZ2	1:C:149[A]:LYS:HE2	1.52	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:GLU:OE1	10:A:602:HOH:O	2.07	0.70
1:C:19:TYR:OH	1:C:128[B]:LYS:HD2	1.91	0.70
1:C:260:SER:OG	10:C:602:HOH:O	2.08	0.70
1:B:284:LYS:HZ1	9:C:506:GOL:H12	1.57	0.70
1:A:109:ASP:OD1	10:A:603:HOH:O	2.11	0.69
1:C:205:LYS:HD2	1:C:278[B]:CYS:SG	2.34	0.68
1:A:136:MET:HE1	1:A:302[A]:MET:SD	2.35	0.66
1:A:205[B]:LYS:CE	1:A:235:ASP:OD1	2.44	0.66
1:B:360:THR:O	1:B:364[B]:MET:HG3	1.99	0.63
1:A:205[B]:LYS:CE	1:A:278[B]:CYS:SG	2.87	0.63
1:B:205:LYS:HE3	1:B:209:TYR:CD1	2.35	0.62
1:B:249[A]:ILE:HD13	1:B:372[A]:PHE:HE1	1.65	0.61
1:B:245:ILE:HG22	1:B:368:LYS:CE	2.30	0.60
1:A:36:LYS:HE3	10:A:829:HOH:O	2.01	0.59
1:B:240[A]:GLU:CD	1:B:240[A]:GLU:H	2.12	0.57
1:B:288[B]:LYS:HD3	10:B:732:HOH:O	2.05	0.56
1:A:14:LYS:HB3	1:A:135:ASP:HB2	1.87	0.56
1:A:205[B]:LYS:HD3	1:A:278[B]:CYS:SG	2.41	0.56
1:A:205[A]:LYS:NZ	10:A:609:HOH:O	2.35	0.55
1:C:245:ILE:HG21	1:C:364[B]:MET:HE3	1.88	0.55
1:A:55:LYS:HD3	1:A:327[B]:CYS:SG	2.48	0.54
1:A:205[B]:LYS:HD2	1:A:278[B]:CYS:HG	1.68	0.54
1:B:35:MET:HE3	4:B:504:A1L4X:C25	2.38	0.54
1:A:288:LYS:HE3	10:A:831:HOH:O	2.08	0.53
1:A:136:MET:CE	1:A:302[A]:MET:SD	2.96	0.53
1:A:366[B]:LYS:HE3	1:A:366[B]:LYS:HA	1.90	0.53
1:B:216:LEU:HD22	1:B:367:ILE:HD12	1.91	0.53
1:A:245:ILE:HG12	1:A:364:MET:HE3	1.89	0.53
1:C:238:ASP:OD1	1:C:241[B]:SER:HB2	2.09	0.52
1:B:55:LYS:NZ	1:B:327[A]:CYS:SG	2.84	0.51
1:B:249[A]:ILE:HD13	1:B:372[A]:PHE:CE1	2.45	0.51
1:B:332:GLU:CD	1:C:149[B]:LYS:HZ1	2.18	0.51
1:C:271:LEU:HD11	1:C:316:CYS:HB2	1.93	0.51
1:B:332:GLU:OE2	1:C:149[B]:LYS:NZ	2.44	0.51
1:A:47:LEU:HD12	1:A:47:LEU:C	2.36	0.50
1:A:35:MET:HE3	4:A:504:A1L4X:C25	2.42	0.49
1:A:365:GLU:OE2	5:A:508:EDO:C1	2.61	0.49
1:A:56:MET:HB3	1:A:325:LEU:HD21	1.94	0.49
1:C:128[A]:LYS:HE3	1:C:133:GLN:HB3	1.95	0.49
1:B:284:LYS:NZ	9:C:506:GOL:C1	2.69	0.49
1:B:143:GLY:HA2	1:B:161:ILE:HD11	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:LYS:HD2	1:B:278[B]:CYS:SG	2.52	0.48
1:C:302[B]:MET:HE1	1:C:324:ALA:HB2	1.95	0.48
1:A:97:GLN:NE2	10:A:616:HOH:O	2.45	0.48
1:A:144:LEU:N	1:A:144:LEU:HD12	2.29	0.47
1:A:36:LYS:CE	10:A:829:HOH:O	2.60	0.47
1:A:14:LYS:HE2	1:A:297[A]:ASN:OD1	2.14	0.47
1:B:71:LYS:HE2	10:B:768:HOH:O	2.15	0.47
1:B:205:LYS:CD	1:B:278[B]:CYS:SG	3.03	0.47
1:B:347:LYS:NZ	1:C:149[B]:LYS:HE3	2.30	0.47
1:B:365:GLU:HG2	10:B:687:HOH:O	2.15	0.47
1:A:193:TYR:OH	10:A:605:HOH:O	2.18	0.47
1:A:244:GLN:HE22	1:C:221:ALA:HB2	1.81	0.46
1:B:55:LYS:HD2	1:B:327[B]:CYS:SG	2.55	0.46
1:C:217:ARG:NH1	1:C:218:ASP:OD1	2.49	0.46
1:A:271:LEU:HD11	1:A:316:CYS:HB2	1.97	0.46
1:A:302[B]:MET:HB2	1:A:302[B]:MET:HE3	1.58	0.46
1:B:241:SER:HB3	1:B:364[B]:MET:SD	2.56	0.45
1:B:332:GLU:OE1	1:C:149[B]:LYS:NZ	2.50	0.45
1:A:366[B]:LYS:NZ	10:A:620:HOH:O	2.49	0.45
1:C:55:LYS:HD2	1:C:327[B]:CYS:SG	2.57	0.45
1:A:199:MET:SD	1:A:253:VAL:HG13	2.58	0.44
1:A:136:MET:HE2	1:A:136:MET:HB3	1.60	0.44
1:A:205[B]:LYS:HE3	1:A:235:ASP:OD1	2.14	0.44
1:B:89:MET:CE	1:B:96:MET:HE1	2.48	0.44
1:B:284:LYS:HZ2	9:C:506:GOL:C1	2.26	0.44
1:B:216:LEU:HD12	1:B:371:LEU:HD21	1.99	0.44
1:A:244:GLN:HB2	5:A:508:EDO:H21	1.99	0.43
1:C:275:ARG:HE	1:C:275:ARG:HB3	1.51	0.43
1:B:247:LYS:HB3	1:B:248:PRO:HD3	2.01	0.43
1:B:332:GLU:CD	1:C:149[B]:LYS:NZ	2.77	0.42
1:C:104:ASP:HB2	10:C:779:HOH:O	2.19	0.42
1:A:291:GLU:O	1:A:295:THR:HG23	2.19	0.42
1:B:182:ILE:CD1	1:B:278[A]:CYS:H	2.32	0.42
1:B:366:LYS:HE3	1:B:370:ARG:HE	1.84	0.42
1:C:72:TYR:CZ	1:C:149[A]:LYS:HG2	2.55	0.42
1:C:237:ILE:HG13	1:C:241[B]:SER:HB3	2.01	0.42
1:C:199:MET:HE1	1:C:378:LEU:HD21	2.01	0.42
1:C:215:ASP:OD1	1:C:217:ARG:HG2	2.20	0.42
1:B:223:LYS:HB3	1:B:223:LYS:HE3	1.79	0.42
1:B:302[B]:MET:HE3	1:B:302[B]:MET:HB2	1.72	0.42
1:B:87:ASP:OD1	1:B:87:ASP:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:240[A]:GLU:CD	1:B:240[A]:GLU:N	2.77	0.41
1:B:85:ARG:O	1:B:89:MET:HG3	2.21	0.41
1:C:283:VAL:HG13	1:C:316:CYS:HA	2.02	0.40
1:C:117:LEU:HD23	1:C:117:LEU:HA	1.88	0.40
1:A:199:MET:HE1	1:A:378:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/404 (95%)	375 (98%)	8 (2%)	0	100	100
1	B	383/404 (95%)	376 (98%)	7 (2%)	0	100	100
1	C	379/404 (94%)	375 (99%)	4 (1%)	0	100	100
All	All	1145/1212 (94%)	1126 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/344 (97%)	332 (99%)	2 (1%)	78	70
1	B	335/344 (97%)	332 (99%)	3 (1%)	70	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	331/344 (96%)	329 (99%)	2 (1%)	78	70
All	All	1000/1032 (97%)	993 (99%)	7 (1%)	81	66

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	278[A]	CYS
1	A	278[B]	CYS
1	B	82[A]	ARG
1	B	82[B]	ARG
1	B	328	GLU
1	C	237	ILE
1	C	351	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	GLN
1	A	173	GLN
1	A	244	GLN
1	B	95	GLN
1	C	95	GLN
1	C	172	HIS
1	C	173	GLN
1	C	297	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 30 ligands modelled in this entry, 9 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PEG	B	509	-	6,6,6	0.52	0	5,5,5	0.30	0
5	EDO	A	505	-	3,3,3	0.38	0	2,2,2	0.69	0
7	PGE	A	512	-	9,9,9	0.44	0	8,8,8	0.48	0
4	A1L4X	A	504	2	29,29,40	2.31	11 (37%)	37,40,57	1.91	10 (27%)
9	GOL	C	506	-	5,5,5	0.40	0	5,5,5	0.73	0
8	PG4	C	508	-	12,12,12	0.49	0	11,11,11	0.42	0
5	EDO	B	507	-	3,3,3	0.59	0	2,2,2	0.10	0
5	EDO	A	508	-	3,3,3	0.55	0	2,2,2	0.15	0
4	A1L4X	C	504	2	29,29,40	2.05	7 (24%)	37,40,57	2.54	19 (51%)
6	PEG	C	507	-	6,6,6	0.59	0	5,5,5	0.55	0
5	EDO	B	506	-	3,3,3	0.42	0	2,2,2	0.62	0
4	A1L4X	B	504	2	29,29,40	2.01	8 (27%)	37,40,57	2.86	16 (43%)
5	EDO	B	505	-	3,3,3	0.43	0	2,2,2	0.54	0
6	PEG	A	509	-	6,6,6	0.53	0	5,5,5	0.35	0
5	EDO	C	505	-	3,3,3	0.49	0	2,2,2	0.39	0
5	EDO	A	507	-	3,3,3	0.49	0	2,2,2	0.19	0
5	EDO	A	506	-	3,3,3	0.47	0	2,2,2	0.19	0
5	EDO	B	508	-	3,3,3	0.45	0	2,2,2	0.41	0
6	PEG	A	510	-	6,6,6	0.51	0	5,5,5	0.31	0
6	PEG	A	511	-	6,6,6	0.53	0	5,5,5	0.50	0
8	PG4	B	510	-	12,12,12	0.58	0	11,11,11	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PEG	B	509	-	-	3/4/4/4	-
5	EDO	A	505	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PGE	A	512	-	-	2/7/7/7	-
4	A1L4X	A	504	2	-	0/16/16/27	0/4/4/5
9	GOL	C	506	-	-	4/4/4/4	-
8	PG4	C	508	-	-	5/10/10/10	-
5	EDO	B	507	-	-	0/1/1/1	-
5	EDO	A	508	-	-	1/1/1/1	-
4	A1L4X	C	504	2	-	1/16/16/27	0/4/4/5
6	PEG	C	507	-	-	1/4/4/4	-
5	EDO	B	506	-	-	0/1/1/1	-
4	A1L4X	B	504	2	-	1/16/16/27	0/4/4/5
5	EDO	B	505	-	-	1/1/1/1	-
6	PEG	A	509	-	-	3/4/4/4	-
5	EDO	C	505	-	-	1/1/1/1	-
5	EDO	A	507	-	-	1/1/1/1	-
5	EDO	A	506	-	-	1/1/1/1	-
5	EDO	B	508	-	-	1/1/1/1	-
6	PEG	A	510	-	-	1/4/4/4	-
6	PEG	A	511	-	-	4/4/4/4	-
8	PG4	B	510	-	-	2/10/10/10	-

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	504	A1L4X	C20-C16	5.22	1.47	1.40
4	B	504	A1L4X	N1-N2	5.16	1.41	1.32
4	C	504	A1L4X	C20-C16	5.15	1.47	1.40
4	A	504	A1L4X	N1-N2	4.96	1.41	1.32
4	C	504	A1L4X	N1-N2	4.78	1.41	1.32
4	B	504	A1L4X	C21-C19	4.37	1.45	1.38
4	A	504	A1L4X	C18-C16	4.28	1.46	1.39
4	B	504	A1L4X	C18-C17	3.96	1.45	1.39
4	C	504	A1L4X	N-N2	3.58	1.42	1.34
4	A	504	A1L4X	O3-C22	3.54	1.43	1.37
4	A	504	A1L4X	C14-C12	3.18	1.44	1.39
4	B	504	A1L4X	N-N2	3.16	1.41	1.34
4	A	504	A1L4X	N-N2	3.04	1.40	1.34
4	A	504	A1L4X	C7-C8	2.89	1.40	1.37
4	C	504	A1L4X	C10-C12	2.86	1.43	1.39
4	C	504	A1L4X	C16-N3	-2.83	1.36	1.41
4	A	504	A1L4X	C21-C19	2.73	1.43	1.38
4	B	504	A1L4X	C20-C16	2.71	1.44	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	504	A1L4X	C25-C22	2.48	1.40	1.35
4	A	504	A1L4X	C24-C23	2.42	1.41	1.32
4	C	504	A1L4X	C19-C17	2.36	1.43	1.39
4	B	504	A1L4X	O3-C23	2.33	1.45	1.37
4	A	504	A1L4X	C25-C22	2.32	1.39	1.35
4	B	504	A1L4X	C11-C10	2.24	1.42	1.38
4	A	504	A1L4X	C9-C8	2.23	1.51	1.47
4	B	504	A1L4X	C19-C17	2.00	1.42	1.39

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	504	A1L4X	C21-C19-C17	-5.53	114.89	120.80
4	B	504	A1L4X	C14-C12-C10	5.39	125.42	118.57
4	C	504	A1L4X	C21-C19-C17	-5.36	115.07	120.80
4	B	504	A1L4X	C13-C14-C12	-5.27	115.16	120.80
4	C	504	A1L4X	C14-C13-C9	-5.13	115.32	120.80
4	A	504	A1L4X	C13-C14-C12	-4.66	115.83	120.80
4	B	504	A1L4X	C18-C17-C22	-4.50	112.96	120.25
4	B	504	A1L4X	C13-C9-C11	4.48	124.26	118.57
4	B	504	A1L4X	C10-C11-C9	-4.43	116.06	120.80
4	C	504	A1L4X	C18-C16-C20	-4.38	114.77	119.62
4	B	504	A1L4X	C19-C17-C18	4.34	124.27	119.25
4	C	504	A1L4X	C11-C10-C12	-4.33	116.17	120.80
4	A	504	A1L4X	C17-C22-C25	-4.17	120.96	132.99
4	B	504	A1L4X	C21-C20-C16	4.11	122.43	118.24
4	B	504	A1L4X	C7-C8-N1	4.10	111.79	107.85
4	C	504	A1L4X	C17-C22-C25	-4.09	121.20	132.99
4	B	504	A1L4X	C8-N1-N2	-4.01	104.94	109.23
4	B	504	A1L4X	C11-C9-C8	-3.87	116.53	120.87
4	C	504	A1L4X	C13-C14-C12	3.43	124.47	120.80
4	B	504	A1L4X	C9-C8-C7	-3.33	124.27	129.06
4	C	504	A1L4X	C10-C11-C9	3.29	124.32	120.80
4	A	504	A1L4X	C13-C9-C11	3.24	122.69	118.57
4	A	504	A1L4X	C14-C12-C10	3.18	122.61	118.57
4	C	504	A1L4X	C18-C17-C22	-3.12	115.21	120.25
4	A	504	A1L4X	C25-C24-C23	3.11	112.17	106.94
4	A	504	A1L4X	C13-C9-C8	-3.09	117.40	120.87
4	B	504	A1L4X	C17-C22-C25	-3.06	124.16	132.99
4	B	504	A1L4X	O3-C22-C17	3.03	128.18	118.34
4	C	504	A1L4X	C25-C24-C23	2.94	111.87	106.94
4	C	504	A1L4X	C19-C17-C18	2.91	122.61	119.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	504	A1L4X	O2-C15-N3	-2.90	116.38	123.75
4	A	504	A1L4X	O3-C22-C17	2.78	127.38	118.34
4	C	504	A1L4X	C21-C20-C16	2.77	121.06	118.24
4	C	504	A1L4X	O3-C22-C17	2.75	127.29	118.34
4	C	504	A1L4X	O3-C23-C24	-2.68	105.65	110.44
4	C	504	A1L4X	C8-N1-N2	-2.63	106.42	109.23
4	A	504	A1L4X	C10-C11-C9	-2.53	118.10	120.80
4	C	504	A1L4X	O2-C15-C12	2.50	125.85	120.90
4	A	504	A1L4X	O3-C23-C24	-2.47	106.03	110.44
4	B	504	A1L4X	O3-C23-C24	-2.38	106.19	110.44
4	C	504	A1L4X	C11-C9-C8	-2.34	118.25	120.87
4	C	504	A1L4X	C20-C16-N3	2.21	123.28	119.30
4	C	504	A1L4X	C19-C21-C20	2.20	123.63	121.42
4	A	504	A1L4X	C21-C20-N4	2.05	124.13	120.11
4	B	504	A1L4X	C24-C25-C22	2.03	109.86	106.45

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	C	506	GOL	O1-C1-C2-C3
8	C	508	PG4	O3-C5-C6-O4
6	B	509	PEG	O2-C3-C4-O4
8	C	508	PG4	O4-C7-C8-O5
6	A	509	PEG	O2-C3-C4-O4
9	C	506	GOL	C1-C2-C3-O3
8	B	510	PG4	O1-C1-C2-O2
9	C	506	GOL	O1-C1-C2-O2
6	B	509	PEG	O1-C1-C2-O2
5	B	508	EDO	O1-C1-C2-O2
5	C	505	EDO	O1-C1-C2-O2
7	A	512	PGE	O2-C3-C4-O3
5	A	505	EDO	O1-C1-C2-O2
5	B	505	EDO	O1-C1-C2-O2
5	A	506	EDO	O1-C1-C2-O2
7	A	512	PGE	C3-C4-O3-C5
6	A	509	PEG	C1-C2-O2-C3
6	A	511	PEG	C4-C3-O2-C2
8	B	510	PG4	C8-C7-O4-C6
6	A	511	PEG	O2-C3-C4-O4
8	C	508	PG4	C5-C6-O4-C7
6	A	509	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	507	PEG	O1-C1-C2-O2
6	A	511	PEG	C1-C2-O2-C3
5	A	507	EDO	O1-C1-C2-O2
9	C	506	GOL	O2-C2-C3-O3
4	C	504	A1L4X	C18-C17-C22-O3
5	A	508	EDO	O1-C1-C2-O2
4	B	504	A1L4X	C18-C17-C22-O3
6	A	511	PEG	O1-C1-C2-O2
8	C	508	PG4	C3-C4-O3-C5
8	C	508	PG4	C1-C2-O2-C3
6	B	509	PEG	C4-C3-O2-C2
6	A	510	PEG	C1-C2-O2-C3


There are no ring outliers.

5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	505	EDO	1	0
4	A	504	A1L4X	1	0
9	C	506	GOL	5	0
5	A	508	EDO	2	0
4	B	504	A1L4X	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand A1L4X A 504



Ligand A1L4X C 504





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/404 (91%)	-0.13	2 (0%) 87 91	8, 25, 49, 68	16 (4%)
1	B	367/404 (90%)	-0.28	4 (1%) 78 84	6, 22, 43, 81	17 (4%)
1	C	367/404 (90%)	0.03	4 (1%) 78 84	11, 30, 54, 104	14 (3%)
All	All	1102/1212 (90%)	-0.13	10 (0%) 81 86	6, 26, 51, 104	47 (4%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	379	PRO	3.7
1	B	14	LYS	2.9
1	B	15[A]	LYS	2.7
1	C	13	LYS	2.5
1	B	135	ASP	2.5
1	A	12	GLY	2.2
1	A	208	GLU	2.1
1	B	379	PRO	2.1
1	C	341	TYR	2.1
1	C	327[A]	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	B	506	4/4	0.79	0.16	59,64,64,70	0
5	EDO	B	508	4/4	0.83	0.11	71,78,82,88	0
6	PEG	A	509	7/7	0.85	0.11	60,63,70,71	0
7	PGE	A	512	10/10	0.85	0.11	47,61,73,78	0
6	PEG	B	509	7/7	0.87	0.12	63,65,70,75	0
5	EDO	A	508	4/4	0.87	0.11	37,42,49,53	0
5	EDO	B	505	4/4	0.88	0.12	53,55,55,56	0
6	PEG	A	511	7/7	0.88	0.13	63,66,72,75	0
6	PEG	A	510	7/7	0.89	0.11	59,60,61,66	0
9	GOL	C	506	6/6	0.89	0.14	55,58,66,69	0
5	EDO	A	506	4/4	0.90	0.15	58,64,68,69	0
5	EDO	B	507	4/4	0.90	0.10	44,49,49,60	0
8	PG4	B	510	13/13	0.90	0.11	38,51,65,67	0
5	EDO	A	507	4/4	0.90	0.09	68,70,70,74	0
6	PEG	C	507	7/7	0.91	0.10	38,41,48,50	0
8	PG4	C	508	13/13	0.93	0.10	43,50,58,58	0
5	EDO	C	505	4/4	0.94	0.11	39,43,45,50	0
5	EDO	A	505	4/4	0.95	0.08	47,50,52,53	0
4	A1L4X	C	504	26/36	0.97	0.05	16,21,43,47	0
4	A1L4X	B	504	26/36	0.98	0.06	12,17,38,41	0
4	A1L4X	A	504	26/36	0.98	0.05	15,19,35,43	0
3	CA	A	502	1/1	0.99	0.04	20,20,20,20	0
3	CA	A	503	1/1	0.99	0.04	27,27,27,27	0
3	CA	B	503	1/1	0.99	0.02	25,25,25,25	0
3	CA	C	503	1/1	0.99	0.06	25,25,25,25	0
2	ZN	C	501	1/1	0.99	0.02	20,20,20,20	0
2	ZN	B	501	1/1	1.00	0.03	14,14,14,14	0
3	CA	C	502	1/1	1.00	0.04	25,25,25,25	0
2	ZN	A	501	1/1	1.00	0.03	16,16,16,16	0
3	CA	B	502	1/1	1.00	0.02	19,19,19,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around A1L4X C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1L4X B 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.