



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:29 AM UTC

PDB ID : 1JXN / pdb_00001jxn
Title : Crystal Structure of the Lectin I from Ulex europaeus in complex with the methyl glycoside of alpha-L-fucose
Authors : Audette, G.F.; Olson, D.J.H.; Ross, A.R.S.; Quail, J.W.; Delbaere, L.T.J.
Deposited on : 2001-09-07
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	242	10% 64% 31% ..
1	B	242	13% 51% 41% 7% .
1	C	242	11% 57% 34% 7% .
1	D	242	7% 64% 33% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7773 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called anti-H(O) lectin I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	0	0
			1864	1191	303	366	4			
1	B	240	Total	C	N	O	S	0	0	0
			1862	1192	302	364	4			
1	C	240	Total	C	N	O	S	0	0	0
			1866	1193	304	365	4			
1	D	239	Total	C	N	O	S	0	0	0
			1851	1185	300	362	4			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ASN	ASP	conflict	UNP P22972
A	65	LEU	VAL	conflict	UNP P22972
A	111	ASN	GLU	conflict	UNP P22972
A	?	-	ASP	deletion	UNP P22972
A	115	CYS	ASN	conflict	UNP P22972
A	136	TRP	ASP	conflict	UNP P22972
A	149	CYS	ARG	conflict	UNP P22972
A	217	SER	GLY	conflict	UNP P22972
A	236	THR	ASN	conflict	UNP P22972
A	237	PHE	LEU	conflict	UNP P22972
B	23	ASN	ASP	conflict	UNP P22972
B	65	LEU	VAL	conflict	UNP P22972
B	111	ASN	GLU	conflict	UNP P22972
B	?	-	ASP	deletion	UNP P22972
B	115	CYS	ASN	conflict	UNP P22972
B	136	TRP	ASP	conflict	UNP P22972
B	149	CYS	ARG	conflict	UNP P22972
B	217	SER	GLY	conflict	UNP P22972
B	236	THR	ASN	conflict	UNP P22972
B	237	PHE	LEU	conflict	UNP P22972
C	23	ASN	ASP	conflict	UNP P22972

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	65	LEU	VAL	conflict	UNP P22972
C	111	ASN	GLU	conflict	UNP P22972
C	?	-	ASP	deletion	UNP P22972
C	115	CYS	ASN	conflict	UNP P22972
C	136	TRP	ASP	conflict	UNP P22972
C	149	CYS	ARG	conflict	UNP P22972
C	217	SER	GLY	conflict	UNP P22972
C	236	THR	ASN	conflict	UNP P22972
C	237	PHE	LEU	conflict	UNP P22972
D	23	ASN	ASP	conflict	UNP P22972
D	65	LEU	VAL	conflict	UNP P22972
D	111	ASN	GLU	conflict	UNP P22972
D	?	-	ASP	deletion	UNP P22972
D	115	CYS	ASN	conflict	UNP P22972
D	136	TRP	ASP	conflict	UNP P22972
D	149	CYS	ARG	conflict	UNP P22972
D	217	SER	GLY	conflict	UNP P22972
D	236	THR	ASN	conflict	UNP P22972
D	237	PHE	LEU	conflict	UNP P22972

- Molecule 2 is methyl alpha-L-fucopyranoside (CCD ID: MFU) (formula: C₇H₁₄O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	7	5		
2	B	1	Total	C	O	0	0
			12	7	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			12	7	5		
2	D	1	Total	C	O	0	0
			12	7	5		

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	B	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		
4	B	1	Total	Ca	0	0
			1	1		
4	C	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		

- Molecule 5 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			8	6	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	73	Total	O	0	0
			73	73		
6	B	80	Total	O	0	0
			80	80		
6	C	62	Total	O	0	0
			62	62		
6	D	51	Total	O	0	0
			51	51		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: anti-H(O) lectin I




• Molecule 1: anti-H(O) lectin I




• Molecule 1: anti-H(O) lectin I





• Molecule 1: anti-H(O) lectin I



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.81Å 69.00Å 119.02Å 90.00° 106.76° 90.00°	Depositor
Resolution (Å)	40.00 – 2.30 40.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.30) 82.4 (40.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 2.29Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.202 , 0.289 0.262 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.529	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7773	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 62.18 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1708e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, MFU, CA, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/1913	1.08	12/2609 (0.5%)
1	B	0.58	0/1911	1.06	10/2605 (0.4%)
1	C	0.57	0/1915	1.07	13/2610 (0.5%)
1	D	0.57	0/1900	1.10	13/2591 (0.5%)
All	All	0.58	0/7639	1.08	48/10415 (0.5%)

There are no bond length outliers.

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	2	ASP	N-CA-C	-8.59	102.93	113.41
1	A	81	ASN	CA-C-N	8.01	127.30	118.97
1	A	81	ASN	C-N-CA	8.01	127.30	118.97
1	D	237	PHE	N-CA-C	-7.45	104.34	113.50
1	D	153	ILE	N-CA-C	-7.30	102.05	112.35
1	C	202	LEU	N-CA-C	7.22	120.01	111.71
1	D	91	PHE	N-CA-C	-7.15	96.67	108.76
1	B	92	PHE	N-CA-C	7.12	120.00	109.24
1	B	104	GLY	N-CA-C	-7.03	102.91	111.35
1	D	223	GLN	N-CA-C	7.01	120.13	110.24
1	B	205	ILE	N-CA-C	6.99	117.14	111.62
1	C	223	GLN	N-CA-C	6.86	120.33	110.24
1	A	176	ALA	N-CA-C	6.76	118.65	111.28
1	D	187	TYR	CA-C-N	6.54	126.23	119.56
1	D	187	TYR	C-N-CA	6.54	126.23	119.56
1	A	92	PHE	N-CA-C	6.21	118.61	109.24
1	A	205	ILE	N-CA-C	6.13	116.31	110.74
1	C	205	ILE	CB-CA-C	-6.08	105.64	111.05
1	B	68	PHE	N-CA-C	6.06	117.99	108.96
1	A	153	ILE	N-CA-C	-5.77	104.71	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	100	LEU	N-CA-C	-5.72	99.96	109.46
1	C	187	TYR	CA-C-N	5.72	125.43	119.82
1	C	187	TYR	C-N-CA	5.72	125.43	119.82
1	C	206	LEU	N-CA-C	5.71	117.82	110.39
1	A	227	GLU	N-CA-C	5.71	118.77	109.24
1	B	124	VAL	N-CA-C	-5.66	99.48	107.75
1	D	187	TYR	N-CA-C	-5.65	100.46	109.04
1	C	9	LYS	N-CA-C	-5.59	105.27	111.36
1	C	53	ALA	CA-C-N	5.55	125.72	119.90
1	C	53	ALA	C-N-CA	5.55	125.72	119.90
1	B	110	PHE	N-CA-C	5.50	118.19	109.50
1	D	40	ASN	N-CA-C	5.49	122.50	110.80
1	B	223	GLN	N-CA-C	5.42	117.88	110.24
1	C	57	ILE	N-CA-C	5.39	117.83	111.09
1	C	79	SER	N-CA-C	-5.37	106.57	113.23
1	B	91	PHE	N-CA-C	-5.30	100.53	109.07
1	D	39	ASN	N-CA-C	5.27	117.11	111.36
1	B	153	ILE	N-CA-C	-5.20	106.00	113.07
1	A	91	PHE	N-CA-C	-5.18	100.46	108.90
1	B	11	PHE	N-CA-C	5.16	117.81	109.40
1	C	207	PRO	N-CA-C	-5.16	103.73	111.57
1	D	34	LEU	N-CA-C	5.15	117.63	111.71
1	A	152	SER	N-CA-C	5.12	117.14	110.43
1	A	238	ILE	N-CA-C	5.12	119.98	109.34
1	D	124	VAL	N-CA-C	-5.10	99.17	107.28
1	A	206	LEU	N-CA-C	5.05	117.13	110.36
1	D	44	GLU	N-CA-C	-5.04	100.31	108.52
1	C	92	PHE	N-CA-C	5.03	117.03	109.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1864	0	1775	62	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1862	0	1778	87	0
1	C	1866	0	1781	67	0
1	D	1851	0	1760	58	0
2	A	12	0	14	1	0
2	B	12	0	14	4	0
2	C	12	0	14	0	0
2	D	12	0	14	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	C	8	0	14	3	0
6	A	73	0	0	4	0
6	B	80	0	0	11	0
6	C	62	0	0	3	0
6	D	51	0	0	4	0
All	All	7773	0	7164	265	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (265) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:MET:HE1	1:C:128:THR:HG21	1.44	0.98
1:B:50:ARG:HH22	1:B:98:SER:HB2	1.26	0.96
1:C:60:CYS:SG	5:C:901:MRD:H3C1	2.11	0.91
1:C:76:MET:HE3	1:C:226:HIS:CD2	2.07	0.89
1:C:153:ILE:HG23	6:C:957:HOH:O	1.82	0.79
1:C:60:CYS:SG	5:C:901:MRD:O4	2.40	0.75
1:D:136:TRP:HB2	1:D:151:LYS:HG2	1.70	0.74
1:C:56:HIS:HD2	1:C:209:TRP:CE2	2.06	0.73
1:A:76:MET:HE2	6:A:561:HOH:O	1.89	0.73
1:C:48:ILE:HG21	1:C:50:ARG:HH21	1.53	0.72
1:C:7:LYS:HB3	1:D:3:ASP:HB2	1.71	0.72
1:B:131:SER:HB3	6:B:669:HOH:O	1.90	0.70
1:D:146:ASP:HB2	1:D:149:CYS:O	1.92	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:18:LEU:HD22	6:B:657:HOH:O	1.91	0.69
1:D:86:THR:HB	1:D:87:ASP:HA	1.75	0.69
1:A:131:SER:HB2	1:A:137:ASP:O	1.93	0.69
1:B:101:ARG:HD2	1:B:109:LEU:O	1.92	0.69
1:C:90:THR:HG22	1:C:215:SER:OG	1.92	0.68
1:D:143:ILE:HD11	1:D:194:ILE:HG22	1.76	0.68
1:D:218:THR:OG1	1:D:223:GLN:HA	1.94	0.68
1:C:32:LEU:HB3	1:C:228:VAL:HG13	1.75	0.68
1:B:27:ILE:HG13	1:B:29:THR:HG22	1.75	0.67
1:B:21:GLN:HB2	1:B:48:ILE:HB	1.76	0.66
1:B:198:SER:O	1:B:200:VAL:HG12	1.96	0.65
1:C:148:ASN:HD21	1:C:205:ILE:HG23	1.60	0.65
1:B:191:GLN:HG3	6:B:679:HOH:O	1.96	0.65
1:A:96:PRO:HD3	1:A:210:VAL:HA	1.79	0.65
1:A:9:LYS:NZ	1:B:238:ILE:HD11	2.12	0.65
1:B:238:ILE:N	1:B:238:ILE:HD12	2.12	0.65
1:A:86:THR:HG22	1:A:129:ILE:HG21	1.78	0.64
1:B:142:HIS:HA	1:B:158:TRP:HB3	1.79	0.63
1:A:235:SER:HB3	6:A:537:HOH:O	1.97	0.63
1:A:90:THR:CG2	1:A:123:ALA:HB1	2.29	0.63
1:C:179:LYS:HG2	6:C:952:HOH:O	1.99	0.62
1:B:86:THR:HG21	2:B:602:MFU:H62	1.80	0.61
1:C:70:THR:HG22	1:C:172:ILE:HB	1.81	0.61
1:D:102:ARG:HB3	1:D:110:PHE:O	2.00	0.61
1:A:90:THR:HG21	1:A:109:LEU:HD11	1.81	0.61
1:A:21:GLN:HE22	1:A:50:ARG:HH21	1.48	0.60
1:B:5:SER:HA	1:B:233:PHE:O	2.01	0.60
1:A:238:ILE:HG23	1:A:238:ILE:O	2.02	0.60
1:D:191:GLN:HE21	1:D:191:GLN:HA	1.67	0.59
1:A:90:THR:HG23	1:A:123:ALA:HB1	1.84	0.59
1:C:238:ILE:HD11	1:D:9:LYS:HZ3	1.68	0.59
1:D:57:ILE:HG23	1:D:58:TRP:HD1	1.67	0.59
1:B:113:THR:HG22	1:B:151:LYS:HD2	1.84	0.59
1:D:141:PRO:HB2	1:D:158:TRP:O	2.03	0.59
1:B:76:MET:HE2	6:B:662:HOH:O	2.02	0.59
1:B:219:TYR:OH	2:B:602:MFU:HM1	2.03	0.58
1:D:23:ASN:HB3	1:D:36:LYS:HG3	1.85	0.58
1:D:27:ILE:HG22	6:D:847:HOH:O	2.02	0.58
1:D:51:TYR:CE1	1:D:53:ALA:HB3	2.39	0.58
1:A:151:LYS:HB2	1:A:151:LYS:NZ	2.19	0.57
1:C:209:TRP:CZ2	1:D:15:GLY:HA2	2.39	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:ASP:OD1	1:B:203:LYS:HB3	2.03	0.57
1:B:32:LEU:HB3	1:B:228:VAL:HG13	1.87	0.57
1:B:173:ILE:O	1:B:181:LEU:HD12	2.04	0.57
1:C:56:HIS:HE1	1:C:59:ASN:HB2	1.70	0.57
1:A:4:LEU:O	1:A:234:THR:HA	2.05	0.56
1:B:84:ALA:HA	6:B:665:HOH:O	2.04	0.56
1:B:147:VAL:HG13	1:B:205:ILE:HD13	1.87	0.56
1:D:93:LEU:HD23	1:D:210:VAL:HG21	1.87	0.56
1:D:86:THR:HG21	2:D:804:MFU:C6	2.36	0.56
1:D:113:THR:HB	1:D:151:LYS:HE3	1.87	0.56
1:C:48:ILE:HG21	1:C:50:ARG:NH2	2.21	0.56
1:B:170:VAL:HA	1:B:184:SER:O	2.05	0.56
1:C:154:ASN:HB2	6:C:958:HOH:O	2.04	0.56
1:A:86:THR:HB	1:A:87:ASP:CG	2.31	0.56
1:C:56:HIS:HD2	1:C:209:TRP:CZ2	2.24	0.56
1:D:193:SER:C	1:D:194:ILE:HD12	2.31	0.56
1:A:122:VAL:HG21	1:A:202:LEU:HD22	1.88	0.56
1:B:173:ILE:HG22	1:B:174:TYR:N	2.20	0.56
1:B:70:THR:HG22	1:B:172:ILE:HB	1.87	0.55
1:A:218:THR:OG1	1:A:223:GLN:HA	2.06	0.55
1:C:60:CYS:SG	1:C:60:CYS:O	2.63	0.55
1:B:86:THR:HB	1:B:87:ASP:CG	2.31	0.55
1:B:152:SER:HB3	1:B:154:ASN:O	2.06	0.55
1:B:148:ASN:ND2	1:B:205:ILE:HG23	2.22	0.55
1:A:21:GLN:HE22	1:A:50:ARG:NH2	2.04	0.55
1:A:142:HIS:HA	1:A:158:TRP:HB3	1.89	0.55
1:C:62:THR:OG1	1:C:64:GLU:HG2	2.08	0.54
1:A:5:SER:HA	1:A:233:PHE:O	2.08	0.53
1:B:74:PHE:CE1	1:B:89:LEU:HD21	2.42	0.53
1:B:96:PRO:HA	1:B:211:SER:HB3	1.89	0.53
1:A:57:ILE:HG23	1:A:58:TRP:HD1	1.72	0.53
1:C:53:ALA:HB2	1:D:53:ALA:HB2	1.90	0.53
1:A:55:ILE:HG13	1:A:212:VAL:HG13	1.91	0.53
1:D:55:ILE:O	1:D:209:TRP:HA	2.08	0.53
1:D:143:ILE:O	1:D:143:ILE:HG13	2.08	0.53
1:A:185:LEU:C	1:A:185:LEU:HD23	2.34	0.53
1:B:173:ILE:CG2	1:B:174:TYR:N	2.72	0.52
1:C:86:THR:HB	1:C:87:ASP:CG	2.34	0.52
1:A:35:ASN:HB3	1:A:216:GLY:O	2.09	0.52
1:B:113:THR:HG22	1:B:113:THR:O	2.10	0.52
1:B:73:SER:HA	1:B:168:ALA:O	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:VAL:O	1:A:188:PRO:HD2	2.09	0.52
1:C:141:PRO:HG2	1:C:158:TRP:O	2.10	0.52
1:B:57:ILE:HG23	1:B:58:TRP:HD1	1.75	0.52
1:A:107:PHE:HA	1:A:217:SER:OG	2.10	0.51
1:B:131:SER:O	1:B:139:GLY:HA2	2.10	0.51
1:B:120:GLN:O	1:B:206:LEU:HD23	2.10	0.51
1:C:129:ILE:HG12	1:C:133:VAL:HG11	1.92	0.51
1:A:4:LEU:HD22	1:A:5:SER:N	2.25	0.51
1:D:51:TYR:HE1	1:D:53:ALA:HB3	1.76	0.51
1:B:58:TRP:HA	1:B:237:PHE:HZ	1.74	0.51
1:B:206:LEU:HB3	1:B:210:VAL:HG11	1.93	0.51
1:C:147:VAL:HG13	1:C:205:ILE:HD13	1.93	0.51
1:D:136:TRP:HB3	1:D:151:LYS:HE2	1.92	0.51
1:A:197:THR:HG22	1:A:198:SER:N	2.25	0.51
1:B:202:LEU:HD22	1:B:206:LEU:CD1	2.41	0.50
1:C:182:THR:HG23	1:C:197:THR:OG1	2.10	0.50
1:B:102:ARG:HB3	1:B:110:PHE:O	2.11	0.50
1:D:23:ASN:HD22	1:D:36:LYS:HZ3	1.60	0.50
1:D:70:THR:HG22	1:D:172:ILE:HB	1.92	0.50
1:B:58:TRP:HA	1:B:237:PHE:CZ	2.47	0.50
1:A:50:ARG:HG2	6:A:507:HOH:O	2.11	0.49
1:C:60:CYS:SG	5:C:901:MRD:C3	2.94	0.49
1:C:4:LEU:O	1:C:234:THR:HA	2.12	0.49
1:C:76:MET:HE3	1:C:226:HIS:NE2	2.26	0.49
1:B:171:GLU:HB3	6:B:678:HOH:O	2.11	0.49
1:B:147:VAL:CG1	1:B:205:ILE:HD13	2.41	0.49
1:D:23:ASN:HD22	1:D:36:LYS:NZ	2.10	0.49
1:C:90:THR:HG21	1:C:109:LEU:HD21	1.95	0.49
1:A:31:VAL:CG1	1:A:227:GLU:HB2	2.42	0.49
1:B:93:LEU:HA	1:B:211:SER:O	2.13	0.49
1:D:159:ASN:HB2	6:D:842:HOH:O	2.12	0.49
1:D:201:ASP:HB3	1:D:204:GLU:HG2	1.95	0.49
1:A:57:ILE:HG23	1:A:58:TRP:CD1	2.48	0.48
1:B:218:THR:OG1	1:B:223:GLN:HA	2.13	0.48
1:C:199:ILE:O	1:C:199:ILE:HG13	2.12	0.48
1:C:51:TYR:CE1	1:C:53:ALA:HB3	2.48	0.48
1:C:239:ASN:H	1:C:239:ASN:HD22	1.60	0.48
1:C:101:ARG:HB2	1:C:108:GLY:O	2.14	0.48
1:B:43:ASP:HA	1:B:220:ILE:HB	1.94	0.48
1:A:209:TRP:CZ2	1:B:15:GLY:HA2	2.48	0.48
1:C:118:SER:O	1:C:120:GLN:HG3	2.12	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ALA:HB2	1:A:47:GLY:HA3	1.96	0.47
1:A:93:LEU:HA	1:A:211:SER:O	2.14	0.47
1:B:51:TYR:CE1	1:B:53:ALA:HB3	2.49	0.47
1:D:86:THR:HB	1:D:87:ASP:CA	2.43	0.47
1:B:75:PHE:CE1	1:B:227:GLU:HG3	2.49	0.47
1:B:150:VAL:HG22	1:B:150:VAL:O	2.14	0.47
1:C:238:ILE:HD13	1:C:238:ILE:N	2.29	0.47
1:C:238:ILE:O	1:C:240:THR:N	2.47	0.47
1:B:102:ARG:CZ	1:B:106:TYR:CE1	2.97	0.47
1:B:148:ASN:HD21	1:B:205:ILE:HG23	1.77	0.47
1:D:74:PHE:HE2	1:D:170:VAL:CG2	2.28	0.47
1:B:50:ARG:NH2	1:B:98:SER:HB2	2.10	0.47
1:D:136:TRP:CB	1:D:151:LYS:HE2	2.45	0.47
1:D:125:GLU:HG2	1:D:144:GLY:O	2.14	0.47
1:B:103:ALA:HA	1:B:108:GLY:H	1.79	0.47
1:B:182:THR:HB	1:B:197:THR:HG23	1.97	0.47
1:D:172:ILE:HD12	1:D:183:ALA:HB1	1.95	0.47
1:A:151:LYS:HB2	1:A:151:LYS:HZ2	1.78	0.46
1:B:135:PHE:O	1:B:135:PHE:CD2	2.68	0.46
1:A:13:GLN:HE22	1:A:28:GLU:HG2	1.81	0.46
1:B:15:GLY:HA3	6:B:605:HOH:O	2.15	0.46
1:B:146:ASP:HB3	1:B:149:CYS:O	2.15	0.46
1:A:104:GLY:H	1:A:217:SER:HB2	1.80	0.46
1:C:90:THR:O	1:C:214:PHE:HA	2.15	0.46
1:B:23:ASN:HB3	1:B:36:LYS:HG2	1.97	0.46
1:C:106:TYR:CD1	1:C:106:TYR:N	2.84	0.46
1:D:185:LEU:C	1:D:185:LEU:HD23	2.41	0.45
1:B:236:THR:HG23	1:B:239:ASN:O	2.16	0.45
1:D:129:ILE:HG22	6:D:821:HOH:O	2.16	0.45
1:B:33:GLN:HG3	6:B:653:HOH:O	2.16	0.45
1:C:70:THR:HA	1:C:232:TYR:O	2.17	0.45
1:B:219:TYR:CD1	2:B:602:MFU:H5	2.52	0.45
1:D:5:SER:HA	1:D:233:PHE:O	2.17	0.45
1:A:231:TRP:CD1	1:A:232:TYR:N	2.85	0.45
1:C:168:ALA:HB2	1:C:187:TYR:CE1	2.52	0.45
1:A:4:LEU:HD22	1:A:5:SER:H	1.82	0.45
1:D:70:THR:HB	1:D:233:PHE:HD1	1.82	0.45
1:A:89:LEU:N	1:A:89:LEU:HD23	2.31	0.45
1:C:55:ILE:N	1:C:55:ILE:HD12	2.32	0.45
1:D:55:ILE:HD12	1:D:55:ILE:N	2.31	0.45
1:D:7:LYS:HE3	1:D:9:LYS:HZ2	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:101:ARG:O	1:D:108:GLY:HA2	2.16	0.45
1:A:141:PRO:HD3	6:A:544:HOH:O	2.17	0.44
1:B:35:ASN:HB2	6:B:635:HOH:O	2.17	0.44
1:A:70:THR:HB	1:A:233:PHE:HD1	1.82	0.44
1:A:113:THR:HG22	1:A:113:THR:O	2.16	0.44
1:A:33:GLN:HE22	1:A:36:LYS:HG2	1.82	0.44
1:B:142:HIS:CA	1:B:158:TRP:HB3	2.47	0.44
1:D:48:ILE:HG23	1:D:214:PHE:O	2.17	0.44
1:D:194:ILE:HD11	6:D:831:HOH:O	2.18	0.44
1:B:37:VAL:HG13	1:B:225:THR:HG23	1.99	0.44
1:B:137:ASP:HB3	1:B:142:HIS:CE1	2.52	0.44
1:B:156:GLU:HG3	1:B:157:ARG:N	2.33	0.44
1:D:185:LEU:O	1:D:193:SER:HA	2.17	0.44
1:B:89:LEU:O	1:B:126:PHE:HD1	2.00	0.44
1:B:135:PHE:O	1:B:135:PHE:HD2	2.01	0.44
1:D:85:ALA:HA	1:D:222:ARG:O	2.18	0.44
1:A:238:ILE:HD12	1:A:238:ILE:HA	1.87	0.43
1:C:238:ILE:HD11	1:D:9:LYS:NZ	2.33	0.43
1:D:69:ILE:HA	1:D:172:ILE:O	2.18	0.43
1:A:89:LEU:HD23	1:A:89:LEU:H	1.83	0.43
1:A:120:GLN:HB3	1:A:207:PRO:HD3	2.00	0.43
1:B:238:ILE:N	1:B:238:ILE:CD1	2.79	0.43
1:C:95:PRO:HA	1:C:96:PRO:HD3	1.87	0.43
1:C:218:THR:OG1	1:C:223:GLN:HA	2.18	0.43
1:D:103:ALA:HA	1:D:108:GLY:H	1.83	0.43
1:A:233:PHE:CE2	1:A:235:SER:OG	2.69	0.43
1:B:200:VAL:HG23	1:B:205:ILE:CD1	2.48	0.43
1:C:104:GLY:O	1:C:217:SER:HB3	2.18	0.43
1:C:170:VAL:HG12	1:C:171:GLU:N	2.33	0.43
1:B:142:HIS:HA	1:B:158:TRP:CB	2.46	0.43
1:B:162:TYR:O	1:B:166:ASN:HB2	2.19	0.43
1:C:56:HIS:CD2	1:C:209:TRP:CZ2	3.06	0.43
1:C:70:THR:CG2	1:C:172:ILE:HB	2.48	0.43
1:C:101:ARG:HG3	1:C:111:ASN:OD1	2.18	0.43
1:B:13:GLN:HE21	1:B:13:GLN:HA	1.83	0.43
1:B:31:VAL:HG22	1:B:229:LEU:HD23	1.99	0.43
1:B:76:MET:SD	1:B:226:HIS:HD2	2.42	0.43
1:C:33:GLN:HA	1:C:227:GLU:HB3	2.00	0.43
1:A:9:LYS:HZ2	1:B:238:ILE:HD11	1.82	0.43
1:B:37:VAL:HG22	1:B:225:THR:HG23	2.01	0.43
1:C:24:ALA:O	1:C:25:SER:HB3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:TRP:HD1	1:A:232:TYR:H	1.67	0.42
1:B:84:ALA:O	1:B:222:ARG:HB3	2.19	0.42
6:B:647:HOH:O	1:C:178:SER:HA	2.18	0.42
1:D:169:ASN:N	1:D:169:ASN:HD22	2.17	0.42
1:B:11:PHE:CE1	1:B:32:LEU:HB2	2.54	0.42
1:C:207:PRO:HD2	1:C:210:VAL:HG12	2.00	0.42
1:A:116:ASP:O	1:A:148:ASN:HB3	2.20	0.42
1:B:129:ILE:HG22	6:B:618:HOH:O	2.20	0.42
1:A:125:GLU:OE1	1:A:127:ASP:HB2	2.20	0.42
1:A:96:PRO:HA	1:A:211:SER:HB3	2.01	0.42
1:C:56:HIS:HB2	1:C:209:TRP:CZ3	2.55	0.42
1:C:119:TYR:O	1:C:120:GLN:C	2.63	0.42
1:A:5:SER:HB3	1:A:234:THR:HG23	2.02	0.42
1:B:86:THR:HG21	2:B:602:MFU:C6	2.48	0.42
1:B:89:LEU:HB2	1:B:215:SER:O	2.20	0.42
1:A:33:GLN:NE2	1:A:36:LYS:HG2	2.34	0.41
1:A:129:ILE:HG23	1:A:129:ILE:O	2.20	0.41
1:B:130:GLY:HA3	1:B:138:PRO:O	2.20	0.41
1:A:53:ALA:HB2	1:B:53:ALA:HB2	2.02	0.41
1:B:202:LEU:HD22	1:B:206:LEU:HD11	2.02	0.41
1:C:65:LEU:HD11	1:C:202:LEU:HD12	2.02	0.41
1:D:185:LEU:HD23	1:D:186:THR:N	2.35	0.41
1:C:43:ASP:HA	1:C:220:ILE:HB	2.02	0.41
1:A:141:PRO:HG2	1:A:158:TRP:O	2.20	0.41
1:C:142:HIS:HA	1:C:156:GLU:O	2.21	0.41
1:C:186:THR:OG1	1:C:193:SER:HB3	2.21	0.41
1:D:73:SER:HA	1:D:168:ALA:O	2.20	0.41
1:C:57:ILE:HG22	1:C:58:TRP:HD1	1.85	0.41
1:A:65:LEU:HB3	1:A:176:ALA:HB1	2.03	0.41
1:B:186:THR:OG1	1:B:193:SER:HB3	2.20	0.41
1:D:86:THR:HB	1:D:87:ASP:CG	2.46	0.41
1:A:33:GLN:HA	1:A:227:GLU:HB3	2.03	0.41
1:D:74:PHE:HE2	1:D:170:VAL:HG23	1.84	0.41
1:D:191:GLN:HA	1:D:191:GLN:NE2	2.36	0.41
1:A:86:THR:HG21	2:A:501:MFU:C6	2.51	0.41
1:C:145:ILE:HD12	1:C:198:SER:OG	2.21	0.40
1:D:41:LEU:HD13	1:D:45:THR:HG21	2.02	0.40
1:A:95:PRO:HA	1:A:96:PRO:HD2	1.88	0.40
1:C:58:TRP:O	1:C:208:GLU:HB3	2.21	0.40
1:D:4:LEU:HD13	1:D:5:SER:N	2.37	0.40
1:B:110:PHE:CD2	1:B:150:VAL:HB	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:73:SER:OG	1:C:169:ASN:ND2	2.54	0.40
1:A:55:ILE:HG13	1:A:212:VAL:CG1	2.52	0.40
1:C:154:ASN:OD1	1:C:155:ALA:N	2.54	0.40
1:D:170:VAL:HG12	1:D:171:GLU:N	2.36	0.40
1:C:5:SER:HA	1:C:233:PHE:O	2.21	0.40
1:D:53:ALA:HA	1:D:54:PRO:HD3	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/242 (98%)	219 (92%)	18 (8%)	1 (0%)	30	38
1	B	238/242 (98%)	218 (92%)	17 (7%)	3 (1%)	9	10
1	C	238/242 (98%)	213 (90%)	22 (9%)	3 (1%)	9	10
1	D	237/242 (98%)	221 (93%)	15 (6%)	1 (0%)	30	38
All	All	951/968 (98%)	871 (92%)	72 (8%)	8 (1%)	16	20

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	107	PHE
1	C	239	ASN
1	C	107	PHE
1	D	40	ASN
1	B	135	PHE
1	B	239	ASN
1	C	195	SER
1	A	81	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/209 (99%)	190 (92%)	16 (8%)	11	16
1	B	205/209 (98%)	188 (92%)	17 (8%)	10	14
1	C	206/209 (99%)	184 (89%)	22 (11%)	6	8
1	D	203/209 (97%)	192 (95%)	11 (5%)	20	29
All	All	820/836 (98%)	754 (92%)	66 (8%)	11	15

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	9	LYS
1	A	10	ASN
1	A	65	LEU
1	A	100	LEU
1	A	131	SER
1	A	135	PHE
1	A	151	LYS
1	A	165	ASN
1	A	173	ILE
1	A	175	GLU
1	A	194	ILE
1	A	215	SER
1	A	227	GLU
1	A	238	ILE
1	A	239	ASN
1	B	13	GLN
1	B	19	SER
1	B	29	THR
1	B	31	VAL
1	B	32	LEU
1	B	34	LEU
1	B	70	THR
1	B	114	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	137	ASP
1	B	182	THR
1	B	199	ILE
1	B	200	VAL
1	B	217	SER
1	B	227	GLU
1	B	228	VAL
1	B	238	ILE
1	B	240	THR
1	C	29	THR
1	C	41	LEU
1	C	57	ILE
1	C	60	CYS
1	C	61	ASN
1	C	82	PRO
1	C	89	LEU
1	C	101	ARG
1	C	109	LEU
1	C	129	ILE
1	C	149	CYS
1	C	157	ARG
1	C	164	LEU
1	C	191	GLN
1	C	193	SER
1	C	195	SER
1	C	199	ILE
1	C	200	VAL
1	C	217	SER
1	C	227	GLU
1	C	228	VAL
1	C	238	ILE
1	D	28	GLU
1	D	32	LEU
1	D	50	ARG
1	D	131	SER
1	D	146	ASP
1	D	167	VAL
1	D	173	ILE
1	D	196	VAL
1	D	206	LEU
1	D	215	SER
1	D	217	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	13	GLN
1	A	21	GLN
1	A	33	GLN
1	A	159	ASN
1	A	169	ASN
1	A	230	ASN
1	B	13	GLN
1	B	59	ASN
1	B	61	ASN
1	B	134	ASN
1	B	191	GLN
1	C	33	GLN
1	C	39	ASN
1	C	56	HIS
1	C	148	ASN
1	C	169	ASN
1	C	239	ASN
1	D	23	ASN
1	D	169	ASN
1	D	191	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 8 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	MRD	C	901	-	7,7,7	0.64	0	9,10,10	0.26	0
2	MFU	D	804	-	12,12,12	1.69	2 (16%)	17,17,17	3.18	2 (11%)
2	MFU	C	703	-	12,12,12	1.67	2 (16%)	17,17,17	3.12	1 (5%)
2	MFU	B	602	-	12,12,12	1.53	2 (16%)	17,17,17	3.17	1 (5%)
2	MFU	A	501	-	12,12,12	1.76	2 (16%)	17,17,17	3.27	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MRD	C	901	-	-	2/5/5/5	-
2	MFU	D	804	-	-	2/2/22/22	0/1/1/1
2	MFU	C	703	-	-	0/2/22/22	0/1/1/1
2	MFU	B	602	-	-	2/2/22/22	0/1/1/1
2	MFU	A	501	-	-	2/2/22/22	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	MFU	O1-C1	4.80	1.48	1.40
2	D	804	MFU	O1-C1	4.72	1.48	1.40
2	C	703	MFU	O1-C1	4.55	1.47	1.40
2	B	602	MFU	O1-C1	4.15	1.47	1.40
2	A	501	MFU	O5-C1	2.72	1.48	1.41
2	C	703	MFU	O5-C1	2.19	1.47	1.41
2	D	804	MFU	O5-C1	2.15	1.47	1.41
2	B	602	MFU	O5-C1	2.14	1.47	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	MFU	CM-O1-C1	13.20	133.31	113.26
2	B	602	MFU	CM-O1-C1	12.70	132.56	113.26
2	D	804	MFU	CM-O1-C1	12.60	132.40	113.26
2	C	703	MFU	CM-O1-C1	12.55	132.34	113.26
2	D	804	MFU	O1-C1-C2	2.47	110.99	108.14

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	MFU	O5-C1-O1-CM
2	B	602	MFU	O5-C1-O1-CM
2	A	501	MFU	C2-C1-O1-CM
2	B	602	MFU	C2-C1-O1-CM
2	D	804	MFU	C2-C1-O1-CM
2	D	804	MFU	O5-C1-O1-CM
5	C	901	MRD	C2-C3-C4-C5
5	C	901	MRD	C2-C3-C4-O4

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	901	MRD	3	0
2	D	804	MFU	1	0
2	B	602	MFU	4	0
2	A	501	MFU	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/242 (99%)	1.07	25 (10%) 11 13	10, 20, 29, 40	0
1	B	240/242 (99%)	1.17	31 (12%) 7 8	13, 22, 32, 36	0
1	C	240/242 (99%)	1.16	27 (11%) 10 11	12, 21, 33, 40	0
1	D	239/242 (98%)	1.01	18 (7%) 20 22	10, 19, 28, 35	0
All	All	959/968 (99%)	1.10	101 (10%) 11 13	10, 20, 31, 40	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	240	THR	5.0
1	B	135	PHE	4.9
1	B	240	THR	4.5
1	C	239	ASN	4.2
1	A	113	THR	4.0
1	C	192	THR	4.0
1	B	239	ASN	4.0
1	D	60	CYS	3.9
1	D	239	ASN	3.9
1	A	239	ASN	3.8
1	D	194	ILE	3.8
1	A	202	LEU	3.8
1	B	199	ILE	3.6
1	A	39	ASN	3.5
1	A	192	THR	3.4
1	C	65	LEU	3.4
1	C	139	GLY	3.4
1	C	39	ASN	3.3
1	C	57	ILE	3.3
1	B	130	GLY	3.2
1	A	135	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	90	THR	3.2
1	B	12	SER	3.2
1	B	173	ILE	3.2
1	A	240	THR	3.1
1	C	238	ILE	2.9
1	C	197	THR	2.9
1	A	165	ASN	2.9
1	C	199	ILE	2.8
1	B	65	LEU	2.8
1	B	37	VAL	2.8
1	B	106	TYR	2.8
1	D	151	LYS	2.8
1	B	164	LEU	2.7
1	D	135	PHE	2.7
1	D	115	CYS	2.7
1	A	57	ILE	2.6
1	A	65	LEU	2.6
1	B	133	VAL	2.6
1	B	152	SER	2.6
1	B	150	VAL	2.6
1	C	164	LEU	2.5
1	C	40	ASN	2.5
1	D	163	GLY	2.5
1	C	53	ALA	2.5
1	D	56	HIS	2.5
1	A	5	SER	2.5
1	A	143	ILE	2.5
1	A	157	ARG	2.5
1	B	182	THR	2.4
1	A	197	THR	2.4
1	A	238	ILE	2.4
1	B	198	SER	2.4
1	D	140	PHE	2.4
1	B	42	PRO	2.4
1	D	196	VAL	2.4
1	B	221	GLY	2.3
1	B	140	PHE	2.3
1	A	41	LEU	2.3
1	A	172	ILE	2.3
1	C	201	ASP	2.3
1	D	219	TYR	2.3
1	C	62	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	173	ILE	2.3
1	D	14	ASN	2.3
1	A	141	PRO	2.3
1	C	64	GLU	2.3
1	A	40	ASN	2.2
1	C	193	SER	2.2
1	A	203	LYS	2.2
1	A	237	PHE	2.2
1	C	132	PRO	2.2
1	B	191	GLN	2.2
1	B	180	THR	2.2
1	D	195	SER	2.2
1	A	106	TYR	2.2
1	C	89	LEU	2.2
1	B	137	ASP	2.2
1	B	190	ASP	2.2
1	B	139	GLY	2.2
1	D	216	GLY	2.2
1	C	152	SER	2.2
1	B	131	SER	2.1
1	B	162	TYR	2.1
1	A	173	ILE	2.1
1	C	42	PRO	2.1
1	C	103	ALA	2.1
1	B	132	PRO	2.1
1	C	216	GLY	2.1
1	D	144	GLY	2.1
1	B	112	ASP	2.1
1	B	29	THR	2.0
1	C	131	SER	2.0
1	C	180	THR	2.0
1	D	198	SER	2.0
1	A	175	GLU	2.0
1	D	165	ASN	2.0
1	B	237	PHE	2.0
1	A	53	ALA	2.0
1	C	154	ASN	2.0
1	B	238	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MRD	C	901	8/8	0.41	0.26	43,45,48,49	0
2	MFU	D	804	12/12	0.78	0.18	17,21,27,27	0
2	MFU	B	602	12/12	0.79	0.16	31,33,34,34	0
2	MFU	C	703	12/12	0.79	0.14	17,24,27,28	0
3	MN	B	245	1/1	0.86	0.07	20,20,20,20	0
2	MFU	A	501	12/12	0.86	0.12	27,31,32,32	0
3	MN	D	245	1/1	0.90	0.06	20,20,20,20	0
4	CA	B	246	1/1	0.92	0.06	17,17,17,17	0
4	CA	D	246	1/1	0.93	0.07	19,19,19,19	0
4	CA	C	246	1/1	0.93	0.04	21,21,21,21	0
3	MN	C	245	1/1	0.94	0.04	19,19,19,19	0
4	CA	A	246	1/1	0.95	0.04	16,16,16,16	0
3	MN	A	245	1/1	0.96	0.05	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.