



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 07:53 AM UTC

PDB ID : 8JX8 / pdb_00008jx8
EMDB ID : EMD-36692
Title : rat megalin head
Authors : Goto, S.; Tsutsumi, A.; Lee, Y.; Hosojima, M.; Kabasawa, H.; Komochi, K.; Yun-san, L.; Nagatoshi, S.; Tsumoto, K.; Nishizawa, T.; Kikkawa, M.; Saito, A.
Deposited on : 2023-06-30
Resolution : 3.30 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4660	 26% 5% 69%
1	B	4660	 26% 5% 69%
2	C	6	 67% 33%
2	I	6	 83% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	3	33% 100%
3	J	3	100%
4	G	5	20% 60% 40%
4	K	5	80% 20%
5	H	5	60% 100%
5	L	5	40% 100%
6	E	2	50% 100%
6	M	2	50% 100%
6	N	2	50% 100%
6	P	2	50% 50% 50%
6	R	2	50% 50%
6	S	2	50% 100%
6	T	2	50% 100%
6	V	2	50% 50%
6	W	2	100% 100%
6	Y	2	50% 50% 50%
6	a	2	50% 100%
6	b	2	50% 50% 50%
7	F	3	67% 100%
7	U	3	33% 67% 33%
8	O	5	40% 40% 60%
8	Q	5	20% 60% 40%
8	X	5	60% 40% 40% 20%
8	Z	5	20% 80% 20%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 23459 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LDL receptor related protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1436	Total	C	N	O	S	0	0
			11221	7043	1967	2133	78		
1	B	1434	Total	C	N	O	S	0	0
			11208	7035	1965	2131	77		

- Molecule 2 is a protein called unclear peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	C	6	Total	C	N	O	0	0
			33	21	6	6		
2	I	6	Total	C	N	O	0	0
			33	21	6	6		

- Molecule 3 is a protein called unclear peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	3	Total	C	N	O	S	0	0
			16	9	3	3	1		
3	J	3	Total	C	N	O	S	0	0
			16	9	3	3	1		

- Molecule 4 is a protein called unclear peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	5	Total	C	N	O	0	0
			33	19	5	9		
4	K	5	Total	C	N	O	0	0
			33	19	5	9		

- Molecule 5 is a protein called unclear peptide.


Mol	Chain	Residues	Atoms				AltConf	Trace
5	H	5	Total	C	N	O	0	0
			28	16	6	6		
5	L	5	Total	C	N	O	0	0
			28	16	6	6		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	E	2	Total	C	N	O	0	0
			28	16	2	10		
6	M	2	Total	C	N	O	0	0
			28	16	2	10		
6	N	2	Total	C	N	O	0	0
			28	16	2	10		
6	P	2	Total	C	N	O	0	0
			28	16	2	10		
6	R	2	Total	C	N	O	0	0
			28	16	2	10		
6	S	2	Total	C	N	O	0	0
			28	16	2	10		
6	T	2	Total	C	N	O	0	0
			28	16	2	10		
6	V	2	Total	C	N	O	0	0
			28	16	2	10		
6	W	2	Total	C	N	O	0	0
			28	16	2	10		
6	Y	2	Total	C	N	O	0	0
			28	16	2	10		
6	a	2	Total	C	N	O	0	0
			28	16	2	10		
6	b	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	F	3	Total	C	N	O	0	0
			39	22	2	15		
7	U	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	O	5	Total	C	N	O	0	0
			61	34	2	25		
8	Q	5	Total	C	N	O	0	0
			61	34	2	25		
8	X	5	Total	C	N	O	0	0
			61	34	2	25		
8	Z	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 10 is 2-acetamido-2-deoxy-alpha-D-galactopyranose (CCD ID: A2G) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
10	A	1	Total	C	N	O	0
			14	8	1	5	
10	B	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 11 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
11	A	5	Total	Ca	0
			5	5	
11	B	5	Total	Ca	0
			5	5	

- Molecule 12 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		AltConf
12	A	1	Total	Ni	0
			1	1	
12	B	1	Total	Ni	0
			1	1	











GLY
TYR
THR
ALA
GLU
ASP
THR
PHE
LYS
ASP
THR
ALA
ASN
LEU
VAL
LYS
GLU
ASP
SER
ASP
VAL

- Molecule 2: unclear peptide

Chain C:  67% 33%

X1
X2
L3
X6

- Molecule 2: unclear peptide

Chain I:  83% 17%

X1
X2
L3
X6

- Molecule 3: unclear peptide

Chain D:  33% 100%

X1
X2
X3

- Molecule 3: unclear peptide

Chain J:  100%

There are no outlier residues recorded for this chain.

- Molecule 4: unclear peptide

Chain G:  20% 60% 40%

X1
E2
E3
X4
X5

- Molecule 4: unclear peptide

Chain K:  80% 20%


X1
E2
E3
X4
X5

- Molecule 5: unclear peptide

Chain H:  60% 100%

X0
X1
X4

- Molecule 5: unclear peptide



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	101096	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.278	Depositor
Minimum map value	-0.136	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.0434	Depositor
Map size ($\text{\AA}$)	366.86002, 366.86002, 366.86002	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.411, 1.411, 1.411	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, CA, A2G, NI, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.15	0/11504	0.39	0/15672
1	B	0.15	0/11490	0.37	0/15652
2	C	0.37	0/7	0.60	0/8
2	I	0.53	0/7	0.62	0/8
3	D	0.15	0/5	0.17	0/5
3	J	0.12	0/5	0.17	0/5
4	G	0.14	0/17	0.29	0/21
4	K	0.11	0/17	0.31	0/21
5	H	0.11	0/7	0.35	0/8
5	L	0.13	0/7	0.31	0/8
All	All	0.15	0/23066	0.38	0/31408

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11221	0	10723	134	0
1	B	11208	0	10709	119	0
2	C	33	0	18	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	I	33	0	18	2	0
3	D	16	0	8	0	0
3	J	16	0	8	0	0
4	G	33	0	19	1	0
4	K	33	0	18	1	0
5	H	28	0	12	0	0
5	L	28	0	12	0	0
6	E	28	0	25	0	0
6	M	28	0	25	0	0
6	N	28	0	25	0	0
6	P	28	0	25	0	0
6	R	28	0	25	0	0
6	S	28	0	25	0	0
6	T	28	0	25	0	0
6	V	28	0	25	1	0
6	W	28	0	25	0	0
6	Y	28	0	25	1	0
6	a	28	0	25	0	0
6	b	28	0	25	0	0
7	F	39	0	34	0	0
7	U	39	0	34	1	0
8	O	61	0	52	0	0
8	Q	61	0	52	2	0
8	X	61	0	52	1	0
8	Z	61	0	52	0	0
9	A	56	0	52	1	0
9	B	56	0	52	0	0
10	A	14	0	12	0	0
10	B	14	0	12	0	0
11	A	5	0	0	0	0
11	B	5	0	0	0	0
12	A	1	0	0	0	0
12	B	1	0	0	0	0
All	All	23459	0	22249	253	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (253) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1436:ASN:ND2	1:A:1451:ASN:OD1	2.25	0.70
1:A:2600:THR:HG21	1:A:2642:SER:HA	1.73	0.69
1:A:1383:ALA:HB3	1:A:1388:THR:HG23	1.77	0.67
1:B:1616:MET:HE3	1:B:1646:PRO:HB2	1.75	0.67
1:A:1543:HIS:HB3	1:A:1729:PRO:HG3	1.76	0.67
1:A:1719:GLN:HG3	1:A:1721:PRO:HD2	1.76	0.66
1:A:1351:GLN:HB2	1:A:1371:GLY:HA3	1.77	0.66
1:B:1387:LYS:HE2	1:B:1387:LYS:HA	1.78	0.65
1:B:2149:ARG:HG2	1:B:2194:ARG:HD2	1.79	0.65
1:A:1659:THR:HG22	1:A:1666:VAL:HG22	1.78	0.63
1:B:1595:GLN:HA	1:B:1598:ILE:HD11	1.80	0.63
1:A:2179:THR:HG22	1:A:2181:TYR:H	1.64	0.63
1:A:1839:THR:HG22	1:A:1846:ILE:HG12	1.82	0.62
1:B:2170:THR:HG21	1:B:2192:MET:HA	1.82	0.61
1:A:1650:THR:HG21	1:A:1691:THR:HA	1.83	0.61
1:A:2066:MET:HE2	1:A:2077:PHE:HB2	1.83	0.61
1:A:1966:GLY:HA3	1:A:2007:GLY:HA2	1.82	0.61
1:B:2714:ILE:HB	1:B:2718:TRP:HE3	1.65	0.60
1:A:2433:ARG:NH1	1:A:2496:GLU:OE2	2.33	0.60
1:A:2235:VAL:HG12	1:A:2236:THR:HG23	1.84	0.60
1:B:1321:PRO:HG2	1:B:1343:THR:HG21	1.83	0.60
1:A:2374:GLY:N	1:A:2411:LEU:O	2.34	0.60
1:A:2484:SER:HB3	1:A:2510:PRO:HB2	1.84	0.59
1:A:1520:ILE:HD12	1:A:1562:PRO:HB2	1.85	0.59
1:A:2441:ASN:HD21	1:A:2444:ARG:HD3	1.68	0.59
1:B:1616:MET:CE	1:B:1646:PRO:HB2	2.33	0.59
1:B:2210:TYR:HB2	1:B:2236:THR:HA	1.83	0.58
1:A:1397:ILE:HD12	1:A:1397:ILE:H	1.69	0.58
1:A:1318:TRP:N	1:A:1327:ILE:O	2.34	0.57
1:B:2146:ASN:O	1:B:2149:ARG:NH1	2.38	0.57
1:B:1408:MET:SD	1:B:1413:ARG:NH2	2.77	0.56
1:A:2149:ARG:HG2	1:A:2194:ARG:HD2	1.87	0.56
1:A:2609:THR:HG22	1:A:2616:ILE:HG12	1.86	0.56
1:A:1616:MET:HG2	1:A:1623:ILE:HG12	1.86	0.56
1:B:1352:ASP:O	1:B:1367:GLN:NE2	2.39	0.55
1:A:2406:PRO:HG3	1:A:2630:MET:HE1	1.87	0.55
1:B:2426:ASP:OD1	1:B:2427:TYR:N	2.40	0.55
1:B:1769:ASN:OD1	1:B:1999:ARG:NH2	2.35	0.55
1:B:1616:MET:HG2	1:B:1623:ILE:HG12	1.89	0.55
1:B:1569:MET:HE2	1:B:1585:MET:HA	1.89	0.55
1:A:1442:ALA:HB1	1:A:1469:VAL:HG13	1.88	0.55
1:A:1579:ARG:HA	1:A:1598:ILE:HD11	1.87	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1519:TRP:HB3	1:B:1698:GLN:HE21	1.72	0.54
1:A:2525:THR:HG22	1:A:2533:ILE:HG12	1.90	0.54
1:B:1520:ILE:O	1:B:1703:ASN:ND2	2.41	0.54
1:B:1604:LEU:HD22	1:B:1613:ILE:HD11	1.90	0.54
1:A:2592:THR:HG21	1:B:1642:VAL:HG12	1.90	0.54
1:B:1966:GLY:HA3	1:B:2007:GLY:HA2	1.90	0.54
1:B:1350:ASN:H	1:B:1371:GLY:HA3	1.73	0.53
1:B:1661:ARG:NH2	2:C:2:UNK:O	2.37	0.53
1:B:1900:LYS:HE2	1:B:1902:ALA:HB2	1.90	0.53
1:B:2481:ILE:HB	1:B:2494:MET:HG2	1.89	0.53
1:A:1307:PRO:HB2	1:A:1310:PRO:HG3	1.91	0.53
1:A:1895:SER:O	1:A:1895:SER:OG	2.26	0.53
1:A:2634:LEU:HD12	1:A:2638:PRO:HG3	1.91	0.53
1:B:1811:ASN:OD1	6:Y:1:NAG:N2	2.41	0.53
1:A:1440:VAL:HG22	1:A:1449:VAL:HG22	1.91	0.53
1:A:1649:LEU:HD11	1:A:1656:VAL:HB	1.91	0.52
1:B:1733:ASN:OD1	8:X:1:NAG:N2	2.42	0.52
1:B:1752:VAL:HG23	1:B:1757:ILE:HG12	1.92	0.52
1:B:1821:LEU:HD13	1:B:2075:ARG:HD2	1.92	0.52
1:A:1847:GLU:HB3	1:A:1860:THR:HA	1.92	0.52
1:A:1626:CYS:SG	1:A:1627:ASP:N	2.83	0.51
1:B:1545:THR:HB	1:B:1729:PRO:HA	1.92	0.51
1:B:1918:ASN:OD1	1:B:1918:ASN:N	2.44	0.51
1:A:2394:SER:OG	1:A:2639:SER:O	2.26	0.51
1:B:1580:ILE:HB	1:B:1594:VAL:HB	1.91	0.51
1:B:1499:THR:HG21	7:U:1:NAG:H82	1.92	0.51
1:B:1564:MET:HE2	1:B:1702:ARG:HG2	1.92	0.51
1:B:2148:ILE:HD13	1:B:2164:ASN:HB3	1.93	0.51
1:B:2478:ASN:OD1	1:B:2480:ARG:HD3	2.11	0.51
1:B:1616:MET:SD	1:B:1649:LEU:HB3	2.51	0.51
1:B:2062:TYR:OH	1:B:2083:ASP:OD2	2.26	0.51
1:B:2511:ARG:HD2	1:B:2555:ASN:HA	1.92	0.51
1:A:2562:GLU:OE2	1:A:2562:GLU:N	2.44	0.50
1:A:1320:CYS:HB2	1:A:1343:THR:HB	1.93	0.50
1:A:1600:TRP:CD2	2:I:3:LEU:HD12	2.46	0.50
1:A:2234:ILE:HD11	1:A:2237:PRO:HB3	1.93	0.50
1:A:1594:VAL:HG12	1:A:1598:ILE:HD13	1.92	0.50
1:B:2319:ASP:OD1	1:B:2320:LYS:N	2.45	0.50
1:B:2268:GLU:OE1	1:B:2268:GLU:N	2.38	0.50
1:B:2361:LEU:HD12	1:B:2364:LEU:HD12	1.94	0.50
1:B:1551:ASN:HD22	6:V:1:NAG:C7	2.25	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1600:TRP:CD2	2:C:3:LEU:HD22	2.47	0.50
1:A:2702:ASN:OD1	1:A:2703:GLN:N	2.38	0.50
1:A:2706:PHE:N	1:A:2714:ILE:O	2.45	0.50
1:A:1663:THR:HG23	1:A:1665:GLN:HG2	1.93	0.49
1:A:1838:TYR:CZ	1:A:1847:GLU:HG3	2.47	0.49
1:B:1438:LEU:HB3	1:B:1693:ILE:HB	1.94	0.49
1:A:2708:CYS:HB2	1:A:2712:HIS:O	2.12	0.49
1:B:1581:GLU:HG2	1:B:1592:VAL:HG22	1.94	0.49
1:A:1832:VAL:HG22	1:A:1881:PRO:HB3	1.94	0.49
1:A:2430:ARG:HB2	1:A:2479:ARG:HH12	1.78	0.49
1:A:2515:LEU:HA	1:A:2522:MET:HA	1.95	0.48
1:A:2549:THR:OG1	1:A:2586:ARG:NH1	2.46	0.48
1:A:1413:ARG:NH1	1:A:1413:ARG:HB2	2.27	0.48
1:A:1462:LEU:HD21	1:A:1481:VAL:HG11	1.95	0.48
1:A:2664:SER:HB2	1:A:2665:HIS:HD1	1.78	0.48
1:A:2325:ARG:NH1	4:K:3:GLU:OE1	2.47	0.48
1:B:1775:ILE:HG22	1:B:1778:ILE:HD11	1.95	0.48
1:A:1975:TYR:CE2	1:A:1986:ARG:HD3	2.49	0.48
1:B:2731:ASP:OD1	1:B:2731:ASP:N	2.44	0.48
1:A:2251:TRP:NE1	1:A:2253:ASP:OD2	2.43	0.47
1:A:2066:MET:HE1	1:A:2317:ILE:HG21	1.95	0.47
1:B:2470:ASP:OD2	1:B:2511:ARG:NH1	2.47	0.47
1:A:1830:ASP:OD2	1:A:1833:SER:OG	2.23	0.47
1:A:2537:THR:OG1	1:A:2541:ASN:OD1	2.32	0.47
1:B:2506:ARG:CZ	1:B:2506:ARG:HB3	2.44	0.47
1:B:1354:CYS:HA	1:B:1359:GLY:HA3	1.95	0.47
1:A:2062:TYR:OH	1:A:2083:ASP:OD2	2.24	0.47
1:A:2107:ASN:ND2	8:Q:1:NAG:O3	2.33	0.47
1:B:1574:TRP:HB3	1:B:1601:PRO:HD2	1.97	0.47
1:B:2494:MET:HG3	1:B:2495:ALA:O	2.14	0.47
1:A:1329:LEU:HA	1:A:1332:LEU:HG	1.95	0.47
1:B:1367:GLN:HA	1:B:1372:ALA:HA	1.97	0.47
1:A:2560:ASP:OD1	1:A:2563:THR:OG1	2.28	0.47
1:B:2071:LEU:HD12	1:B:2323:LEU:HD22	1.97	0.46
1:B:2210:TYR:HB3	1:B:2237:PRO:HD2	1.97	0.46
1:B:2219:SER:OG	1:B:2223:CYS:HA	2.15	0.46
1:A:1710:CYS:HB3	1:A:1726:CYS:HB3	1.89	0.46
1:A:2160:LEU:HB2	1:A:2177:ILE:HD11	1.97	0.46
1:A:2210:TYR:HB2	1:A:2236:THR:HA	1.97	0.46
1:B:2013:ARG:HG3	1:B:2013:ARG:HH11	1.80	0.46
1:B:2509:LYS:HD2	1:B:2528:GLY:HA2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2437:THR:HB	1:A:2469:THR:HG23	1.96	0.46
1:B:1562:PRO:HA	1:B:1585:MET:HE2	1.98	0.46
1:B:1599:TYR:HB3	1:B:1619:TYR:HB3	1.98	0.46
1:A:2210:TYR:CB	1:A:2236:THR:HA	2.46	0.46
1:A:2294:VAL:HG12	1:A:2301:VAL:HG22	1.98	0.46
1:A:2705:GLN:HA	1:A:2715:ASN:HA	1.97	0.46
1:B:2551:LEU:HD13	1:B:2554:PRO:HB3	1.97	0.46
1:A:2438:GLN:OE1	1:A:2446:GLN:NE2	2.41	0.46
1:B:1752:VAL:HG11	1:B:1783:ASP:HA	1.98	0.46
1:B:2442:SER:C	1:B:2443:LEU:HD23	2.40	0.46
1:A:1749:LEU:HD23	1:A:1760:ILE:HD11	1.97	0.46
1:A:2242:MET:HE1	1:A:2264:LEU:HD11	1.98	0.46
1:B:2194:ARG:HG3	1:B:2210:TYR:CZ	2.51	0.46
1:A:1405:CYS:SG	1:A:1406:VAL:N	2.89	0.45
1:B:2468:VAL:HG23	1:B:2486:PHE:HB3	1.99	0.45
1:A:2601:VAL:HG22	1:A:2606:ILE:HG22	1.99	0.45
1:B:1386:THR:HG23	1:B:1387:LYS:HE3	1.97	0.45
1:B:2396:ASN:HB2	1:B:2636:THR:HG21	1.98	0.45
1:B:2097:ASN:HD21	4:G:5:UNK:H	1.65	0.45
1:B:2685:TYR:CE2	1:B:2687:ALA:HB2	2.51	0.45
1:B:2684:TRP:CE3	1:B:2693:CYS:HB3	2.52	0.45
1:A:2719:LYS:HE3	1:A:2740:HIS:NE2	2.32	0.45
1:B:1349:CYS:HA	1:B:1370:PHE:O	2.17	0.45
1:B:1667:MET:HE3	1:B:1667:MET:HB3	1.83	0.45
1:A:1316:THR:O	1:A:1329:LEU:HD23	2.17	0.44
1:A:1497:ASN:OD1	1:A:1497:ASN:O	2.35	0.44
1:A:2394:SER:HB3	1:A:2425:LEU:HD11	1.99	0.44
1:B:2589:VAL:HG13	1:B:2590:VAL:HG12	1.99	0.44
1:A:1409:ARG:HB3	1:A:1409:ARG:CZ	2.48	0.44
1:A:2183:ARG:NH2	1:A:2410:SER:OG	2.51	0.44
1:B:2391:LEU:HD23	1:B:2643:THR:HG22	1.99	0.44
1:B:2706:PHE:C	1:B:2706:PHE:CD2	2.96	0.44
1:A:1397:ILE:HD12	1:A:1397:ILE:N	2.32	0.44
1:B:2193:PRO:HB3	1:B:2207:TRP:CD1	2.52	0.44
1:B:2139:VAL:HG12	1:B:2143:ILE:HD11	2.00	0.44
1:A:1419:GLU:OE2	1:A:1419:GLU:N	2.41	0.44
1:B:2123:ASN:HB3	1:B:2143:ILE:HG21	1.99	0.44
1:A:2481:ILE:HD11	1:A:2494:MET:HE3	1.99	0.43
1:B:1781:GLY:O	1:B:2006:ARG:HG2	2.18	0.43
1:B:2686:LEU:HB3	1:B:2690:ASN:HA	1.99	0.43
1:A:1506:ASP:OD1	1:A:1506:ASP:N	2.42	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1856:ARG:HA	1:A:1856:ARG:HH11	1.84	0.43
1:A:2126:ARG:NH1	1:A:2137:ASN:OD1	2.51	0.43
1:A:1384:ASN:OD1	9:A:4701:NAG:N2	2.51	0.43
1:A:2252:VAL:HG12	1:A:2259:ILE:HG12	2.00	0.43
1:A:2378:ASN:OD1	1:A:2378:ASN:N	2.42	0.43
1:A:2714:ILE:HD12	1:A:2715:ASN:O	2.18	0.43
1:B:2484:SER:HB3	1:B:2513:ILE:HD11	2.00	0.43
1:B:2648:GLN:NE2	1:B:2651:GLN:OE1	2.51	0.43
1:A:1667:MET:HE3	1:A:1667:MET:HB3	1.89	0.43
1:A:1882:ALA:C	1:A:1884:GLY:H	2.26	0.43
1:B:1827:LEU:HD12	1:B:1827:LEU:HA	1.81	0.43
1:A:2599:LEU:HD11	1:A:2606:ILE:HB	2.01	0.43
1:B:2492:ASN:OD1	1:B:2492:ASN:N	2.51	0.43
1:A:1361:CYS:SG	1:A:1365:CYS:HB2	2.59	0.43
1:A:1564:MET:HE2	1:A:1723:HIS:HD2	1.84	0.43
1:B:2468:VAL:HG22	1:B:2487:SER:HB3	2.01	0.43
1:B:2395:LEU:HD13	1:B:2634:LEU:HD13	2.00	0.43
1:A:1444:ARG:O	1:A:1469:VAL:HG12	2.18	0.43
1:B:2480:ARG:NH2	1:B:2493:SER:OG	2.52	0.43
1:A:2120:ARG:C	1:A:2122:SER:H	2.27	0.43
1:A:1585:MET:HE3	1:A:1585:MET:HB3	1.80	0.42
1:B:2654:ASN:OD1	1:B:2654:ASN:N	2.52	0.42
1:A:1351:GLN:HB3	1:A:1372:ALA:H	1.83	0.42
1:B:1519:TRP:CD2	1:B:1698:GLN:HG3	2.54	0.42
8:Q:1:NAG:H62	8:Q:2:NAG:H82	2.01	0.42
1:A:1381:GLN:HG2	1:A:1392:ILE:HD11	2.01	0.42
1:A:1839:THR:HG21	1:A:1874:PRO:HB2	2.00	0.42
1:A:2164:ASN:ND2	1:A:2173:GLU:OE2	2.52	0.42
1:A:2630:MET:HE2	1:A:2630:MET:HA	2.00	0.42
1:B:1831:TRP:CD2	1:B:2014:ARG:HD2	2.55	0.42
1:B:2088:MET:HE3	1:B:2088:MET:HB2	1.84	0.42
1:A:1796:VAL:HG13	1:A:1827:LEU:HD11	2.01	0.42
1:A:1798:ASN:C	1:A:1798:ASN:OD1	2.62	0.42
1:B:1719:GLN:HG3	1:B:1721:PRO:HD2	2.01	0.42
1:B:1985:GLU:HG2	1:B:1997:VAL:HG22	2.02	0.42
1:A:1614:TYR:HB3	1:A:1649:LEU:HD21	2.02	0.42
1:B:1339:CYS:HB2	1:B:1344:ASP:HB2	2.00	0.42
1:A:2273:ARG:NH2	1:A:2312:ASP:O	2.49	0.42
1:A:2388:GLU:HG3	1:A:2389:ASP:H	1.85	0.42
1:B:2143:ILE:HD12	1:B:2148:ILE:HD11	2.02	0.42
1:A:1976:TYR:OH	1:A:1985:GLU:OE1	2.26	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1743:ARG:NH1	1:A:1743:ARG:HB3	2.35	0.42
1:A:2724:ASN:OD1	1:A:2725:ASP:N	2.53	0.42
1:B:1392:ILE:HG13	1:B:1394:GLU:HG3	2.02	0.42
1:A:1921:HIS:CG	1:A:1939:THR:HB	2.55	0.41
1:B:1401:CYS:HB3	1:B:1405:CYS:HB2	2.01	0.41
1:B:1571:TRP:HH2	1:B:1590:ARG:HG3	1.85	0.41
1:B:2719:LYS:HE2	1:B:2719:LYS:HB3	1.90	0.41
1:A:1755:ASN:ND2	1:A:1755:ASN:O	2.53	0.41
1:A:2684:TRP:CE3	1:A:2693:CYS:HB3	2.55	0.41
1:A:1750:MET:HE2	1:A:2009:ARG:HB3	2.03	0.41
1:A:2399:LEU:HD22	1:A:2425:LEU:HD21	2.03	0.41
1:A:2538:LEU:HD12	1:A:2538:LEU:HA	1.85	0.41
1:B:1754:ASP:HB2	1:B:2004:TYR:HB3	2.03	0.41
1:A:2361:LEU:HD12	1:A:2364:LEU:HD22	2.01	0.41
1:B:1519:TRP:CE3	1:B:1698:GLN:NE2	2.88	0.41
1:A:1873:PHE:HB3	1:A:1891:HIS:HB2	2.01	0.41
1:A:2203:ARG:HD3	1:A:2360:ALA:HB1	2.03	0.41
1:B:1546:VAL:CG1	1:B:1549:SER:HB2	2.51	0.41
1:A:1926:THR:HG23	1:A:1935:TYR:HB2	2.02	0.41
1:B:1543:HIS:HB3	1:B:1729:PRO:HG3	2.03	0.41
1:A:2402:LEU:HD21	1:A:2630:MET:HB3	2.03	0.41
1:B:2527:TRP:HB3	1:B:2554:PRO:HD2	2.02	0.41
1:A:1505:HIS:HB3	1:A:1509:LEU:HD11	2.03	0.41
1:A:2436:PHE:HE2	1:A:2438:GLN:HE21	1.68	0.41
1:A:2463:LEU:HD21	1:A:2501:ARG:HD3	2.02	0.41
1:B:1491:THR:HG22	1:B:1504:VAL:HB	2.03	0.41
1:B:1515:ILE:HD11	1:B:1524:LEU:HD11	2.03	0.41
1:B:1734:LEU:HD12	1:B:1741:CYS:SG	2.61	0.41
1:B:1796:VAL:HG13	1:B:1827:LEU:HD22	2.03	0.41
1:B:1803:HIS:CE1	1:B:1814:VAL:HG12	2.55	0.41
1:B:1873:PHE:HB3	1:B:1891:HIS:HB2	2.03	0.41
1:B:2721:ASP:O	1:B:2723:ASP:N	2.54	0.41
1:B:1397:ILE:HD12	1:B:1397:ILE:H	1.85	0.41
1:A:1622:TYR:CD1	1:A:1624:GLU:HG3	2.57	0.40
1:A:2476:TRP:CD1	1:A:2477:ILE:HG23	2.56	0.40
1:B:1546:VAL:HG11	1:B:1549:SER:HB2	2.03	0.40
1:B:1906:MET:SD	1:B:2036:PRO:HG2	2.62	0.40
1:A:1822:GLY:HA3	1:A:1842:ALA:HB3	2.03	0.40
1:A:1920:GLN:HE21	1:A:1920:GLN:HB3	1.56	0.40
1:A:2509:LYS:HD2	1:A:2528:GLY:HA2	2.03	0.40
1:A:1645:HIS:HE1	2:I:3:LEU:HG	1.87	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1768:SER:HB3	1:B:1770:ASP:OD2	2.21	0.40
1:A:1912:LYS:HE2	1:A:1912:LYS:HB2	1.90	0.40
1:A:2199:ASP:CG	1:A:2242:MET:HE2	2.46	0.40
1:B:2177:ILE:HG22	1:B:2178:ASN:OD1	2.21	0.40
1:B:2199:ASP:OD2	1:B:2202:HIS:ND1	2.46	0.40
1:B:2619:ALA:HB1	1:B:2624:GLY:HA2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1434/4660 (31%)	1338 (93%)	96 (7%)	0	100	100
1	B	1432/4660 (31%)	1366 (95%)	66 (5%)	0	100	100
2	C	1/6 (17%)	1 (100%)	0	0	100	100
2	I	1/6 (17%)	1 (100%)	0	0	100	100
3	D	1/3 (33%)	1 (100%)	0	0	100	100
3	J	1/3 (33%)	0	1 (100%)	0	100	100
4	G	2/5 (40%)	2 (100%)	0	0	100	100
4	K	2/5 (40%)	2 (100%)	0	0	100	100
5	H	1/5 (20%)	1 (100%)	0	0	100	100
5	L	1/5 (20%)	1 (100%)	0	0	100	100
All	All	2876/9358 (31%)	2713 (94%)	163 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1247/4089 (30%)	1224 (98%)	23 (2%)	51	70
1	B	1245/4089 (30%)	1228 (99%)	17 (1%)	59	73
2	C	1/1 (100%)	1 (100%)	0	100	100
2	I	1/1 (100%)	1 (100%)	0	100	100
3	D	1/1 (100%)	1 (100%)	0	100	100
3	J	1/1 (100%)	1 (100%)	0	100	100
4	G	2/2 (100%)	1 (50%)	1 (50%)	0	0
4	K	2/2 (100%)	2 (100%)	0	100	100
5	H	1/1 (100%)	1 (100%)	0	100	100
5	L	1/1 (100%)	1 (100%)	0	100	100
All	All	2502/8188 (31%)	2461 (98%)	41 (2%)	54	72

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1401	CYS
1	A	1455	HIS
1	A	1477	VAL
1	A	1517	VAL
1	A	1569	MET
1	A	1650	THR
1	A	1684	VAL
1	A	1726	CYS
1	A	1737	ASP
1	A	1789	SER
1	A	1900	LYS
1	A	1910	SER
1	A	1919	LEU
1	A	2062	TYR
1	A	2174	VAL
1	A	2299	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2452	LEU
1	A	2507	VAL
1	A	2514	VAL
1	A	2515	LEU
1	A	2588	VAL
1	A	2590	VAL
1	A	2596	SER
1	B	1449	VAL
1	B	1463	VAL
1	B	1466	VAL
1	B	1564	MET
1	B	1598	ILE
1	B	1660	ASP
1	B	1987	VAL
1	B	2070	MET
1	B	2098	VAL
1	B	2221	LEU
1	B	2286	VAL
1	B	2507	VAL
1	B	2590	VAL
1	B	2599	LEU
1	B	2656	CYS
1	B	2707	THR
1	B	2736	VAL
4	G	3	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1319	GLN
1	A	1363	HIS
1	A	1458	ASN
1	A	1523	ASN
1	A	1610	ASN
1	A	1632	ASN
1	A	1645	HIS
1	A	1665	GLN
1	A	1755	ASN
1	A	1780	HIS
1	A	1803	HIS
1	A	1864	ASN
1	A	1920	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1959	HIS
1	A	2026	ASN
1	A	2032	GLN
1	A	2084	HIS
1	A	2322	ASN
1	A	2349	GLN
1	A	2351	ASN
1	A	2356	HIS
1	A	2403	HIS
1	A	2431	ASN
1	A	2712	HIS
1	B	1351	GLN
1	B	1576	HIS
1	B	1698	GLN
1	B	1719	GLN
1	B	1746	GLN
1	B	1798	ASN
1	B	2026	ASN
1	B	2084	HIS
1	B	2097	ASN
1	B	2100	HIS
1	B	2212	GLN
1	B	2431	ASN
1	B	2595	HIS
1	B	2604	GLN
1	B	2648	GLN
1	B	2650	GLN
1	B	2677	GLN
1	B	2710	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

50 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	E	1	6,1	14,14,15	0.35	0	17,19,21	0.90	1 (5%)
6	NAG	E	2	6	14,14,15	0.33	0	17,19,21	1.04	2 (11%)
7	NAG	F	1	7,1	14,14,15	0.47	0	17,19,21	1.37	4 (23%)
7	NAG	F	2	7	14,14,15	0.26	0	17,19,21	0.70	1 (5%)
7	BMA	F	3	7	11,11,12	0.24	0	15,15,17	0.78	1 (6%)
6	NAG	M	1	6,1	14,14,15	0.33	0	17,19,21	0.58	0
6	NAG	M	2	6	14,14,15	0.30	0	17,19,21	0.71	0
6	NAG	N	1	6,1	14,14,15	0.33	0	17,19,21	1.18	2 (11%)
6	NAG	N	2	6	14,14,15	0.33	0	17,19,21	0.92	1 (5%)
8	NAG	O	1	8,1	14,14,15	0.33	0	17,19,21	1.52	2 (11%)
8	NAG	O	2	8	14,14,15	0.30	0	17,19,21	0.90	1 (5%)
8	BMA	O	3	8	11,11,12	0.23	0	15,15,17	0.92	1 (6%)
8	MAN	O	4	8	11,11,12	0.24	0	15,15,17	0.51	0
8	MAN	O	5	8	11,11,12	0.26	0	15,15,17	0.57	0
6	NAG	P	1	6,1	14,14,15	0.29	0	17,19,21	0.64	0
6	NAG	P	2	6	14,14,15	0.31	0	17,19,21	0.89	1 (5%)
8	NAG	Q	1	8,1	14,14,15	0.34	0	17,19,21	0.87	1 (5%)
8	NAG	Q	2	8	14,14,15	0.30	0	17,19,21	0.72	1 (5%)
8	BMA	Q	3	8	11,11,12	0.20	0	15,15,17	0.70	0
8	MAN	Q	4	8	11,11,12	0.24	0	15,15,17	0.57	0
8	MAN	Q	5	8	11,11,12	0.21	0	15,15,17	0.51	0
6	NAG	R	1	6,1	14,14,15	0.29	0	17,19,21	0.67	0
6	NAG	R	2	6	14,14,15	0.33	0	17,19,21	0.91	1 (5%)
6	NAG	S	1	6,1	14,14,15	0.32	0	17,19,21	0.61	0
6	NAG	S	2	6	14,14,15	0.31	0	17,19,21	0.73	0
6	NAG	T	1	6,1	14,14,15	0.32	0	17,19,21	0.62	0
6	NAG	T	2	6	14,14,15	0.33	0	17,19,21	0.73	0
7	NAG	U	1	7,1	14,14,15	0.29	0	17,19,21	0.62	0
7	NAG	U	2	7	14,14,15	0.32	0	17,19,21	0.54	0
7	BMA	U	3	7	11,11,12	0.24	0	15,15,17	0.66	0
6	NAG	V	1	6,1	14,14,15	0.43	0	17,19,21	1.13	1 (5%)
6	NAG	V	2	6	14,14,15	0.28	0	17,19,21	0.78	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	W	1	6,1	14,14,15	0.29	0	17,19,21	0.69	0
6	NAG	W	2	6	14,14,15	0.30	0	17,19,21	0.60	0
8	NAG	X	1	8,1	14,14,15	0.60	0	17,19,21	0.99	2 (11%)
8	NAG	X	2	8	14,14,15	0.35	0	17,19,21	0.92	1 (5%)
8	BMA	X	3	8	11,11,12	0.25	0	15,15,17	0.85	1 (6%)
8	MAN	X	4	8	11,11,12	0.25	0	15,15,17	0.49	0
8	MAN	X	5	8	11,11,12	0.21	0	15,15,17	0.53	0
6	NAG	Y	1	6,1	14,14,15	0.78	1 (7%)	17,19,21	1.31	1 (5%)
6	NAG	Y	2	6	14,14,15	0.40	0	17,19,21	0.75	0
8	NAG	Z	1	8,1	14,14,15	0.38	0	17,19,21	0.86	1 (5%)
8	NAG	Z	2	8	14,14,15	0.30	0	17,19,21	0.65	0
8	BMA	Z	3	8	11,11,12	0.20	0	15,15,17	0.56	0
8	MAN	Z	4	8	11,11,12	0.22	0	15,15,17	0.51	0
8	MAN	Z	5	8	11,11,12	0.20	0	15,15,17	0.53	0
6	NAG	a	1	6,1	14,14,15	0.33	0	17,19,21	0.66	0
6	NAG	a	2	6	14,14,15	0.37	0	17,19,21	0.64	0
6	NAG	b	1	6,1	14,14,15	0.32	0	17,19,21	1.12	2 (11%)
6	NAG	b	2	6	14,14,15	0.33	0	17,19,21	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	E	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	E	2	6	-	3/6/23/26	0/1/1/1
7	NAG	F	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	F	2	7	-	0/6/23/26	0/1/1/1
7	BMA	F	3	7	-	0/2/19/22	0/1/1/1
6	NAG	M	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	M	2	6	-	0/6/23/26	0/1/1/1
6	NAG	N	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	N	2	6	-	3/6/23/26	0/1/1/1
8	NAG	O	1	8,1	-	3/6/23/26	0/1/1/1
8	NAG	O	2	8	-	2/6/23/26	0/1/1/1
8	BMA	O	3	8	-	0/2/19/22	0/1/1/1
8	MAN	O	4	8	-	0/2/19/22	0/1/1/1
8	MAN	O	5	8	-	0/2/19/22	0/1/1/1
6	NAG	P	1	6,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	P	2	6	-	2/6/23/26	0/1/1/1
8	NAG	Q	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	3/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	5	8	-	0/2/19/22	0/1/1/1
6	NAG	R	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	R	2	6	-	2/6/23/26	0/1/1/1
6	NAG	S	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	S	2	6	-	0/6/23/26	0/1/1/1
6	NAG	T	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	T	2	6	-	1/6/23/26	0/1/1/1
7	NAG	U	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	U	2	7	-	0/6/23/26	0/1/1/1
7	BMA	U	3	7	-	0/2/19/22	0/1/1/1
6	NAG	V	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	V	2	6	-	1/6/23/26	0/1/1/1
6	NAG	W	1	6,1	-	3/6/23/26	0/1/1/1
6	NAG	W	2	6	-	2/6/23/26	0/1/1/1
8	NAG	X	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	X	2	8	-	0/6/23/26	0/1/1/1
8	BMA	X	3	8	-	2/2/19/22	0/1/1/1
8	MAN	X	4	8	-	0/2/19/22	0/1/1/1
8	MAN	X	5	8	-	0/2/19/22	0/1/1/1
6	NAG	Y	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	Y	2	6	-	0/6/23/26	0/1/1/1
8	NAG	Z	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	Z	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Z	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	4	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	5	8	-	0/2/19/22	0/1/1/1
6	NAG	a	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	a	2	6	-	0/6/23/26	0/1/1/1
6	NAG	b	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	b	2	6	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	Y	1	NAG	C1-C2	2.63	1.55	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	O	1	NAG	C1-O5-C5	4.43	118.12	112.19
6	Y	1	NAG	C1-O5-C5	3.75	117.21	112.19
8	O	1	NAG	O5-C1-C2	-3.73	105.52	111.29
6	V	1	NAG	C1-O5-C5	-3.59	107.37	112.19
6	b	1	NAG	C1-O5-C5	3.50	116.88	112.19
6	N	2	NAG	C1-O5-C5	3.17	116.43	112.19
7	F	1	NAG	O5-C1-C2	-2.89	106.83	111.29
6	N	1	NAG	O5-C1-C2	-2.88	106.84	111.29
8	Q	1	NAG	C1-C2-N2	-2.75	106.10	110.43
7	F	1	NAG	O5-C5-C6	2.71	112.95	107.66
8	O	2	NAG	C1-O5-C5	2.71	115.82	112.19
7	F	1	NAG	C2-N2-C7	-2.65	119.35	122.90
8	X	1	NAG	O5-C1-C2	-2.47	107.47	111.29
6	b	1	NAG	O5-C1-C2	-2.37	107.63	111.29
8	Z	1	NAG	C2-N2-C7	2.28	125.96	122.90
8	Q	2	NAG	C1-O5-C5	2.23	115.17	112.19
6	R	2	NAG	C1-O5-C5	2.22	115.16	112.19
7	F	2	NAG	O5-C1-C2	-2.21	107.88	111.29
7	F	1	NAG	C1-O5-C5	-2.20	109.23	112.19
8	X	2	NAG	O5-C1-C2	-2.19	107.90	111.29
6	E	1	NAG	C1-O5-C5	2.19	115.12	112.19
6	E	2	NAG	C2-N2-C7	2.17	125.81	122.90
8	O	3	BMA	C1-O5-C5	2.15	115.07	112.19
6	N	1	NAG	C3-C4-C5	2.15	114.14	110.23
8	X	3	BMA	C1-C2-C3	2.06	112.64	109.64
7	F	3	BMA	C1-O5-C5	2.05	114.93	112.19
6	E	2	NAG	O5-C1-C2	-2.04	108.13	111.29
8	X	1	NAG	C1-C2-N2	2.04	113.65	110.43
6	V	2	NAG	O5-C1-C2	-2.02	108.17	111.29
6	P	2	NAG	C2-N2-C7	2.00	125.58	122.90

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	P	2	NAG	C1-C2-N2-C7
6	N	2	NAG	O7-C7-N2-C2
7	F	1	NAG	C8-C7-N2-C2
7	F	1	NAG	O7-C7-N2-C2
6	N	2	NAG	C8-C7-N2-C2
6	E	1	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	E	1	NAG	O7-C7-N2-C2
6	Y	1	NAG	C8-C7-N2-C2
6	Y	1	NAG	O7-C7-N2-C2
8	X	3	BMA	O5-C5-C6-O6
6	b	2	NAG	C8-C7-N2-C2
6	N	2	NAG	O5-C5-C6-O6
6	b	2	NAG	O7-C7-N2-C2
6	W	1	NAG	C8-C7-N2-C2
8	O	1	NAG	C8-C7-N2-C2
6	E	2	NAG	O5-C5-C6-O6
6	P	2	NAG	O5-C5-C6-O6
8	Q	2	NAG	O5-C5-C6-O6
6	V	2	NAG	O5-C5-C6-O6
6	b	1	NAG	O5-C5-C6-O6
7	U	1	NAG	O5-C5-C6-O6
6	W	1	NAG	O7-C7-N2-C2
8	O	1	NAG	O7-C7-N2-C2
6	E	2	NAG	C1-C2-N2-C7
8	X	3	BMA	C4-C5-C6-O6
6	E	2	NAG	C3-C2-N2-C7
6	R	2	NAG	C3-C2-N2-C7
6	W	1	NAG	C3-C2-N2-C7
6	W	2	NAG	C8-C7-N2-C2
8	O	2	NAG	C8-C7-N2-C2
6	R	2	NAG	C1-C2-N2-C7
6	T	2	NAG	C1-C2-N2-C7
6	V	1	NAG	C1-C2-N2-C7
8	Z	1	NAG	C1-C2-N2-C7
6	N	1	NAG	C3-C2-N2-C7
8	Z	1	NAG	C3-C2-N2-C7
8	O	2	NAG	O7-C7-N2-C2
8	O	1	NAG	C4-C5-C6-O6
6	W	2	NAG	O7-C7-N2-C2
6	T	1	NAG	C8-C7-N2-C2
8	Q	2	NAG	C8-C7-N2-C2
8	Q	2	NAG	O7-C7-N2-C2

There are no ring outliers.

6 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	Q	1	NAG	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	U	1	NAG	1	0
8	X	1	NAG	1	0
6	Y	1	NAG	1	0
6	V	1	NAG	1	0
8	Q	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
















































5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 12 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	B	4702	1	14,14,15	0.55	0	17,19,21	1.93	3 (17%)
9	NAG	B	4704	1	14,14,15	0.52	0	17,19,21	1.98	2 (11%)
9	NAG	A	4704	1	14,14,15	0.40	0	17,19,21	0.80	0
10	A2G	A	4705	1	14,14,15	0.40	0	17,19,21	0.76	1 (5%)
9	NAG	A	4701	1	14,14,15	0.42	0	17,19,21	2.25	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	B	4703	1	14,14,15	0.30	0	17,19,21	0.79	1 (5%)
9	NAG	A	4702	1	14,14,15	0.34	0	17,19,21	0.90	1 (5%)
10	A2G	B	4705	1	14,14,15	0.40	0	17,19,21	0.44	0
9	NAG	B	4701	1	14,14,15	0.35	0	17,19,21	0.71	1 (5%)
9	NAG	A	4703	1	14,14,15	0.36	0	17,19,21	1.03	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	B	4702	1	-	0/6/23/26	0/1/1/1
9	NAG	B	4704	1	-	5/6/23/26	0/1/1/1
9	NAG	A	4704	1	-	4/6/23/26	0/1/1/1
10	A2G	A	4705	1	-	2/6/23/26	0/1/1/1
9	NAG	A	4701	1	-	3/6/23/26	0/1/1/1
9	NAG	B	4703	1	-	3/6/23/26	0/1/1/1
9	NAG	A	4702	1	-	2/6/23/26	0/1/1/1
10	A2G	B	4705	1	-	0/6/23/26	0/1/1/1
9	NAG	B	4701	1	-	2/6/23/26	0/1/1/1
9	NAG	A	4703	1	-	5/6/23/26	0/1/1/1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	4701	NAG	C1-O5-C5	8.00	122.91	112.19
9	B	4702	NAG	C1-O5-C5	6.40	120.76	112.19
9	B	4704	NAG	C1-O5-C5	-6.32	103.72	112.19
9	B	4704	NAG	O5-C5-C6	4.21	115.86	107.66
9	A	4701	NAG	C4-C3-C2	-3.35	106.11	111.02
9	B	4702	NAG	C6-C5-C4	-3.12	105.36	113.02
9	A	4702	NAG	C1-O5-C5	3.02	116.24	112.19
9	B	4702	NAG	C4-C3-C2	-2.63	107.16	111.02
9	A	4703	NAG	C3-C4-C5	2.36	114.51	110.23
9	B	4701	NAG	C1-O5-C5	2.27	115.23	112.19
9	B	4703	NAG	C1-O5-C5	2.19	115.12	112.19
10	A	4705	A2G	C1-C2-N2	2.18	113.86	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	4701	NAG	C6-C5-C4	-2.03	108.03	113.02

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	4703	NAG	C3-C2-N2-C7
9	A	4704	NAG	C3-C2-N2-C7
9	A	4704	NAG	C8-C7-N2-C2
9	A	4704	NAG	O7-C7-N2-C2
9	B	4704	NAG	C3-C2-N2-C7
9	B	4704	NAG	C8-C7-N2-C2
9	B	4704	NAG	O7-C7-N2-C2
9	A	4703	NAG	O7-C7-N2-C2
9	A	4703	NAG	O5-C5-C6-O6
9	B	4704	NAG	O5-C5-C6-O6
9	A	4703	NAG	C8-C7-N2-C2
9	A	4703	NAG	C4-C5-C6-O6
9	B	4703	NAG	C8-C7-N2-C2
9	B	4703	NAG	O7-C7-N2-C2
9	B	4704	NAG	C4-C5-C6-O6
10	A	4705	A2G	O5-C5-C6-O6
9	A	4704	NAG	O5-C5-C6-O6
9	B	4703	NAG	C3-C2-N2-C7
9	A	4701	NAG	O5-C5-C6-O6
9	A	4701	NAG	C8-C7-N2-C2
9	B	4701	NAG	C8-C7-N2-C2
9	A	4702	NAG	C4-C5-C6-O6
9	A	4701	NAG	O7-C7-N2-C2
10	A	4705	A2G	C1-C2-N2-C7
9	A	4702	NAG	O5-C5-C6-O6
9	B	4701	NAG	O7-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	4701	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36692. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 130




Y Index: 130




Z Index: 130


6.2.2 Raw map



X Index: 130



Y Index: 130




Z Index: 130


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131




Y Index: 134




Z Index: 215


6.3.2 Raw map



X Index: 131



Y Index: 127




Z Index: 214


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0434. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_36692_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 144 nm³; this corresponds to an approximate mass of 130 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.28	3.78	3.34
Unmasked-calculated*	3.86	4.54	3.96

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.86 differs from the reported value 3.3 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-36692 and PDB model 8JX8. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0434 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0434).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0434) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7970	 0.5380
A	 0.8060	 0.5410
B	 0.8070	 0.5410
C	 0.9090	 0.5370
D	 0.6250	 0.4240
E	 0.2860	 0.3370
F	 0.4100	 0.3670
G	 0.7270	 0.5130
H	 0.5000	 0.4870
I	 0.8180	 0.5400
J	 0.6880	 0.4810
K	 0.7270	 0.4210
L	 0.5710	 0.4560
M	 0.5000	 0.4690
N	 0.3570	 0.3910
O	 0.4750	 0.4530
P	 0.4290	 0.4410
Q	 0.7210	 0.5280
R	 0.4290	 0.4540
S	 0.5360	 0.4510
T	 0.4290	 0.4100
U	 0.5900	 0.4420
V	 0.5360	 0.4680
W	 0.2140	 0.3240
X	 0.3110	 0.4030
Y	 0.5000	 0.5350
Z	 0.7540	 0.5460
a	 0.3210	 0.3710
b	 0.5000	 0.4690

