



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 09:57 PM UTC

PDB ID : 6JYN / pdb_00006jyn
Title : GII.13/21 noroviruses recognize glycans with a terminal beta-galactose via an unconventional glycan binding site
Authors : Duan, Z.; Xin, C.
Deposited on : 2019-04-26
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	86% 12% .
1	B	309	89% 11%
1	C	309	87% 13%
1	D	309	89% 10% .
2	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 50%50%
2	G	2	 100%
2	H	2	 50%50%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called human norovirus P domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	2	0
			2405	1525	411	463	6			
1	B	309	Total	C	N	O	S	0	3	0
			2411	1527	412	466	6			
1	C	309	Total	C	N	O	S	0	0	0
			2392	1517	409	460	6			
1	D	309	Total	C	N	O	S	0	0	0
			2392	1517	409	460	6			

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total	C	N	O	0	0	0
			26	14	1	11			
2	F	2	Total	C	N	O	0	0	0
			26	14	1	11			
2	G	2	Total	C	N	O	0	0	0
			26	14	1	11			
2	H	2	Total	C	N	O	0	0	0
			26	14	1	11			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	407	Total	O	0	0
			407	407		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	362	Total 362	O 362	0	0
3	C	404	Total 404	O 404	0	0
3	D	387	Total 387	O 387	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: human norovirus P domain protein




- Molecule 1: human norovirus P domain protein



- Molecule 1: human norovirus P domain protein



- Molecule 1: human norovirus P domain protein





- Molecule 2: beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.94Å 122.94Å 83.28Å 90.00° 90.07° 90.00°	Depositor
Resolution (Å)	49.45 – 1.60 49.45 – 1.60	Depositor EDS
% Data completeness (in resolution range)	92.4 (49.45-1.60) 92.1 (49.45-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.19 (at 1.60Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.181 , 0.201 0.182 , 0.203	Depositor DCC
R_{free} test set	8462 reflections (4.57%)	wwPDB-VP
Wilson B-factor (Å ²)	13.5	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 24.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.457 for h,-k,-l	Xtriage
Reported twinning fraction	0.470 for h,-k,-l	Depositor
Outliers	0 of 171051 reflections	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	11264	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6107e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/2471	0.39	2/3384 (0.1%)
1	B	0.14	0/2477	0.36	0/3392
1	C	0.14	0/2458	0.37	0/3365
1	D	0.14	0/2458	0.39	0/3365
All	All	0.14	0/9864	0.38	2/13506 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	2
All	All	0	5

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	76	ASN	CA-C-N	5.01	131.10	121.54
1	A	76	ASN	C-N-CA	5.01	131.10	121.54

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	33	ASN	Peptide
1	B	33	ASN	Peptide
1	C	33	ASN	Peptide
1	D	33	ASN	Peptide
1	D	76	ASN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2405	0	2317	35	0
1	B	2411	0	2319	25	0
1	C	2392	0	2304	31	0
1	D	2392	0	2304	23	0
2	E	26	0	24	1	0
2	F	26	0	24	1	0
2	G	26	0	24	0	0
2	H	26	0	24	1	0
3	A	407	0	0	18	0
3	B	362	0	0	11	0
3	C	404	0	0	13	0
3	D	387	0	0	5	0
All	All	11264	0	9340	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:ILE:O	3:A:701:HOH:O	1.99	0.81
1:D:262:ASP:OD1	1:D:293:ASN:ND2	2.19	0.74
1:A:213:PHE:O	3:A:702:HOH:O	2.05	0.74
1:D:196:ASN:ND2	3:D:702:HOH:O	2.22	0.73
1:C:56:GLN:NE2	3:C:705:HOH:O	2.20	0.73
1:C:210:LEU:O	3:C:701:HOH:O	2.06	0.72
1:A:105:GLN:NE2	3:A:708:HOH:O	2.22	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:ARG:NH2	3:B:704:HOH:O	2.24	0.69
1:A:26:GLU:OE2	3:A:703:HOH:O	2.11	0.69
1:A:18:ASN:ND2	3:A:702:HOH:O	2.26	0.68
1:A:119:ASN:ND2	3:A:709:HOH:O	2.27	0.66
1:B:176:ASN:O	3:B:701:HOH:O	2.13	0.66
1:C:193:LEU:O	3:C:702:HOH:O	2.14	0.65
1:C:141:LYS:NZ	3:C:709:HOH:O	2.30	0.65
1:B:262:ASP:OD2	1:B:293:ASN:ND2	2.29	0.65
1:C:262:ASP:OD2	1:C:293:ASN:ND2	2.31	0.64
1:A:163:GLN:NE2	3:A:714:HOH:O	2.30	0.63
1:C:165:ARG:NH1	3:C:707:HOH:O	2.25	0.63
1:B:186:HIS:O	1:B:186:HIS:ND1	2.29	0.63
1:C:186:HIS:ND1	1:C:186:HIS:O	2.29	0.62
1:C:220:VAL:HA	1:D:129:ASN:HB3	1.80	0.61
1:A:26:GLU:OE1	1:A:216:ARG:NH2	2.31	0.61
1:B:28:LEU:O	3:B:702:HOH:O	2.16	0.61
1:D:186:HIS:O	1:D:186:HIS:ND1	2.33	0.60
1:A:186:HIS:O	1:A:186:HIS:ND1	2.34	0.60
1:D:293:ASN:OD1	3:D:701:HOH:O	2.17	0.60
1:A:262:ASP:OD2	1:A:293:ASN:ND2	2.35	0.59
1:B:37:VAL:N	3:B:708:HOH:O	2.31	0.59
1:B:124:THR:HG22	1:B:128:LYS:HG2	1.84	0.58
1:A:124:THR:HG22	1:A:128:LYS:HG2	1.85	0.57
1:A:35:ASN:OD1	3:A:704:HOH:O	2.18	0.56
1:A:260:ASN:OD1	1:A:293:ASN:ND2	2.38	0.56
1:C:117:GLN:O	3:C:703:HOH:O	2.17	0.56
1:C:165:ARG:NH2	3:C:703:HOH:O	2.21	0.56
1:D:124:THR:HG22	1:D:128:LYS:HG2	1.87	0.56
1:D:174:ASN:OD1	1:D:177:THR:HG23	2.06	0.56
1:B:4:LYS:NZ	3:B:714:HOH:O	2.38	0.56
3:B:722:HOH:O	1:C:191:LEU:HB3	2.06	0.55
1:A:224:ARG:NH1	3:A:730:HOH:O	2.39	0.55
1:A:220:VAL:HA	1:B:129:ASN:HB3	1.88	0.55
1:C:217:VAL:HG11	1:C:230:ILE:HD12	1.90	0.54
1:C:124:THR:HG22	1:C:128:LYS:HG2	1.87	0.54
1:A:3:THR:N	3:A:729:HOH:O	2.39	0.54
3:A:703:HOH:O	1:B:165:ARG:NH1	2.41	0.54
1:C:35:ASN:ND2	3:C:723:HOH:O	2.40	0.53
1:A:202:ALA:N	3:A:731:HOH:O	2.40	0.53
1:C:304:GLN:OE1	3:C:704:HOH:O	2.19	0.53
1:A:253:VAL:HG11	1:A:271:LYS:HG2	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:GLU:HG3	1:B:308:LEU:HD22	1.92	0.52
1:C:297:ARG:NH2	3:C:713:HOH:O	2.31	0.52
1:C:86:TYR:CG	1:C:87:PRO:HD2	2.44	0.52
1:A:76:ASN:OD1	3:A:705:HOH:O	2.18	0.52
1:D:173:GLN:HG3	1:D:178:PRO:HA	1.93	0.51
1:D:271:LYS:HG3	1:D:308:LEU:HD21	1.93	0.51
1:B:271:LYS:HG3	1:B:308:LEU:HD21	1.91	0.51
1:B:269:GLU:N	3:B:722:HOH:O	2.44	0.50
1:A:23:ILE:HD11	1:A:217[A]:VAL:HG12	1.93	0.49
1:A:129:ASN:HB3	1:B:220:VAL:HA	1.93	0.49
1:D:177:THR:HG21	2:H:2:GAL:O3	2.12	0.49
1:A:76:ASN:ND2	3:A:741:HOH:O	2.46	0.49
1:A:47:LEU:HG	1:A:274:ARG:HA	1.96	0.48
1:A:271:LYS:HG3	1:A:308:LEU:HD21	1.96	0.47
1:C:274:ARG:NH2	3:C:742:HOH:O	2.48	0.47
1:B:212:PHE:HB3	1:B:231:ASP:HB3	1.97	0.47
1:C:86:TYR:CD1	1:C:87:PRO:HD2	2.49	0.47
1:C:129:ASN:HB3	1:D:220:VAL:HA	1.97	0.47
1:B:165:ARG:NH2	3:B:709:HOH:O	2.33	0.47
1:C:165:ARG:NH2	3:C:743:HOH:O	2.48	0.46
1:A:68:ARG:HD2	1:C:305:PHE:CD1	2.50	0.46
1:B:177[A]:THR:HG22	3:B:748:HOH:O	2.16	0.46
1:B:46:THR:OG1	1:B:48:ASP:OD1	2.34	0.45
1:D:21:PHE:HB3	3:D:725:HOH:O	2.16	0.45
1:B:86:TYR:CE2	1:B:92:TYR:HA	2.52	0.45
1:D:83:GLN:NE2	3:D:715:HOH:O	2.36	0.44
1:B:297:ARG:NE	3:B:729:HOH:O	2.50	0.44
1:B:177[A]:THR:HG21	2:F:2:GAL:O3	2.18	0.44
1:A:77:TRP:HB2	2:E:2:GAL:H5	2.00	0.43
1:D:177:THR:O	1:D:177:THR:OG1	2.34	0.43
1:A:74:GLY:HA2	1:A:75:ASP:HA	1.74	0.43
1:B:291:PRO:O	3:B:703:HOH:O	2.21	0.43
1:D:191:LEU:N	3:D:740:HOH:O	2.51	0.43
1:A:92:TYR:HE2	1:A:145:LYS:O	2.01	0.43
1:A:86:TYR:CE1	1:A:92:TYR:HA	2.54	0.42
1:A:173:GLN:HG3	1:A:178:PRO:HA	2.01	0.42
1:C:173:GLN:HG3	1:C:178:PRO:HA	2.01	0.42
1:C:212:PHE:HB3	1:C:231:ASP:HB3	2.01	0.42
1:C:217:VAL:HG22	1:C:228:ALA:O	2.19	0.42
1:A:33:ASN:OD1	3:A:707:HOH:O	2.22	0.42
1:A:146:ILE:HD11	3:A:907:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:PHE:HB3	1:D:231:ASP:HB3	2.02	0.42
1:C:47:LEU:HG	1:C:274:ARG:HA	2.02	0.42
1:D:23:ILE:HD11	1:D:215:SER:HB3	2.02	0.42
1:D:304:GLN:OE1	1:D:304:GLN:N	2.41	0.42
1:C:92:TYR:HE2	1:C:145:LYS:O	2.03	0.41
1:A:173:GLN:O	1:B:122:GLU:HG3	2.20	0.41
1:D:262:ASP:OD1	1:D:262:ASP:N	2.53	0.41
1:C:173:GLN:O	1:D:122:GLU:HG3	2.20	0.41
1:C:253:VAL:HG11	1:C:271:LYS:HG2	2.02	0.41
1:D:13:ILE:HD13	1:D:13:ILE:HA	1.93	0.41
1:B:9:PRO:HD3	1:B:241:HIS:CD2	2.56	0.41
1:A:232:CYS:N	3:A:702:HOH:O	2.52	0.41
1:C:297:ARG:NE	3:C:728:HOH:O	2.53	0.41
1:C:134:TYR:HB2	1:C:152:HIS:HB3	2.03	0.41
1:D:86:TYR:CD1	1:D:87:PRO:HD2	2.56	0.41
1:A:76:ASN:N	3:A:755:HOH:O	2.54	0.40
1:D:92:TYR:HE2	1:D:145:LYS:O	2.04	0.40
1:B:230:ILE:HD13	1:B:230:ILE:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/309 (100%)	295 (96%)	13 (4%)	1 (0%)	36	20
1	B	310/309 (100%)	299 (96%)	11 (4%)	0	100	100
1	C	307/309 (99%)	295 (96%)	12 (4%)	0	100	100
1	D	307/309 (99%)	292 (95%)	15 (5%)	0	100	100
All	All	1233/1236 (100%)	1181 (96%)	51 (4%)	1 (0%)	48	27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	77	TRP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/263 (101%)	260 (98%)	5 (2%)	50	27
1	B	266/263 (101%)	262 (98%)	4 (2%)	57	35
1	C	263/263 (100%)	257 (98%)	6 (2%)	44	20
1	D	263/263 (100%)	257 (98%)	6 (2%)	44	20
All	All	1057/1052 (100%)	1036 (98%)	21 (2%)	48	24

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	75	ASP
1	A	98	VAL
1	A	131	LYS
1	A	191	LEU
1	A	216	ARG
1	B	91	SER
1	B	131	LYS
1	B	191	LEU
1	B	193	LEU
1	C	75	ASP
1	C	86	TYR
1	C	131	LYS
1	C	146	ILE
1	C	157	ASN
1	C	223	LEU
1	D	23	ILE
1	D	34	GLU
1	D	131	LYS
1	D	157	ASN
1	D	177	THR
1	D	265	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	226	GLN
1	B	163	GLN
1	B	196	ASN
1	B	236	GLN
1	B	240	ASN
1	B	250	GLN
1	C	226	GLN
1	C	236	GLN
1	C	240	ASN
1	D	236	GLN
1	D	240	ASN
1	D	293	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	2	15,15,15	0.25	0	21,21,21	0.50	0
2	GAL	E	2	2	11,11,12	0.57	0	15,15,17	0.86	0
2	NAG	F	1	2	15,15,15	0.29	0	21,21,21	0.32	0
2	GAL	F	2	2	11,11,12	0.97	1 (9%)	15,15,17	0.97	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	G	1	2	15,15,15	0.36	0	21,21,21	0.30	0
2	GAL	G	2	2	11,11,12	0.79	0	15,15,17	0.95	0
2	NAG	H	1	2	15,15,15	0.44	0	21,21,21	0.58	0
2	GAL	H	2	2	11,11,12	0.72	0	15,15,17	1.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2	-	1/6/26/26	0/1/1/1
2	GAL	E	2	2	-	0/2/19/22	0/1/1/1
2	NAG	F	1	2	-	0/6/26/26	0/1/1/1
2	GAL	F	2	2	-	0/2/19/22	0/1/1/1
2	NAG	G	1	2	-	0/6/26/26	0/1/1/1
2	GAL	G	2	2	-	0/2/19/22	0/1/1/1
2	NAG	H	1	2	-	0/6/26/26	0/1/1/1
2	GAL	H	2	2	-	2/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	2	GAL	O5-C5	2.04	1.47	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	2	GAL	C1-C2-C3	2.06	112.65	109.64

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	H	2	GAL	O5-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
2	H	2	GAL	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	2	GAL	1	0
2	E	2	GAL	1	0
2	H	2	GAL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	309/309 (100%)	-1.28	1 (0%) 90 91	5, 12, 27, 85	2 (0%)
1	B	309/309 (100%)	-1.30	0 100 100	5, 12, 28, 93	3 (0%)
1	C	309/309 (100%)	-1.29	1 (0%) 90 91	8, 13, 29, 106	0
1	D	309/309 (100%)	-1.29	0 100 100	7, 12, 29, 90	0
All	All	1236/1236 (100%)	-1.29	2 (0%) 91 92	5, 12, 29, 106	5 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	76	ASN	2.4
1	A	87	PRO	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	H	1	15/15	0.97	0.06	42,42,44,44	0
2	NAG	F	1	15/15	0.98	0.05	47,48,49,49	0
2	NAG	G	1	15/15	0.98	0.05	48,48,50,50	0
2	NAG	E	1	15/15	0.98	0.04	34,35,36,36	0
2	GAL	E	2	11/12	0.99	0.03	19,20,20,20	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GAL	G	2	11/12	0.99	0.03	20,21,21,22	0
2	GAL	F	2	11/12	0.99	0.04	17,18,19,19	0
2	GAL	H	2	11/12	0.99	0.04	18,19,20,20	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.