



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:14 AM UTC

PDB ID : 8JYY / pdb_00008jyy
Title : Crystal structure of the gasdermin-like protein RCD-1-2 from *Neurospora crassa*
Authors : Li, Y.; Hou, Y.J.; Ding, J.
Deposited on : 2023-07-04
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	3% 74% 12% 13%
1	B	216	2% 75% 9% 16%
1	C	216	2% 72% 11% 17%
1	D	216	7% 69% 16% 15%
1	E	216	7% 63% 19% 18%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	216	
1	G	216	
1	H	216	
1	I	216	
1	J	216	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 14381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RCD-1-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	187	Total	C	N	O	S	0	0	0
			1494	951	263	270	10			
1	B	182	Total	C	N	O	S	0	0	0
			1459	932	256	261	10			
1	C	179	Total	C	N	O	S	0	0	0
			1438	920	251	257	10			
1	D	184	Total	C	N	O	S	0	0	0
			1469	937	258	264	10			
1	E	178	Total	C	N	O	S	0	0	0
			1419	907	247	255	10			
1	F	179	Total	C	N	O	S	0	0	0
			1432	914	252	256	10			
1	G	193	Total	C	N	O	S	0	0	0
			1542	980	276	276	10			
1	H	192	Total	C	N	O	S	0	0	0
			1534	975	274	275	10			
1	I	158	Total	C	N	O	S	0	0	0
			1269	817	218	225	9			
1	J	166	Total	C	N	O	S	0	0	0
			1325	851	230	234	10			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RCD-1-2




• Molecule 1: RCD-1-2




• Molecule 1: RCD-1-2




• Molecule 1: RCD-1-2







● Molecule 1: RCD-1-2



● Molecule 1: RCD-1-2




● Molecule 1: RCD-1-2




● Molecule 1: RCD-1-2






● Molecule 1: RCD-1-2



● Molecule 1: RCD-1-2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.55Å 146.71Å 126.08Å 90.00° 104.57° 90.00°	Depositor
Resolution (Å)	48.39 – 2.65 48.39 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.39-2.65) 94.4 (48.39-2.65)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.219 , 0.264 0.219 , 0.264	Depositor DCC
R_{free} test set	2011 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.627	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.078 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	14381	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.09	0/1537	0.24	0/2089
1	B	0.09	0/1503	0.25	0/2044
1	C	0.10	0/1481	0.27	0/2014
1	D	0.10	0/1513	0.28	0/2057
1	E	0.09	0/1460	0.26	0/1982
1	F	0.10	0/1473	0.28	0/1999
1	G	0.08	0/1586	0.23	0/2153
1	H	0.09	0/1577	0.24	0/2140
1	I	0.09	0/1304	0.28	0/1770
1	J	0.08	0/1363	0.25	0/1851
All	All	0.09	0/14797	0.26	0/20099

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1494	0	1458	18	0
1	B	1459	0	1423	14	0
1	C	1438	0	1406	16	0
1	D	1469	0	1431	19	0
1	E	1419	0	1385	31	0
1	F	1432	0	1399	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1542	0	1507	31	0
1	H	1534	0	1495	27	0
1	I	1269	0	1251	22	0
1	J	1325	0	1307	21	0
All	All	14381	0	14062	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:199:LEU:HD13	1:G:205:MET:HG2	1.68	0.76
1:G:135:TRP:HE1	1:G:196:LYS:HE2	1.54	0.73
1:C:110:GLN:HG2	1:C:114:ARG:HE	1.53	0.72
1:D:56:PRO:HG3	1:D:114:ARG:HH22	1.54	0.70
1:A:99:SER:HB2	1:A:147:ARG:HG2	1.75	0.68
1:E:112:ILE:HG12	1:E:139:MET:HE1	1.75	0.68
1:E:102:GLU:HG2	1:E:144:MET:HG2	1.74	0.68
1:F:205:MET:HG2	1:J:199:LEU:HD13	1.80	0.64
1:F:67:GLU:O	1:G:-3:SER:N	2.31	0.63
1:H:17:PRO:HG2	1:H:22:MET:HE2	1.78	0.63
1:H:2:ASP:N	1:H:2:ASP:OD1	2.29	0.63
1:G:80:VAL:HG13	1:G:85:LEU:HB2	1.81	0.62
1:A:41:ARG:HH11	1:B:210:ARG:HE	1.47	0.62
1:F:74:HIS:HE1	1:F:94:ARG:HD3	1.63	0.62
1:E:198:GLY:O	1:E:200:ARG:NH1	2.33	0.61
1:A:135:TRP:HE1	1:A:196:LYS:HE2	1.64	0.61
1:I:17:PRO:HB3	1:I:29:GLY:H	1.64	0.61
1:B:102:GLU:HB2	1:B:144:MET:HE2	1.83	0.61
1:E:135:TRP:HE1	1:E:196:LYS:HE2	1.66	0.60
1:H:59:MET:HE2	1:H:107:PRO:HA	1.83	0.60
1:H:100:VAL:HG11	1:H:144:MET:HE3	1.83	0.60
1:F:112:ILE:HG12	1:F:139:MET:HE1	1.83	0.60
1:C:124:TYR:HA	1:F:81:VAL:HG22	1.81	0.60
1:F:74:HIS:CE1	1:F:94:ARG:HD3	2.36	0.60
1:G:98:ASP:OD1	1:G:151:ARG:NH2	2.35	0.59
1:I:63:THR:O	1:J:82:GLN:NE2	2.34	0.59
1:E:144:MET:HB2	1:E:188:ALA:HB3	1.85	0.59
1:B:43:LEU:HD22	1:B:189:ILE:HD11	1.84	0.58
1:G:47:ILE:HG12	1:J:85:LEU:HD11	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:GLU:HB2	1:A:144:MET:HE2	1.85	0.58
1:A:18:THR:HG23	1:A:28:THR:HG21	1.86	0.58
1:G:100:VAL:HG11	1:G:144:MET:HE3	1.85	0.57
1:F:19:ILE:HA	1:F:22:MET:HE2	1.85	0.57
1:H:-1:ARG:HG2	1:H:0:PRO:HD2	1.86	0.57
1:A:71:PHE:O	1:A:210:ARG:NH1	2.37	0.56
1:D:46:VAL:HG23	1:D:49:CYS:HB3	1.87	0.56
1:E:-3:SER:N	1:H:67:GLU:O	2.37	0.56
1:E:17:PRO:HB3	1:E:29:GLY:H	1.71	0.56
1:G:9:LEU:HD22	1:G:43:LEU:HD22	1.87	0.56
1:G:189:ILE:HD12	1:G:191:LEU:HD21	1.88	0.56
1:H:107:PRO:HB3	1:H:139:MET:HE1	1.88	0.56
1:A:116:LEU:HD22	1:A:125:ILE:HD11	1.89	0.55
1:H:199:LEU:HB3	1:J:205:MET:HE3	1.87	0.55
1:J:99:SER:HB3	1:J:147:ARG:HG2	1.88	0.55
1:J:189:ILE:HD12	1:J:191:LEU:HD21	1.88	0.55
1:E:68:GLN:HB2	1:H:-3:SER:HB3	1.89	0.55
1:D:119:LYS:HA	1:D:122:ARG:HE	1.71	0.54
1:E:189:ILE:HD12	1:E:191:LEU:HD21	1.88	0.54
1:I:189:ILE:HD12	1:I:191:LEU:HD21	1.89	0.54
1:J:117:GLU:O	1:J:122:ARG:NH1	2.40	0.54
1:D:31:ILE:HD11	1:D:140:VAL:HG21	1.89	0.54
1:F:-1:ARG:NH2	1:G:102:GLU:OE2	2.40	0.54
1:D:120:GLU:N	1:D:120:GLU:OE1	2.40	0.54
1:I:17:PRO:HG2	1:I:22:MET:HE2	1.89	0.54
1:D:203:TRP:HZ3	1:D:205:MET:HB2	1.73	0.53
1:B:135:TRP:HE1	1:B:196:LYS:HE2	1.73	0.53
1:C:72:GLY:HA2	1:C:95:TRP:HD1	1.73	0.53
1:F:103:TYR:OH	1:F:147:ARG:NH2	2.42	0.53
1:F:68:GLN:HB2	1:G:-3:SER:H2	1.75	0.52
1:F:145:VAL:HG22	1:F:186:VAL:HG22	1.93	0.51
1:J:21:SER:HB2	1:J:27:PRO:HA	1.92	0.51
1:A:36:ILE:HD11	1:A:115:LEU:HD13	1.93	0.51
1:A:189:ILE:HD12	1:A:191:LEU:HD21	1.92	0.51
1:H:31:ILE:HD11	1:H:140:VAL:HG21	1.92	0.51
1:F:97:TYR:HD1	1:F:149:GLY:HA2	1.75	0.51
1:A:193:LYS:O	1:A:205:MET:HA	2.10	0.51
1:I:144:MET:HB3	1:I:188:ALA:HB3	1.93	0.51
1:E:2:ASP:HB2	1:E:210:ARG:NH2	2.27	0.50
1:J:144:MET:HB3	1:J:188:ALA:HB3	1.93	0.49
1:F:73:ASP:OD1	1:F:73:ASP:N	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:125:ILE:HG23	1:H:135:TRP:CD1	2.47	0.49
1:E:-1:ARG:NH2	1:H:102:GLU:OE2	2.45	0.49
1:I:145:VAL:HG22	1:I:186:VAL:HG22	1.94	0.49
1:D:16:PRO:HD3	1:D:185:PHE:HA	1.95	0.49
1:D:69:CYS:O	1:D:96:GLU:HA	2.11	0.49
1:G:16:PRO:HD3	1:G:185:PHE:HA	1.95	0.49
1:B:205:MET:HE2	1:F:199:LEU:HD13	1.94	0.49
1:D:8:PRO:HG3	1:D:71:PHE:HB3	1.94	0.49
1:E:100:VAL:HG11	1:E:144:MET:HE3	1.95	0.49
1:C:120:GLU:N	1:C:120:GLU:OE1	2.43	0.48
1:E:205:MET:HG3	1:I:199:LEU:HD13	1.95	0.48
1:H:197:SER:O	1:H:200:ARG:NE	2.46	0.48
1:J:203:TRP:HZ3	1:J:205:MET:HB2	1.78	0.48
1:E:1:MET:HB3	1:E:144:MET:HE1	1.93	0.48
1:F:136:CYS:SG	1:F:193:LYS:HE3	2.54	0.48
1:I:19:ILE:HD12	1:I:19:ILE:H	1.79	0.48
1:C:35:HIS:HA	1:C:48:ASN:HD21	1.78	0.48
1:I:17:PRO:HG3	1:I:32:SER:HB2	1.96	0.48
1:A:0:PRO:HG2	1:A:144:MET:HE1	1.95	0.47
1:I:31:ILE:HD11	1:I:140:VAL:HG21	1.95	0.47
1:A:18:THR:H	1:A:28:THR:HG22	1.79	0.47
1:G:203:TRP:HZ3	1:G:205:MET:HB2	1.78	0.47
1:H:25:GLY:HA2	1:H:52:PHE:CE1	2.49	0.47
1:E:8:PRO:HB2	1:E:10:LYS:HE2	1.97	0.47
1:G:139:MET:HE2	1:G:141:THR:HG22	1.96	0.47
1:E:2:ASP:HB2	1:E:210:ARG:HH21	1.79	0.47
1:A:59:MET:HE2	1:A:107:PRO:HA	1.96	0.47
1:C:112:ILE:HD12	1:C:205:MET:HE2	1.97	0.47
1:E:40:LEU:H	1:E:40:LEU:HD12	1.80	0.47
1:H:16:PRO:HD3	1:H:185:PHE:HA	1.97	0.47
1:E:144:MET:O	1:E:187:CYS:N	2.46	0.47
1:B:0:PRO:HG2	1:B:144:MET:HE1	1.98	0.46
1:B:193:LYS:O	1:B:205:MET:HA	2.15	0.46
1:J:48:ASN:HD22	1:J:52:PHE:HB3	1.80	0.46
1:C:69:CYS:O	1:C:96:GLU:HA	2.14	0.46
1:D:90:ILE:HG13	1:E:45:ASN:HD22	1.81	0.46
1:D:125:ILE:HG23	1:D:135:TRP:CD1	2.50	0.46
1:H:93:ASP:OD2	1:H:154:THR:OG1	2.26	0.46
1:F:192:VAL:HG11	1:F:205:MET:HE3	1.97	0.46
1:I:109:ARG:HG3	1:I:203:TRP:CH2	2.51	0.46
1:D:149:GLY:O	1:D:183:THR:HG21	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:135:TRP:HE1	1:C:196:LYS:HE3	1.80	0.46
1:I:125:ILE:HG23	1:I:135:TRP:CD1	2.50	0.46
1:G:125:ILE:HG23	1:G:135:TRP:CG	2.51	0.46
1:C:125:ILE:HG23	1:C:135:TRP:CD1	2.51	0.45
1:F:46:VAL:HG23	1:F:49:CYS:HB3	1.97	0.45
1:J:39:ASP:HA	1:J:138:TYR:CE1	2.51	0.45
1:D:63:THR:HA	1:D:102:GLU:O	2.16	0.45
1:H:74:HIS:CG	1:H:75:LEU:H	2.34	0.45
1:E:23:LYS:HE3	1:E:61:VAL:HG22	1.97	0.45
1:H:140:VAL:HA	1:H:191:LEU:HD23	1.97	0.45
1:D:206:LYS:HA	1:D:206:LYS:HD2	1.79	0.45
1:F:77:SER:O	1:F:81:VAL:HB	2.17	0.45
1:D:104:ALA:HB1	1:D:190:ARG:HH22	1.82	0.45
1:E:125:ILE:HG23	1:E:135:TRP:CD1	2.51	0.45
1:F:1:MET:HG3	1:F:69:CYS:HB3	1.98	0.44
1:H:3:ASN:HB2	1:H:6:TRP:HD1	1.82	0.44
1:D:39:ASP:OD1	1:D:41:ARG:HG2	2.17	0.44
1:D:74:HIS:CD2	1:E:132:LEU:HD11	2.51	0.44
1:H:141:THR:HG22	1:H:190:ARG:HH21	1.82	0.44
1:E:136:CYS:SG	1:E:193:LYS:HE3	2.58	0.44
1:C:8:PRO:HG3	1:C:71:PHE:HB3	2.00	0.44
1:I:192:VAL:HG23	1:I:207:LYS:HE3	2.00	0.44
1:A:125:ILE:HG23	1:A:135:TRP:CD1	2.53	0.44
1:E:21:SER:HB2	1:E:27:PRO:HA	2.00	0.44
1:J:125:ILE:HG23	1:J:135:TRP:CD1	2.52	0.44
1:E:36:ILE:HG22	1:E:47:ILE:HD12	2.00	0.43
1:F:189:ILE:HD12	1:F:191:LEU:HD21	2.00	0.43
1:E:99:SER:HB3	1:E:147:ARG:HH21	1.83	0.43
1:E:193:LYS:O	1:E:205:MET:HA	2.18	0.43
1:G:191:LEU:HB2	1:G:208:VAL:HG21	1.99	0.43
1:G:71:PHE:O	1:G:94:ARG:HG3	2.18	0.43
1:H:199:LEU:HG	1:J:205:MET:HG2	2.00	0.43
1:J:101:VAL:HG13	1:J:145:VAL:HG13	1.99	0.43
1:B:11:GLN:H	1:B:11:GLN:CD	2.26	0.43
1:B:6:TRP:CZ3	1:B:144:MET:HG3	2.54	0.43
1:G:2:ASP:HB3	1:G:210:ARG:HH12	1.83	0.43
1:H:63:THR:HA	1:H:102:GLU:O	2.19	0.43
1:B:132:LEU:HD21	1:D:1:MET:HB2	1.99	0.43
1:C:63:THR:HA	1:C:102:GLU:O	2.19	0.43
1:D:85:LEU:HD21	1:E:47:ILE:HG12	2.00	0.43
1:G:131:LEU:HD12	1:J:79:PHE:HD1	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:144:MET:O	1:I:187:CYS:N	2.47	0.42
1:J:37:ILE:HG13	1:J:138:TYR:HB2	2.01	0.42
1:F:-1:ARG:HB3	1:G:-1:ARG:HB2	2.02	0.42
1:H:14:TYR:OH	1:H:44:ASP:HB3	2.20	0.42
1:J:76:ASN:O	1:J:80:VAL:HG23	2.18	0.42
1:J:196:LYS:HG3	1:J:202:SER:C	2.44	0.42
1:C:121:VAL:O	1:C:125:ILE:HG12	2.18	0.42
1:G:192:VAL:HG23	1:G:207:LYS:HA	2.02	0.42
1:C:75:LEU:HD13	1:C:90:ILE:HG12	2.02	0.42
1:I:2:ASP:OD1	1:I:2:ASP:N	2.52	0.42
1:B:68:GLN:HE21	1:B:68:GLN:HB2	1.71	0.42
1:F:200:ARG:C	1:F:202:SER:H	2.28	0.42
1:G:9:LEU:O	1:G:11:GLN:NE2	2.52	0.42
1:G:9:LEU:HD21	1:G:189:ILE:HG12	2.02	0.42
1:B:11:GLN:HB2	1:B:13:HIS:ND1	2.35	0.42
1:E:115:LEU:HD12	1:E:139:MET:HE2	2.02	0.42
1:G:1:MET:HB2	1:G:71:PHE:CE1	2.55	0.42
1:I:140:VAL:HA	1:I:191:LEU:HD23	2.02	0.42
1:E:36:ILE:HG23	1:E:137:VAL:HB	2.01	0.41
1:C:199:LEU:HB3	1:G:205:MET:HE3	2.02	0.41
1:F:68:GLN:HB2	1:G:-3:SER:N	2.34	0.41
1:F:197:SER:O	1:F:200:ARG:HG2	2.20	0.41
1:G:14:TYR:CZ	1:G:43:LEU:HD23	2.54	0.41
1:A:199:LEU:HG	1:C:205:MET:HE1	2.03	0.41
1:B:11:GLN:HB2	1:B:13:HIS:CE1	2.55	0.41
1:G:102:GLU:HG2	1:G:144:MET:HG3	2.01	0.41
1:A:110:GLN:O	1:A:114:ARG:HG2	2.21	0.41
1:H:108:THR:O	1:H:112:ILE:HG12	2.21	0.41
1:H:189:ILE:HD12	1:H:191:LEU:HD21	2.03	0.41
1:G:107:PRO:HG3	1:G:139:MET:HE1	2.02	0.41
1:A:135:TRP:NE1	1:A:196:LYS:HE2	2.32	0.41
1:E:-1:ARG:NH1	1:H:1:MET:O	2.54	0.41
1:G:116:LEU:HD22	1:G:125:ILE:HD11	2.02	0.41
1:I:66:TYR:HB3	1:I:68:GLN:HG2	2.02	0.41
1:J:16:PRO:HA	1:J:17:PRO:HD3	1.95	0.41
1:J:23:LYS:NZ	1:J:61:VAL:H	2.19	0.41
1:I:5:GLU:HG2	1:I:209:THR:HG22	2.03	0.40
1:A:59:MET:HE3	1:A:59:MET:HB2	1.84	0.40
1:I:113:ASP:O	1:I:117:GLU:HG2	2.20	0.40
1:G:102:GLU:HG2	1:G:144:MET:CG	2.51	0.40
1:I:191:LEU:HB2	1:I:208:VAL:HG21	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:59:MET:HE3	1:B:105:VAL:HG11	2.04	0.40
1:H:109:ARG:NH2	1:H:202:SER:OG	2.53	0.40
1:I:203:TRP:HZ3	1:I:205:MET:HE2	1.85	0.40
1:I:203:TRP:CZ3	1:I:205:MET:HE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	183/216 (85%)	178 (97%)	5 (3%)	0	100	100
1	B	178/216 (82%)	174 (98%)	4 (2%)	0	100	100
1	C	175/216 (81%)	169 (97%)	6 (3%)	0	100	100
1	D	180/216 (83%)	173 (96%)	7 (4%)	0	100	100
1	E	172/216 (80%)	163 (95%)	9 (5%)	0	100	100
1	F	173/216 (80%)	165 (95%)	8 (5%)	0	100	100
1	G	187/216 (87%)	183 (98%)	4 (2%)	0	100	100
1	H	184/216 (85%)	177 (96%)	7 (4%)	0	100	100
1	I	150/216 (69%)	139 (93%)	11 (7%)	0	100	100
1	J	160/216 (74%)	156 (98%)	4 (2%)	0	100	100
All	All	1742/2160 (81%)	1677 (96%)	65 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/187 (88%)	160 (98%)	4 (2%)	43	65
1	B	160/187 (86%)	157 (98%)	3 (2%)	50	71
1	C	158/187 (84%)	156 (99%)	2 (1%)	61	77
1	D	161/187 (86%)	158 (98%)	3 (2%)	50	71
1	E	155/187 (83%)	153 (99%)	2 (1%)	61	77
1	F	156/187 (83%)	154 (99%)	2 (1%)	61	77
1	G	169/187 (90%)	166 (98%)	3 (2%)	51	72
1	H	168/187 (90%)	167 (99%)	1 (1%)	78	88
1	I	141/187 (75%)	138 (98%)	3 (2%)	47	69
1	J	146/187 (78%)	141 (97%)	5 (3%)	32	53
All	All	1578/1870 (84%)	1550 (98%)	28 (2%)	51	72

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	ILE
1	A	74	HIS
1	A	105	VAL
1	A	199	LEU
1	B	140	VAL
1	B	181	HIS
1	B	199	LEU
1	C	199	LEU
1	C	210	ARG
1	D	3	ASN
1	D	40	LEU
1	D	192	VAL
1	E	40	LEU
1	E	105	VAL
1	F	-1	ARG
1	F	81	VAL
1	G	105	VAL
1	G	151	ARG
1	G	175	THR
1	H	2	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	45	ASN
1	I	100	VAL
1	I	192	VAL
1	J	3	ASN
1	J	68	GLN
1	J	87	HIS
1	J	145	VAL
1	J	200	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	68	GLN
1	C	26	HIS
1	D	68	GLN
1	G	3	ASN
1	G	58	ASN
1	G	89	ASN
1	G	180	HIS
1	H	65	HIS
1	I	68	GLN
1	J	26	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	187/216 (86%)	0.08	6 (3%) 50 42	24, 41, 83, 112	0
1	B	182/216 (84%)	0.10	5 (2%) 56 49	25, 41, 82, 97	0
1	C	179/216 (82%)	0.19	4 (2%) 62 56	21, 44, 76, 113	0
1	D	184/216 (85%)	0.32	16 (8%) 16 12	22, 47, 92, 125	0
1	E	178/216 (82%)	0.56	15 (8%) 17 12	30, 59, 115, 135	0
1	F	179/216 (82%)	0.45	13 (7%) 21 15	26, 59, 100, 126	0
1	G	193/216 (89%)	0.84	22 (11%) 10 8	43, 70, 106, 124	0
1	H	192/216 (88%)	0.76	20 (10%) 11 9	44, 69, 107, 139	0
1	I	158/216 (73%)	1.04	19 (12%) 9 7	50, 78, 124, 134	0
1	J	166/216 (76%)	0.95	19 (11%) 10 8	52, 78, 126, 151	0
All	All	1798/2160 (83%)	0.52	139 (7%) 19 14	21, 60, 110, 151	0

All (139) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	90	ILE	4.9
1	F	81	VAL	4.6
1	E	75	LEU	4.1
1	H	87	HIS	4.1
1	I	14	TYR	4.0
1	E	95	TRP	3.9
1	H	88	THR	3.7
1	E	11	GLN	3.7
1	E	150	GLY	3.6
1	D	199	LEU	3.6
1	F	85	LEU	3.6
1	J	196	LYS	3.6
1	J	86	HIS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	88	THR	3.4
1	H	12	THR	3.4
1	G	43	LEU	3.3
1	I	19	ILE	3.3
1	F	148	GLY	3.2
1	F	86	HIS	3.2
1	I	13	HIS	3.2
1	B	149	GLY	3.1
1	G	74	HIS	3.1
1	J	69	CYS	3.1
1	I	100	VAL	3.1
1	B	199	LEU	3.1
1	F	39	ASP	3.1
1	H	43	LEU	3.0
1	C	90	ILE	3.0
1	J	83	ALA	3.0
1	I	10	LYS	2.9
1	D	198	GLY	2.9
1	G	199	LEU	2.9
1	D	89	ASN	2.9
1	G	75	LEU	2.9
1	J	85	LEU	2.9
1	E	149	GLY	2.8
1	F	151	ARG	2.8
1	G	89	ASN	2.8
1	D	95	TRP	2.8
1	G	201	SER	2.7
1	G	86	HIS	2.7
1	G	88	THR	2.7
1	G	183	THR	2.7
1	D	87	HIS	2.7
1	I	183	THR	2.7
1	I	70	HIS	2.7
1	J	19	ILE	2.6
1	I	75	LEU	2.6
1	F	74	HIS	2.6
1	E	72	GLY	2.6
1	I	42	HIS	2.6
1	G	3	ASN	2.6
1	A	201	SER	2.6
1	A	11	GLN	2.6
1	I	39	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	74	HIS	2.6
1	D	197	SER	2.5
1	G	93	ASP	2.5
1	G	10	LYS	2.5
1	G	181	HIS	2.5
1	H	74	HIS	2.5
1	G	13	HIS	2.5
1	F	198	GLY	2.5
1	I	71	PHE	2.5
1	J	75	LEU	2.5
1	J	197	SER	2.5
1	D	86	HIS	2.5
1	G	87	HIS	2.5
1	J	87	HIS	2.5
1	J	1	MET	2.5
1	H	185	PHE	2.5
1	D	91	THR	2.4
1	E	86	HIS	2.4
1	A	198	GLY	2.4
1	I	25	GLY	2.4
1	A	199	LEU	2.4
1	E	58	ASN	2.4
1	F	76	ASN	2.4
1	H	45	ASN	2.4
1	H	86	HIS	2.4
1	G	77	SER	2.4
1	E	44	ASP	2.4
1	H	40	LEU	2.4
1	D	42	HIS	2.4
1	H	3	ASN	2.4
1	G	38	PRO	2.4
1	D	88	THR	2.3
1	D	92	SER	2.3
1	E	-3	SER	2.3
1	J	201	SER	2.3
1	D	150	GLY	2.3
1	E	84	GLY	2.3
1	J	2	ASP	2.3
1	I	80	VAL	2.3
1	A	43	LEU	2.3
1	E	85	LEU	2.3
1	I	31	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	201	SER	2.3
1	G	198	GLY	2.3
1	F	79	PHE	2.3
1	H	183	THR	2.2
1	J	183	THR	2.2
1	F	152	ASN	2.2
1	J	12	THR	2.2
1	H	107	PRO	2.2
1	F	11	GLN	2.2
1	D	85	LEU	2.2
1	J	84	GLY	2.2
1	I	74	HIS	2.2
1	C	94	ARG	2.1
1	C	210	ARG	2.1
1	C	89	ASN	2.1
1	H	123	GLN	2.1
1	D	181	HIS	2.1
1	H	156	GLU	2.1
1	G	12	THR	2.1
1	H	13	HIS	2.1
1	F	80	VAL	2.1
1	J	67	GLU	2.1
1	B	95	TRP	2.1
1	H	175	THR	2.1
1	J	71	PHE	2.1
1	H	120	GLU	2.1
1	G	175	THR	2.1
1	J	8	PRO	2.1
1	D	200	ARG	2.0
1	I	77	SER	2.0
1	H	75	LEU	2.0
1	G	46	VAL	2.0
1	A	44	ASP	2.0
1	B	93	ASP	2.0
1	I	64	ALA	2.0
1	E	12	THR	2.0
1	H	141	THR	2.0
1	G	40	LEU	2.0
1	I	40	LEU	2.0
1	E	94	ARG	2.0
1	H	122	ARG	2.0
1	I	66	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.