



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:58 PM UTC

PDB ID : 3K1X / pdb_00003k1x
Title : Acidic Fibroblast Growth Factor (FGF-1) complexed with dobesilate
Authors : Romero, A.; Fernandez, I.S.; Gimenez-Gallego, G.
Deposited on : 2009-09-29
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	130	9% 65% 26% 8%
1	B	130	2% 72% 23%
1	C	130	7% 75% 22%
1	D	130	6% 69% 23% 6%
1	E	130	25% 56% 33% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	130	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DBX	A	131	-	-	X	-
2	DBX	B	131	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heparin-binding growth factor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			
1	B	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			
1	C	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			
1	D	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			
1	E	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			
1	F	130	Total	C	N	O	S	0	0	0
			1038	655	182	197	4			


- Molecule 2 is 2,5-dihydroxybenzenesulfonic acid (CCD ID: DBX) (formula: $C_6H_6O_5S$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			12	6	5	1		
2	B	1	Total	C	O	S	0	0
			12	6	5	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	25	Total	O	0	0
			25	25		
3	B	37	Total	O	0	0
			37	37		
3	C	28	Total	O	0	0
			28	28		
3	D	35	Total	O	0	0
			35	35		
3	E	9	Total	O	0	0
			9	9		
3	F	20	Total	O	0	0
			20	20		



- Molecule 1: Heparin-binding growth factor 1



- Molecule 1: Heparin-binding growth factor 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	97.02Å 47.35Å 97.97Å 90.00° 106.64° 90.00°	Depositor
Resolution (Å)	24.48 – 1.98 24.48 – 1.98	Depositor EDS
% Data completeness (in resolution range)	98.5 (24.48-1.98) 98.5 (24.48-1.98)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.17 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.227 , 0.290 0.228 , 0.289	Depositor DCC
R_{free} test set	2981 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.016 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6406	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 68.59 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.2597e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DBX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.52	5/1061 (0.5%)	1.44	9/1429 (0.6%)
1	B	1.57	8/1061 (0.8%)	1.43	8/1429 (0.6%)
1	C	1.46	2/1061 (0.2%)	1.29	1/1429 (0.1%)
1	D	1.51	6/1061 (0.6%)	1.38	8/1429 (0.6%)
1	E	1.24	2/1061 (0.2%)	1.26	7/1429 (0.5%)
1	F	1.35	2/1061 (0.2%)	1.32	3/1429 (0.2%)
All	All	1.45	25/6366 (0.4%)	1.35	36/8574 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	E	0	1
1	F	0	1
All	All	0	3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	28	ASP	C-O	7.53	1.32	1.24
1	A	90	ILE	CA-CB	6.47	1.62	1.54
1	E	13	HIS	CA-C	-6.38	1.45	1.52
1	F	129	VAL	CA-C	6.31	1.60	1.52
1	B	13	HIS	N-CA	6.27	1.53	1.46
1	B	26	THR	CA-C	6.21	1.60	1.52
1	D	47	TYR	CA-C	-5.67	1.45	1.52
1	D	57	LEU	C-O	5.64	1.30	1.23
1	D	89	TYR	C-O	-5.58	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	72	ASN	C-O	5.54	1.29	1.24
1	A	49	LYS	N-CA	5.48	1.52	1.46
1	B	22	THR	C-O	-5.46	1.17	1.23
1	D	85	HIS	N-CA	5.43	1.52	1.46
1	B	6	LEU	CA-C	-5.42	1.46	1.53
1	F	80	ARG	CB-CG	5.40	1.68	1.52
1	E	100	PHE	CA-C	5.36	1.59	1.52
1	D	51	THR	C-O	-5.34	1.17	1.24
1	B	48	ILE	CA-CB	5.25	1.60	1.54
1	A	121	ALA	N-CA	5.24	1.52	1.46
1	C	6	LEU	CA-C	-5.24	1.46	1.52
1	C	4	LYS	C-O	-5.13	1.17	1.23
1	A	103	LEU	N-CA	5.12	1.52	1.46
1	B	79	GLU	CA-C	-5.12	1.46	1.52
1	B	41	GLU	CA-C	5.11	1.59	1.52
1	B	126	PRO	N-CA	-5.09	1.41	1.47

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	129	VAL	N-CA-C	-10.98	92.10	108.46
1	E	127	LEU	CA-C-N	-8.59	111.03	120.14
1	E	127	LEU	C-N-CA	-8.59	111.03	120.14
1	A	35	GLN	N-CA-C	7.59	120.08	109.15
1	D	24	ASP	CA-C-N	-7.29	115.31	121.58
1	D	24	ASP	C-N-CA	-7.29	115.31	121.58
1	D	84	ASN	N-CA-C	7.19	119.20	111.36
1	B	2	LYS	CA-C-N	-7.13	113.36	120.21
1	B	2	LYS	C-N-CA	-7.13	113.36	120.21
1	A	28	ASP	CB-CA-C	-7.03	99.98	110.67
1	E	70	THR	CA-C-N	6.28	127.69	119.84
1	E	70	THR	C-N-CA	6.28	127.69	119.84
1	B	70	THR	CA-C-N	-6.10	114.33	120.31
1	B	70	THR	C-N-CA	-6.10	114.33	120.31
1	A	111	ARG	CA-C-N	5.97	125.49	121.13
1	A	111	ARG	C-N-CA	5.97	125.49	121.13
1	D	83	GLU	CA-C-N	5.92	128.70	120.29
1	D	83	GLU	C-N-CA	5.92	128.70	120.29
1	F	14	PHE	N-CA-C	5.70	118.51	109.96
1	B	27	ARG	CG-CD-NE	5.59	124.30	112.00
1	A	87	ASN	N-CA-C	-5.52	101.58	110.14
1	A	30	SER	CA-CB-OG	-5.39	100.32	111.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	117	TYR	CA-C-N	-5.35	117.08	123.44
1	B	117	TYR	C-N-CA	-5.35	117.08	123.44
1	A	15	LEU	N-CA-C	-5.30	102.01	109.96
1	D	85	HIS	CA-C-O	5.29	124.29	119.00
1	E	10	ASN	CA-C-N	-5.29	117.15	123.44
1	E	10	ASN	C-N-CA	-5.29	117.15	123.44
1	D	24	ASP	N-CA-C	-5.25	101.31	108.24
1	A	7	TYR	N-CA-C	5.20	117.22	108.96
1	D	85	HIS	CB-CA-C	5.19	117.53	110.06
1	B	2	LYS	N-CA-C	-5.18	104.10	110.31
1	F	123	LEU	N-CA-C	5.17	117.16	108.73
1	F	47	TYR	N-CA-C	-5.15	101.76	109.95
1	A	82	GLU	N-CA-C	5.14	117.68	109.65
1	C	22	THR	CB-CA-C	-5.09	100.17	109.54

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	84	ASN	Peptide
1	E	128	PRO	Peptide
1	F	41	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1038	0	1028	45	0
1	B	1038	0	1028	24	0
1	C	1038	0	1028	23	0
1	D	1038	0	1028	23	0
1	E	1038	0	1028	41	0
1	F	1038	0	1028	35	0
2	A	12	0	5	9	0
2	B	12	0	4	6	0
3	A	25	0	0	1	0
3	B	37	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	28	0	0	0	0
3	D	35	0	0	2	0
3	E	9	0	0	1	0
3	F	20	0	0	3	0
All	All	6406	0	6177	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:LYS:O	1:A:2:LYS:HB2	1.49	1.09
1:A:121:ALA:HB2	2:A:131:DBX:H6	1.33	1.07
1:A:2:LYS:HG2	1:A:3:PRO:HD2	1.12	1.07
1:A:45:GLU:OE1	1:A:92:LYS:NZ	1.97	0.98
1:C:90:ILE:HD11	1:C:98:ASN:HA	1.48	0.96
1:A:129:VAL:HG22	1:A:130:SER:H	1.31	0.92
1:E:72:ASN:HD22	1:E:74:GLU:H	1.18	0.91
1:A:2:LYS:CG	1:A:3:PRO:HD2	2.00	0.89
1:F:2:LYS:HB2	1:F:2:LYS:NZ	1.90	0.87
1:F:14:PHE:CE2	1:F:29:ARG:HG3	2.12	0.84
1:F:129:VAL:HG22	1:F:130:SER:H	1.42	0.83
1:E:72:ASN:ND2	1:E:74:GLU:H	1.75	0.83
1:A:129:VAL:CG2	1:A:130:SER:H	1.92	0.81
1:F:109:CYS:SG	1:F:110:LYS:O	2.39	0.81
1:C:82:GLU:C	1:C:84:ASN:H	1.87	0.81
1:F:2:LYS:HB2	1:F:2:LYS:HZ3	1.45	0.79
1:A:84:ASN:O	1:A:85:HIS:HB2	1.84	0.77
1:A:110:LYS:HZ3	2:A:131:DBX:H4	1.50	0.77
1:B:1:LYS:HD2	1:B:38:LEU:O	1.85	0.77
1:F:79:GLU:O	1:F:80:ARG:HD3	1.88	0.72
1:E:97:LYS:HD2	1:E:99:TRP:CE2	2.24	0.72
1:A:82:GLU:OE1	1:A:88:THR:HG23	1.90	0.71
1:F:79:GLU:C	1:F:80:ARG:HD3	2.13	0.71
1:A:129:VAL:HG22	1:A:130:SER:N	2.04	0.71
1:E:97:LYS:NZ	1:E:97:LYS:HB2	2.07	0.70
1:A:10:ASN:HD21	2:A:131:DBX:C6	2.06	0.69
1:D:74:GLU:OE2	3:D:137:HOH:O	2.11	0.67
1:B:1:LYS:HD2	1:B:39:SER:HA	1.75	0.67
1:E:37:GLN:HE21	1:E:37:GLN:HA	1.58	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:82:GLU:HB3	1:C:84:ASN:HB2	1.77	0.67
1:A:4:LYS:HZ2	1:A:128:PRO:HG3	1.58	0.66
1:A:110:LYS:NZ	2:A:131:DBX:C4	2.58	0.66
1:A:2:LYS:HG2	1:A:3:PRO:CD	2.07	0.66
1:A:110:LYS:NZ	2:A:131:DBX:H4	2.11	0.66
1:D:72:ASN:HD22	1:D:74:GLU:H	1.44	0.66
1:D:84:ASN:HB3	1:D:86:TYR:H	1.61	0.65
1:C:82:GLU:C	1:C:84:ASN:N	2.53	0.65
1:A:4:LYS:NZ	1:A:128:PRO:HG3	2.11	0.65
1:C:82:GLU:HG2	1:C:123:LEU:HD21	1.79	0.65
1:E:96:GLU:H	1:E:96:GLU:CD	2.04	0.65
1:E:97:LYS:HB2	1:E:97:LYS:HZ2	1.62	0.65
1:D:81:LEU:HD21	1:D:85:HIS:HA	1.77	0.65
1:F:33:HIS:CD2	1:F:52:GLU:HG2	2.33	0.64
2:B:131:DBX:O1	2:B:131:DBX:O4	2.10	0.64
1:E:97:LYS:HD2	1:E:99:TRP:CZ2	2.33	0.63
1:D:82:GLU:C	1:D:84:ASN:H	2.06	0.63
1:B:121:ALA:HB2	2:B:131:DBX:H6	1.80	0.62
1:A:110:LYS:HZ3	2:A:131:DBX:C4	2.10	0.62
1:A:92:LYS:HG2	1:E:43:VAL:HG21	1.81	0.62
1:C:82:GLU:HG3	1:C:84:ASN:ND2	2.14	0.62
1:D:90:ILE:HD11	1:D:98:ASN:HA	1.81	0.61
1:B:72:ASN:C	1:B:72:ASN:HD22	2.08	0.61
1:E:58:ALA:HB2	1:E:75:CYS:SG	2.40	0.61
1:E:56:TYR:CE1	1:E:71:PRO:HD3	2.36	0.60
1:E:32:GLN:HB2	3:E:145:HOH:O	2.00	0.59
1:E:59:MET:O	1:E:74:GLU:HB3	2.02	0.59
1:F:41:GLU:CG	1:F:47:TYR:CE2	2.86	0.59
1:A:10:ASN:ND2	2:A:131:DBX:C6	2.65	0.59
1:D:82:GLU:C	1:D:84:ASN:N	2.61	0.58
1:F:99:TRP:CZ2	1:F:113:PRO:HG3	2.39	0.58
1:D:28:ASP:OD1	1:D:30:SER:HB2	2.03	0.58
1:A:111:ARG:HB2	1:A:111:ARG:NH1	2.19	0.57
1:E:106:ASN:OD1	1:E:108:SER:OG	2.16	0.57
1:E:63:GLY:O	1:E:111:ARG:HA	2.05	0.56
1:E:97:LYS:HZ2	1:E:97:LYS:CB	2.18	0.56
1:B:110:LYS:NZ	1:B:119:GLN:NE2	2.54	0.56
1:D:72:ASN:HD22	1:D:72:ASN:C	2.14	0.56
1:B:12:GLY:O	1:B:27:ARG:HD3	2.06	0.56
1:C:49:LYS:HD2	1:C:56:TYR:CZ	2.42	0.55
1:E:57:LEU:HD11	1:E:65:LEU:HD22	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:LYS:HD2	1:C:1:LYS:N	2.22	0.55
1:B:35:GLN:H	1:B:35:GLN:NE2	2.05	0.55
1:A:1:LYS:O	1:A:2:LYS:CB	2.36	0.55
1:F:106:ASN:OD1	1:F:108:SER:OG	2.26	0.54
1:D:78:LEU:HB2	1:D:90:ILE:HG22	1.88	0.54
1:E:58:ALA:HA	1:E:74:GLU:O	2.07	0.54
1:E:66:TYR:HE1	1:E:68:SER:OG	1.90	0.54
1:B:84:ASN:O	1:B:85:HIS:HB2	2.08	0.54
1:F:79:GLU:O	1:F:80:ARG:CD	2.55	0.54
1:F:129:VAL:HG22	1:F:130:SER:N	2.18	0.53
1:D:110:LYS:HD3	1:D:115:THR:HG22	1.90	0.53
1:C:82:GLU:HG2	1:C:123:LEU:CD2	2.39	0.53
1:A:80:ARG:NH1	1:A:90:ILE:HD11	2.24	0.53
1:A:10:ASN:HB2	1:A:121:ALA:HA	1.91	0.52
1:D:81:LEU:CD2	1:D:85:HIS:HA	2.39	0.52
1:D:47:TYR:CZ	1:D:76:LEU:HD13	2.45	0.52
1:E:72:ASN:HD21	1:E:74:GLU:HB2	1.74	0.52
1:F:41:GLU:HG2	1:F:47:TYR:CE2	2.45	0.52
1:F:41:GLU:HG3	1:F:76:LEU:HD11	1.91	0.52
1:E:20:ASP:N	1:E:20:ASP:OD1	2.39	0.52
1:C:65:LEU:HD12	1:C:109:CYS:HB2	1.90	0.52
1:A:73:GLU:HG3	1:A:93:LYS:HD3	1.91	0.52
1:C:78:LEU:HB2	1:C:90:ILE:HG22	1.92	0.52
1:E:47:TYR:CE1	1:E:76:LEU:HD13	2.44	0.51
1:F:72:ASN:HD22	1:F:74:GLU:H	1.59	0.51
1:F:56:TYR:CE1	1:F:71:PRO:HD3	2.45	0.51
1:A:84:ASN:O	1:A:85:HIS:CB	2.53	0.51
1:C:82:GLU:HG3	1:C:84:ASN:HD22	1.75	0.51
1:A:112:GLY:N	1:A:113:PRO:HD2	2.26	0.50
1:D:72:ASN:ND2	1:D:74:GLU:H	2.08	0.50
1:D:65:LEU:HD12	1:D:109:CYS:HB2	1.94	0.50
1:D:82:GLU:HG3	1:D:88:THR:HG23	1.93	0.50
1:C:72:ASN:HD22	1:C:74:GLU:H	1.58	0.50
1:F:64:LEU:CD2	1:F:111:ARG:HG2	2.42	0.50
1:E:4:LYS:HD2	1:E:38:LEU:HD12	1.93	0.49
1:E:92:LYS:O	1:E:93:LYS:C	2.54	0.49
1:E:94:HIS:O	1:E:95:ALA:C	2.55	0.49
1:D:72:ASN:HD21	1:D:74:GLU:HB2	1.77	0.49
1:A:72:ASN:HD22	1:A:72:ASN:C	2.21	0.49
1:C:102:GLY:HA2	1:C:121:ALA:O	2.12	0.49
1:B:35:GLN:H	1:B:35:GLN:HE21	1.61	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:LYS:HE3	2:B:131:DBX:C4	2.43	0.49
1:A:49:LYS:HE3	1:A:50:SER:O	2.12	0.49
1:C:72:ASN:HD22	1:C:72:ASN:C	2.21	0.48
1:C:8:CYS:HB2	1:C:124:PHE:CE2	2.49	0.48
1:E:47:TYR:CZ	1:E:76:LEU:HD13	2.49	0.48
1:F:93:LYS:HD3	3:F:138:HOH:O	2.12	0.48
1:A:80:ARG:HH11	1:A:90:ILE:HD11	1.79	0.47
1:B:121:ALA:HB2	2:B:131:DBX:C6	2.45	0.47
1:E:10:ASN:HB2	1:E:120:LYS:C	2.40	0.47
1:E:66:TYR:C	1:E:66:TYR:CD1	2.93	0.47
1:A:90:ILE:HG22	1:A:91:SER:O	2.15	0.47
1:C:90:ILE:CD1	1:C:98:ASN:HD22	2.28	0.47
1:A:80:ARG:HH11	1:A:90:ILE:CD1	2.28	0.47
1:B:10:ASN:HD21	2:B:131:DBX:C6	2.27	0.47
1:C:1:LYS:HD2	1:C:1:LYS:H3	1.79	0.47
1:D:68:SER:OG	1:D:70:THR:O	2.33	0.46
1:A:111:ARG:C	1:A:113:PRO:HD2	2.40	0.46
1:A:29:ARG:NH2	1:B:55:GLN:OE1	2.49	0.46
1:E:97:LYS:NZ	1:E:97:LYS:CB	2.76	0.46
1:A:72:ASN:ND2	1:A:75:CYS:SG	2.89	0.46
1:F:68:SER:OG	1:F:70:THR:O	2.29	0.46
1:C:93:LYS:HG2	1:C:94:HIS:CE1	2.51	0.46
1:E:111:ARG:HB3	1:E:113:PRO:HD2	1.98	0.46
1:A:110:LYS:HZ1	2:A:131:DBX:C4	2.28	0.45
1:A:111:ARG:HB2	1:A:111:ARG:HH11	1.81	0.45
1:E:116:HIS:O	1:E:119:GLN:HB2	2.17	0.45
1:E:114:ARG:O	1:E:119:GLN:NE2	2.45	0.45
1:A:112:GLY:N	1:A:113:PRO:CD	2.80	0.45
1:F:41:GLU:O	1:F:42:SER:CB	2.65	0.45
1:F:129:VAL:CG2	1:F:130:SER:H	2.22	0.45
1:A:27:ARG:HH11	1:A:27:ARG:HD2	1.55	0.45
1:E:72:ASN:ND2	1:E:74:GLU:N	2.55	0.45
1:E:3:PRO:HD2	1:E:130:SER:HB2	1.97	0.45
1:F:1:LYS:N	3:F:149:HOH:O	2.49	0.45
1:F:10:ASN:HA	1:F:120:LYS:HE2	1.99	0.45
1:B:102:GLY:HA2	1:B:121:ALA:O	2.17	0.45
1:D:4:LYS:HE3	3:D:150:HOH:O	2.16	0.44
1:D:82:GLU:O	1:D:84:ASN:N	2.50	0.44
1:F:72:ASN:ND2	1:F:74:GLU:HB2	2.32	0.44
1:B:10:ASN:HB2	1:B:121:ALA:HA	2.00	0.44
1:C:10:ASN:HA	1:C:120:LYS:HG2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:72:ASN:HD21	1:F:74:GLU:HB2	1.82	0.44
1:D:10:ASN:HA	1:D:120:LYS:HG2	2.00	0.44
1:B:41:GLU:HG3	1:B:47:TYR:CE2	2.53	0.43
1:B:7:TYR:CZ	1:B:12:GLY:HA2	2.53	0.43
1:A:29:ARG:NH2	1:B:55:GLN:CD	2.76	0.43
1:E:1:LYS:HB3	1:E:37:GLN:OE1	2.19	0.43
1:B:41:GLU:HG3	1:B:47:TYR:HE2	1.84	0.43
1:F:41:GLU:HG3	1:F:47:TYR:CE2	2.52	0.43
1:F:64:LEU:HD23	1:F:111:ARG:HG2	1.99	0.43
1:F:1:LYS:HD2	3:F:149:HOH:O	2.19	0.43
1:B:110:LYS:HE3	2:B:131:DBX:H4	1.99	0.43
1:E:45:GLU:HA	1:E:77:PHE:O	2.19	0.43
3:A:149:HOH:O	1:C:60:ASP:HB2	2.18	0.43
1:B:27:ARG:HH11	1:B:27:ARG:HG3	1.84	0.43
1:B:110:LYS:NZ	1:B:119:GLN:CD	2.77	0.43
1:C:82:GLU:O	1:C:84:ASN:N	2.27	0.42
1:A:119:GLN:HA	2:A:131:DBX:O2	2.19	0.42
1:B:60:ASP:C	1:B:60:ASP:OD1	2.62	0.42
1:C:81:LEU:CD2	1:C:85:HIS:HA	2.49	0.42
1:F:47:TYR:CE1	1:F:76:LEU:HD13	2.55	0.42
1:F:102:GLY:HA2	1:F:121:ALA:O	2.19	0.42
1:E:1:LYS:HE3	1:E:37:GLN:OE1	2.19	0.42
1:F:41:GLU:O	1:F:42:SER:OG	2.30	0.42
1:D:111:ARG:O	1:D:112:GLY:C	2.63	0.42
1:A:60:ASP:C	1:A:60:ASP:OD1	2.63	0.41
1:F:5:LEU:HD22	1:F:34:ILE:HG13	2.01	0.41
1:F:2:LYS:NZ	1:F:130:SER:OXT	2.54	0.41
1:A:103:LEU:HD23	1:A:109:CYS:HA	2.02	0.41
1:A:69:GLN:HA	1:A:69:GLN:OE1	2.19	0.41
1:E:81:LEU:HD22	1:E:85:HIS:HA	2.03	0.41
1:F:70:THR:HG23	1:F:71:PRO:HD2	2.03	0.41
1:D:87:ASN:HD22	1:D:126:PRO:HG3	1.86	0.41
1:E:86:TYR:CE1	1:E:125:LEU:HD22	2.56	0.41
1:A:111:ARG:HH11	1:A:111:ARG:CB	2.34	0.40
1:E:119:GLN:O	1:E:122:ILE:HG12	2.21	0.40
1:B:13:HIS:HB3	1:B:25:GLY:HA3	2.04	0.40
1:E:59:MET:HE1	1:E:100:PHE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/130 (98%)	115 (90%)	11 (9%)	2 (2%)	7	2
1	B	128/130 (98%)	125 (98%)	3 (2%)	0	100	100
1	C	128/130 (98%)	118 (92%)	8 (6%)	2 (2%)	7	2
1	D	128/130 (98%)	119 (93%)	7 (6%)	2 (2%)	7	2
1	E	128/130 (98%)	114 (89%)	11 (9%)	3 (2%)	5	1
1	F	128/130 (98%)	122 (95%)	3 (2%)	3 (2%)	5	1
All	All	768/780 (98%)	713 (93%)	43 (6%)	12 (2%)	7	2

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	C	83	GLU
1	D	41	GLU
1	E	41	GLU
1	F	42	SER
1	C	41	GLU
1	A	93	LYS
1	D	2	LYS
1	F	10	ASN
1	F	104	LYS
1	E	71	PRO
1	E	61	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	114/114 (100%)	103 (90%)	11 (10%)	8	2
1	B	114/114 (100%)	103 (90%)	11 (10%)	8	2
1	C	114/114 (100%)	107 (94%)	7 (6%)	17	7
1	D	114/114 (100%)	102 (90%)	12 (10%)	6	1
1	E	114/114 (100%)	100 (88%)	14 (12%)	4	1
1	F	114/114 (100%)	104 (91%)	10 (9%)	9	2
All	All	684/684 (100%)	619 (90%)	65 (10%)	8	2

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	A	22	THR
1	A	35	GLN
1	A	41	GLU
1	A	45	GLU
1	A	72	ASN
1	A	80	ARG
1	A	81	LEU
1	A	82	GLU
1	A	83	GLU
1	A	127	LEU
1	B	1	LYS
1	B	27	ARG
1	B	29	ARG
1	B	35	GLN
1	B	41	GLU
1	B	72	ASN
1	B	73	GLU
1	B	76	LEU
1	B	81	LEU
1	B	127	LEU
1	B	129	VAL
1	C	1	LYS
1	C	35	GLN
1	C	72	ASN
1	C	81	LEU
1	C	82	GLU
1	C	127	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	129	VAL
1	D	1	LYS
1	D	2	LYS
1	D	29	ARG
1	D	35	GLN
1	D	41	GLU
1	D	72	ASN
1	D	76	LEU
1	D	81	LEU
1	D	98	ASN
1	D	120	LYS
1	D	127	LEU
1	D	129	VAL
1	E	1	LYS
1	E	2	LYS
1	E	37	GLN
1	E	68	SER
1	E	76	LEU
1	E	81	LEU
1	E	90	ILE
1	E	96	GLU
1	E	97	LYS
1	E	108	SER
1	E	109	CYS
1	E	120	LYS
1	E	125	LEU
1	E	127	LEU
1	F	2	LYS
1	F	72	ASN
1	F	76	LEU
1	F	81	LEU
1	F	82	GLU
1	F	96	GLU
1	F	109	CYS
1	F	110	LYS
1	F	120	LYS
1	F	127	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	35	GLN
1	A	72	ASN
1	A	87	ASN
1	B	32	GLN
1	B	35	GLN
1	B	72	ASN
1	B	98	ASN
1	B	116	HIS
1	C	13	HIS
1	C	35	GLN
1	C	72	ASN
1	C	84	ASN
1	C	98	ASN
1	D	72	ASN
1	D	84	ASN
1	D	85	HIS
1	D	98	ASN
1	E	72	ASN
1	E	85	HIS
1	E	98	ASN
1	F	32	GLN
1	F	37	GLN
1	F	69	GLN
1	F	72	ASN
1	F	85	HIS
1	F	98	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	DBX	A	131	-	12,12,12	2.90	2 (16%)	17,18,18	1.80	1 (5%)
2	DBX	B	131	-	12,12,12	2.58	2 (16%)	17,18,18	1.96	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DBX	A	131	-	-	6/6/6/6	0/1/1/1
2	DBX	B	131	-	-	5/6/6/6	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	131	DBX	C1-S1	-7.55	1.58	1.77
2	B	131	DBX	C1-S1	-7.31	1.58	1.77
2	A	131	DBX	C2-C1	-6.04	1.34	1.40
2	B	131	DBX	C2-C1	-4.72	1.36	1.40

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	131	DBX	O2-S1-C1	6.28	118.31	106.12
2	B	131	DBX	C2-C1-S1	-6.15	115.38	120.62
2	B	131	DBX	O1-S1-C1	2.78	112.94	106.52
2	B	131	DBX	C6-C2-C1	2.43	120.61	118.72

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	131	DBX	C2-C1-S1-O2
2	A	131	DBX	C3-C1-S1-O2
2	A	131	DBX	C3-C1-S1-O3
2	B	131	DBX	C2-C1-S1-O2
2	B	131	DBX	C3-C1-S1-O1
2	B	131	DBX	C3-C1-S1-O2
2	B	131	DBX	C2-C1-S1-O1
2	A	131	DBX	C3-C1-S1-O1
2	A	131	DBX	C2-C1-S1-O1
2	B	131	DBX	C2-C1-S1-O3
2	A	131	DBX	C2-C1-S1-O3

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	131	DBX	9	0
2	B	131	DBX	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	130/130 (100%)	0.68	12 (9%) 14 20	16, 33, 58, 67	0
1	B	130/130 (100%)	0.13	2 (1%) 72 80	15, 28, 45, 56	0
1	C	130/130 (100%)	0.41	9 (6%) 23 30	18, 31, 51, 61	0
1	D	130/130 (100%)	0.27	8 (6%) 26 35	19, 30, 50, 66	0
1	E	130/130 (100%)	1.36	32 (24%) 2 2	27, 47, 66, 72	0
1	F	130/130 (100%)	0.62	10 (7%) 19 26	22, 37, 52, 64	0
All	All	780/780 (100%)	0.58	73 (9%) 14 19	15, 34, 60, 72	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	LYS	7.0
1	F	130	SER	5.4
1	E	130	SER	4.8
1	E	64	LEU	4.5
1	E	116	HIS	4.4
1	E	118	GLY	4.2
1	F	129	VAL	4.1
1	E	44	GLY	3.7
1	E	115	THR	3.6
1	F	116	HIS	3.6
1	E	60	ASP	3.6
1	E	40	ALA	3.5
1	C	20	ASP	3.4
1	E	95	ALA	3.4
1	E	91	SER	3.3
1	A	43	VAL	3.3
1	B	130	SER	3.2
1	E	129	VAL	3.2
1	A	84	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	130	SER	3.1
1	D	130	SER	3.1
1	E	67	GLY	3.1
1	E	43	VAL	3.0
1	C	85	HIS	3.0
1	E	61	THR	3.0
1	C	2	LYS	3.0
1	E	112	GLY	2.9
1	C	130	SER	2.8
1	E	56	TYR	2.8
1	E	117	TYR	2.7
1	C	116	HIS	2.7
1	E	75	CYS	2.7
1	A	82	GLU	2.7
1	A	116	HIS	2.7
1	E	66	TYR	2.6
1	E	99	TRP	2.6
1	E	42	SER	2.6
1	D	129	VAL	2.6
1	E	58	ALA	2.6
1	F	9	SER	2.6
1	E	22	THR	2.6
1	E	113	PRO	2.5
1	F	117	TYR	2.5
1	C	129	VAL	2.5
1	D	85	HIS	2.5
1	C	118	GLY	2.5
1	A	73	GLU	2.4
1	E	109	CYS	2.4
1	E	71	PRO	2.4
1	F	11	GLY	2.4
1	F	41	GLU	2.3
1	F	109	CYS	2.3
1	C	9	SER	2.3
1	E	39	SER	2.3
1	E	92	LYS	2.3
1	A	44	GLY	2.2
1	E	47	TYR	2.2
1	C	1	LYS	2.2
1	D	1	LYS	2.2
1	A	91	SER	2.2
1	D	3	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2	LYS	2.2
1	B	43	VAL	2.2
1	A	61	THR	2.2
1	D	2	LYS	2.2
1	F	10	ASN	2.1
1	A	80	ARG	2.1
1	E	73	GLU	2.1
1	D	43	VAL	2.1
1	F	43	VAL	2.1
1	E	70	THR	2.1
1	E	59	MET	2.1
1	D	83	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	DBX	B	131	12/12	0.76	0.20	89,91,93,93	0
2	DBX	A	131	12/12	0.78	0.20	67,70,71,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.