



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:55 AM UTC

PDB ID : 9K1U / pdb_00009k1u
Title : crystal structure of Rtk5 and Ppka complex
Authors : Xu, M.; Ran, T.; Wang, W.
Deposited on : 2024-10-16
Resolution : 1.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	227	6% 80% 18%
1	C	227	6% 71% 9% 19%
2	B	89	8% 76% 8% 15%
2	D	89	8% 70% 17% 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type VI secretion system-associated protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	184	Total	C	N	O	S	0	0	0
			1389	880	246	260	3			
1	A	187	Total	C	N	O	S	0	0	0
			1414	895	250	266	3			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-12	ALA	-	expression tag	UNP A0A2V4GN18
C	-11	PHE	-	expression tag	UNP A0A2V4GN18
C	-10	ALA	-	expression tag	UNP A0A2V4GN18
C	-9	LYS	-	expression tag	UNP A0A2V4GN18
C	-8	ILE	-	expression tag	UNP A0A2V4GN18
C	-7	GLU	-	expression tag	UNP A0A2V4GN18
C	-6	GLU	-	expression tag	UNP A0A2V4GN18
C	-5	GLY	-	expression tag	UNP A0A2V4GN18
C	-4	LYS	-	expression tag	UNP A0A2V4GN18
C	-3	LEU	-	expression tag	UNP A0A2V4GN18
C	-2	VAL	-	expression tag	UNP A0A2V4GN18
C	-1	ILE	-	expression tag	UNP A0A2V4GN18
C	0	HIS	-	expression tag	UNP A0A2V4GN18
C	1	MET	ILE	conflict	UNP A0A2V4GN18
C	14	SER	THR	conflict	UNP A0A2V4GN18
C	40	SER	ALA	conflict	UNP A0A2V4GN18
C	87	VAL	ILE	conflict	UNP A0A2V4GN18
C	105	ILE	VAL	conflict	UNP A0A2V4GN18
C	120	THR	SER	conflict	UNP A0A2V4GN18
C	124	GLN	LYS	conflict	UNP A0A2V4GN18
C	147	THR	ASN	conflict	UNP A0A2V4GN18
C	153	VAL	LEU	conflict	UNP A0A2V4GN18
C	199	LEU	-	expression tag	UNP A0A2V4GN18
C	200	GLU	-	expression tag	UNP A0A2V4GN18
C	201	GLY	-	expression tag	UNP A0A2V4GN18

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	202	SER	-	expression tag	UNP A0A2V4GN18
C	203	GLU	-	expression tag	UNP A0A2V4GN18
C	204	PHE	-	expression tag	UNP A0A2V4GN18
C	205	LYS	-	expression tag	UNP A0A2V4GN18
C	206	LEU	-	expression tag	UNP A0A2V4GN18
C	207	VAL	-	expression tag	UNP A0A2V4GN18
C	208	ASP	-	expression tag	UNP A0A2V4GN18
C	209	HIS	-	expression tag	UNP A0A2V4GN18
C	210	HIS	-	expression tag	UNP A0A2V4GN18
C	211	HIS	-	expression tag	UNP A0A2V4GN18
C	212	HIS	-	expression tag	UNP A0A2V4GN18
C	213	HIS	-	expression tag	UNP A0A2V4GN18
C	214	HIS	-	expression tag	UNP A0A2V4GN18
A	-12	ALA	-	expression tag	UNP A0A2V4GN18
A	-11	PHE	-	expression tag	UNP A0A2V4GN18
A	-10	ALA	-	expression tag	UNP A0A2V4GN18
A	-9	LYS	-	expression tag	UNP A0A2V4GN18
A	-8	ILE	-	expression tag	UNP A0A2V4GN18
A	-7	GLU	-	expression tag	UNP A0A2V4GN18
A	-6	GLU	-	expression tag	UNP A0A2V4GN18
A	-5	GLY	-	expression tag	UNP A0A2V4GN18
A	-4	LYS	-	expression tag	UNP A0A2V4GN18
A	-3	LEU	-	expression tag	UNP A0A2V4GN18
A	-2	VAL	-	expression tag	UNP A0A2V4GN18
A	-1	ILE	-	expression tag	UNP A0A2V4GN18
A	0	HIS	-	expression tag	UNP A0A2V4GN18
A	1	MET	ILE	conflict	UNP A0A2V4GN18
A	14	SER	THR	conflict	UNP A0A2V4GN18
A	40	SER	ALA	conflict	UNP A0A2V4GN18
A	87	VAL	ILE	conflict	UNP A0A2V4GN18
A	105	ILE	VAL	conflict	UNP A0A2V4GN18
A	120	THR	SER	conflict	UNP A0A2V4GN18
A	124	GLN	LYS	conflict	UNP A0A2V4GN18
A	147	THR	ASN	conflict	UNP A0A2V4GN18
A	153	VAL	LEU	conflict	UNP A0A2V4GN18
A	199	LEU	-	expression tag	UNP A0A2V4GN18
A	200	GLU	-	expression tag	UNP A0A2V4GN18
A	201	GLY	-	expression tag	UNP A0A2V4GN18
A	202	SER	-	expression tag	UNP A0A2V4GN18
A	203	GLU	-	expression tag	UNP A0A2V4GN18
A	204	PHE	-	expression tag	UNP A0A2V4GN18
A	205	LYS	-	expression tag	UNP A0A2V4GN18

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	206	LEU	-	expression tag	UNP A0A2V4GN18
A	207	VAL	-	expression tag	UNP A0A2V4GN18
A	208	ASP	-	expression tag	UNP A0A2V4GN18
A	209	HIS	-	expression tag	UNP A0A2V4GN18
A	210	HIS	-	expression tag	UNP A0A2V4GN18
A	211	HIS	-	expression tag	UNP A0A2V4GN18
A	212	HIS	-	expression tag	UNP A0A2V4GN18
A	213	HIS	-	expression tag	UNP A0A2V4GN18
A	214	HIS	-	expression tag	UNP A0A2V4GN18

- Molecule 2 is a protein called Serine/threonine protein kinase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	D	77	Total	C	N	O	0	0	0
			592	370	109	113			
2	B	76	Total	C	N	O	0	0	0
			579	362	106	111			

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	72	ALA	PRO	conflict	UNP A0AAP8TYK6
D	119	LEU	-	expression tag	UNP A0AAP8TYK6
D	120	GLU	-	expression tag	UNP A0AAP8TYK6
D	121	GLY	-	expression tag	UNP A0AAP8TYK6
D	122	SER	-	expression tag	UNP A0AAP8TYK6
D	123	GLU	-	expression tag	UNP A0AAP8TYK6
D	124	PHE	-	expression tag	UNP A0AAP8TYK6
D	125	LYS	-	expression tag	UNP A0AAP8TYK6
D	126	LEU	-	expression tag	UNP A0AAP8TYK6
D	127	VAL	-	expression tag	UNP A0AAP8TYK6
D	128	ASP	-	expression tag	UNP A0AAP8TYK6
D	129	HIS	-	expression tag	UNP A0AAP8TYK6
D	130	HIS	-	expression tag	UNP A0AAP8TYK6
D	131	HIS	-	expression tag	UNP A0AAP8TYK6
D	132	HIS	-	expression tag	UNP A0AAP8TYK6
D	133	HIS	-	expression tag	UNP A0AAP8TYK6
D	134	HIS	-	expression tag	UNP A0AAP8TYK6
B	72	ALA	PRO	conflict	UNP A0AAP8TYK6
B	119	LEU	-	expression tag	UNP A0AAP8TYK6
B	120	GLU	-	expression tag	UNP A0AAP8TYK6
B	121	GLY	-	expression tag	UNP A0AAP8TYK6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	122	SER	-	expression tag	UNP A0AAP8TYK6
B	123	GLU	-	expression tag	UNP A0AAP8TYK6
B	124	PHE	-	expression tag	UNP A0AAP8TYK6
B	125	LYS	-	expression tag	UNP A0AAP8TYK6
B	126	LEU	-	expression tag	UNP A0AAP8TYK6
B	127	VAL	-	expression tag	UNP A0AAP8TYK6
B	128	ASP	-	expression tag	UNP A0AAP8TYK6
B	129	HIS	-	expression tag	UNP A0AAP8TYK6
B	130	HIS	-	expression tag	UNP A0AAP8TYK6
B	131	HIS	-	expression tag	UNP A0AAP8TYK6
B	132	HIS	-	expression tag	UNP A0AAP8TYK6
B	133	HIS	-	expression tag	UNP A0AAP8TYK6
B	134	HIS	-	expression tag	UNP A0AAP8TYK6


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	48	Total O 48 48	0	0
3	D	23	Total O 23 23	0	0
3	A	42	Total O 42 42	0	0
3	B	24	Total O 24 24	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Type VI secretion system-associated protein




- Molecule 1: Type VI secretion system-associated protein



- Molecule 2: Serine/threonine protein kinase



- Molecule 2: Serine/threonine protein kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	38.55Å 107.46Å 54.32Å 90.00° 107.91° 90.00°	Depositor
Resolution (Å)	37.25 – 1.79 37.25 – 1.79	Depositor EDS
% Data completeness (in resolution range)	97.9 (37.25-1.79) 91.8 (37.25-1.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.76 (at 1.79Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
R, R_{free}	0.199 , 0.243 0.215 , 0.233	Depositor DCC
R_{free} test set	1977 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	33.0	Xtriage
Anisotropy	0.275	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.041 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4111	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	0/1450	1.18	1/1979 (0.1%)
1	C	0.86	1/1424 (0.1%)	1.24	0/1942
2	B	0.81	0/590	1.20	0/802
2	D	0.83	0/603	1.15	0/819
All	All	0.84	1/4067 (0.0%)	1.20	1/5542 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	63	VAL	C-N	-5.21	1.26	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	113	PRO	CB-CA-C	6.50	119.50	110.98

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	50	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1414	0	1376	2	0
1	C	1389	0	1352	14	0
2	B	579	0	568	4	0
2	D	592	0	586	12	0
3	A	42	0	0	0	0
3	B	24	0	0	0	0
3	C	48	0	0	0	0
3	D	23	0	0	0	0
All	All	4111	0	3882	32	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (32) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:90:GLU:HG2	2:D:99:ARG:HG2	1.64	0.79
1:C:63:VAL:CG2	1:C:74:PRO:HG2	2.23	0.69
2:D:105:ASP:OD1	2:D:106:THR:N	2.28	0.67
2:B:72:ALA:HB1	2:B:76:GLY:HA2	1.79	0.63
1:C:63:VAL:HG11	1:C:76:LEU:HD12	1.85	0.58
2:B:47:PRO:O	2:B:84:PRO:HD3	2.03	0.58
2:D:46:GLN:HB3	2:D:47:PRO:HD3	1.88	0.55
1:C:118:LEU:HD22	1:C:133:GLU:OE2	2.09	0.52
1:C:41:LEU:HD13	1:C:65:LEU:HD21	1.91	0.51
1:C:65:LEU:HD13	1:C:125:LEU:HA	1.93	0.51
2:D:55:LEU:HD13	2:D:61:VAL:CG2	2.42	0.49
1:C:63:VAL:HG22	1:C:74:PRO:HG2	1.93	0.49
2:D:53:PHE:CE1	2:D:61:VAL:HG21	2.47	0.48
1:C:170:LEU:O	1:C:195:GLY:N	2.47	0.48
2:B:97:LEU:HG	2:B:99:ARG:HG2	1.96	0.47
1:C:138:MET:HE2	1:C:142:ASP:HB3	1.98	0.46
1:C:35:GLU:O	1:C:36:ALA:C	2.58	0.46
2:D:50:LEU:HD12	2:D:50:LEU:HA	1.83	0.46
2:D:46:GLN:HG2	2:D:83:ALA:HB2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:105:ASP:OD1	2:D:106:THR:HG22	2.19	0.43
1:C:37:ASN:HB2	1:C:67:GLN:NE2	2.34	0.43
2:D:53:PHE:HE1	2:D:61:VAL:HG21	1.84	0.43
2:D:120:GLU:H	2:D:120:GLU:CD	2.26	0.43
1:C:157:GLN:HE21	1:C:161:GLN:CD	2.27	0.42
2:B:119:LEU:HD23	2:B:119:LEU:HA	1.80	0.42
1:C:79:LEU:HD22	1:C:106:LEU:HD11	2.02	0.42
1:C:63:VAL:HG22	1:C:74:PRO:O	2.20	0.42
2:D:59:GLU:HG2	2:D:93:HIS:HB2	2.03	0.41
1:A:142:ASP:HB3	1:A:148:LYS:HD2	2.01	0.41
1:A:8:THR:O	1:A:8:THR:HG22	2.20	0.41
1:C:41:LEU:HD13	1:C:65:LEU:CD2	2.51	0.40
2:D:62:SER:OG	2:D:90:GLU:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	185/227 (82%)	184 (100%)	1 (0%)	0	100	100
1	C	182/227 (80%)	180 (99%)	2 (1%)	0	100	100
2	B	74/89 (83%)	71 (96%)	3 (4%)	0	100	100
2	D	75/89 (84%)	73 (97%)	2 (3%)	0	100	100
All	All	516/632 (82%)	508 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	145/176 (82%)	144 (99%)	1 (1%)	76	73
1	C	141/176 (80%)	139 (99%)	2 (1%)	59	52
2	B	60/74 (81%)	58 (97%)	2 (3%)	33	21
2	D	62/74 (84%)	62 (100%)	0	100	100
All	All	408/500 (82%)	403 (99%)	5 (1%)	63	57

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	58	GLN
1	C	173	LYS
1	A	70	GLN
2	B	48	VAL
2	B	99	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	27	HIS
1	C	194	ASN
2	D	75	ASN
2	D	81	ASN
1	A	58	GLN
2	B	93	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	187/227 (82%)	0.85	13 (6%) 22 21	27, 42, 62, 76	0
1	C	184/227 (81%)	0.92	13 (7%) 22 20	29, 40, 60, 82	0
2	B	76/89 (85%)	0.83	7 (9%) 14 12	30, 40, 63, 73	0
2	D	77/89 (86%)	0.95	7 (9%) 15 13	33, 44, 63, 72	0
All	All	524/632 (82%)	0.88	40 (7%) 20 18	27, 41, 62, 82	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	167	PRO	5.7
1	C	47	ASP	4.3
1	A	166	ALA	3.8
2	B	75	ASN	3.6
1	A	169	PRO	3.3
2	D	61	VAL	3.3
2	D	106	THR	3.2
1	C	196	ALA	3.2
1	A	193	VAL	3.1
1	C	164	LEU	3.1
1	A	26	CYS	3.1
2	B	121	GLY	3.0
1	A	47	ASP	2.8
1	A	194	ASN	2.7
1	A	149	ILE	2.7
2	D	122	SER	2.6
2	D	50	LEU	2.6
1	A	168	ALA	2.6
1	C	34	ASP	2.6
1	C	166	ALA	2.6
2	B	77	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	73	GLY	2.5
1	C	165	SER	2.5
1	A	68	GLY	2.4
2	D	75	ASN	2.4
2	B	122	SER	2.4
1	C	63	VAL	2.4
2	B	74	GLU	2.3
1	A	174	LEU	2.3
1	A	51	CYS	2.3
1	C	89	GLY	2.3
1	C	163	LEU	2.2
2	B	70	VAL	2.2
1	A	167	PRO	2.2
1	A	144	ALA	2.2
1	C	147	THR	2.1
2	D	105	ASP	2.1
1	C	188	GLY	2.1
2	B	47	PRO	2.1
1	C	144	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.