



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:15 AM UTC

PDB ID : 3K2W / pdb_00003k2w
Title : CRYSTAL STRUCTURE OF betaine-aldehyde dehydrogenase FROM Pseudoalteromonas atlantica T6c
Authors : Patskovsky, Y.; Toro, R.; Rutter, M.; Sauder, J.M.; Burley, S.K.; Almo, S.C.;
New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2009-09-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	497	8% 83% 12% ..
1	B	497	5% 83% 14% ..
1	C	497	88% 8% ..
1	D	497	% 83% 13% ..
1	E	497	89% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	497	87% 9% . .
1	G	497	% 88% 9% .
1	H	497	5% 89% 9% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 31410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Betaine-aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	475	Total	C	N	O	S	0	7	0
			3659	2311	617	707	24			
1	B	488	Total	C	N	O	S	0	2	0
			3720	2346	622	728	24			
1	C	484	Total	C	N	O	S	0	5	0
			3708	2341	622	721	24			
1	D	483	Total	C	N	O	S	0	8	0
			3712	2346	622	719	25			
1	E	486	Total	C	N	O	S	0	5	0
			3718	2347	620	726	25			
1	F	483	Total	C	N	O	S	0	9	0
			3720	2354	618	723	25			
1	G	484	Total	C	N	O	S	0	6	0
			3708	2343	619	722	24			
1	H	486	Total	C	N	O	S	0	5	0
			3719	2347	624	723	25			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP Q15SR9
A	0	SER	-	expression tag	UNP Q15SR9
A	1	LEU	-	expression tag	UNP Q15SR9
A	488	GLU	-	expression tag	UNP Q15SR9
A	489	GLY	-	expression tag	UNP Q15SR9
A	490	HIS	-	expression tag	UNP Q15SR9
A	491	HIS	-	expression tag	UNP Q15SR9
A	492	HIS	-	expression tag	UNP Q15SR9
A	493	HIS	-	expression tag	UNP Q15SR9
A	494	HIS	-	expression tag	UNP Q15SR9
A	495	HIS	-	expression tag	UNP Q15SR9
B	-1	MET	-	expression tag	UNP Q15SR9
B	0	SER	-	expression tag	UNP Q15SR9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	1	LEU	-	expression tag	UNP Q15SR9
B	488	GLU	-	expression tag	UNP Q15SR9
B	489	GLY	-	expression tag	UNP Q15SR9
B	490	HIS	-	expression tag	UNP Q15SR9
B	491	HIS	-	expression tag	UNP Q15SR9
B	492	HIS	-	expression tag	UNP Q15SR9
B	493	HIS	-	expression tag	UNP Q15SR9
B	494	HIS	-	expression tag	UNP Q15SR9
B	495	HIS	-	expression tag	UNP Q15SR9
C	-1	MET	-	expression tag	UNP Q15SR9
C	0	SER	-	expression tag	UNP Q15SR9
C	1	LEU	-	expression tag	UNP Q15SR9
C	488	GLU	-	expression tag	UNP Q15SR9
C	489	GLY	-	expression tag	UNP Q15SR9
C	490	HIS	-	expression tag	UNP Q15SR9
C	491	HIS	-	expression tag	UNP Q15SR9
C	492	HIS	-	expression tag	UNP Q15SR9
C	493	HIS	-	expression tag	UNP Q15SR9
C	494	HIS	-	expression tag	UNP Q15SR9
C	495	HIS	-	expression tag	UNP Q15SR9
D	-1	MET	-	expression tag	UNP Q15SR9
D	0	SER	-	expression tag	UNP Q15SR9
D	1	LEU	-	expression tag	UNP Q15SR9
D	488	GLU	-	expression tag	UNP Q15SR9
D	489	GLY	-	expression tag	UNP Q15SR9
D	490	HIS	-	expression tag	UNP Q15SR9
D	491	HIS	-	expression tag	UNP Q15SR9
D	492	HIS	-	expression tag	UNP Q15SR9
D	493	HIS	-	expression tag	UNP Q15SR9
D	494	HIS	-	expression tag	UNP Q15SR9
D	495	HIS	-	expression tag	UNP Q15SR9
E	-1	MET	-	expression tag	UNP Q15SR9
E	0	SER	-	expression tag	UNP Q15SR9
E	1	LEU	-	expression tag	UNP Q15SR9
E	488	GLU	-	expression tag	UNP Q15SR9
E	489	GLY	-	expression tag	UNP Q15SR9
E	490	HIS	-	expression tag	UNP Q15SR9
E	491	HIS	-	expression tag	UNP Q15SR9
E	492	HIS	-	expression tag	UNP Q15SR9
E	493	HIS	-	expression tag	UNP Q15SR9
E	494	HIS	-	expression tag	UNP Q15SR9
E	495	HIS	-	expression tag	UNP Q15SR9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-1	MET	-	expression tag	UNP Q15SR9
F	0	SER	-	expression tag	UNP Q15SR9
F	1	LEU	-	expression tag	UNP Q15SR9
F	488	GLU	-	expression tag	UNP Q15SR9
F	489	GLY	-	expression tag	UNP Q15SR9
F	490	HIS	-	expression tag	UNP Q15SR9
F	491	HIS	-	expression tag	UNP Q15SR9
F	492	HIS	-	expression tag	UNP Q15SR9
F	493	HIS	-	expression tag	UNP Q15SR9
F	494	HIS	-	expression tag	UNP Q15SR9
F	495	HIS	-	expression tag	UNP Q15SR9
G	-1	MET	-	expression tag	UNP Q15SR9
G	0	SER	-	expression tag	UNP Q15SR9
G	1	LEU	-	expression tag	UNP Q15SR9
G	488	GLU	-	expression tag	UNP Q15SR9
G	489	GLY	-	expression tag	UNP Q15SR9
G	490	HIS	-	expression tag	UNP Q15SR9
G	491	HIS	-	expression tag	UNP Q15SR9
G	492	HIS	-	expression tag	UNP Q15SR9
G	493	HIS	-	expression tag	UNP Q15SR9
G	494	HIS	-	expression tag	UNP Q15SR9
G	495	HIS	-	expression tag	UNP Q15SR9
H	-1	MET	-	expression tag	UNP Q15SR9
H	0	SER	-	expression tag	UNP Q15SR9
H	1	LEU	-	expression tag	UNP Q15SR9
H	488	GLU	-	expression tag	UNP Q15SR9
H	489	GLY	-	expression tag	UNP Q15SR9
H	490	HIS	-	expression tag	UNP Q15SR9
H	491	HIS	-	expression tag	UNP Q15SR9
H	492	HIS	-	expression tag	UNP Q15SR9
H	493	HIS	-	expression tag	UNP Q15SR9
H	494	HIS	-	expression tag	UNP Q15SR9
H	495	HIS	-	expression tag	UNP Q15SR9

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	G	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	B	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		
3	E	1	Total	Cl	0	0
			1	1		
3	F	1	Total	Cl	0	0
			1	1		
3	G	1	Total	Cl	0	0
			1	1		
3	H	1	Total	Cl	0	0
			1	1		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	154	Total	O	0	0
			154	154		
5	B	170	Total	O	0	0
			170	170		
5	C	224	Total	O	0	0
			224	224		
5	D	218	Total	O	0	0
			218	218		
5	E	227	Total	O	0	0
			227	227		
5	F	220	Total	O	0	0
			220	220		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	220	Total 220	O 220	0	0
5	H	179	Total 179	O 179	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Betaine-aldehyde dehydrogenase




- Molecule 1: Betaine-aldehyde dehydrogenase





- Molecule 1: Betaine-aldehyde dehydrogenase









• Molecule 1: Betaine-aldehyde dehydrogenase




• Molecule 1: Betaine-aldehyde dehydrogenase




• Molecule 1: Betaine-aldehyde dehydrogenase





• Molecule 1: Betaine-aldehyde dehydrogenase





● Molecule 1: Betaine-aldehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.78Å 163.72Å 142.07Å 90.00° 90.59° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.6 (20.00-1.90) 97.5 (20.00-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.3.0034	Depositor
R, R_{free}	0.210 , 0.274 0.211 , 0.274	Depositor DCC
R_{free} test set	9237 reflections (2.97%)	wwPDB-VP
Wilson B-factor (Å ²)	32.9	Xtriage
Anisotropy	0.250	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	31410	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/3745	1.02	3/5073 (0.1%)
1	B	0.73	0/3793	0.98	2/5143 (0.0%)
1	C	0.71	0/3791	0.99	2/5139 (0.0%)
1	D	0.72	0/3804	0.99	2/5154 (0.0%)
1	E	0.71	2/3800 (0.1%)	0.98	1/5151 (0.0%)
1	F	0.74	1/3814 (0.0%)	0.97	3/5168 (0.1%)
1	G	0.71	1/3793 (0.0%)	0.96	2/5140 (0.0%)
1	H	0.71	0/3802	0.99	1/5151 (0.0%)
All	All	0.72	4/30342 (0.0%)	0.99	16/41119 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	167	ILE	CA-CB	6.21	1.61	1.54
1	E	149	VAL	CA-CB	5.33	1.60	1.54
1	E	96	ALA	C-O	-5.20	1.18	1.24
1	G	149	VAL	C-O	-5.10	1.18	1.24

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	ASP	CA-C-N	6.71	126.84	119.87
1	A	320	ASP	C-N-CA	6.71	126.84	119.87
1	E	187	LEU	N-CA-C	6.26	117.90	111.14
1	B	167	ILE	CB-CA-C	-6.22	104.00	111.97
1	H	211	GLY	N-CA-C	6.12	117.74	111.56
1	F	61	GLN	N-CA-C	5.92	117.81	111.36
1	D	97	GLU	N-CA-C	5.83	117.72	111.36
1	D	44	ALA	N-CA-C	-5.83	105.66	112.89
1	C	20	VAL	CA-C-N	-5.45	115.13	120.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	20	VAL	C-N-CA	-5.45	115.13	120.52
1	G	253	MET	N-CA-C	-5.37	99.66	108.41
1	G	221	CYS	N-CA-C	5.36	118.04	111.82
1	A	61	GLN	N-CA-C	5.20	117.03	111.36
1	B	221	CYS	N-CA-C	5.18	116.92	111.28
1	F	167	ILE	CB-CA-C	-5.09	105.36	111.88
1	F	318	VAL	CB-CA-C	5.00	117.11	110.91

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3659	0	3659	24	0
1	B	3720	0	3693	36	0
1	C	3708	0	3689	26	0
1	D	3712	0	3708	26	0
1	E	3718	0	3697	16	0
1	F	3720	0	3720	21	0
1	G	3708	0	3700	17	0
1	H	3719	0	3700	16	0
2	A	6	0	8	0	0
2	B	18	0	24	3	0
2	C	6	0	8	2	0
2	D	18	0	24	1	0
2	E	12	0	16	0	0
2	F	18	0	24	1	0
2	G	18	0	24	2	0
2	H	6	0	8	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	B	4	0	3	0	0
4	C	8	0	6	0	0
4	D	4	0	3	1	0
4	E	4	0	3	0	0
4	F	4	0	3	0	0
5	A	154	0	0	1	0
5	B	170	0	0	1	0
5	C	224	0	0	2	0
5	D	218	0	0	1	0
5	E	227	0	0	3	0
5	F	220	0	0	1	0
5	G	220	0	0	2	0
5	H	179	0	0	1	0
All	All	31410	0	29720	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:MET:HE2	1:A:266:ASP:HB2	1.41	0.99
1:E:332:CYS:HB3	5:E:1434:HOH:O	1.73	0.87
1:B:163:ALA:O	1:B:167:ILE:HG12	1.77	0.84
1:G:340:ILE:HB	1:G:395:ILE:HD11	1.62	0.80
1:C:95:VAL:O	1:C:99:GLY:HA2	1.84	0.76
1:A:404:MET:HG2	1:A:429[A]:ASN:HB2	1.68	0.76
1:E:336:GLU:HG3	5:E:1434:HOH:O	1.91	0.70
1:B:484:ILE:HG21	2:B:499:GOL:H11	1.74	0.68
1:H:404:MET:HE2	1:H:429:ASN:HB3	1.76	0.68
1:C:404:MET:CE	1:C:429:ASN:HB3	2.25	0.66
1:G:235:THR:HG21	1:G:416:TYR:HE2	1.62	0.65
1:F:163:ALA:O	1:F:167:ILE:HG12	1.96	0.65
1:C:173:THR:HB	1:C:477:LEU:HD13	1.80	0.64
1:B:281:ARG:HG2	1:B:396:LEU:HB2	1.81	0.63
1:D:163:ALA:O	1:D:167[A]:ILE:HG12	2.00	0.61
1:C:404:MET:HE3	1:C:429:ASN:HB3	1.83	0.61
1:B:281:ARG:O	1:B:281:ARG:HD3	2.01	0.61
1:H:235:THR:HA	1:H:256:LEU:HD13	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:331:LYS:HE3	1:D:336:GLU:HB3	1.84	0.60
1:H:331:LYS:HE3	1:H:336:GLU:HB3	1.84	0.60
1:H:404:MET:CE	1:H:429:ASN:HB3	2.33	0.59
1:B:485:ASN:ND2	5:B:878:HOH:O	2.36	0.58
1:C:98:GLN:CD	1:C:98:GLN:C	2.72	0.58
1:B:405:GLU:HG3	1:B:432:GLN:HE22	1.68	0.58
1:C:380:VAL:H	2:C:497:GOL:H12	1.68	0.58
1:D:445:ASN:HB3	4:D:500:ACT:H2	1.85	0.58
1:C:95:VAL:O	1:C:99:GLY:CA	2.50	0.56
1:D:167[A]:ILE:HD11	1:D:179:LEU:HD22	1.87	0.56
1:F:331:LYS:HE3	1:F:336:GLU:HB3	1.88	0.56
1:G:163:ALA:O	1:G:167[A]:ILE:HG12	2.05	0.56
1:B:281:ARG:HH22	1:B:293:GLU:CD	2.14	0.55
1:F:276:ASP:OD2	1:F:423:HIS:NE2	2.33	0.54
1:B:281:ARG:HD3	1:B:281:ARG:C	2.33	0.54
1:G:93:MET:SD	1:G:191:GLU:HG3	2.47	0.53
1:A:328:MET:HE1	1:A:394:PRO:HB3	1.91	0.53
1:F:99:GLY:O	1:F:330:PRO:HD2	2.08	0.53
1:C:30:ILE:HD11	1:C:42:ILE:HG12	1.91	0.53
1:H:485:ASN:ND2	5:H:1732:HOH:O	2.41	0.53
1:B:30:ILE:HD11	1:B:42:ILE:HG12	1.91	0.53
1:G:132:PRO:HD3	2:G:497:GOL:H11	1.91	0.53
1:B:235:THR:HA	1:B:256:LEU:HD13	1.91	0.52
1:F:443:TYR:HD1	1:F:446:ARG:HD2	1.73	0.52
1:G:95:VAL:HG13	1:G:321:PRO:HB2	1.90	0.52
1:E:340:ILE:HB	1:E:395:ILE:HD13	1.92	0.52
1:H:163:ALA:O	1:H:167:ILE:HG12	2.10	0.52
1:A:82:LYS:HA	1:A:85:GLU:HG2	1.91	0.52
1:F:337:ILE:HG13	1:F:370:CYS:HB3	1.90	0.52
1:F:217:GLY:HA3	2:F:498:GOL:H12	1.92	0.52
1:H:173:THR:HA	2:H:496:GOL:H2	1.91	0.52
1:H:30:ILE:HD11	1:H:42:ILE:HG12	1.93	0.51
1:B:375:THR:HB	1:B:395:ILE:HG13	1.92	0.51
1:C:144:LYS:HB3	1:C:477:LEU:HG	1.91	0.50
1:C:404:MET:HE2	1:C:429:ASN:HB3	1.92	0.50
1:F:30[B]:ILE:HD11	1:F:42:ILE:HG12	1.94	0.50
1:A:281:ARG:NH2	1:A:293:GLU:HA	2.26	0.50
1:C:98:GLN:CD	1:C:98:GLN:O	2.54	0.50
1:E:127:GLU:O	1:E:144:LYS:HE2	2.11	0.50
1:A:209[B]:ILE:HD11	1:A:220:LEU:HD21	1.93	0.50
1:G:47[A]:LYS:HE3	1:G:51[A]:GLU:HG3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:398:ILE:O	2:C:497:GOL:H11	2.12	0.50
1:E:30:ILE:HD11	1:E:42:ILE:HG12	1.94	0.49
1:G:485:ASN:ND2	5:G:637:HOH:O	2.46	0.49
1:D:167[A]:ILE:HD13	1:D:177:MET:SD	2.52	0.49
1:B:484:ILE:HD12	2:B:499:GOL:H32	1.94	0.48
1:H:440:GLY:HA3	1:H:457:ASN:O	2.14	0.48
1:F:229[A]:ILE:HB	1:F:252:VAL:HG12	1.95	0.48
1:D:27:THR:HB	1:D:41:GLU:HG2	1.95	0.47
1:H:90:LEU:HG	1:H:160:LEU:HD11	1.95	0.47
1:E:485:ASN:ND2	5:E:1707:HOH:O	2.46	0.47
1:A:100:LYS:HB3	1:A:100:LYS:HE3	1.74	0.47
1:A:91:ALA:O	1:A:95:VAL:HG12	2.15	0.47
1:F:235:THR:HA	1:F:256:LEU:HD13	1.96	0.47
1:B:229:ILE:HB	1:B:252:VAL:HG12	1.97	0.47
1:D:8:PHE:CE1	1:D:93:MET:HG2	2.49	0.47
1:A:440:GLY:HA3	1:A:457:ASN:O	2.15	0.47
1:F:233:GLY:O	1:F:256:LEU:HA	2.15	0.46
1:B:144:LYS:HE3	1:B:474:GLU:OE2	2.15	0.46
1:H:375:THR:HB	1:H:395:ILE:HG13	1.97	0.46
1:A:11:LYS:HE2	1:A:27:THR:HG21	1.97	0.46
1:E:82:LYS:HB3	1:E:195:ILE:HG23	1.96	0.46
1:G:42:ILE:HG21	1:G:186:PRO:HG2	1.98	0.46
1:A:281:ARG:HH22	1:A:293:GLU:CD	2.24	0.46
1:F:289:CYS:HB2	5:F:548:HOH:O	2.15	0.46
1:C:253:MET:HG2	5:C:706:HOH:O	2.15	0.46
1:E:361:ALA:HB2	1:E:373:GLU:HG3	1.98	0.46
1:G:485:ASN:ND2	1:G:487:ALA:H	2.14	0.46
1:B:296:TYR:CE2	1:B:410:PHE:HB3	2.51	0.46
1:F:34:SER:O	1:F:369:GLY:HA3	2.16	0.46
1:G:331:LYS:HE3	1:G:336:GLU:HB3	1.98	0.46
1:A:98[A]:GLN:HG3	1:A:156:TRP:O	2.16	0.45
1:B:169:PRO:HB3	1:B:473:LEU:HG	1.98	0.45
1:C:173:THR:HB	1:C:477:LEU:CD1	2.46	0.45
1:C:404:MET:O	1:C:408:ILE:HG12	2.16	0.45
1:D:440:GLY:HA3	1:D:457:ASN:O	2.17	0.45
1:B:93:MET:SD	1:B:191:GLU:HG3	2.56	0.45
1:G:281:ARG:O	1:G:286:GLY:HA2	2.15	0.45
1:B:346:GLU:HB3	1:B:385:ILE:HG21	1.98	0.45
1:H:299:ALA:HA	1:H:400:LYS:HD2	1.99	0.45
1:E:8:PHE:CE1	1:E:93:MET:HG2	2.52	0.45
1:B:281:ARG:NH2	1:B:293:GLU:HA	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:130:ILE:O	2:B:497:GOL:H31	2.17	0.44
1:C:320:ASP:O	1:C:326:SER:OG	2.32	0.44
1:B:108:GLU:HG3	1:B:161:ALA:HB2	1.99	0.44
1:F:167:ILE:HD11	1:F:179:LEU:HD22	1.99	0.44
1:A:345:HIS:HA	1:A:348:ILE:HD12	1.99	0.44
1:D:233:GLY:O	1:D:256:LEU:HA	2.18	0.44
1:F:151:VAL:HB	1:F:229[A]:ILE:HD13	2.00	0.44
1:A:11:LYS:HA	1:A:43:PRO:HD3	1.99	0.44
1:C:440:GLY:HA3	1:C:457:ASN:O	2.18	0.44
1:B:328:MET:HE1	1:B:374:PRO:HB3	1.99	0.43
1:H:259[B]:LYS:NZ	1:H:293:GLU:HB3	2.33	0.43
1:B:340:ILE:O	1:B:344:VAL:HG23	2.18	0.43
1:D:289:CYS:HB2	5:D:1393:HOH:O	2.18	0.43
1:B:331:LYS:HE3	1:B:336:GLU:HB3	2.01	0.43
1:A:460:LYS:NZ	5:A:1630:HOH:O	2.52	0.43
1:B:278:LEU:HD11	1:B:316:LEU:HD11	1.99	0.43
1:D:123:ALA:HB2	1:D:172:ILE:HD11	1.99	0.43
1:H:167:ILE:HD11	1:H:179:LEU:HD22	2.00	0.43
1:B:67:LEU:O	1:B:72:ARG:NH1	2.51	0.43
1:B:440:GLY:HA3	1:B:457:ASN:O	2.19	0.43
1:G:263:VAL:HG12	1:G:296:TYR:HB2	2.01	0.43
1:A:67:LEU:O	1:A:72:ARG:NH1	2.52	0.42
1:G:427:PHE:HE2	2:G:496:GOL:H11	1.83	0.42
1:C:22:SER:HB2	1:C:43:PRO:HB3	2.01	0.42
1:D:30:ILE:HD11	1:D:42:ILE:HG12	2.00	0.42
1:D:387:VAL:HG12	1:D:387:VAL:O	2.19	0.42
1:C:87:LYS:HB2	1:C:109:VAL:HG11	2.01	0.42
1:E:440:GLY:HA3	1:E:457:ASN:O	2.20	0.42
1:A:42:ILE:HD12	1:A:210:ASN:HB3	2.01	0.42
1:H:108:GLU:HG3	1:H:161:ALA:HB2	2.00	0.42
1:F:100:LYS:HB3	1:F:100:LYS:HE3	1.88	0.42
1:C:340:ILE:HB	1:C:395:ILE:HD13	2.01	0.42
1:E:144:LYS:HD2	1:E:477:LEU:HD13	2.01	0.42
1:E:331:LYS:HE3	1:E:336:GLU:HB3	2.01	0.42
1:B:89:ILE:O	1:B:92:PRO:HD2	2.19	0.42
1:C:99:GLY:O	1:C:330:PRO:HD2	2.20	0.42
1:D:166:LYS:HB3	1:D:177:MET:HE1	2.00	0.42
1:D:235:THR:HA	1:D:256:LEU:HD13	2.02	0.42
1:D:235:THR:HG21	1:D:416:TYR:HE2	1.84	0.42
1:D:310:LEU:HG	1:D:314:LYS:HE2	2.01	0.42
1:C:233:GLY:O	1:C:256:LEU:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:MET:SD	1:A:404:MET:HE2	2.60	0.41
1:B:14:PHE:HB3	1:B:208:VAL:HG12	2.02	0.41
1:B:77:ARG:NH1	1:B:117[B]:ASP:HB2	2.34	0.41
1:A:284:ASN:O	1:A:285:CYS:C	2.64	0.41
1:B:282:PHE:HB3	1:B:328:MET:HE2	2.02	0.41
1:C:88[A]:HIS:ND1	5:C:1653:HOH:O	2.36	0.41
1:D:337:ILE:HG13	1:D:370:CYS:HB3	2.02	0.41
1:A:481:THR:O	1:C:441:GLU:HA	2.21	0.41
1:B:172:ILE:HD12	1:B:172:ILE:HA	1.95	0.41
1:B:183:GLN:HB3	1:B:211:GLY:O	2.20	0.41
1:C:443:TYR:HD1	1:C:446:ARG:HD2	1.85	0.41
1:D:50:ALA:HA	1:D:209:ILE:HD13	2.02	0.41
1:D:130:ILE:O	2:D:497:GOL:H31	2.20	0.41
1:G:191:GLU:HG2	5:G:535:HOH:O	2.19	0.41
1:B:361:ALA:HB3	1:B:371:TRP:HB3	2.02	0.41
1:D:158:PHE:HB3	1:D:161:ALA:HB3	2.03	0.41
1:G:201:LEU:HA	1:G:202:PRO:HD3	1.90	0.41
1:H:331:LYS:NZ	1:H:336:GLU:OE1	2.38	0.41
1:F:440:GLY:HA3	1:F:457:ASN:O	2.20	0.41
1:A:54:LEU:HD11	1:A:220:LEU:HA	2.02	0.41
1:B:276:ASP:OD2	1:B:423:HIS:NE2	2.39	0.41
1:C:108:GLU:HG3	1:C:161:ALA:HB2	2.03	0.41
1:D:278:LEU:HD13	1:D:312:LEU:HB3	2.02	0.41
1:E:49:ASP:HB3	1:E:209:ILE:HD11	2.03	0.41
1:F:73:GLN:HG3	1:F:120:CYS:HB3	2.03	0.41
1:F:340:ILE:HB	1:F:395:ILE:HD13	2.03	0.41
1:D:340:ILE:O	1:D:344:VAL:HG23	2.21	0.40
1:F:223:SER:HA	1:F:224:PRO:HD3	2.00	0.40
1:A:245:SER:HB2	1:A:250:THR:HB	2.03	0.40
1:B:249:MET:HE3	1:B:249:MET:HB2	1.93	0.40
1:D:196:ALA:HB1	1:D:201:LEU:HD22	2.04	0.40
1:E:295:LEU:HD23	1:E:398:ILE:HD13	2.03	0.40
1:F:396:LEU:HA	1:F:397:PRO:HD2	1.90	0.40
1:D:396:LEU:HA	1:D:397:PRO:HD2	1.96	0.40
1:E:163:ALA:O	1:E:167[A]:ILE:HG12	2.21	0.40
1:G:115:PHE:CE2	1:G:165:ARG:HG3	2.57	0.40
1:A:183:GLN:HE22	1:A:212:THR:HG22	1.86	0.40
1:A:281:ARG:O	1:A:286:GLY:HA2	2.22	0.40
1:D:456:HIS:N	1:D:467:GLU:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	478/497 (96%)	456 (95%)	20 (4%)	2 (0%)	30	22
1	B	488/497 (98%)	468 (96%)	20 (4%)	0	100	100
1	C	487/497 (98%)	474 (97%)	13 (3%)	0	100	100
1	D	489/497 (98%)	472 (96%)	17 (4%)	0	100	100
1	E	489/497 (98%)	475 (97%)	14 (3%)	0	100	100
1	F	490/497 (99%)	481 (98%)	9 (2%)	0	100	100
1	G	488/497 (98%)	474 (97%)	14 (3%)	0	100	100
1	H	489/497 (98%)	474 (97%)	14 (3%)	1 (0%)	43	36
All	All	3898/3976 (98%)	3774 (97%)	121 (3%)	3 (0%)	48	40

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	374	PRO
1	H	292	VAL
1	A	358	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	396/407 (97%)	373 (94%)	23 (6%)	18	10
1	B	401/407 (98%)	375 (94%)	26 (6%)	15	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	400/407 (98%)	380 (95%)	20 (5%)	22	14
1	D	402/407 (99%)	373 (93%)	29 (7%)	13	6
1	E	402/407 (99%)	383 (95%)	19 (5%)	23	15
1	F	403/407 (99%)	388 (96%)	15 (4%)	30	22
1	G	401/407 (98%)	384 (96%)	17 (4%)	26	19
1	H	401/407 (98%)	379 (94%)	22 (6%)	19	11
All	All	3206/3256 (98%)	3035 (95%)	171 (5%)	20	12

All (171) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ILE
1	A	66	LYS
1	A	95	VAL
1	A	102	LEU
1	A	197	LYS
1	A	201	LEU
1	A	206	LEU
1	A	208	VAL
1	A	265	MET
1	A	271	ASP
1	A	288	VAL
1	A	295	LEU
1	A	304	GLU
1	A	314	LYS
1	A	318	VAL
1	A	328	MET
1	A	334	GLN
1	A	356	THR
1	A	381	LYS
1	A	385	ILE
1	A	396	LEU
1	A	448	MET
1	A	450	GLU
1	B	41	GLU
1	B	62	LYS
1	B	90	LEU
1	B	98	GLN
1	B	136	GLN
1	B	137	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	144	LYS
1	B	197	LYS
1	B	263	VAL
1	B	266	ASP
1	B	267	ASP
1	B	272	LYS
1	B	281	ARG
1	B	288	VAL
1	B	312	LEU
1	B	314	LYS
1	B	316	LEU
1	B	318	VAL
1	B	326	SER
1	B	346	GLU
1	B	385	ILE
1	B	395	ILE
1	B	446	ARG
1	B	448	MET
1	B	473	LEU
1	B	488	GLU
1	C	26	ASP
1	C	31	LEU
1	C	34	SER
1	C	82	LYS
1	C	87	LYS
1	C	98	GLN
1	C	149	VAL
1	C	180	LYS
1	C	263	VAL
1	C	326	SER
1	C	334	GLN
1	C	360	THR
1	C	362	THR
1	C	377	LEU
1	C	385	ILE
1	C	395	ILE
1	C	446	ARG
1	C	450	GLU
1	C	473	LEU
1	C	477	LEU
1	D	12	VAL
1	D	20	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	102	LEU
1	D	149	VAL
1	D	160	LEU
1	D	184	GLU
1	D	197[A]	LYS
1	D	197[B]	LYS
1	D	235	THR
1	D	240	GLN
1	D	255[A]	GLU
1	D	255[B]	GLU
1	D	270	LEU
1	D	272	LYS
1	D	275	GLU
1	D	310	LEU
1	D	312	LEU
1	D	318	VAL
1	D	327	GLN
1	D	332	CYS
1	D	353	THR
1	D	360	THR
1	D	362	THR
1	D	377	LEU
1	D	381	LYS
1	D	400	LYS
1	D	409	GLU
1	D	448	MET
1	D	473	LEU
1	E	3	VAL
1	E	9	LYS
1	E	51	GLU
1	E	102	LEU
1	E	149	VAL
1	E	197	LYS
1	E	201	LEU
1	E	229	ILE
1	E	243	LYS
1	E	272	LYS
1	E	318	VAL
1	E	334	GLN
1	E	353	THR
1	E	362	THR
1	E	377	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	381	LYS
1	E	398	ILE
1	E	446	ARG
1	E	448	MET
1	F	34	SER
1	F	62	LYS
1	F	144	LYS
1	F	149	VAL
1	F	243	LYS
1	F	288	VAL
1	F	314	LYS
1	F	318	VAL
1	F	360	THR
1	F	362	THR
1	F	364	GLU
1	F	385	ILE
1	F	395	ILE
1	F	446	ARG
1	F	448	MET
1	G	26	ASP
1	G	30	ILE
1	G	31	LEU
1	G	98	GLN
1	G	102	LEU
1	G	160	LEU
1	G	206	LEU
1	G	229	ILE
1	G	235	THR
1	G	243	LYS
1	G	312	LEU
1	G	318	VAL
1	G	326	SER
1	G	381	LYS
1	G	446	ARG
1	G	448	MET
1	G	450	GLU
1	H	39	ILE
1	H	51	GLU
1	H	90	LEU
1	H	98	GLN
1	H	102	LEU
1	H	149	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	160	LEU
1	H	197	LYS
1	H	229	ILE
1	H	236	VAL
1	H	263	VAL
1	H	272	LYS
1	H	306	MET
1	H	312	LEU
1	H	360	THR
1	H	385	ILE
1	H	400	LYS
1	H	426	SER
1	H	446	ARG
1	H	448	MET
1	H	450	GLU
1	H	473	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	135	ASN
1	A	136	GLN
1	A	183	GLN
1	A	218	GLN
1	A	287	GLN
1	A	298	HIS
1	A	382	GLN
1	A	425	GLN
1	A	475	GLN
1	A	485	ASN
1	B	4	GLN
1	B	240	GLN
1	B	327	GLN
1	B	432	GLN
1	C	13	ASN
1	C	52	ASN
1	C	74	ASN
1	C	135	ASN
1	C	432	GLN
1	D	52	ASN
1	D	334	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	457	ASN
1	E	52	ASN
1	E	457	ASN
1	F	52	ASN
1	F	218	GLN
1	F	240	GLN
1	F	334	GLN
1	F	345	HIS
1	G	88	HIS
1	G	382	GLN
1	G	485	ASN
1	H	183	GLN
1	H	240	GLN
1	H	382	GLN
1	H	485	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 8 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	F	498	-	5,5,5	0.36	0	5,5,5	0.39	0
4	ACT	E	499	-	3,3,3	0.76	0	3,3,3	0.98	0
2	GOL	G	497	-	5,5,5	0.41	0	5,5,5	0.78	0
4	ACT	D	500	-	3,3,3	0.82	0	3,3,3	1.32	0
2	GOL	D	496	-	5,5,5	0.44	0	5,5,5	0.54	0
4	ACT	F	500	-	3,3,3	0.78	0	3,3,3	1.10	0
2	GOL	A	496	-	5,5,5	0.48	0	5,5,5	0.11	0
4	ACT	C	499	-	3,3,3	0.78	0	3,3,3	1.44	0
2	GOL	F	496	-	5,5,5	0.49	0	5,5,5	0.93	0
2	GOL	B	496	-	5,5,5	0.38	0	5,5,5	1.07	0
2	GOL	D	497	-	5,5,5	0.38	0	5,5,5	0.71	0
2	GOL	D	498	-	5,5,5	0.36	0	5,5,5	0.51	0
4	ACT	B	498	-	3,3,3	0.80	0	3,3,3	1.24	0
2	GOL	B	499	-	5,5,5	0.42	0	5,5,5	0.81	0
2	GOL	C	497	-	5,5,5	0.40	0	5,5,5	0.43	0
2	GOL	G	496	-	5,5,5	0.47	0	5,5,5	0.41	0
4	ACT	C	498	-	3,3,3	0.83	0	3,3,3	1.12	0
2	GOL	E	496	-	5,5,5	0.53	0	5,5,5	0.51	0
2	GOL	E	497	-	5,5,5	0.60	0	5,5,5	0.72	0
2	GOL	F	497	-	5,5,5	0.35	0	5,5,5	0.38	0
2	GOL	H	496	-	5,5,5	0.43	0	5,5,5	0.56	0
2	GOL	G	498	-	5,5,5	0.30	0	5,5,5	0.49	0
2	GOL	B	497	-	5,5,5	0.52	0	5,5,5	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	E	497	-	-	4/4/4/4	-
2	GOL	B	497	-	-	2/4/4/4	-
2	GOL	A	496	-	-	1/4/4/4	-
2	GOL	F	497	-	-	2/4/4/4	-
2	GOL	F	496	-	-	0/4/4/4	-
2	GOL	B	499	-	-	2/4/4/4	-
2	GOL	B	496	-	-	3/4/4/4	-
2	GOL	F	498	-	-	2/4/4/4	-
2	GOL	D	497	-	-	2/4/4/4	-
2	GOL	G	496	-	-	4/4/4/4	-
2	GOL	G	497	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	H	496	-	-	4/4/4/4	-
2	GOL	E	496	-	-	0/4/4/4	-
2	GOL	D	496	-	-	0/4/4/4	-
2	GOL	D	498	-	-	3/4/4/4	-
2	GOL	G	498	-	-	2/4/4/4	-
2	GOL	C	497	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	496	GOL	C1-C2-C3-O3
2	B	497	GOL	C1-C2-C3-O3
2	B	499	GOL	C1-C2-C3-O3
2	D	498	GOL	O1-C1-C2-C3
2	E	497	GOL	O1-C1-C2-C3
2	E	497	GOL	C1-C2-C3-O3
2	E	497	GOL	O2-C2-C3-O3
2	F	497	GOL	C1-C2-C3-O3
2	G	496	GOL	O1-C1-C2-C3
2	G	496	GOL	C1-C2-C3-O3
2	G	497	GOL	O1-C1-C2-C3
2	G	498	GOL	O1-C1-C2-C3
2	H	496	GOL	O1-C1-C2-C3
2	H	496	GOL	C1-C2-C3-O3
2	E	497	GOL	O1-C1-C2-O2
2	D	497	GOL	C1-C2-C3-O3
2	G	497	GOL	C1-C2-C3-O3
2	F	497	GOL	O2-C2-C3-O3
2	G	496	GOL	O1-C1-C2-O2
2	G	496	GOL	O2-C2-C3-O3
2	H	496	GOL	O1-C1-C2-O2
2	H	496	GOL	O2-C2-C3-O3
2	B	496	GOL	O2-C2-C3-O3
2	B	497	GOL	O2-C2-C3-O3
2	B	499	GOL	O2-C2-C3-O3
2	D	498	GOL	O1-C1-C2-O2
2	G	497	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	498	GOL	O1-C1-C2-O2
2	G	497	GOL	O2-C2-C3-O3
2	A	496	GOL	O1-C1-C2-O2
2	B	496	GOL	O1-C1-C2-O2
2	D	497	GOL	O2-C2-C3-O3
2	F	498	GOL	O2-C2-C3-O3
2	F	498	GOL	C1-C2-C3-O3
2	D	498	GOL	O2-C2-C3-O3

There are no ring outliers.

9 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	498	GOL	1	0
2	G	497	GOL	1	0
4	D	500	ACT	1	0
2	D	497	GOL	1	0
2	B	499	GOL	2	0
2	C	497	GOL	2	0
2	G	496	GOL	1	0
2	H	496	GOL	1	0
2	B	497	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	475/497 (95%)	0.66	40 (8%)	17	18	21, 48, 75, 92	7 (1%)
1	B	488/497 (98%)	0.57	24 (4%)	35	37	17, 42, 62, 72	2 (0%)
1	C	484/497 (97%)	-0.11	2 (0%)	88	90	16, 34, 50, 93	5 (1%)
1	D	483/497 (97%)	0.11	7 (1%)	73	76	17, 36, 54, 76	8 (1%)
1	E	486/497 (97%)	-0.17	1 (0%)	91	92	19, 35, 52, 78	5 (1%)
1	F	483/497 (97%)	-0.12	1 (0%)	91	92	19, 34, 49, 81	9 (1%)
1	G	484/497 (97%)	0.04	5 (1%)	79	82	18, 38, 60, 79	6 (1%)
1	H	486/497 (97%)	0.58	26 (5%)	32	34	17, 45, 70, 93	5 (1%)
All	All	3869/3976 (97%)	0.20	106 (2%)	56	60	16, 38, 63, 93	47 (1%)

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	270	LEU	4.0
1	A	318	VAL	3.7
1	A	39	ILE	3.7
1	A	396	LEU	3.6
1	A	324	ALA	3.4
1	C	99	GLY	3.3
1	H	316	LEU	3.3
1	A	94	LEU	3.2
1	A	265	MET	3.2
1	A	370	CYS	3.2
1	B	3	VAL	3.2
1	H	343	ILE	3.1
1	A	310	LEU	3.1
1	H	363	VAL	3.0
1	A	371	TRP	3.0
1	A	357	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	318	VAL	3.0
1	A	312	LEU	3.0
1	B	20	VAL	3.0
1	A	270	LEU	2.9
1	D	88[A]	HIS	2.9
1	A	340	ILE	2.9
1	A	380	VAL	2.9
1	A	369	GLY	2.9
1	H	310	LEU	2.8
1	A	344	VAL	2.8
1	A	356	THR	2.8
1	A	305	PHE	2.7
1	H	415	ILE	2.7
1	H	33	PRO	2.7
1	D	318	VAL	2.7
1	A	296	TYR	2.7
1	B	235	THR	2.7
1	A	398	ILE	2.7
1	H	30	ILE	2.7
1	H	39	ILE	2.7
1	H	337	ILE	2.7
1	H	236	VAL	2.7
1	A	372	TYR	2.6
1	A	309	PHE	2.5
1	D	352	ALA	2.5
1	A	34	SER	2.5
1	A	343	ILE	2.5
1	B	288	VAL	2.5
1	H	344	VAL	2.5
1	H	397	PRO	2.5
1	H	332	CYS	2.4
1	A	385	ILE	2.4
1	B	42	ILE	2.4
1	B	361	ALA	2.4
1	E	3	VAL	2.4
1	A	399	VAL	2.4
1	D	329	GLY	2.4
1	A	274	ALA	2.4
1	H	260	ALA	2.4
1	A	321	PRO	2.4
1	A	156	TRP	2.4
1	B	90	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	310	LEU	2.3
1	B	309	PHE	2.3
1	B	299	ALA	2.3
1	D	89	ILE	2.3
1	H	8	PHE	2.2
1	H	372	TYR	2.2
1	A	337	ILE	2.2
1	A	301	VAL	2.2
1	B	215	VAL	2.2
1	B	1	LEU	2.2
1	H	347	ALA	2.2
1	B	79	PHE	2.2
1	G	386	VAL	2.2
1	C	98	GLN	2.2
1	B	105	ALA	2.2
1	B	302	TYR	2.2
1	A	348	ILE	2.2
1	B	39	ILE	2.2
1	A	387	VAL	2.2
1	H	35	THR	2.2
1	G	266	ASP	2.2
1	B	99	GLY	2.2
1	G	299	ALA	2.2
1	A	302	TYR	2.1
1	B	398	ILE	2.1
1	A	279	TRP	2.1
1	G	318	VAL	2.1
1	A	316	LEU	2.1
1	D	6	LEU	2.1
1	A	283	ALA	2.1
1	B	305	PHE	2.1
1	D	366	PHE	2.1
1	G	302	TYR	2.1
1	H	216	VAL	2.1
1	H	237	ALA	2.1
1	B	366	PHE	2.1
1	F	368	GLY	2.1
1	B	354	VAL	2.1
1	H	378	VAL	2.1
1	A	295	LEU	2.1
1	A	332	CYS	2.1
1	H	360	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	377	LEU	2.0
1	H	371	TRP	2.0
1	H	377	LEU	2.0
1	H	34	SER	2.0
1	B	28	ILE	2.0
1	B	353	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACT	B	498	4/4	0.68	0.18	44,48,52,56	0
2	GOL	F	497	6/6	0.75	0.15	35,59,67,72	0
4	ACT	C	499	4/4	0.82	0.13	40,47,47,57	0
2	GOL	C	497	6/6	0.85	0.12	39,43,58,59	0
2	GOL	B	499	6/6	0.85	0.12	31,43,50,58	0
2	GOL	F	498	6/6	0.86	0.10	46,57,58,70	0
4	ACT	D	500	4/4	0.90	0.12	34,38,44,54	0
3	CL	B	500	1/1	0.91	0.17	47,47,47,47	0
2	GOL	E	497	6/6	0.91	0.10	26,30,50,65	0
2	GOL	G	496	6/6	0.91	0.10	39,44,55,59	0
3	CL	A	497	1/1	0.91	0.11	51,51,51,51	0
2	GOL	D	498	6/6	0.92	0.10	27,45,50,56	0
2	GOL	A	496	6/6	0.92	0.10	25,45,47,49	0
4	ACT	E	499	4/4	0.92	0.11	32,34,42,47	0
4	ACT	F	500	4/4	0.92	0.10	38,41,46,51	0
2	GOL	H	496	6/6	0.93	0.10	40,41,46,54	0
4	ACT	C	498	4/4	0.93	0.09	47,53,54,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	B	496	6/6	0.95	0.07	21,29,39,50	0
2	GOL	E	496	6/6	0.95	0.06	21,34,37,42	0
2	GOL	G	497	6/6	0.95	0.07	23,33,34,40	0
3	CL	G	499	1/1	0.95	0.12	49,49,49,49	0
2	GOL	G	498	6/6	0.95	0.07	19,27,32,35	0
2	GOL	D	496	6/6	0.96	0.08	28,33,39,41	0
2	GOL	B	497	6/6	0.96	0.09	19,28,44,51	0
2	GOL	F	496	6/6	0.96	0.05	22,28,32,35	0
3	CL	C	496	1/1	0.97	0.05	38,38,38,38	0
2	GOL	D	497	6/6	0.97	0.07	24,38,41,45	0
3	CL	H	497	1/1	0.97	0.09	42,42,42,42	0
3	CL	F	499	1/1	0.98	0.06	31,31,31,31	0
3	CL	E	498	1/1	0.99	0.09	34,34,34,34	0
3	CL	D	499	1/1	0.99	0.06	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.