



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:39 AM UTC

PDB ID : 7K2B / pdb_00007k2b
Title : Kelch domain of human KEAP1 bound to Nrf2 peptide, ADEETGEFA
Authors : Muellers, S.N.; Allen, K.N.
Deposited on : 2020-09-08
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	2% 78% 17% 5%
1	B	301	45% 66% 28% 6%
2	P	11	9% 64% 27% 9%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4597 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2192	1365	395	417	15			
1	B	283	Total	C	N	O	S	0	0	0
			2159	1346	390	408	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	540	ALA	GLU	engineered mutation	UNP Q14145
A	542	ALA	GLU	engineered mutation	UNP Q14145
B	540	ALA	GLU	engineered mutation	UNP Q14145
B	542	ALA	GLU	engineered mutation	UNP Q14145

- Molecule 2 is a protein called ACE-ALA-ASP-GLU-GLU-THR-GLY-GLU-PHE-ALA-NH2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	11	Total	C	N	O	0	0	1
			71	42	10	19			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	129	Total	O	0	0
			129	129		
3	B	42	Total	O	0	0
			42	42		
3	P	4	Total	O	0	0
			4	4		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Kelch-like ECH-associated protein 1



- Molecule 1: Kelch-like ECH-associated protein 1



- Molecule 2: ACE-ALA-ASP-GLU-GLU-THR-GLY-GLU-PHE-ALA-NH2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	161.72Å 68.75Å 77.62Å 90.00° 117.60° 90.00°	Depositor
Resolution (Å)	39.23 – 2.31 39.23 – 2.31	Depositor EDS
% Data completeness (in resolution range)	98.0 (39.23-2.31) 98.0 (39.23-2.31)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.31Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.215 , 0.258 0.216 , 0.260	Depositor DCC
R_{free} test set	1994 reflections (5.99%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.353	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4597	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH2, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2246	0.66	0/3061
1	B	0.35	0/2212	0.62	0/3015
2	P	2.07	3/68 (4.4%)	1.74	4/91 (4.4%)
All	All	0.46	3/4526 (0.1%)	0.67	4/6167 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	P	84	PHE	C-N	-10.71	1.18	1.33
2	P	85	ALA	C-O	9.13	1.41	1.23
2	P	85	ALA	CA-C	7.23	1.68	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	85	ALA	CB-CA-C	-10.35	94.97	110.50
2	P	85	ALA	N-CA-C	6.43	129.01	111.00
2	P	84	PHE	CA-C-N	6.17	132.81	121.70
2	P	84	PHE	C-N-CA	6.17	132.81	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	609	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2192	0	2083	39	0
1	B	2159	0	2052	65	0
2	P	71	0	53	3	0
3	A	129	0	0	3	0
3	B	42	0	0	1	0
3	P	4	0	0	0	0
All	All	4597	0	4188	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483:ARG:NH1	3:A:701:HOH:O	1.74	1.14
1:B:380:ARG:NH1	2:P:83:GLU:OE1	1.91	1.03
1:B:328:ILE:HD11	1:B:562:HIS:HB2	1.57	0.86
1:A:522:ALA:HB1	1:A:550:MET:HE3	1.58	0.83
1:B:349:ASP:HB2	1:B:351:THR:HG22	1.62	0.82
1:B:581:VAL:HB	1:B:595:THR:HB	1.63	0.81
1:B:421:ILE:HG12	1:B:467:VAL:HG11	1.64	0.79
1:B:466:ALA:HB1	1:B:514:VAL:HG23	1.65	0.78
1:A:483:ARG:HD2	3:A:701:HOH:O	1.82	0.78
1:A:550:MET:HE1	1:A:568:VAL:HG11	1.67	0.77
1:B:415:ARG:NH2	2:P:80:GLU:OE1	2.18	0.71
1:B:562:HIS:HB3	1:B:567:TYR:HE1	1.55	0.70
1:B:441:GLU:HB3	1:B:452:LEU:HD23	1.74	0.68
1:B:447:ARG:HD2	1:B:449:GLU:HB2	1.76	0.66
1:A:550:MET:CE	1:A:568:VAL:HG11	2.25	0.66
1:A:430:GLY:C	1:A:461:ILE:HG22	2.20	0.65
1:B:416:ILE:HD11	1:B:427:ALA:HB1	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:562:HIS:HB3	1:B:567:TYR:CE1	2.35	0.62
1:A:388:THR:HG22	1:A:389:ASP:O	2.00	0.61
1:B:421:ILE:HG12	1:B:467:VAL:CG1	2.29	0.61
1:A:515:LEU:HD22	1:A:566:ILE:HG13	1.83	0.61
1:B:554:ARG:HG3	1:B:557:LEU:HD22	1.84	0.60
1:A:430:GLY:O	1:A:461:ILE:HG22	2.03	0.58
1:B:561:VAL:HG12	1:B:566:ILE:HG12	1.85	0.58
1:B:468:LEU:HD12	1:B:469:ASN:H	1.69	0.58
1:B:355:LEU:HD13	1:B:396:TYR:OH	2.04	0.58
1:B:410:SER:OG	1:B:441:GLU:OE2	2.19	0.57
1:B:559:ILE:HG13	1:B:568:VAL:HG12	1.88	0.56
1:A:431:SER:HB3	1:A:461:ILE:HG21	1.87	0.55
1:B:424:HIS:CD2	1:B:444:GLU:HG3	2.42	0.55
1:B:515:LEU:HD22	1:B:566:ILE:HG13	1.88	0.55
1:B:443:TYR:HB2	1:B:450:TRP:CE2	2.42	0.53
1:B:380:ARG:NH1	1:B:382:ASN:HD22	2.06	0.53
1:B:347:PRO:HG2	1:B:562:HIS:ND1	2.24	0.53
1:A:490:TYR:CE2	1:A:492:PRO:HA	2.44	0.53
1:A:554:ARG:HH22	1:A:580:SER:HG	1.54	0.52
1:B:483:ARG:HG2	1:B:508:SER:HB2	1.91	0.52
1:B:400:THR:OG1	1:B:402:GLN:HG2	2.10	0.52
1:A:337:GLN:HG3	1:A:384:PRO:HD3	1.91	0.52
1:B:397:ASN:HB3	1:B:400:THR:OG1	2.10	0.52
1:B:532:ASN:HB2	1:B:550:MET:O	2.10	0.52
1:B:342:LEU:HD22	1:B:403:TRP:CZ2	2.45	0.52
1:B:366:ALA:HB1	1:B:418:VAL:HG22	1.92	0.51
1:B:494:ARG:NH1	1:B:496:GLU:OE2	2.36	0.51
1:B:328:ILE:CD1	1:B:562:HIS:HB2	2.37	0.51
1:B:594:VAL:HG12	1:B:595:THR:OG1	2.11	0.51
1:B:470:ARG:HE	1:B:470:ARG:H	1.58	0.50
1:A:467:VAL:O	1:A:514:VAL:HG21	2.11	0.50
1:B:365:LEU:H	1:B:365:LEU:HD23	1.77	0.50
1:A:466:ALA:HB1	1:A:514:VAL:HG23	1.93	0.48
1:B:460:ARG:HB3	1:B:463:VAL:HB	1.96	0.48
1:B:443:TYR:HA	1:B:449:GLU:O	2.14	0.48
1:B:470:ARG:H	1:B:470:ARG:NE	2.12	0.48
1:B:345:TYR:HB2	1:B:352:TRP:CH2	2.49	0.47
1:B:369:VAL:HG13	1:B:607:ALA:HB1	1.95	0.47
1:B:443:TYR:HB2	1:B:450:TRP:CD2	2.49	0.47
1:B:468:LEU:HD12	1:B:469:ASN:N	2.30	0.47
1:B:425:ILE:HB	1:B:443:TYR:HB3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:ARG:NH1	1:A:394:ASP:OD1	2.48	0.47
1:B:604:VAL:HG23	1:B:606:VAL:HG23	1.97	0.47
1:A:443:TYR:HB2	1:A:450:TRP:CE2	2.49	0.46
1:A:460:ARG:HB3	1:A:463:VAL:HB	1.97	0.46
1:B:418:VAL:HA	1:B:426:TYR:O	2.15	0.46
1:A:446:GLU:H	1:A:446:GLU:CD	2.24	0.46
1:B:342:LEU:HD22	1:B:403:TRP:HZ2	1.81	0.46
1:B:354:ARG:NH2	1:B:357:ASP:OD1	2.42	0.45
1:A:494:ARG:HD2	1:A:496:GLU:HG2	1.98	0.45
1:B:380:ARG:CZ	2:P:83:GLU:OE1	2.62	0.45
1:A:365:LEU:HD12	1:A:376:ALA:HB1	1.99	0.45
1:A:557:LEU:HD23	1:A:557:LEU:H	1.82	0.45
1:A:443:TYR:HB2	1:A:450:TRP:CD2	2.52	0.45
1:B:347:PRO:HG2	1:B:562:HIS:CE1	2.52	0.45
1:A:490:TYR:HB2	1:A:497:TRP:CE2	2.52	0.44
1:B:584:TYR:HB2	1:B:591:TRP:CZ2	2.52	0.44
1:B:345:TYR:HB2	1:B:352:TRP:CZ3	2.53	0.44
1:A:328:ILE:O	1:A:344:ALA:HA	2.17	0.43
1:B:425:ILE:O	1:B:442:ARG:HA	2.18	0.43
1:A:393:LEU:HD22	1:A:450:TRP:CZ2	2.54	0.43
1:A:522:ALA:HB1	1:A:550:MET:CE	2.40	0.43
1:A:512:VAL:HA	1:A:520:TYR:O	2.19	0.43
1:A:519:ILE:O	1:A:536:ARG:HA	2.18	0.43
1:B:361:PRO:C	1:B:362:ARG:HG3	2.43	0.43
1:A:335:PHE:C	1:A:337:GLN:H	2.26	0.43
1:B:399:MET:HB2	1:B:399:MET:HE3	1.52	0.43
1:A:337:GLN:HG2	3:A:778:HOH:O	2.19	0.42
1:A:346:ASN:HB3	1:A:349:ASP:HB2	2.01	0.42
1:B:512:VAL:HA	1:B:520:TYR:O	2.20	0.42
1:A:347:PRO:HG2	1:A:562:HIS:CE1	2.55	0.42
1:A:416:ILE:HD13	1:A:416:ILE:HG21	1.81	0.42
1:B:352:TRP:HE1	1:B:595:THR:CG2	2.33	0.42
1:B:443:TYR:CE1	1:B:448:ASP:HA	2.55	0.42
1:A:566:ILE:HB	1:A:584:TYR:HB3	2.01	0.42
1:B:375:TYR:OH	1:B:445:PRO:HB3	2.19	0.42
1:B:469:ASN:O	3:B:701:HOH:O	2.22	0.41
1:B:532:ASN:O	1:B:550:MET:N	2.42	0.41
1:B:328:ILE:HG21	1:B:560:THR:HG21	2.02	0.41
1:B:470:ARG:HD3	1:B:470:ARG:HA	1.87	0.41
1:A:562:HIS:HB3	1:A:567:TYR:CE2	2.55	0.41
1:A:550:MET:HE2	1:A:591:TRP:CH2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:430:GLY:C	1:B:461:ILE:HG22	2.46	0.41
1:B:519:ILE:O	1:B:536:ARG:HA	2.21	0.41
1:A:349:ASP:HB3	1:A:351:THR:HG23	2.03	0.40
1:B:473:TYR:CD1	1:B:519:ILE:HD11	2.56	0.40
1:A:346:ASN:CG	1:A:349:ASP:HB2	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/301 (94%)	274 (96%)	9 (3%)	1 (0%)	30	37
1	B	281/301 (93%)	269 (96%)	12 (4%)	0	100	100
2	P	9/11 (82%)	8 (89%)	0	1 (11%)	0	0
All	All	574/613 (94%)	551 (96%)	21 (4%)	2 (0%)	36	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	611	GLU
2	P	85	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/245 (94%)	230 (100%)	0	100	100
1	B	225/245 (92%)	224 (100%)	1 (0%)	84	91
2	P	6/6 (100%)	6 (100%)	0	100	100
All	All	461/496 (93%)	460 (100%)	1 (0%)	87	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	348	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	436	HIS
1	B	381	ASN
1	B	382	ASN
1	B	402	GLN
1	B	414	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	P	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	P	84:PHE	C	85:ALA	N	1.18

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	286/301 (95%)	-0.14	6 (2%) 63 66	21, 28, 48, 74	0
1	B	283/301 (94%)	2.01	134 (47%) 0 0	25, 56, 105, 125	0
2	P	9/11 (81%)	0.68	1 (11%) 10 11	35, 39, 55, 55	0
All	All	578/613 (94%)	0.92	141 (24%) 2 2	21, 37, 96, 125	0

All (141) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	590	THR	7.4
1	B	351	THR	7.3
1	B	328	ILE	6.7
1	B	327	LEU	6.6
1	B	329	TYR	6.3
1	B	352	TRP	6.2
1	B	581	VAL	6.1
1	B	353	LEU	5.8
1	B	561	VAL	5.7
1	B	567	TYR	5.6
1	B	350	GLY	5.6
1	B	374	LEU	5.3
1	B	395	CYS	5.2
1	B	423	GLY	5.1
1	B	609	THR	5.0
1	B	491	TYR	5.0
1	B	347	PRO	4.9
1	B	400	THR	4.9
1	B	595	THR	4.9
1	B	608	VAL	4.8
1	B	591	TRP	4.8
1	B	445	PRO	4.7
1	B	562	HIS	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	345	TYR	4.7
1	B	355	LEU	4.6
1	B	396	TYR	4.6
1	B	369	VAL	4.6
1	B	373	LEU	4.6
1	B	421	ILE	4.6
1	B	563	GLN	4.5
1	B	367	GLY	4.5
1	B	470	ARG	4.5
1	B	446	GLU	4.5
1	B	375	TYR	4.4
1	B	594	VAL	4.4
1	B	583	CYS	4.4
1	B	580	SER	4.4
1	B	451	HIS	4.3
1	B	346	ASN	4.2
1	B	564	GLY	4.2
1	B	566	ILE	4.2
1	B	424	HIS	4.2
1	B	344	ALA	4.2
1	B	516	HIS	4.1
1	B	422	ASP	4.1
1	B	443	TYR	4.1
1	B	517	ASN	4.1
1	B	342	LEU	4.0
1	B	371	GLY	4.0
1	B	403	TRP	3.9
1	B	585	ASP	3.8
1	B	398	PRO	3.8
2	P	85	ALA	3.8
1	B	343	GLU	3.8
1	B	492	PRO	3.8
1	B	399	MET	3.7
1	B	515	LEU	3.7
1	B	584	TYR	3.7
1	B	348	SER	3.7
1	B	592	SER	3.7
1	B	518	CYS	3.7
1	B	420	VAL	3.7
1	B	354	ARG	3.6
1	B	370	VAL	3.6
1	B	606	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	356	ALA	3.6
1	B	401	ASN	3.5
1	B	552	HIS	3.5
1	B	469	ASN	3.5
1	B	605	GLY	3.4
1	B	405	PRO	3.4
1	B	425	ILE	3.4
1	B	578	LEU	3.3
1	B	397	ASN	3.3
1	B	607	ALA	3.3
1	B	368	CYS	3.3
1	B	597	MET	3.2
1	B	551	LYS	3.2
1	B	349	ASP	3.2
1	B	596	ARG	3.2
1	B	452	LEU	3.2
1	B	586	PRO	3.2
1	B	565	ARG	3.1
1	B	514	VAL	3.1
1	B	426	TYR	3.1
1	B	372	GLY	3.1
1	B	495	ASN	3.1
1	A	385	ASP	3.0
1	B	406	CYS	3.0
1	B	442	ARG	3.0
1	B	471	LEU	3.0
1	B	494	ARG	3.0
1	B	548	ALA	2.9
1	B	402	GLN	2.9
1	B	468	LEU	2.9
1	B	568	VAL	2.8
1	B	588	THR	2.8
1	B	579	ASP	2.8
1	B	404	SER	2.8
1	B	407	ALA	2.8
1	B	447	ARG	2.8
1	B	589	ASP	2.7
1	B	598	THR	2.7
1	A	386	GLY	2.7
1	A	483	ARG	2.7
1	B	587	ASP	2.7
1	B	582	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	393	LEU	2.7
1	B	419	GLY	2.6
1	B	453	VAL	2.6
1	B	444	GLU	2.6
1	B	490	TYR	2.6
1	B	599	SER	2.6
1	A	610	MET	2.5
1	B	450	TRP	2.5
1	B	560	THR	2.5
1	B	569	LEU	2.5
1	B	454	ALA	2.5
1	B	600	GLY	2.5
1	B	467	VAL	2.4
1	B	341	TYR	2.4
1	B	394	ASP	2.4
1	B	549	PRO	2.4
1	B	575	HIS	2.4
1	B	448	ASP	2.4
1	A	387	ASN	2.3
1	B	593	GLU	2.2
1	B	362	ARG	2.2
1	B	559	ILE	2.2
1	B	449	GLU	2.2
1	B	330	THR	2.2
1	A	498	ARG	2.1
1	B	550	MET	2.1
1	B	574	GLY	2.1
1	B	532	ASN	2.1
1	B	493	GLU	2.1
1	B	496	GLU	2.0
1	B	513	CYS	2.0
1	B	339	LEU	2.0
1	B	408	PRO	2.0
1	B	359	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.