



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:27 PM UTC

PDB ID : 7K2G / pdb_00007k2g
Title : Kelch domain of human KEAP1 bound to Nrf2 cyclic peptide, c[GDEEAGE]
Authors : Muellers, S.N.; Allen, K.N.
Deposited on : 2020-09-08
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	7% 82% 13% ••
1	B	301	39% 72% 22% 6%
2	P	7	57% 43% 57%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4570 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2211	1375	400	420	16			
1	B	283	Total	C	N	O	S	0	0	0
			2140	1333	387	406	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	540	ALA	GLU	conflict	UNP Q14145
A	542	ALA	GLU	conflict	UNP Q14145
A	613	SER	CYS	conflict	UNP Q14145
B	540	ALA	GLU	conflict	UNP Q14145
B	542	ALA	GLU	conflict	UNP Q14145
B	613	SER	CYS	conflict	UNP Q14145

- Molecule 2 is a protein called GLY-ASP-GLU-GLU-ALA-GLY-GLU.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	0	0	0
			48	26	7	15			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	133	Total	O	0	0
			133	133		
3	B	36	Total	O	0	0
			36	36		
3	P	2	Total	O	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 2: GLY-ASP-GLU-GLU-ALA-GLY-GLU



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	161.58Å 68.67Å 77.18Å 90.00° 117.50° 90.00°	Depositor
Resolution (Å)	27.03 – 2.15 27.03 – 2.15	Depositor EDS
% Data completeness (in resolution range)	91.8 (27.03-2.15) 91.8 (27.03-2.15)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 2.15Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.230 , 0.260 0.231 , 0.259	Depositor DCC
R_{free} test set	2014 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.201	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4570	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	1/2265 (0.0%)	0.52	2/3085 (0.1%)
1	B	0.18	0/2191	0.47	0/2989
2	P	0.06	0/47	2.84	3/61 (4.9%)
All	All	0.22	1/4503 (0.0%)	0.57	5/6135 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	610	MET	C-N	-7.73	1.21	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	76	GLY	O-C-N	-17.02	95.77	123.00
2	P	76	GLY	CA-C-N	10.05	139.79	121.70
2	P	76	GLY	C-N-CA	10.05	139.79	121.70
1	A	613	SER	CA-C-N	5.08	130.84	121.70
1	A	613	SER	C-N-CA	5.08	130.84	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2211	0	2106	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2140	0	2021	86	0
2	P	48	0	32	5	0
3	A	133	0	0	1	0
3	B	36	0	0	2	0
3	P	2	0	0	0	0
All	All	4570	0	4159	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:334:TYR:O	1:B:601:ARG:HA	1.49	1.10
1:B:334:TYR:CE1	1:B:577:PHE:CZ	2.40	1.09
1:B:340:SER:CB	1:B:361:PRO:HA	1.83	1.08
1:B:334:TYR:CE1	1:B:577:PHE:CE1	2.44	1.05
1:B:340:SER:HB3	1:B:361:PRO:HA	1.13	1.04
1:B:334:TYR:N	1:B:602:SER:O	1.91	1.04
1:B:334:TYR:CD1	1:B:577:PHE:CE1	2.45	1.03
1:B:341:TYR:CE1	1:B:354:ARG:NH2	2.27	1.03
1:B:466:ALA:HB1	1:B:514:VAL:HG23	1.41	1.02
1:B:333:GLY:O	1:B:363:SER:HB3	1.60	1.00
1:A:466:ALA:HB1	1:A:514:VAL:HG23	1.41	0.99
1:B:340:SER:HB2	1:B:358:LEU:CD1	1.92	0.99
1:B:334:TYR:CD1	1:B:577:PHE:HE1	1.86	0.90
1:B:340:SER:HB2	1:B:358:LEU:HD12	1.53	0.89
1:B:334:TYR:O	1:B:601:ARG:CA	2.21	0.89
1:B:334:TYR:HE1	1:B:577:PHE:CZ	1.96	0.83
1:B:340:SER:HB3	1:B:361:PRO:CA	2.05	0.81
1:A:550:MET:SD	3:A:775:HOH:O	2.38	0.80
1:B:342:LEU:HD22	1:B:403:TRP:CZ2	2.16	0.79
1:B:331:ALA:HA	1:B:341:TYR:O	1.84	0.78
1:A:471:LEU:HD11	1:B:517:ASN:CB	2.16	0.76
1:B:334:TYR:CE1	1:B:577:PHE:HZ	2.02	0.76
1:A:522:ALA:HB1	1:A:550:MET:HE3	1.68	0.75
1:B:550:MET:HE2	1:B:568:VAL:HG21	1.67	0.75
1:B:341:TYR:HE1	1:B:354:ARG:NH2	1.84	0.74
1:B:334:TYR:HB3	1:B:602:SER:OG	1.88	0.73
1:B:340:SER:CB	1:B:358:LEU:HD12	2.20	0.70
1:A:416:ILE:HD11	1:A:427:ALA:HB1	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:362:ARG:NH2	1:B:394:ASP:OD2	2.23	0.70
1:B:340:SER:HB2	1:B:358:LEU:HD13	1.74	0.69
1:B:341:TYR:CD1	1:B:354:ARG:NH2	2.61	0.68
1:B:332:GLY:HA2	1:B:340:SER:HA	1.76	0.68
1:B:333:GLY:O	1:B:363:SER:CB	2.41	0.68
1:B:333:GLY:C	1:B:602:SER:O	2.38	0.66
1:B:333:GLY:HA3	1:B:604:VAL:HG12	1.78	0.66
1:B:334:TYR:O	1:B:602:SER:N	2.27	0.66
1:B:425:ILE:HB	1:B:443:TYR:HB3	1.79	0.64
1:A:329:TYR:OH	1:A:612:PRO:HD3	1.98	0.64
1:B:340:SER:HB2	1:B:358:LEU:HB2	1.80	0.63
1:B:362:ARG:HD2	1:B:365:LEU:HD13	1.81	0.62
1:B:368:CYS:SG	1:B:425:ILE:CD1	2.87	0.62
1:B:334:TYR:HD1	1:B:577:PHE:HE1	1.42	0.62
1:B:334:TYR:HD1	1:B:602:SER:OG	1.83	0.61
1:B:340:SER:CA	1:B:358:LEU:HD12	2.30	0.61
1:B:334:TYR:OH	2:P:81:GLY:O	2.18	0.60
1:B:518:CYS:SG	1:B:536:ARG:HD3	2.41	0.60
1:A:466:ALA:HB1	1:A:514:VAL:CG2	2.24	0.60
1:B:335:PHE:HB3	1:B:339:LEU:HD11	1.83	0.59
1:B:416:ILE:HD11	1:B:427:ALA:HB1	1.85	0.59
1:B:334:TYR:HD1	1:B:602:SER:HG	1.50	0.56
1:A:334:TYR:HB2	1:A:363:SER:HB3	1.87	0.56
1:B:340:SER:CB	1:B:358:LEU:HB2	2.35	0.56
1:B:373:LEU:HD13	1:B:395:CYS:SG	2.46	0.56
1:A:329:TYR:CE1	1:A:609:THR:HG22	2.41	0.56
1:A:430:GLY:C	1:A:461:ILE:HG22	2.31	0.56
1:A:515:LEU:HD22	1:A:566:ILE:HG13	1.87	0.55
1:A:550:MET:HE2	1:A:568:VAL:HG21	1.88	0.55
1:B:334:TYR:HE1	1:B:577:PHE:HZ	1.42	0.55
1:B:456:MET:HE1	1:B:460:ARG:HD2	1.89	0.54
1:A:430:GLY:O	1:A:461:ILE:HG22	2.08	0.53
1:A:431:SER:HB3	1:A:461:ILE:HG21	1.90	0.53
1:A:557:LEU:HD23	1:A:557:LEU:H	1.73	0.53
1:A:349:ASP:HB3	1:A:351:THR:HG23	1.91	0.52
1:B:334:TYR:CE2	2:P:82:GLU:HG2	2.45	0.52
1:B:347:PRO:HG2	1:B:562:HIS:ND1	2.25	0.52
1:B:340:SER:OG	1:B:361:PRO:HA	2.07	0.51
1:A:550:MET:CE	1:A:568:VAL:HG11	2.41	0.51
1:A:334:TYR:HB2	1:A:363:SER:CB	2.42	0.50
1:B:334:TYR:CD1	1:B:602:SER:OG	2.64	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:514:VAL:HG22	1:B:519:ILE:HG12	1.95	0.49
1:B:340:SER:C	1:B:358:LEU:HD12	2.37	0.49
1:B:342:LEU:O	1:B:355:LEU:HB2	2.13	0.49
1:B:333:GLY:CA	1:B:604:VAL:HG12	2.40	0.49
1:B:342:LEU:HD22	1:B:403:TRP:HZ2	1.72	0.48
1:A:514:VAL:HG12	1:A:514:VAL:O	2.13	0.48
1:B:334:TYR:CZ	2:P:82:GLU:HG2	2.49	0.48
1:B:466:ALA:HB1	1:B:514:VAL:CG2	2.30	0.48
1:B:365:LEU:H	1:B:365:LEU:HD23	1.80	0.47
1:B:334:TYR:HB3	1:B:602:SER:HG	1.78	0.46
1:A:334:TYR:C	1:A:334:TYR:CD1	2.93	0.46
1:A:329:TYR:CE1	1:A:609:THR:CG2	2.99	0.46
1:B:340:SER:HB2	1:B:358:LEU:CB	2.45	0.46
1:A:613:SER:O	1:A:614:ARG:HG2	2.15	0.46
1:A:550:MET:HE2	1:A:568:VAL:HG11	1.98	0.46
1:B:431:SER:HB3	1:B:461:ILE:HG21	1.96	0.46
1:A:519:ILE:O	1:A:536:ARG:HA	2.17	0.45
1:B:333:GLY:HA2	1:B:603:GLY:C	2.41	0.45
1:A:329:TYR:CD1	1:A:609:THR:HG22	2.52	0.45
1:A:327:LEU:HD12	1:A:612:PRO:HD2	1.99	0.45
1:B:460:ARG:HB3	1:B:463:VAL:HB	1.99	0.45
1:A:327:LEU:HG	1:A:611:GLU:HB3	1.99	0.44
1:A:515:LEU:HB3	1:A:520:TYR:CE1	2.51	0.44
1:A:540:ALA:HB1	1:B:471:LEU:HD11	1.99	0.44
1:A:512:VAL:HA	1:A:520:TYR:O	2.17	0.44
1:B:420:VAL:N	3:B:703:HOH:O	2.50	0.44
1:B:456:MET:HE2	1:B:456:MET:HB3	1.81	0.44
1:B:490:TYR:HB2	1:B:497:TRP:CE2	2.53	0.43
1:B:557:LEU:H	1:B:557:LEU:HD23	1.83	0.43
1:B:334:TYR:CE1	2:P:81:GLY:C	2.97	0.43
1:B:334:TYR:CE1	1:B:577:PHE:HE1	2.08	0.43
1:B:587:ASP:OD2	1:B:587:ASP:N	2.52	0.43
1:A:514:VAL:HG22	1:A:519:ILE:HG12	2.00	0.43
1:B:369:VAL:HG21	1:B:609:THR:HB	2.00	0.43
1:B:579:ASP:HA	1:B:597:MET:HE2	1.99	0.43
1:A:566:ILE:HB	1:A:584:TYR:HB3	2.01	0.42
1:B:512:VAL:HA	1:B:520:TYR:O	2.20	0.42
1:A:440:VAL:HG21	1:A:497:TRP:CZ2	2.55	0.42
1:B:443:TYR:HB2	1:B:450:TRP:CE2	2.54	0.42
1:A:388:THR:HG22	1:A:389:ASP:O	2.20	0.42
1:B:415:ARG:HH21	2:P:80:ALA:HB3	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:490:TYR:HB2	1:A:497:TRP:CE2	2.55	0.41
1:B:368:CYS:SG	1:B:425:ILE:HD12	2.60	0.41
1:B:338:SER:HB2	3:B:721:HOH:O	2.19	0.41
1:A:365:LEU:HD23	1:A:365:LEU:H	1.85	0.41
1:B:333:GLY:HA3	1:B:604:VAL:CG1	2.49	0.41
1:B:341:TYR:HE1	1:B:354:ARG:HH22	1.63	0.41
1:A:346:ASN:CG	1:A:349:ASP:HB2	2.46	0.41
1:A:418:VAL:HA	1:A:426:TYR:O	2.21	0.41
1:B:584:TYR:OH	1:B:589:ASP:OD2	2.30	0.41
1:B:334:TYR:O	1:B:601:ARG:C	2.63	0.40
1:B:340:SER:OG	1:B:358:LEU:HB2	2.20	0.40
1:B:447:ARG:NH1	1:B:449:GLU:OE2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/301 (95%)	273 (96%)	12 (4%)	1 (0%)	36	34
1	B	281/301 (93%)	265 (94%)	14 (5%)	2 (1%)	18	13
2	P	5/7 (71%)	5 (100%)	0	0	100	100
All	All	572/609 (94%)	543 (95%)	26 (4%)	3 (0%)	24	20

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	516	HIS
1	B	339	LEU
1	B	516	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/245 (95%)	232 (100%)	1 (0%)	84	89
1	B	220/245 (90%)	217 (99%)	3 (1%)	59	66
2	P	4/4 (100%)	4 (100%)	0	100	100
All	All	457/494 (92%)	453 (99%)	4 (1%)	70	77

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	610	MET
1	B	336	ARG
1	B	337	GLN
1	B	339	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	528	GLN
1	A	563	GLN
1	B	402	GLN
1	B	575	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/301 (95%)	0.12	20 (6%) 23 26	15, 26, 48, 77	0
1	B	283/301 (94%)	2.00	116 (40%) 0 1	24, 60, 107, 126	0
2	P	7/7 (100%)	2.32	4 (57%) 0 0	61, 62, 72, 75	0
All	All	578/609 (94%)	1.06	140 (24%) 2 2	15, 38, 99, 126	0

All (140) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	334	TYR	11.6
1	B	333	GLY	10.0
1	B	341	TYR	9.7
1	B	335	PHE	9.2
1	B	337	GLN	8.9
1	B	516	HIS	8.3
1	B	327	LEU	6.6
1	B	340	SER	6.5
1	B	338	SER	6.3
1	B	339	LEU	6.1
1	B	399	MET	5.8
1	B	336	ARG	5.8
1	A	336	ARG	5.6
1	B	517	ASN	5.3
1	B	518	CYS	5.3
1	A	610	MET	5.2
1	B	346	ASN	5.2
1	B	369	VAL	5.0
1	B	348	SER	5.0
1	B	590	THR	4.7
1	B	515	LEU	4.7
1	B	591	TRP	4.6
1	B	344	ALA	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	371	GLY	4.4
1	B	514	VAL	4.3
1	B	328	ILE	4.2
1	B	548	ALA	4.2
1	B	395	CYS	4.1
1	B	329	TYR	4.1
1	B	446	GLU	4.1
1	B	561	VAL	3.9
1	B	565	ARG	3.9
1	B	352	TRP	3.8
1	B	608	VAL	3.8
1	B	566	ILE	3.8
1	B	563	GLN	3.8
1	A	613	SER	3.8
1	B	567	TYR	3.8
1	B	351	THR	3.7
1	B	375	TYR	3.7
2	P	80	ALA	3.7
1	B	342	LEU	3.7
1	B	562	HIS	3.7
1	B	347	PRO	3.6
1	B	592	SER	3.6
1	B	374	LEU	3.6
1	A	337	GLN	3.6
1	B	594	VAL	3.6
1	B	549	PRO	3.6
1	B	373	LEU	3.5
1	B	345	TYR	3.5
1	B	400	THR	3.4
1	B	609	THR	3.4
1	A	612	PRO	3.4
1	B	356	ALA	3.4
1	B	443	TYR	3.4
1	A	384	PRO	3.3
1	A	614	ARG	3.3
1	B	349	ASP	3.3
1	B	445	PRO	3.2
1	A	514	VAL	3.2
1	B	421	ILE	3.2
1	B	425	ILE	3.2
1	B	353	LEU	3.2
1	A	335	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	564	GLY	3.2
1	B	397	ASN	3.2
1	B	593	GLU	3.2
1	B	398	PRO	3.2
1	B	595	THR	3.1
1	B	452	LEU	3.1
1	A	386	GLY	3.1
1	B	423	GLY	3.1
2	P	76	GLY	3.1
1	B	406	CYS	3.1
1	A	349	ASP	3.1
1	B	588	THR	3.1
1	B	586	PRO	3.1
1	B	454	ALA	3.0
1	B	587	ASP	3.0
1	B	370	VAL	3.0
1	B	472	LEU	3.0
1	B	551	LYS	2.9
1	B	372	GLY	2.9
1	A	385	ASP	2.9
1	B	422	ASP	2.8
1	B	442	ARG	2.8
1	B	467	VAL	2.8
1	B	533	SER	2.8
1	B	491	TYR	2.8
1	B	584	TYR	2.8
1	B	350	GLY	2.8
1	B	468	LEU	2.8
1	B	598	THR	2.8
1	B	568	VAL	2.7
1	B	575	HIS	2.7
1	B	403	TRP	2.7
1	B	589	ASP	2.7
1	B	355	LEU	2.7
1	A	516	HIS	2.7
1	B	451	HIS	2.7
1	B	367	GLY	2.6
1	B	358	LEU	2.6
1	B	354	ARG	2.6
1	B	498	ARG	2.6
1	B	402	GLN	2.6
1	B	581	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	493	GLU	2.4
1	B	546	PHE	2.4
1	A	434	CYS	2.4
1	A	383	SER	2.4
1	B	466	ALA	2.4
1	B	605	GLY	2.4
1	B	470	ARG	2.4
1	B	424	HIS	2.4
1	A	382	ASN	2.4
1	B	450	TRP	2.4
1	B	331	ALA	2.3
1	B	392	ALA	2.3
1	B	405	PRO	2.3
1	B	527	GLY	2.3
2	P	81	GLY	2.3
1	B	396	TYR	2.3
1	B	408	PRO	2.2
1	B	606	VAL	2.2
1	B	447	ARG	2.2
1	A	387	ASN	2.2
1	B	453	VAL	2.1
1	B	596	ARG	2.1
1	A	517	ASN	2.1
1	B	520	TYR	2.1
1	B	332	GLY	2.1
1	A	395	CYS	2.1
1	B	607	ALA	2.1
1	A	446	GLU	2.1
1	B	368	CYS	2.1
1	B	407	ALA	2.1
1	B	361	PRO	2.0
2	P	79	GLU	2.0
1	B	583	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.